

DISCLAIMER

- 1. This data is not covered by any warranty.** MnDOT does not provide any warranty, express or implied, that the data is complete, accurate, up-to-date, or suitable for your intended use. This “disclaimer of warranties” applies even if you tell MnDOT how you plan to use the data.
- 2. The data is provided “As Is”.** You accept all risks associated with using this data including, but not limited to: erroneous data, or incomplete data.
- 3. You are responsible for how you choose to use this data, and MnDOT is not responsible.** It is up to you to determine whether and how to use this data. You are solely responsible for all risks and consequences arising from deciding to use this data. You cannot sue or make a claim against MnDOT in connection with using this data. MnDOT is not responsible for any damages resulting from your use of the data. This exclusion and waiver of damages applies regardless of whether those damages are actual, direct, indirect, consequential, incidental, special, or exemplary. MnDOT is not responsible for how you use the data even if you tell MnDOT how you plan to use the data.
- 4. You should provide this disclaimer to others you provide the data to.** This disclaimer is an important part of the data. If you share the data with anyone else, you should share this disclaimer as well.
- 5. All vehicles using State Highways are required to meet legal requirements per statute 169.80. Any vehicle not meeting these requirements must obtain a permit from the Office of Freight and Commercial Vehicles of MnDOT per statute 169.86.**

BRIDGE VERTICAL CLEARANCE REPORT

The Minnesota Trunk Highway Bridge Vertical Clearance Report is a listing of structures on the Interstate and Trunk Highway system that are 10 feet or more in length that are owned or inspected by MNDOT.

Bridge numbers in parentheses are under construction.

PERMITABLE VERT CLEARANCE - Maximum permissible vertical clearance of the highway under the bridge. Permissible vertical clearance is the measured clearance minus an allowance for pavement overlays, settlement and appropriate clear distance between the load and bridge.

**MINNESOTA DEPARTMENT OF TRANSPORTATION
BRIDGE VERTICAL CLEARANCE REPORT**

1/3/2018

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 1						
MN 1	0.000	15'7"		AT N DAKOTA STATE LINE	TH 1 / RED RIVER OF THE NORTH	9100
I 2						
I 2	253.142	15'10"		AT THE E JCT TH 35; 2	US 2 EB ON RAMP / US 2 SB ON RAMP FROM I 35	69102
US 2						
US 2		15'10"		AT THE E JCT TH 35	US 2 EB ON RAMP / CP RAIL	69109
US 2	0.000	19'4" - 19'4"		AT N DAKOTA STATE LINE	US 2 / RED RIVER	9090
US 2	26.190	15'8" - 16'0"		0.5 MI N OF S JCT TH 75	BNSF RR / US 2	9540
US 2	58.197	16'4" - 16'0"		AT JCT TH 59	US 59 / US 2	60006
US 2	108.085	16'10" - 17'6"		AT THE JCT TH 89	TH 89 SB RAMP / US 2	04030
US 2	111.721	16'1" - 16'5"		AT THE N JCT TH 71	US 71 RAMP / US 2	04008
US 2	112.287	18'2" - 17'0"		4.7 MI NW OF S JCT TH 71	CSAH 6 / US 2	04023
US 2	114.260	16'1" - 16'2"		2.6 MI NW OF S JCT TH 71	CSAH 11 / US 2	04011
US 2	116.083	15'7" - 17'2"		0.8 MI NW OF S JCT TH 71	CSAH 11 / US 2	04019
US 2	116.905	16'7" - 18'1"		AT THE S JCT TH 71	US 71 / US 2	04012
US 2	116.919	16'8" - 18'0"		AT THE S JCT TH 71	TH 71 NB / US 2	04016
US 2	118.142	17'8" - 17'8"		1.3 mi E of jct TH 71	PAUL BUNYAN TRAIL / TH 2	04026
US 2	186.381	15'10" - 15'10"		2.7 MI E OF GRAND RAPIDS	BNSF RR / US 2	31031
US 2	244.821	16'10" - 16'4"		AT THE JCT TH 33; 2	TH 33 SB / US 2	69115
US 2	244.837	16'0" - 16'2"		AT THE JCT OF TH 33; 2	TH 33 NB / US 2	69116
US 2	246.563	14'0"		1.7 MI E OF JCT TH 33	DM;IR RY / US 2	5204
US 2	251.980	14'7"		5.2 MI S OF JCT TH 194	DWP RY / US 2	9233
US 2	260.343	16'7"		AT JCT I 35; US 2 EB	I 35 / US 2 EB	69861
US 2	260.392	16'0"		0.1 MI S OF JCT TH 35	DM;IR RY / US 2 EB	69850
US 2	263.088	17'11" - 17'7"		AT THE E JCT TH 35; 2	US 2 EB ON RAMP / US 2 MAINLINE	69102
US 2	264.089	20'4" - 20'4"		AT WISCONSIN STATE LINE	US 2 / ST LOUIS R, TH35; RR	69100

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 2B						
US 2B	0.000	16'1"		AT N DAKOTA STATE LINE	DEMERS AVE / RED RIVER	4700
MN 3						
MN 3	0.524	13'11"		0.5 MI E OF JCT TH 21	IM RAIL / MN 3	5658
MN 3	31.950	17'0"		0.6 MI S OF JCT CSAH 42	CP RR / TH 3	19086
MN 3	38.207	13'10"		5.6 MI N OF ROSEMOUNT	CP RAIL / MN 3	6307
MN 3	43.749	16'7" - 16'0"		AT THE JCT TH 110	TH 110 WB / TH 3	19037
MN 3	43.787	16'4" - 16'1"		AT THE JCT TH 110	TH 110 EB / TH 3	19038
MN 4						
MN 4	13.442	20'2"		AT THE JCT TH 4	I 90 EB / TH 4	46806
MN 4	13.458	20'11"		AT THE JCT TH 4	I 90 WB / TH 4	46805
MN 4	63.054	13'10" - 13'8"		IN SLEEPY EYE	DME RR / MN 4	5599
MN 4	165.757	15'11"		AT JCT TH 4	I 94 EB / MN 4	73808
MN 4	165.773	15'7"		AT JCT TH 4	I 94 WB / TH 4	73807
MN 5						
MN 5		15'11"		0.1 MI NW OF JCT TH 5	TH 55 EB / TH 5 EB OFF RAMP	27108
MN 5		17'7"		AT THE JCT TH 5; 55	TH 55 / TH 5 WB COLL RD	27112
MN 5		16'1"		1.0 MI SW OF JCT TH 55	TH 5 WB / INBND OUTBND AIRPORT RD	9153
MN 5		16'1"		1.0 MI SW OF JCT TH 55	INBND AIRPORT RD / OUTBND AIRPORT RD	9154
MN 5	45.952	17'5" - 17'7"		0.2 MI W OF E JCT TH 101	PED / TH 5	10531
MN 5	61.400	16'5"		1.6 Mi EAST OF Jct TH 77	TH 5 EB / TH 5 WB OFF RAMP TO I 494 EB	27766
MN 5	61.423	16'4"		1.6 Mi East of Jct TH 77	TH 5 EB ON RAMP / TH 5 WB OFF RAMP TO I 494	27764
MN 5	61.426	16'8"		1.6 MI E OF JCT TH 77	I 494 / TH 5 WB OFF RAMP TO I 494 EB	27767
MN 5	61.444	16'6"		1.6 Mi East of Jct TH 77	I 494 WB OFF RAMP / TH 5 WB OFF RAMP TO I 494	27769
MN 5	62.489	14'10" - 14'7"		1.6 MI SW OF JCT TH 55	POST ROAD / TH 5	9409
MN 5	62.972	56'11"		0.016 MI W JCT MN 5; RPS	MSP RETURN LOOP / RAMP (MSP AIRPORT TO M	27269
MN 5	63.032	16'2"		1.0 MI SW OF JCT TH 55	INBND AIRPORT RD / OUTBND AIRPORT RD	9154
MN 5	63.951	16'11" - 16'7"		0.1 MI SW OF JCT TH 55	TH 5 EB OFF RAMP / TH 5	27107

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 5	63.957	16'6"		0.1 MI SW OF JCT TH 55	TH 5 EB OFF RAMP / TH 5 COLL RD	27107
MN 5	63.986	15'11"		0.1 MI SW OF JCT TH 55	TH 5 EB RAMP TO 55 / TH 5 WB RAMP	27118
MN 5	63.987	14'8"		AT JCT TH 5; 55	TH 55 EB OFF RAMP / TH 5 WB ON RAMP	27161
MN 5	64.056	16'1" - 17'2"		AT THE JCT TH 5; 55	TH 55 / TH 5	27112
MN 5	64.172	15'6"		AT JCT TH 55; 5	CHAPEL ROAD / TH 5 WB ON RAMP	27211
MN 5	64.177	15'4" - 15'1"		0.1 MI NE OF JCT TH 55	ABAND TOWER AVE / TH 5	9155
MN 5	64.208	15'6" - 15'6"		0.1 MI NE OF JCT TH 55	FT SNELLING PARK / TH 5	27027
MN 5	64.482	14'8" - 14'10"		1.9 MI SW OF JCT TH 51	MISS R BLVD SB / WEST 7TH ST TH 5	9489
MN 5	64.491	14'0" - 14'0"		1.9 MI SW OF JCT TH 51	MISS R BLVD NB / WEST 7TH ST TH 5	9490
MN 5	64.777	15'1"		1.7 MI SW OF JCT TH 51	EDGCUMBE ROAD NB / TH 5 EB OFF RAMP	9491
MN 5	64.777	16'2" - 15'10"		1.7 MI SW OF JCT TH 51	EDGCUMBE ROAD NB / W 7TH ST (TH 5)	9491
MN 5	180.400	19'6" - 18'10"		BETWEEN MINN;WABASHA	TRADE CTR SKYWAY / MN 5(7TH ST)	62550
MN 5	180.549	16'8"		BTWN CEDAR; MINN	SKYWAY / MN 5(7TH ST)	95369
MN 5	180.700	16'8"		BETWEEN MINN; ROBERT	SKYWAY / MN 5(7TH ST)	97450
MN 5	194.268	15'5" - 15'5"		AT THE JCT TH 5	I 694 SB / TH 5	82807
MN 5	194.284	15'5" - 15'5"		AT THE JCT TH 5	I 694 NB / TH 5	82808
MN 5	198.001	14'5"		AT JCT TH 5; 55	TH 55 WB / TH 5 EB OFF RAMP	27169

MN 7

MN 7	55.972	13'7"		1.3 MI NW OF MILAN	TCW RR / MN 7	5472
MN 7	173.320	16'10" - 16'10"		AT JCT OF TH 7	DAKOTA RL REG TRL / TH 7	27297
MN 7	183.079	15'10" - 16'4"		1.2 MI NE OF JCT TH 41	MILL ST / TH 7, REC TRL; TROLLEY	9122
MN 7	189.066	15'6" - 15'8"		0.3 MI NE OF JCT TH 494	BAKER RD (CSAH 60) / TH 7	27054
MN 7	190.313	14'5" - 14'2"		1.5 MI NE OF JCT TH 494	RECREATION TRAIL / TH 7	5114
MN 7	193.392	13'11" - 13'7"		0.9 MI SW OF JCT TH 100	CP RAIL / TH 7	5199
MN 7	193.708	15'11" - 15'11"		2.1 MI E OF JCT TH 169	WOODALE AVE / TH 7	27B65

MN 9

MN 9	59.073	25'4"		AT THE JCT TH 9	US 59 / TH 9;BNSF RR	75001
MN 9	163.505	14'6"		0.2 MI S OF JCT TH 10	BNSF RR / MN 9	5535

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 10						
US 10	1.013	13'8" - 13'5"		IN MOORHEAD	BNSF RR / US 10	6408
US 10	5.714	18'6" - 17'2"		AT THE JCT TH 10; TH 336	MNTH 336 / USTH 10	14013
US 10	21.787	15'11" - 15'8"		IN HAWLEY	BNSF RR / US 10	9025
US 10	24.616	16'2" - 16'10"		AT THE JCT TH 10; 32	TH 32 / US 10	14014
US 10	54.517	15'7" - 15'7"		AT THE JCT TH 87(FRAZEE)	MN 87 / US 10	03006
US 10	62.947	15'5" - 15'6"		3.6 MI NW OF JCT TH 78	US 10 RAMP / US 10	56021
US 10	64.511	15'10" - 16'0"		2.0 MI W OF JCT TH 78	CSAH 34 / US 10	56022
US 10	66.511	15'10" - 15'8"		AT THE JCT OF TH 78	MN 78 / US 10	56007
US 10	107.127	24'1" - 22'6"		1.1 MI W OF JCT TH 10	AIRPORT ROAD / US 10	77535
US 10	144.535	17'2"		AT JCT TH 371	MN 371 SB / US 10 WB	49008
US 10	146.871	16'6" - 17'8"		2.2 MI S OF JCT TH 371	MSAS 106 / US 10	49019
US 10	148.082	16'0" - 18'4"		3.9 MI S OF JCT TH 371	US 10 RAMP / US 10	49004
US 10	152.673	16'1" - 16'1"		7.2 MI S OF LITTLE FALLS	MCRRA / US 10	9174
US 10	170.536	15'7" - 15'7"		2.5 mi N of jct TH 15; 10	CSAH 33 / US 10	05016
US 10	173.289	16'2"		4.7 MI N OF JCT TH 23	TH 15 EB / US 10	05003
US 10	173.641	16'2" - 18'0"		4.4 MI N OF JCT TH 23	CSAH 29 / US 10	05007
US 10	175.410	17'0" - 16'1"		2.4 MI N OF JCT TH 23	CSAH 3 / US 10	05006
US 10	176.686	16'10" - 20'11"		1.2 MI N OF JCT TH 23	5TH ST S(MSAS 107) / US 10	05004
US 10	177.088	16'2" - 17'4"		0.9 MI N OF JCT TH 23	BENTON DR S / US 10	05005
US 10	178.015	15'4" - 15'4"		AT JCT TH 23 IN ST CLOUD	TH 23 SB / US 10	9021
US 10	178.015	15'1" - 15'1"		AT JCT TH 23 IN ST CLOUD	TH 23 NB / US 10	9022
US 10	208.096	17'1" - 16'11"		AT JCT TH 10;CSAH 14;15	CSAH 14;15 / US 10	71015
US 10	214.310	15'6" - 16'0"		AT JCT TH 10	US 169 SB / US 10	71001
US 10	214.325	15'5" - 16'0"		AT JCT TH 10	US 169 NB / US 10	71002
US 10	220.296	16'10" - 18'11"		4.4 MI NW JCT TH 10; 169	CSAH 83 / US 10	02007
US 10	224.807	15'5" - 15'4"		AT THE JCT TH 169	US 169 / US 10	9713
US 10	225.007	16'5" - 16'1"		0.2 MI E OF JCT TH 47	PEDESTRIAN / US 10	9714
US 10	225.013	15'11" - 15'6"		0.2 MI E OF JCT TH 47	CSAH 31 / US 10	9715
US 10	226.362	16'8" - 17'0"		0.8 MI NW OF JCT TH 242	CSAH 9 / US 10	02552

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 10	226.844	16'7" - 16'4"		0.42 MI NW JCT MN 242	NORTHDALD BLVD / US 10	02570
US 10	227.379	16'1" - 15'11"		0.85 MI E JCT US10-CSAH9	MAIN ST (CSAH 14) / US 10	02559
US 10	229.051	15'11" - 15'11"		1.7 MI SE JCT TH 242	HANSON BLVD / US 10	02567
US 10	229.800	15'7" - 15'7"		2.4 MI SE OF JCT TH 242	CREEK MEADOWS DR / US 10	02562
US 10	231.011	15'11" - 15'11"		3.6 MI SE OF JCT TH 242	EGRET BLVD / US 10	02031
US 10	231.948	15'11" - 15'11"		0.5 MI N OF JCT TH 610	FOLEY BLVD / US 10	02033
US 10	233.200	15'11" - 15'11"		1.0 MI W OF JCT TH 65	PEDESTRIAN / US 10	02044
US 10	233.776	15'11" - 15'11"		0.5 MI W OF JCT TH 65	POLK STREET / US 10	02043
US 10	235.311	15'11" - 15'11"		1.0 MI S OF JCT TH 65	AIRPORT ROAD / US 10	02047
US 10	235.597	16'0" - 16'6"		1.3 MI SE OF JCT TH 65	CSAH 32 / US 10	02048
US 10	240.315	22'4"		AT THE JCT TH 694; 10	I 694 WB / US 10 SB	62719
US 10	240.347	16'8"		AT THE JCT TH 694; 10	I 694 EB / US 10 SB	62720
US 10	240.769	16'0"		AT THE JCT TH 694; 51	TH 51 / I 694 WB	62051

US 12

US 12		18'8"		5.9 MI W OF JCT TH 494;12	BROWN ROAD / US12	27273
US 12		18'1"		5.1 MI W OF JCT TH 494;1	TRAIL A / TH 12; BNSF RR	27278
US 12	0.693	14'7"		0.1 MI W OF ORTONVILLE	BNSF RR / US 12	6455
US 12	73.771	20'7" - 21'8"		AT THE JCT TH 12	MSAS 153 / US 12	34524
US 12	118.402	17'2"		0.5 MI E OF CSAH 3	BNSF RR / US 12	86010
US 12	133.412	15'11"		0.7 MI W OF E JCT TH 25	BNSF RR / US 12	86011
US 12	138.929	16'4"		0.5 MI N OF JCT CSAH 30	BNSF RR / US 12	86021
US 12	145.373	16'2" - 15'11"		5.1 MI SE OF W CO LINE	BNSF RR / US 12	27R14
US 12	148.623	17'10" - 17'10"		AT JCT US 12; CSAH 6	CSAH 6 / US 12; BNSF RR	27199
US 12	150.078	19'0"		6.9 MI W OF JCT TH 494;12	OLD CRYSTAL BAY RD / TH 12; BNSF RR	27275
US 12	150.580	15'8"		6.4 MI W OF JCT TH494; 12	WILLOW DRIVE S / TH 12; BNSF RR	27274
US 12	152.304	25'10"		5.5 MI W OF JCT TH 494;12	LUCE LINE TRAIL / TH 12; BNSF RR	27272
US 12	152.853	16'6" - 16'0"		4.2 MI W JCT 494; 12	RAMP(CSAH 112) / US 12	27279
US 12	153.484	16'10" - 17'10"		3.6 MI W OF JCT TH 494	CSAH 15 / US 12	27129
US 12	153.684	16'5"		3.4 MI W OF JCT TH 494	WAYZATA BLVD / US 12 WB OFF RAMP TO CSAH	27130
US 12	153.694	20'10" - 18'4"		3.4 MI W OF JCT TH 494	WAYZATA BLVD / US 12	27130

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 12	153.933	22'0"	18'5"	3.1 MI W OF JCT TH 494	FERNDALE RD / US 12	27131
US 12	154.407	16'10"	16'7"	2.6 MI W OF JCT TH 494	PED AT RIDGEVIEW / US 12	27135
US 12	154.606	16'1"	15'11"	2.4 MI W OF JCT TH 494	BROADWAY AVE / US 12	27132
US 12	154.925	17'2"	16'11"	2.1 MI W OF JCT TH 494	CENTRAL AVE / US 12	27133
US 12	155.347	17'7"		1.6 MI W OF JCT TH 494	US 12 / US 12 OFF RMP TO WAYZATA BLVD	27009
US 12	156.496	16'2"		0.5 MI W OF JCT TH 494	CARLSON PKWY / US 12 N COLL ROAD	27655
US 12	156.500	17'5"		0.5 MI W OF JCT TH 494	CARLSON PKWY / US 12 S COLL ROAD	27655
US 12	156.558	16'8"	16'4"	0.5 MI W OF JCT TH 494	CARLSON PKWY / US 12	27655

MN 13

MN 13	3.273	17'4"	16'5"	AT THE JCT TH 13	I 90 EB / TH 13	24844
MN 13	3.289	16'1"	15'6"	AT THE JCT TH 13	I 90 WB / TH 13	24843
MN 13	20.594	16'4"		JCT TH101 AND TH13	TH 101 EB / TH 101 WB	70003
MN 13	30.210	17'0"	17'1"	AT JCT MN 13, S OF WASECA	US 14 EB / TH 13	81014
MN 13	30.233	16'5"	16'5"	AT JCT MN 13, S OF WASECA	US 14 WB / TH 13	81013
MN 13	90.782	16'4"		JCT TH101 AND TH13	TH 101 EB / TH 13 EB RAMP	70003
MN 13	92.194	15'8"	15'11"	1.4 MI E OF JCT TH 101	CP RAIL / MN 13	5528
MN 13	94.622	16'1"	16'6"	AT JCT OF TH 13; CSAH 5	CSAH 5 / TH 13	19036
MN 13	105.963	21'2"	18'8"	AT THE JCT TH 494; 13	PED @ I 494 / TH 13	19901
MN 13	105.977	18'6"	16'1"	1.5 MI W OF JCT TH 35E	I 494 / TH 13; UP RR	19825

US 14

US 14	81.555	15'10"		0.7 mi W of COBDEN	USTH 14 / SLEEPY EYE CREEK	08004
US 14	81.605	16'0"		0.6 MI W OF COBDEN	DME RR / US 14	08005
US 14	118.500	16'2"	16'1"	.4MI S OF JCT TH 14	TH 111 / US 14	52005
US 14	127.047	16'7"	15'11"	0.8 MI W JCT LOR RAY DR	CSAH 41 / US 14	52003
US 14	127.850	16'2"	17'1"	2.2 MI W OF JCT TH 169	CSAH 13 / US 14	52006
US 14	128.772	16'7"	17'5"	1.2 MI W OF JCT TH 169	MSAS 117 / US 14	52007
US 14	135.959	16'0"	16'0"	3.7 MI E JCT CSAH5; TH14	CSAH 12 / TH 14	07587
US 14	147.155	15'10"	15'11"	12.8 MI W OF JCT TH 13;14	CSAH 3 / US 14	81005
US 14	155.627	16'10"	16'8"	4.95 MI N JCT MN 13	CSAH 2 / US 14	81006

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 14	158.003	16'2" - 16'2"		2.57 MI W JCT MN 13	CSAH 27 / US 14	81007
US 14	161.689	17'1" - 16'4"		1.6 MI E JCT MN 13	150 ST (CSAH 5) / US 14	81008
US 14	164.237	16'2" - 16'1"		4.2 MI E JCT MN 13	175 ST (TWP 64) / US 14	81016
US 14	166.260	16'4" - 16'4"		6.8 MI W OF JCT TH 14; 35	CSAH 18 / US 14	74020
US 14	168.243	16'2" - 16'2"		4.8 MI W OF JCT TH 14; 35	72 AVE / US 14	74015
US 14	170.271	16'2" - 16'5"		2.8 MI W OF JCT TH 14; 35	CSAH 17 / US 14	74019
US 14	172.052	16'7" - 17'1"		1.3 MI W OF JCT TH 14; 35	CSAH 7 / US 14	74017
US 14	174.871	16'2" - 15'4"		1.2 MI E OF S JCT TH 35	CSAH 45 / US 14	74005
US 14	192.500	15'8" - 15'8"		AT THE JCT TH 56	TH 56 / US 14	20010
US 14	193.890	15'10" - 16'0"		1.0 MI E OF JCT TH 56	CSAH 34 / US 14	20013
US 14	209.392	16'1" - 17'11"		1.6 MI W OF JCT TH 52	CSAH 22 / US 14	55012
US 14	210.573	16'11" - 16'11"		.5MI W OF JCT US 52	PEDESTRIAN / US 14	55587
US 14	210.951	18'0" - 18'0"		AT THE N JCT TH 52; 14	US 52 SB / US 14(CIVIC CENTER DR)	55049
US 14	210.952	15'8" - 15'8"		AT THE JCT TH 52; 14	US 52 NB / US 14(CIVIC CENTER DR)	55050
US 14	211.596	16'4" - 16'1"		.6 MI S OF N JCT TH 52;14	2ND ST SW(CSAH 34) / TH 14	55051
US 14	211.906	16'0" - 16'0"		1 MI S OF N JCT TH 52; 14	6TH ST (MSAS 115) / TH 14	55052
US 14	222.468	13'4"		2.1 MI W OF JCT TH 42	DME RR / US 14	4909
US 14	255.334	15'2"		0.7 MI SW OF JCT TH 61	PED (ST MARYS) / US 14	85003

MN 15

MN 15	12.364	17'7" - 18'6"		AT THE JCT TH 15	I 90 EB / TH 15	46834
MN 15	12.380	15'8" - 16'6"		AT THE JCT TH 15	I 90 WB / TH 15	46833
MN 15	38.159	15'8" - 16'1"		0.4 MI S OF JCT TH 60	CSAH 3 / MN 15	83012
MN 15	146.370	16'0" - 15'11"		AT THE JCT TH 15	I 94 EB COLLECT RD / MN 15	73873
MN 15	146.393	15'11" - 15'10"		AT THE JCT TH 15	I 94 EB / TH 15	73856
MN 15	146.413	15'10" - 15'10"		AT THE JCT TH 15	I 94 WB / TH 15	73855
MN 15	146.869	16'4" - 16'0"		0.5 MI N OF JCT TH 94	CSAH 6 / MN 15	73858
MN 15	147.731	16'0" - 17'2"		1.0 MI N OF JCT TH 94	CSAH 84 / TH 15	73046
MN 15	149.657	15'10" - 15'10"		2.5 MI N OF JCT TH 23	CSAH 120 / TH 15	73017
MN 15	149.680	16'11" - 16'4"		0.9 MI S OF JCT TH 23	CSAH 137(18TH ST S / MN 15	73019
MN 15	151.784	16'8" - 16'8"		1.2 MI N OF JCT TH 23	PEDESTRIAN / MN 15	73029

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 18						
US 18	115.796	16'1" - 16'1"		6.0 MI SW OF JCT TH 494	US 169 EB / CSAH 18	70527
US 18	116.700	17'1" - 17'1"		6.0 MI SW OF JCT TH 494	US 169 WB / CSAH 18	70528
MN 19						
MN 19	77.880	14'5"		1.0 MI S OF MORTON	TH 19 ACCESS RD / SULPHUR LAKE	4667
MN 19	169.378	16'0"		AT THE JCT TH 19; 35	I 35 SB / TH 19	66825
MN 19	169.394	16'2"		AT THE JCT TH 19; I 35	I 35 NB / TH 19	66826
MN 21						
MN 21	1.932	17'7" - 17'0"		2.1 MI N OF JCT TH 60	I 35 NB / TH 21	66818
MN 21	1.948	15'8" - 15'11"		2.1 MI N OF JCT TH 60	I 35 SB / TH 21	66817
MN 21	36.329	15'1"		AT JCT TH 21	US 169 / TH 21	6804
MN 22						
MN 22	52.038	16'1" - 16'1"		AT THE JCT TH 22	US 14 WB / TH 22	07025
MN 22	52.602	15'6" - 15'5"		AT THE JCT TH 22	US 14 EB / TH 22	07026
MN 22	63.374	15'8"		0.7 MI SE OF S JCT TH 16	UP RR / MN 22	40004
MN 22	63.463	15'11"		0.6 MI SE OF S JCT TH 16	CSAH 45 / MN 22	40003
MN 22	120.905	16'8"		0.25 mi S of TH 7	LUCE LINE TRAIL / TH 22	43540
MN 23						
MN 23	52.549	25'4"		AT THE JCT TH 23	US 14 / TH 23; BNSF RAIL	42013
MN 23	72.903	17'2" - 19'0"		0.1 MI N OF COLLEGE DR	SARATOGA ST TRAIL / TH 23	42016
MN 23	141.645	16'8"		3.0 MI W OF JCT TH 71	CSAH 5 / TH 23	34030
MN 23	143.491	15'11"		1.0 MI W OF JCT TH 71	TR 44 / MN 23	34014
MN 23	144.483	16'1"		AT THE JCT TH 23	US 71 SB / TH 23	34007
MN 23	144.501	15'10"		AT THE JCT TH 23	US 71 NB / TH 23	34008
MN 23	153.308	16'7" - 16'4"		.75 MI E OF JCT TH 71	CSAH 9 / TH 23	34028
MN 23	173.103	17'7" - 16'11"		0.63 MI S OF JCT TH55	VETERANS DR / TH 23	73036
MN 23	176.481	16'2" - 16'4"		3.0 MI E OF JCT TH 55	TH 23 WB OFF RAMP / TH 23	73044

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 23	207.378	16'10"	16'10"	0.6 MI W OF JCT TH 10	PEDESTRIAN / MN 23	05008
MN 23	207.486	14'6"	14'7"	0.5 MI W OF JCT TH 10	BNSF RR / MN 23	6846
MN 23	236.359	16'0"	16'0"	AT THE JCT TH 23	US 169 SB / TH 23	48007
MN 23	236.376	16'0"	16'0"	AT THE JCT TH 23	US 169 NB / TH 23	48008
MN 23	325.691	14'1"		10.7 MI NE OF S CO LINE	SOO LINE RR (ABAN) / MN 23	5468
MN 23	340.121	16'1"		0.06 MI N OF JCT BECKS RD	CN RR / TH 23	69090
MN 23	340.137	16'1"		0.08 MI N OF JCT BECKS RD	CN RR / TH 23	69089
MN 23	342.189	13'8"	14'11"	3.4 MI N OF JCT TH 39	DNR TRAIL / MN 23	5866
MN 23	345.020	24'5"	24'5"	3.5 MI SW OF JCT TH 535	I 35 NB / GRAND AVE (TH 23)	69879
MN 27						
MN 27	92.241	13'6"		0.1 MI N OF JCT CSAH 46	CENTRAL LAKES TRL / TH 27	758
MN 27	136.655	16'1"		AT THE JCT OF TH 27;10	US 10 EB / MN 27	49006
MN 27	136.670	16'1"		AT THE JCT OF TH 27; 10	US 10 WB / MN 27	49005
MN 27	247.302	23'10"		1.4 MI N OF JCT TH 73	I 35 SB / TH 27; TRAIL	09835
MN 27	247.320	23'6"		1.4 MI N OF JCT TH 73	I 35 NB / TH 27; TRAIL	09836
MN 28						
MN 28	77.489	15'10"		AT THE JCT OF TH 55	TH 55 / TH 28	61002
MN 28	77.715	16'4"		0.4 MI E OF JCT TH 55	CP RAIL / MN 28	61003
MN 29						
MN 29	1.042	14'8"		1.0 MI N OF JCT TH212	1ST ST (MSAS 103) / TH 29	9112
MN 29	1.172	15'0"		1.2 MI N OF JCT TH212	3RD ST (MSAS 105) / TH 29	9113
MN 29	101.594	15'8"		1.7 MI N OF JCT TH 235	CP RAIL / TH 29	56006
MN 30						
MN 30	7.501	13'10"		0.2 MI W OF JCT TH 23	BNSF RAIL / MN 30	5449
I 35						
I 35		21'4"		0.5 MI N OF JCT TH 33	CSAH 3 / I 35 RAMP	09837
I 35		16'0"		1.3 MI SW OF JCT TH 535	MSAS 109 / I 35 SB OFF RAMP TO MICHIGAN	69827

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35		18'2"		0.3 MI N OF GARFIELD AVE	I 35 NB OFF RAMP / UNSTABLE MATERIAL	69887A
I 35		18'7"		0.3 MI N OF GARFIELD AVE	I35 SB ON RAMP / UNSTABLE MATERIAL	69887B
I 35	0.000	16'2" - 15'8"		AT IOWA STATE LINE	CSAH 1 / I 35	24862
I 35	5.276	15'8" - 16'5"		5.3 MI N OF IOWA ST LINE	CSAH 13 / I 35	24860
I 35	9.000	16'2" - 17'6"		1.0 MI N OF JCT TH 65	CSAH 19 / I 35	24824
I 35	13.245	15'10" - 15'8"		AT JCT TH 90	I 90 EB / I 35	24808
I 35	13.261	16'0" - 15'8"		AT JCT TH 90	I 90 WB / I 35	24807
I 35	14.025	15'11" - 15'5"		0.8 MI N OF JCT TH 90	CSAH 23 / I 35	24835
I 35	16.028	15'11" - 15'5"		2.7 MI N OF JCT TH 90	CSAH 25 / I 35	24836
I 35	18.743	16'1" - 15'4"		AT JCT TH 251	TH 251 / I 35	24801
I 35	22.963	15'11" - 15'4"		4.2 MI N OF JCT TH 251	CSAH 35 / I 35	24805
I 35	26.643	15'8" - 15'5"		AT JCT TH 30	TH 30 / I 35	74801
I 35	32.816	15'8" - 16'1"		6.2 MI N OF JCT TH 30	CSAH 4 / I 35	74802
I 35	36.356	15'5" - 15'4"		3.7 MI S OF S JCT TH 14	CSAH 31 / I 35	74805
I 35	39.559	16'0" - 15'5"		0.5 MI S OF S JCT TH 14	28TH ST (CSAH 18) / I 35	74821
I 35	40.081	16'4" - 16'7"		AT JCT OF TH 14; 35	US 14 EB / I 35	74832
I 35	40.093	16'7" - 17'7"		AT JCT OF TH 14; 35	US 14 WB / I 35	74831
I 35	40.857	15'5" - 15'5"		1.8 MI S OF N JCT TH 14	MSAS 128 / I 35	74806
I 35	41.866	15'11" - 15'5"		1.7 MI N OF JCT TH 14	BRIDGE ST MSAS 109 / I 35	74813
I 35	48.007	15'8" - 16'2"		8.0 mi N of jct TH 14	69TH ST / I 35	74829
I 35	51.976	18'1" - 15'5"		5.0 MI S OF JCT TH 60	CSAH 15 / I 35	66822
I 35	54.037	17'4" - 15'2"		2.9 MI S OF JCT TH 60	CSAH 39 / I 35	66823
I 35	55.571	16'6" - 15'8"		1.4 MI S OF JCT TH 60	I 35 SB ON RP / I 35	66808
I 35	62.643	15'8" - 15'6"		7.0 MI S OF JCT TH 19	CSAH 9 / I 35	66819
I 35	64.653	16'1" - 16'8"		5.0 MI S OF JCT TH 19	CSAH 8 / I 35	66820
I 35	66.651	16'1" - 15'7"		3.0 MI S OF JCT TH 19	CSAH 1 / I 35	66805
I 35	71.867	15'11" - 17'1"		2.3 MI N OF JCT TH 19	TR 212 / I 35	66824
I 35	73.213	17'1" - 15'10"		3.6 MI N OF JCT TH 19	CSAH 3 / I 35	66807
I 35	74.767	16'0" - 16'4"		5.0 MI N OF JCT TH 19	CSAH 86 / I 35	66821
I 35	76.840	15'10" - 16'0"		7.2 MI N OF JCT TH 19	CSAH 2 / I 35	70801

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35	78.318	15'8" - 15'10"		8.7 MI N OF JCT TH 19	CR 62 / I 35	70802
I 35	80.342	15'8" - 15'10"		10.7 MI N OF JCT TH 19	225 ST / I 35	70805
I 35	81.839	15'7" - 15'11"		6.5 MI S OF JCT TH 35 E	CSAH 70 / I 35	19850
I 35	83.341	16'8" - 15'11"		5.0 MI S OF JCT TH 35 E	195TH ST / I 35	19841
I 35	86.631	15'11" - 16'7"		1.6 MI S OF JCT 35 E;W	CSAH 46 / I 35	19531
I 35	87.823	16'4" - 18'7"		0.5 MI S OF JCT TH 35 E	CRYSTAL LAKE ROAD / I 35	19804
I 35	129.388	15'4" - 15'4"		AT THE JCT OF TH 97	TH 97 / I 35	02806
I 35	130.897	15'10" - 15'10"		1.49 MI S OF JCT TH 8	220TH ST N / REST AREA RAMP	82528
I 35	130.928	15'10" - 19'2"		1.49 MI S OF JCT TH 8	220TH ST N / I 35	82528
I 35	131.732	15'11"		0.5 MI S OF JCT TH 8	W BROADWAY AVE / I 35	82527
I 35	132.398	15'7" - 15'1"		AT JCT TH 8	US 8 WB / I 35	82815
I 35	135.688	15'10" - 15'7"		AT JCT TH 61 IN WYOMING	US 61 / I 35	13801
I 35	139.950	15'11" - 15'8"		8.0 MI S OF JCT TH 95	CSAH 19 / I 35	13802
I 35	143.730	16'2" - 16'4"		4.2 MI S OF JCT TH 95	CSAH 17 / I 35	13519
I 35	147.881	15'11" - 16'0"		AT JCT TH 95	TH 95 / I 35	13809
I 35	152.569	15'5" - 16'6"		4.5 MI N OF JCT TH 95	CSAH 10 / I 35	13806
I 35	155.201	15'4" - 15'7"		7.3 MI N OF JCT TH 95	CSAH 9 / I 35	13807
I 35	159.043	15'5" - 15'5"		11.1 MI N OF JCT TH 95	CSAH 7 / I 35	13811
I 35	159.963	15'4" - 15'5"		12.1 MI N OF JCT TH 95	CSAH 1 / I 35	13808
I 35	162.216	15'5" - 15'8"		14.2 MI N OF JCT TH 95	CSAH 3 / I 35	13810
I 35	165.666	16'1" - 16'0"		AT JCT TH 70	MN 70 / I 35	58801
I 35	169.524	15'10" - 15'10"		3.8 MI N OF JCT TH 70; 35	CSAH 7 / I 35	58802
I 35	171.317	16'2" - 15'11"		5.7 MI N OF JCT TH 70	CSAH 11 / I 35	58818
I 35	175.310	15'8" - 15'8"		9.7 MI N OF JCT TH 70	CSAH 14 / I 35	58806
I 35	180.357	16'0" - 16'0"		AT S JCT TH 23; 35	TH 23 / I 35	58819
I 35	183.065	15'10" - 15'7"		AT JCT TH 48 (HINCKLEY)	MN 48 / I 35	9785
I 35	191.340	15'8" - 15'8"		AT JCT TH23 S OFSANDSTON	CSAH 61 / I 35	9786
I 35	194.795	15'8" - 16'2"		3.4 MI N OF SANDSTONE	MN 23 / I 35	9791
I 35	195.574	16'2" - 16'2"		4.2 MI N OF SANDSTONE	MN 23 / I 35	9792
I 35	201.361	15'10" - 15'10"		5.7 MI N OF N JCT TH 23	CSAH 33 / I 35	58809

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35	205.436	16'8"	16'1"	JCT CSAH43 WILLOW RIVER	CSAH 43 / I 35	58810
I 35	207.606	15'10"	15'11"	2.3 MI N OF JCT CSAH 43	TR 634 / I 35	58813
I 35	209.853	15'5"	15'6"	4.4 MI N OF JCT CSAH 43	CSAH 46 / I 35	58814
I 35	213.334	15'11"	15'11"	AT N COUNTY LINE	CSAH 48 / I 35	58816
I 35	214.654	15'8"	15'8"	AT JCT TH 73; TH 35	TH 73 / I 35	09811
I 35	219.071	15'7"	15'8"	3.0 MI N OF JCT TH 27	CR 138 / I 35	09832
I 35	219.686	15'8"	16'2"	3.6 MI N OF JCT TH 27	CSAH 13 / I 35	09819
I 35	220.597	16'8"	19'8"	4.6 MI N OF JCT TH 27;	CSAH 6 / I 35	09820
I 35	227.314	15'11"	16'1"	11.2 MI N OF JCT TH 27	CSAH 4 / I 35	09821
I 35	236.707	15'11"	15'8"	1.2 MI N OF JCT TH 210	CSAH 26 / I 35	9469
I 35	237.540	17'1"	15'7"	AT JCT TH 33; TH 35	TH 33 NB / I 35	09801
I 35	237.774	16'5"	15'10"	0.3 MI N OF JCT TH 33	I 35 NB ON RAMP / I 35	09838
I 35	238.029	18'11"	16'2"	0.5 MI N OF JCT TH 33	CSAH 3 / I 35	09837
I 35	242.088	16'5"	16'1"	8.6 MI SW OF W JCT TH 2	CSAH 1 / I 35	09822
I 35	243.131	15'11"	16'0"	7.6 MI SW OF W JCT TH 2	CR 151 / I 35	09829
I 35	244.223	16'0"	16'0"	6.6 MI SW OF W JCT TH 2	TR 389 / I 35	09830
I 35	245.643	15'11"	17'8"	5.2 MI SW OF W JCT TH 2	CNRR / I 35 MAINLINE	69888
I 35	249.575	16'4"	16'2"	2.1 MI SW OF W JCT TH 2	CSAH 14 / I 35	69846
I 35	250.509	16'2"		AT JCT TH 2	DM;IR RY / I 35 NB	6888
I 35	250.538	16'8"		AT JCT TH 2	DM;IR RY / I 35 SB	69849
I 35	251.417	15'10"		1.0 MI N OF W JCT TH 2	I 35 / I 35 NB OFF RAMP	69851
I 35	251.973	17'6"		3.5 MI SW OF JCT TH 535	I 35 NB / I 35 SB OFF RAMP TO GRAND AVE	69879
I 35	253.098	16'7"	16'5"	AT WISCONSIN STATE LINE	US 2 / ST LOUIS R, TH35; RR	69100
I 35	253.130	18'1"		AT THE E JCT TH 35; 2	US 2 EB ON RAMP / I 35 SB ON RAMP FROM 40TH	69102
I 35	253.137	34'7"	18'1"	AT THE E JCT TH 35; 2	US 2 EB ON RAMP / I 35	69102
I 35	253.626	15'7"	16'2"	1.5 MI SW OF JCT TH 535	40TH AVE W / I 35	69826
I 35	253.852	15'11"	16'0"	1.3 MI SW OF JCT TH 535	MSAS 109 / I 35	69827
I 35	254.052	17'11"	16'6"	AT ORE DOCKS	PEDESTRIAN / I 35	69811
I 35	254.062	16'1"	16'1"	AT ORE DOCKS	DM;IR ORE DOCK #5 / I 35	69829
I 35	254.199	34'5"	34'5"	AT ORE DOCKS	DM;IR ORE DOCK #6 / I 35	69833

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35	254.769	19'8"	16'8"	0.4 MI SW OF JCT TH 535	27TH AVE W / I 35	69834
I 35	255.162	17'8"		AT JCT TH 535; 35	I 35 NB / UNSTABLE MATERIAL	69882
I 35	255.236	24'5"		AT THE JCT TH 35; 535	I 535 SB SEG 1 / I 35 SB	69801F
I 35	255.236	17'4"		AT THE JCT TH 35; 535	I 535 SB SEG 1 / I 35 NB	69801F
I 35	255.236	24'5"		AT THE JCT TH 35; 535	I 535 NB ON RAMP / I 35 SB	69801H
I 35	255.264	18'5"		AT JCT TH 535; 35	I 35 SB / UNSTABLE MATERIAL	69881
I 35	255.318	23'11"		AT THE JCT TH 35; 535	I 535 NB SEG 1 / I 35 NB	69801J
I 35	255.318	18'5"		AT THE JCT TH 35; 535	I 535 NB OFF RAMP / I 35 SB	69801K
I 35	255.318	24'5"		AT THE JCT TH 35; 535	I 535 NB SEG 2 / I 35 SB	69801L
I 35	255.418	24'6"		AT THE JCT TH 35	I 535 SB ON RAMP / I 35 NB	69824
I 35	255.509	24'5"		AT JCT TH 535; 35	I 35 NB / UNSTABLE MATERIAL	69882N
I 35	255.702	16'10"	18'1"	0.5 MI NE OF JCT TH 535	GARFIELD AVE / I 35	69803
I 35	256.098	15'11"	17'0"	0.3 MI N OF GARFIELD AVE	I 35 / UNSTABLE MATERIAL	69887
I 35	256.270	16'2"	17'0"	0.4 MI NE OF GARFIELD AV	PED AT MESABA / I 35 MAINLINE	69885
I 35	256.470	17'8"		0.3 MI SW OF JCT 5TH AVE	I 35 NB / SL;LC RR; TH 194 NB	69818N
I 35	256.470	17'1"		0.3 MI SW OF JCT 5TH AVE	I 35 SB / SL;LC RR; TH 194 NB	69818S
I 35	256.722	17'7"	17'5"	0.9 MI N OF GARFIELD AVE	5TH AVE W(MSAS135) / I 35	69870
I 35	256.902	18'10"		1.5 MI NE OF JCT TH 535	PEDESTRIAN / N FRONTAGE ROAD	69509
I 35	256.927	21'10"		1.5 MI NE OF JCT TH 535	PEDESTRIAN / S FRONTAGE ROAD	69509
I 35	256.969	20'5"	21'1"	1.5 MI NE OF JCT TH 535	PEDESTRIAN / I 35	69509
I 35	257.098	16'8"		BETWEEN FIRST; LAKE	PEDESTRIAN / 1ST AVE E	69857
I 35	257.163	19'11"	19'6"	2.0 MI NE OF JCT TH 535	LAKE AVE / I 35	69816
I 35	257.171	17'0"		2.0 MI NE OF JCT TH 535	LAKE AVE / N FRONTAGE ROAD	69816
I 35	257.365	17'2"		BETWEEN 2ND; 3RD AVE E	PEDESTRIAN / I 35 EB ON RAMP	69858
I 35	257.368	19'2"	19'2"	2.3 MI NE OF JCT TH 535	BUILD (LAKE PLACE) / I 35	69819
I 35	257.373	16'5"		2.3 MI NE OF JCT TH 535	I 35 NB ON RAMP / I 35 SB OFF RAMP	69817
I 35	257.381	16'6"		2.3 MI NE OF JCT TH 535	BUILD (LAKE PLACE) / I 35 SB RAMP	69819
I 35	257.467	19'2"	18'7"	2.3 MI NE OF JCT TH 535	I 35 NB ON RAMP / I 35	69817
I 35	257.611	16'1"	17'0"	2.5 MI NE OF JCT TH 535	SUPERIOR W TUNNEL / I 35	69821
I 35	257.891	15'11"	16'6"	2.7 MI NE OF JCT TH 535	SUPERIOR E TUNNEL / I 35	69820

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35	258.213	17'6" - 17'6"		BETWEEN 10TH; 13TH AVE	LONDON RD TUNNEL / I 35	69836
I 35	258.676	21'5" - 17'8"		3.5 MI N OF JCT TH 535	PED AT 17TH AVE E / I 35	69838
I 35	258.975	22'10" - 21'1"		3.8 MI NE OF JCT TH 535	21ST AVE E(MSAS152 / I 35, SL;LC RR	69841A
I 35	259.381	17'11" - 18'5"		4.1 MI NE OF JCT TH 535	PED AT 25TH AVE / I 35	69843
US 35						
US 35	263.135	15'7"		AT THE JCT TH 2; 35	US 2 WB OFF RAMP / I 35 RAMP; LAKE	69101
MN 35						
MN 35	17.316	18'2"		0.4 MI NE OF GARFIELD AV	PED AT MESABA / I 35 NB OFF RAMP TO TH 194 N	69885
MN 35	17.319	18'7"		0.4 MI NE OF GARFIELD AV	PED AT MESABA / I 35 SB ON RAMP FROM TH 194	69885
I 35E						
I 35E	89.370	16'10" - 18'7"		1.0 MI NE OF JCT TH 35W	PORTLAND AVENUE / I 35E	19889
I 35E	89.938	16'6" - 19'5"		1.6 MI NE OF JCT TH 35W	CSAH 38 / I 35E	19866
I 35E	92.577	17'7"		AT THE JCT TH 77; 35E	TH77 SB / I 35E NB COLLECTOR ROAD	19859
I 35E	92.626	15'11"		AT THE JCT TH 77; 35E	TH77 SB / I 35E SB COLLECTOR ROAD	19859
I 35E	92.634	21'0"		AT THE JCT TH 77; 35E	TH 77 NB / I 35E NB COLLECTOR ROAD	19860
I 35E	92.635	17'2" - 16'6"		AT THE JCT TH 77; 35E	TH77 SB / I 35E	19859
I 35E	92.639	20'6" - 19'7"		AT THE JCT TH 77; 35E	TH 77 NB / I 35E	19860
I 35E	92.674	19'1"		AT THE JCT TH 77; 35E	TH 77 NB / I 35E SB COLLECTOR ROAD	19860
I 35E	93.718	17'5" - 15'11"		1.1 MI NE OF JCT TH 77	CLIFF RD (CSAH 32) / I 35E	19816
I 35E	94.052	16'7" - 16'7"		1.5 MI NE OF JCT TH 77	BLACKHAWK ROAD / I 35E	19882
I 35E	94.845	16'2" - 15'10"		2.3 MI NE OF JCT TH 77	CSAH 30 / I 35E	19817
I 35E	95.331	19'10" - 16'1"		4.0 MI SW OF JCT TH 494	DEERWOOD DRIVE / I 35E	19883
I 35E	96.871	16'2"		0.25 MI S OF PILOTKNOB RD	DUCKWOOD DR / I 35E NB OFF RAMP TO PILOT K	19810
I 35E	96.911	20'5" - 17'5"		0.25 MI S OF PILOTKNOB RD	DUCKWOOD DR / I 35E	19810
I 35E	97.007	15'11" - 17'11"		2.5 MI SW OF JCT TH 494	CSAH 31-PILOT KNOB / I 35E	19818
I 35E	97.040	18'10"		2.5 MI SW OF JCT TH 494	CSAH 31-PILOT KNOB / I 35E SB OFF RMP TO PIL	19818
I 35E	97.215	15'8" - 16'4"		2.3 MI SW OF JCT TH 494	CSAH 28 / I 35E	19864
I 35E	97.346	15'2"		2.3 MI SW OF JCT TH 494	CSAH 28 / I 35E NB ON RAMP FROM CSAH 28	19864

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35E	97.557	15'11" - 16'1"		0.4 N OF JCT 35E; CSAH28	NORTHWOOD PKWY / I 35E	19562
I 35E	98.483	15'8" - 16'5"		1.1 MI SW OF JCT TH 494	CSAH 26 / I 35E	19836
I 35E	99.295	15'11"		0.3 MI S OF JCT TH 494	CP RR / I 35E NB COLLECTOR ROAD	19821
I 35E	99.307	16'2" - 18'7"		0.3 MI S OF JCT TH 494	CP RR / I 35E	19821
I 35E	99.323	25'0"		0.3 MI S OF JCT TH 494	TH 55 / I 35E NB COLLECTOR ROAD	19819
I 35E	99.364	25'0"		0.3 MI S OF JCT TH 494	TH 55 / I 35E SB ON RAMP FROM I 494	19819
I 35E	99.367	23'10" - 24'5"		0.3 MI S OF JCT TH 494	TH 55 / I 35E	19819
I 35E	99.524	16'11"		AT THE JCT TH 494; 35E	I 494 EB / I 35E NB COLLECTOR ROAD	19824
I 35E	99.549	17'4"		AT THE JCT TH 494; 35E	I 494 WB / I 35E NB COLLECTOR ROAD	19823
I 35E	99.550	16'6" - 15'11"		AT THE JCT TH 494	EB 494 TO NB 35E / I 35E	19878
I 35E	99.552	16'4"		AT THE JCT TH 494	EB 494 TO NB 35E / I 35E NB COLLECTOR ROAD	19878
I 35E	99.553	17'0" - 15'8"		AT THE JCT TH 494; 35E	I 494 EB / I 35E	19824
I 35E	99.579	18'0" - 17'4"		AT THE JCT TH 494; 35E	I 494 WB / I 35E	19823
I 35E	99.666	19'6" - 21'0"		0.2 MI N OF JCT TH 494	MENDOTA HEIGHTS RD / I 35E	19861
I 35E	99.672	22'6"		0.2 MI N OF JCT TH 494	MENDOTA HEIGHTS RD / I 35E SB OFF RAMP TO	19861
I 35E	99.683	16'7" - 15'7"		AT THE JCT TH 494; 35E	WB 494 TO SB 35E / I 35E	19899
I 35E	99.685	15'7"		AT THE JCT TH 494; 35E	WB 494 TO SB 35E / I 35E NB COLLECTOR ROAD	19899
I 35E	99.755	16'7"		0.2 MI N OF JCT TH 494	MENDOTA HEIGHTS RD / I 35E NB COLLECTOR R	19861
I 35E	99.768	15'7"		0.2 MI N OF JCT TH 494	MENDOTA HEIGHTS RD / I 35E NB ON RAMP FRO	19861
I 35E	100.398	15'8" - 18'1"		0.6 MI S OF JCT TH 110	WAGON WHEEL TRAIL / I 35E	19822
I 35E	100.970	15'7" - 15'2"		AT THE JCT OF TH 110; 35E	TH 110 EB / I 35E	9538
I 35E	101.010	14'7" - 14'8"		AT THE JCT OF TH 110	TH 110 WB / I 35E	9537
I 35E	102.444	15'10" - 15'10"		At the JCT TH 35E; 13	TH 13 / 35E	19820
I 35E	103.323	16'5" - 16'5"		0.2 MI S OF JCT TH 5	MONTREAL AVE / I 35E	9832
I 35E	103.335	15'6" - 15'7"		0.2 MI S OF JCT TH 5	CP RAIL / I 35E	9532
I 35E	103.537	15'10" - 16'4"		AT JCT TH 5	W 7TH ST (TH 5) / I 35E	9531
I 35E	104.002	16'11" - 16'7"		0.5 MI N OF JCT TH 5	PED AT BAYARD AVE / I 35E	62872
I 35E	104.317	14'1"		0.8 MI N OF JCT TH 5	CSAH 38 / I 35E NB OFF RAMP	9528
I 35E	104.363	15'2" - 17'1"		0.8 MI N OF JCT TH 5	CSAH 38 / I 35E	9528
I 35E	104.490	16'0"		0.9 MI N OF JCT TH 5	I 35E / AYD MILL RD	62864

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35E	104.529	17'6" - 15'11"		0.9 MI N OF JCT TH 5	I 35E SB OFF RAMP / AYD MILL RD	62863
I 35E	105.291	15'0" - 17'1"		1.8 MI NE OF JCT TH 5	CP RAIL / I 35E	9520
I 35E	105.442	14'6" - 24'5"		1.9 MI NE OF JCT TH 5	ST CLAIR AVENUE / I 35E	9519
I 35E	106.127	17'5"		2.6 MI NE OF JCT TH 5	GRAND AVE EB / I 35E (RAMP)	62802
I 35E	106.159	15'6" - 18'10"		2.6 MI NE OF JCT TH 5	GRAND AVE EB / I 35E	62802
I 35E	106.311	14'4" - 16'11"		2.8 MI NE OF JCT TH 5	RAMSEY-GRAND AVE / I 35E	62803
I 35E	106.669	17'5" - 15'8"		0.6 MI SW OF W JCT TH 94	PED AT WALNUT ST / I 35E	62804
I 35E	106.839	15'1" - 20'8"		0.4 MI SW OF W JCT TH 94	KELLOGG BLVD / I 35E	62886
I 35E	106.866	14'8"		0.4 MI SW OF W JCT TH 94	6TH STREET / I 35E NB OFF RAMP TO ST PETER	62883
I 35E	106.953	24'11" - 26'8"		0.3 MI SW OF W JCT TH 94	10TH STREET / I 35E	62898
I 35E	107.036	18'0" - 20'5"		0.4 MI SW OF W JCT TH 94	6TH STREET / I 35E	62883
I 35E	107.193	28'8" - 29'4"		0.1 MI SW OF W JCT TH 94	ST PETER S / I 35E	62897
I 35E	107.267	14'8"		0.2 MI SW OF W JCT TH 94	I 94 EB / I 35E SB ON RAMP FROM 12TH ST	62817
I 35E	107.268	16'7" - 19'2"		0.2 MI SW OF W JCT TH 94	I 94 EB / I 35E	62817
I 35E	107.422	16'7" - 16'8"		AT THE W JCT TH 94	WABASHA ST / I 35E	62888
I 35E	107.436	16'0" - 15'6"		0.1 MI NE OF W JCT TH 94	CEDAR ST / I 35E	62889
I 35E	107.436	16'0" - 15'6"		0.1 MI NE OF W JCT TH 94	LRT (CEDAR ST) / I 35E	62889A
I 35E	107.452	16'5" - 16'5"		0.2 MI NE OF W JCT TH 94	MINNESOTA ST / I 35E	62891
I 35E	107.501	17'10" - 16'11"		0.1 MI SW OF E JCT TH 94	US 952A(ROBERT ST) / I 35E	62894
I 35E	107.650	16'0" - 16'0"		AT E JCT TH 94; 35E	JACKSON ST / I 35E	62893
I 35E	107.751	16'2"		AT THE E JCT TH 94; 35E	I 35E NB / I 35E SB OFF RAMP TO 10TH ST	62858
I 35E	107.768	16'2"		AT THE E JCT TH 94; 35E	I 35E NB / I 35E SB OFF RAMP TO I 94 EB	62858
I 35E	107.784	15'8"		AT THE E JCT TH 94; 35E	I 35E NB / I 35E NB ON RAMP FROM BROADWAY	62858
I 35E	107.808	15'8"		AT THE E JCT TH 94; 35E	I 35E NB / I 35E NB ON RAMP FROM I 94 WB	62858
I 35E	109.344	18'0" - 15'11"		2.3 MI S OF JCT TH 36	MARYLAND AVE / I 35E	62626
I 35E	109.853	16'1" - 16'0"		1.8 MI S OF JCT TH 36	EAST ARLINGTON AVE / I 35E	62927
I 35E	110.280	16'4" - 16'1"		1.4 MI S OF JCT TH 36	WHEELLOCK PKWY / I 35E	62928
I 35E	110.357	15'11" - 16'0"		1.3 MI S OF JCT TH 36	LARPENTEUR AV / I 35E	62646
I 35E	112.501	15'6" - 16'5"		0.9 MI N OF JCT TH 36	LITTLE CANADA RD / I 35E	62896
I 35E	113.201	15'8" - 15'8"		AT THE W JCT I 35E; 694	I 35 E NB OFF RAMP / I 35E	62902

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35E	113.242	16'1" - 16'6"		AT THE W JCT TH 694; 35E	I 694 EB / I 35E	62905
I 35E	113.834	16'1" - 15'11"		0.7 MI E OF W JCT TH 694	EDGERTON ST(CSAH58 / I 35 E	62906
I 35E	114.226	15'11" - 15'8"		AT THE E JCT TH 694; 35E	I 694 WB / I 35E	62907
I 35E	114.607	27'0" - 23'6"		AT THE E JCT TH 694; 35E	I 35E SB OFF RAMP / 35E	62910
I 35E	114.629	23'8"		AT THE E JCT TH 694; 35E	I 35E SB OFF RAMP / I 35E SB OFF RAMP TO I 694	62910
I 35E	115.254	15'8" - 15'10"		1.0 MI N OF E JCT TH 694	CO RD E (CSAH 15) / I 35E	62895
I 35E	117.260	16'5" - 16'6"		2.8 MI N OF E JCT TH 694	CSAH 96 / I 35E	62834
I 35E	117.925	15'11" - 16'2"		0.7 MI N OF JCT CSAH 96	CP RAIL / I 35E	9592
I 35E	119.041	16'1" - 16'4"		1.8 MI N OF JCT CSAH 96	CO RD H2(CSAH 5) / I 35E	62835
I 35E	120.382	15'10" - 15'10"		6.6 MI S OF JCT TH 35W	CO RD J (CSAH 60) / I 35E	62836
I 35E	123.445	16'11" - 16'0"		3.8 MI S OF JCT TH 35W	CSAH 14 / I 35E	02812
I 35E	125.633	16'0" - 16'4"		1.5 MI S OF JCT TH 35W	80TH ST / I 35E	02802
I 35E	127.147	15'6"		N JCT TH 35E; 35	I 35W NB / I 35E SB	02804
I 35E	241.858	15'10"		AT THE W JCT TH 94	WABASHA ST / I 35E NB OFF RAMP TO I 94 EB	62888
I 35E	241.886	17'5"		0.1 MI SW OF W JCT TH 94	ST PETER S / I 35E NB OFF RAMP TO I 94 EB	62897
I 35E	241.924	15'8"		0.1 MI NE OF W JCT TH 94	CEDAR ST / I 35E NB OFF RAMP TO I 94 EB	62889
I 35E	241.924	15'8"		0.1 MI NE OF W JCT TH 94	LRT (CEDAR ST) / I 35E NB OFF RAMP TO I 94 EB	62889A
I 35E	242.108	15'8"		AT E JCT TH 94; 35E	JACKSON ST / I 35E SB OFF RAMP TO I 94 WB	62893
I 35W						
I 35W		14'6"		0.6 MI WEST OF JCT TH 55	PORTLAND AVE / I 35W EB ON RAMP FROM FRAN	27851
I 35W		16'10"		AT THE JCT TH 55; 94	I 94 / I 35W SB OFF RAMP TO TH 55 EB	27855
I 35W		19'4"		0.3 MI N OF E JCT TH 94	6TH STREET / EB 94 / I 35W SB COLLECTOR RD	27876
I 35W		15'2"		0.3 MI N OF E JCT TH 94	6TH STREET / EB 94 / I 35W NB COLLECTOR RD	27876
I 35W		17'10"		0.3 MI N OF E JCT TH 94	6TH STREET / EB 94 / I 35W SB OFF RAMP TO TH	27876
I 35W		14'10"		0.3 MI N OF E JCT TH 94	6TH STREET / EB 94 / I 35W NB ON RAMP FROM T	27876
I 35W		18'10"		AT THE E JCT OF TH 94	6TH STREET / EB 94 / I 35W SB COLLECTOR RD	27876A
I 35W		14'2"		AT THE E JCT OF TH 94	6TH STREET / EB 94 / I 35W NB COLLECTOR RD	27876A
I 35W		17'2"		AT THE E JCT OF TH 94	6TH STREET / EB 94 / I 35W SB OFF RAMP TO TH	27876A
I 35W		14'10"		AT THE E JCT OF TH 94	6TH STREET / EB 94 / I 35W NB ON RAMP FROM T	27876A
I 35W		15'0"		0.5 MI NE OF JCT TH 94	NB COLL OFF RAMP / I 35W SB COLLECTOR RD	27880A

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35W		15'1"		0.5 MI NE OF JCT TH 94	NB COLL OFF RAMP / I 35W SB OFF RAMP TO SB	27880A
I 35W		16'6"		1.6 MI SW OF JCT TH 280	I 35W SB / JOHNSON ST CONN	27887
I 35W		16'10"		1.5 MI SW OF JCT TH 280	I 35W SB ON RAMP / QUARRY CENTER OUTLET	27889
I 35W		17'11"		0.4 MI NE OF JCT TH 94	I 35W NB COLL RAMP / 3RD ST TO DTWN MPLS	27903
I 35W		35'1"		.2MI N OF JCT TH94	WB I94 / 7TH ST / NB I 35W ON TO WASHINGTON	27W27
I 35W		30'0"		.2MI N OF JCT TH94	WB I94 / 7TH ST / I 35W NB ON RAMP FROM TH 5	27W27
I 35W	0.357	15'5" - 15'5"		AT S JCT TH 35;35E	I 35E SB / I 35W	19809
I 35W	0.613	16'7" - 16'11"		0.4 MI N OF JCT TH 35E	CSAH 42 / I 35W	19527
I 35W	1.024	15'7" - 16'2"		1.8 MI S OF JCT TH 13	CSAH 38 / I 35W	19522
I 35W	2.272	15'6" - 15'6"		2.2 MI N OF JCT TH 35E	BURNSVILLE PARKWAY / I 35W	19863
I 35W	2.652	14'8" - 14'2"		AT THE JCT OF TH 13; 35W	TH 13 NB / I 35W	9780
I 35W	2.699	14'10" - 14'4"		AT THE JCT OF TH 13; 35W	TH 13 SB / I 35W	9779
I 35W	3.311	15'4" - 14'10"		1.5 MI S OF JCT TH 494	W 90TH ST / I 35W	9041
I 35W	6.195	15'11"		2.5 MI S OF JCT TH 494	OLD SHAKOPEE RD / I 35W SB ON RAMP FROM C	27735
I 35W	6.219	16'1" - 16'11"		2.5 MI S OF JCT TH 494	OLD SHAKOPEE RD / I 35W	27735
I 35W	6.391	14'6" - 15'6"		2.4 MI S OF JCT TH 494	CP RAIL / I 35 W	6652
I 35W	6.745	16'2" - 15'10"		2.0 MI S OF JCT TH 494	W 94TH ST / I 35W	9053
I 35W	7.814	16'4"		1.0 MI S OF JCT TH 494	W 86TH ST / I 35W	27W40
I 35W	8.283	14'7" - 14'10"		0.5 MI S OF JCT TH 494	W 82ND ST / I 35W	9213
I 35W	8.561	16'5" - 15'11"		0.4 MI S OF JCT TH 494	79TH 80TH ST / I 35W	27R05
I 35W	8.721	14'11" - 14'2"		AT JCT TH 494; 35W	I 494 WB / I 35W	6850
I 35W	8.724	14'11" - 14'5"		AT JCT TH 494; 35W	I 494 EB / I 35W	6851
I 35W	8.970	15'5" - 16'0"		0.3 MI N JCT TH 494	W 76TH ST / I 35W	27V98
I 35W	9.342	15'10" - 15'10"		0.6 MI N OF JCT TH 494	PED AT 73RD AVE / I 35W	9888
I 35W	10.627	22'8" - 15'8"		0.1 MI S OF W JCT MN 62	MN 121 NB / I 35W	27V65
I 35W	10.775	16'6" - 18'11"		AT THE W JCT 35W; 62	MN 62 EB / I 35W	27V68
I 35W	11.504	15'10" - 16'2"		AT THE E JCT MN 62; 35W	TH 62 WB / I 35W	27V76
I 35W	11.603	36'11" - 32'5"		AT E JCT OF TH 62; 35W	RAMP (35W TO 62EB) / I 35W	27V79
I 35W	12.428	15'11" - 15'8"		0.39 MI N OF JCT MN 62	E DIAMOND LAKE RD / I 35W	27V84
I 35W	13.070	14'5" - 17'2"		1.5 MI N OF JCT MN 62	E 50 ST / I 35W	27V87

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35W	13.550	17'11" - 21'1"		2.0 MI N OF JCT MN 62	E 46 ST (CSAH 46) / I 35W	27V88
I 35W	14.087	15'6" - 14'5"		2.5 MI N OF JCT TH 62	EAST 42ND ST / I 35W	9616
I 35W	14.365	15'11" - 14'5"		2.7 MI N OF JCT TH 62	PED AT 40TH ST / I 35W	9618
I 35W	14.632	14'5" - 15'4"		3.0 MI N OF JCT TH 62	E 38TH ST / I 35W	9619
I 35W	14.873	14'4" - 15'7"		3.2 MI N OF JCT TH 62	EB E 36TH ST / I 35W	9620
I 35W	14.990	14'7" - 14'5"		3.3 MI N OF JCT TH 62	WB E 35TH ST / I 35W	9621
I 35W	15.883	15'7" - 14'7"		1.2 MI S OF JCT TH 94	EB 28TH ST E / I 35W	27869
I 35W	16.166	15'1" - 17'6"		0.9 MI S OF JCT TH 94	WB 26TH ST E / I 35W	27870
I 35W	16.399	16'6"		0.7 MI S OF JCT TH 94	I 35W SB / TH 65 NB	27871
I 35W	16.435	26'0"		0.6 MI S OF JCT TH 94	PED @ 24TH ST E / I 35W NB	27868
I 35W	16.667	14'7" - 14'7"		0.2 MI S OF JCT TH 94	E FRANLIN AVE / I 35W	27872
I 35W	16.881	15'1" - 14'6"		0.6 MI WEST OF JCT TH 55	PORTLAND AVE / I 35W	27851
I 35W	17.004	14'7" - 14'5"		0.5 MI WEST OF JCT TH 55	PARK AVE / I 35W	27852
I 35W	17.129	15'2" - 14'8"		0.4 MI WEST OF JCT TH 55	CHICAGO AVE / I 35W	27853
I 35W	17.343	14'5" - 14'5"		0.3 MI WEST OF JCT TH 55	11 AVE / I 35W	27854
I 35W	17.438	14'11"		AT THE EAST JCT TH 94	I 94 WB ON RAMP / I 35W SB ON RAMP FROM COI	27850
I 35W	17.439	14'8"		AT THE E JCT TH 94; 35W	I 94 WB / I 35W SB ON RAMP	27848
I 35W	17.474	22'0" - 23'10"		AT THE EAST JCT TH 94	I 94 WB ON RAMP / I 35W	27850
I 35W	17.475	20'10" - 18'6"		AT THE E JCT TH 94; 35W	I 94 WB / I 35W	27848
I 35W	17.540	14'4" - 14'10"		0.2 MI NE OF E JCT TH 94	TH 55 SB OFF RAMP / I 35W	27873
I 35W	17.564	14'11"		0.2 MI NE OF E JCT TH 94	TH 55 SB OFF RAMP / I 35W NB OFF RAMP	27873
I 35W	17.585	23'5" - 24'11"		AT JCT TH 55; 35W	TH 55 EB (8TH ST) / I 35W	27849
I 35W	17.590	23'2"		AT JCT TH 55; 35W	TH 55 EB (8TH ST) / I 35W NB OFF RMP TO NB CO	27849
I 35W	17.617	20'0"		AT JCT TH 55 OVER 35W	TH 55 WB (7TH ST.) / I 35W NB OFF RMP TO NB C	27875
I 35W	17.631	17'2" - 18'11"		AT JCT TH 55 OVER 35W	TH 55 WB (7TH ST.) / I 35W	27875
I 35W	17.685	31'4" - 31'0"		.2MI N OF JCT TH94	WB I94 / 7TH ST / I 35W	27W27
I 35W	17.772	14'7" - 15'10"		0.3 MI N OF E JCT TH 94	5TH ST OFF 94 WB / I 35W	27877
I 35W	17.782	16'11" - 16'8"		0.3 MI N OF E JCT TH 94	6TH STREET / EB 94 / I 35W	27876
I 35W	17.782	17'1"		0.3 MI N OF E JCT TH 94	5TH ST OFF 94 WB / I 35W SB COLLECTOR RD	27877
I 35W	17.790	15'11"		0.3 MI N OF E JCT TH 94	5TH ST OFF 94 WB / I 35W SB OFF RAMP TO TH 5	27877

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35W	17.798	15'8"		0.3 MI N OF E JCT TH 94	LRT RAIL / I 35W SB COLLECTOR RD	27878
I 35W	17.802	15'7"		0.3 MI N OF E JCT TH 94	5TH ST OFF 94 WB / I 35W NB COLLECTOR RD	27877
I 35W	17.805	15'5"		0.3 MI N OF E JCT TH 94	LRT RAIL / I 35W SB OFF RAMP TO TH 55	27878
I 35W	17.820	16'11" - 16'8"		AT THE E JCT OF TH 94	6TH STREET / EB 94 / I 35W	27876A
I 35W	17.825	17'6"		0.3 MI N OF E JCT TH 94	LRT RAIL / I 35W NB COLLECTOR RD	27878
I 35W	17.836	15'10" - 15'8"		0.3 MI N OF E JCT TH 94	LRT RAIL / I 35W	27878
I 35W	18.005	15'6" - 16'7"		0.5 MI NE OF JCT TH 94	NB COLL OFF RAMP / I 35W	27880A
I 35W	18.117	15'11" - 15'1"		0.6 MI NE OF JCT TH 94	WASHINGTON AVE / I 35W	27881
I 35W	18.787	15'6" - 14'4"		3.2 MI SW OF JCT TH 280	UNIVERSITY AVE / I 35W	27882
I 35W	18.847	14'11" - 14'10"		3.1 MI SW OF JCT TH 280	4TH ST / I 35W	27883
I 35W	18.912	16'5"		3.0 MI SW OF JCT TH 280	PED @ 5TH ST SE / I 35W NB ON RAMP FROM 4TH	27987
I 35W	18.914	22'2" - 23'11"		3.0 MI SW OF JCT TH 280	PED @ 5TH ST SE / I 35W	27987
I 35W	18.931	18'5"		3.0 MI SW OF JCT TH 280	PED @ 5TH ST SE / I 35W SB OFF RAMP FRM 4 S	27987
I 35W	19.194	14'10" - 14'10"		2.8 MI SW OF JCT TH 280	8TH ST SE / I 35W	27988
I 35W	19.299	15'10" - 18'1"		2.7 MI SW OF JCT TH 280	BNSF RR / I 35W	27990
I 35W	19.301	15'10"		2.7 MI SW OF JCT TH 280	BNSF RR / I 35W NB OFF RAMP TO HENNEPIN	27990
I 35W	19.546	16'2" - 17'7"		2.4 MI SW OF JCT TH 280	HENNEPIN AVE / I 35W	27989
I 35W	19.613	24'5" - 25'0"		2.3 MI SW OF JCT TH 280	SB JOHNSON ST NE / I 35W	27994
I 35W	19.920	18'2"		2.0 MI SW OF JCT TH 280	PED @ SUMMER ST / I 35W NB OFF RMP TO JOHI	27985
I 35W	19.921	19'1"		2.0 MI SW OF JCT TH 280	PED @ SUMMER ST / NB RAMP TO STINSON BLV	27985
I 35W	19.932	17'10" - 17'5"		2.0 MI SW OF JCT TH 280	PED @ SUMMER ST / I 35W	27985
I 35W	20.007	23'0"		1.9 MI SW OF JCT TH 280	BNSF RR / I 35W NB OFF RAMP TO JOHNSON	27999
I 35W	20.019	22'7" - 21'11"		1.9 MI SW OF JCT TH 280	BNSF RR / I 35W	27999
I 35W	20.053	20'0"		1.9 MI SW OF JCT TH 280	BROADWAY ST NE / I 35W NB OFF RAMP	27886
I 35W	20.070	17'11" - 15'8"		1.9 MI SW OF JCT TH 280	BROADWAY ST NE / I 35W	27886
I 35W	20.223	16'1"		1.7 MI SW OF JCT TH 280	I 35W NB / JOHNSON ST CONNECTION	27888
I 35W	20.239	16'11" - 17'0"		1.8 MI SW OF JCT TH 280	JOHNSON ST NE / I 35W	27885
I 35W	22.689	14'5" - 14'2"		AT JCT TH 36 35W	TH 36 WB / I 35W	9569
I 35W	22.927	14'7"		0.1 MI NE OF JCT TH 36	I 35W SB OFF RAMP / I 35W NB	9588
I 35W	23.024	20'6" - 15'7"		0.3 MI N OF JCT TH 36	CO RD B2(CSAH 24) / I 35W	62548

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 35W	24.505	14'10"	14'10"	1.5 MI N OF JCT TH 36	CO RD D(CSAH 19) / I 35W	9355
I 35W	24.813	14'5"	15'11"	AT THE JCT TH 35W; 88	TH 888A EB / I 35W; (COUNTY 88)	9492
I 35W	25.517	15'4"	15'8"	0.7 MI N OF JCT TH 88	CP RAIL / I 35W	9357
I 35W	26.051	17'5"	16'7"	0.7 MI S OF JCT TH 694	CO RD E2 (CSAH 73) / I 35W	62873
I 35W	26.592	17'0"	16'7"	0.2 MI S OF JCT TH 694	CSAH 12 / I 35W; I 35W SB ON RAMP	62890
I 35W	26.714	14'11"	14'5"	AT THE JCT TH 694; 35W	I 694 EB / I 35W	9602
I 35W	26.767	14'10"	14'5"	AT THE JCT TH 694; 35W	I 694 WB / I 35W	9601
I 35W	27.558	16'10"	16'10"	0.8 MI N OF JCT TH 694	CO RD G (CSAH 96) / I 35W	62911
I 35W	27.988	15'8"	15'5"	1.2 MI N OF JCT TH 694	MC RAIL / I 35W	9578
I 35W	28.229	16'11"	16'1"	AT THE S JCT TH 10; 35W	US 10 EB / I 35W	62058
I 35W	28.419	16'8"	17'8"	AT THE S JCT TH 10; 35W	US 810 WB / 35W	62057
I 35W	30.092	15'10"	15'7"	AT THE N JCT TH 10; 35W	US 10 / TH I-35W	9605
I 35W	30.687	16'5"	17'2"	.6 MI N OF JCT TH 35W; 10	CO RD J (CSAH 32) / I 35W	02571
I 35W	30.969	15'5"	15'8"	0.3 MI N OF COUNTY LINE	I 35W SB ON RP / I 35W	9607
I 35W	31.930	15'10"	16'0"	AT jct TH 35W; CSAH 52	LOVELL RD / I 35W	02566
I 35W	33.567	15'8"	15'8"	2.7 MI N OF COUNTY LINE	CSAH 17 / I 35W	02550
I 35W	34.978	15'5"	15'4"	1.7 MI SW OF JCT TH 49	CR 53 / I 35W	9831
I 35W	36.457	16'1"	15'10"	5.0 MI SW JCT TH 35E	CSAH 23 / I 35W	02817
I 35W	38.612	16'11"	16'11"	2.2 MI NE OF JCT CSAH 23	PED TRAIL / I 35W	(02006)
I 35W	38.630	15'0"	15'2"	2.2 MI NE OF JCT TH 49	CSAH 14 / I 35W	9830
I 35W	41.101	14'11"	15'2"	0.2 MI W OF JCT TH 35E	CSAH 54 / I 35W	02801

US 35W

US 35W	240.316	17'11"		AT THE S JCT TH 10; 35W	US 10 EB / 35W NB OFF RAMP TO CO 10 WB	62058
--------	---------	--------	--	-------------------------	--	-------

MN 35W

MN 35W	191.719	17'6"		AT JCT TH 55 OVER 35W	TH 55 WB (7TH ST.) / I 35W SB COLLECTOR RD	27875
MN 35W	191.728	17'6"		AT JCT TH 55 OVER 35W	TH 55 WB (7TH ST.) / I 35W SB OFF RAMP TO TH 5	27875
MN 35W	191.732	14'11"		AT JCT TH 55; 35W	TH 55 EB (8TH ST) / SB COLLECTOR RD TO I 35W	27849
MN 35W	191.742	14'7"		AT JCT TH 55; 35W	TH 55 EB (8TH ST) / SB COLLECTOR RD TO TH 55	27849
MN 35W	191.745	14'11"		AT JCT TH 55; 35W	TH 55 EB (8TH ST) / I 35W SB OFF RAMP TO TH 5	27849

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 35W	191.820	14'2"		0.2 MI N OF E JCT TH 94	TH 55 NB ON RAMP / I 35W NB OFF RAMP	27874
MN 36						
MN 36	0.278	14'6" - 15'2"		0.2 MI E OF JCT TH 35W	TH 36 EB / CLEVELAND AVENUE	9277
MN 36	1.262	14'5" - 14'5"		AT THE JCT TH 36; 51 SB	TH 51 SB / TH 36	9012
MN 36	1.273	14'11" - 14'10"		AT THE JCT TH36; 51NB	TH 51 NB / TH 36	9013
MN 36	1.748	15'6" - 15'5"		0.5 MI E OF JCT TH 51	HAMLIN AVE NORTH / TH 36	62035
MN 36	2.749	17'0" - 16'5"		1.5 MI E OF JCT TH 51	VICTORIA CSAH 52 / TH 36	62069
MN 36	4.199	15'10" - 16'7"		0.9 MI W OF JCT TH 35E	EB TH 36 OFF RAMP / TH 36	62632
MN 36	4.265	17'2" - 17'2"		0.8 MI W OF JCT TH 35E	RICE ST N / TH 36	62631
MN 36	4.318	15'10" - 17'6"		0.7 MI W OF JCT TH 35E	TH 36 EB ON RAMP / TH 36	(62633)
MN 36	4.825	14'5" - 14'8"		0.3 MI W OF JCT TH 35E	CP RAIL / TH 36	9212
MN 36	5.121	18'6" - 16'6"		AT JCT 35E & TH36	I 35E SB / TH 36	62933
MN 36	5.131	17'11" - 15'10"		AT JCT TH 36; 35E	I 35E NB / TH 36	62934
MN 36	5.769	14'4" - 14'4"		0.7 MI E OF JCT TH 35E	EDGERTON ST / TH 36	62006
MN 36	6.272	14'4" - 14'6"		1.2 MI E OF JCT TH 35E	ARCADE ST / TH 36	62007
MN 36	7.292	16'1" - 15'10"		0.5 MI E OF JCT TH61	ENGLISH STREET / TH 36	62067
MN 36	7.438	17'7" - 17'5"		0.6 MI E OF JCT TH61	BRUCE VENTO TRAIL / TH 36	62004
MN 36	7.439	17'5"		0.6 MI E OF JCT TH61	BRUCE VENTO TRAIL / TH 36 WB EXIT RAMP TO	62004
MN 36	7.449	17'7"		0.6 MI E OF JCT TH61	BRUCE VENTO TRAIL / TH 36 EB ON RAMP FROM	62004
MN 36	9.722	16'6" - 16'6"		0.8 MI SQ JCT TH 36; 120	PEDESTRIAN / MN 36	62096
MN 36	10.000	15'11" - 15'11"		0.5 MI SQ JCT TH 36; 120	MARGARET ST / MN 36	62097
MN 36	11.765	15'5" - 16'4"		AT JCT TH 36	I 694 SB / TH 36	82813
MN 36	11.782	20'5" - 19'10"		AT JCT TH 36	I 694 NB / TH 36	82814
MN 36	17.480	16'0" - 16'0"		AT THE JCT TH 5	TH 5 / TH 36	82006
MN 36	19.800	16'2" - 17'0"		0.2 M W OF JCT TH95	CSAH 23 / TH36	82043
MN 36	21.626	12'7"		AT WISONSIN STATE LINE	MNTH 36 / ST CROIX RIVER; PARK RD	4654
MN 36	203.648	17'8"		0.2 M W OF JCT TH95	CSAH 23 / TH36 EB OFF RAMP TO TH95	82043
MN 37						
MN 37	24.741	14'10" - 14'10"		AT THE JCT TH 53; 37	US 53 NB / TH 37	9494

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 37	24.750	14'7" - 14'8"		AT THE JCT TH 53; 37	US 53 SB / TH 37	9493
MN 39						
MN 39	1.079	13'7"		0.9 MI E OF JCT TH 23	MN 39; RR / ST LOUIS RIVER	6544
MN 40						
MN 40	28.598	15'5"		3.8 MI W OF JCT TH 59	TH 40 / LAC QUI PARLE L	5380
MN 43						
MN 43	44.892	17'5"		2.8 MI N OF JCT TH 61	TH 43 / MISS RVR, RR, STREETS	5900
MN 45						
MN 45	2.502	15'8" - 17'1"		AT JCT TH 45; TH 35	I 35 NB / TH 45	09806
MN 45	2.519	15'7" - 17'1"		AT JCT TH 45; TH 35	I 35 SB / TH 45	09805
MN 47						
MN 47	4.814	16'8" - 15'8"		2.8 MI S OF JCT TH 694	ST ANTHONY PKWY / TH 47 (UNIVERSITY AVE)	27055
MN 47	5.983	15'11" - 15'11"		1.7 MI S OF JCT TH 694	PED @ 49TH AVE / MN 47	02017
MN 47	7.674	16'4" - 16'11"		AT THE JCT TH 47	I 694 / MN 47	02813
MN 47	12.832	15'11" - 15'11"		AT THE JCT TH 47	MN 610 EB / MN 47	02042
MN 47	12.858	19'1" - 19'1"		AT THE JCT TH 47	MN 610 WB / MN 47	02041
MN 47	13.060	17'6"		AT THE JCT TH 47	US 10 / MN 47 NB	02035
MN 47	13.070	15'11"		0.5 MI N OF JCT TH 610	FOLEY BLVD / MN 47 SB COLL RD	02033
MN 47	13.076	15'11"		0.5 MI N OF JCT TH 610	US 10 EB ON RAMP / MN 47 SB	02034
MN 51						
MN 51	0.140	24'5"		0.2 MI W OF JCT TH 5	PED WALKWAY / TH 51(MONTREAL)	62075
MN 51	3.372	15'8" - 15'8"		0.2 MI S OF JCT TH 94	STEAM PIPE / TH 51 (SNELLING AVE)	62016A
MN 51	3.373	15'8" - 15'8"		0.2 MI S OF JCT TH 94	CP RAIL / TH 51 (SNELLING AVE)	62016
MN 51	10.513	16'0" - 16'0"		0.9 MI S OF JCT TH 694	CO RD E (CSAH 15) / TH 51 (SNELLING AVE)	62038
MN 51	10.714	15'7" - 15'10"		0.7 MI So OF JCT TH 694	CP RAIL / TH 51	62003

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 52						
US 52	46.505	16'0" - 15'7"		AT JCT TH 52	I 90 EB / TH 52	55810
US 52	46.523	16'5" - 15'10"		AT JCT TH 52	I 90 WB / TH 52	55809
US 52	47.625	15'11" - 16'0"		1.2 MI NW OF JCT TH 90	CSAH 36 / US 52	55017
US 52	53.496	20'1" - 15'6"		0.9 MI S OF JCT TH14	MAYOWOOD DR(CR125) / US 52	55053
US 52	53.968	16'6" - 16'5"		0.4 MI S OF JCT TH 14	CSAH 25 / US 52	55018
US 52	54.297	16'4" - 16'7"		AT THE S JCT TH 52	US 14 / TH 52	55011
US 52	56.617	21'4" - 18'11"		0.5 MI N OF N JCT TH 14	PED AT 16TH ST NW / US 52	55044
US 52	56.956	15'11" - 17'10"		0.9 MI NW OF TH 14	19 ST NW / US 52	55043
US 52	58.320	17'4" - 17'6"		2.2 MI NW OF N JCT TH 14	CSAH 22 / US 52	55024
US 52	58.602	15'8" - 17'2"		2.5 MI N OF JCT TH 14	MSAS 126 / US 52	55035
US 52	59.686	17'4" - 17'2"		3.5 MI N JCT TH 14	MSAS 132 / US 52	55003
US 52	60.684	17'6" - 16'10"		4.5 MI N OF N JCT 14; 52	65TH ST / US 52	55070
US 52	61.670	15'8" - 17'2"		5.5 MI N OF JCT 14; 52	CSAH14(75TH ST) / US 52	55069
US 52	62.700	15'10" - 17'2"		6.6 MI N OF N JCT TH14;65	CR 154(85TH ST) / US 52	55071
US 52	64.247	16'5" - 16'2"		8.2 MI N OF N JCT TH 14	100TH ST. / US 52	55080
US 52	66.198	17'6" - 17'11"		1.4 M SE of JCT 135TH ST	CSAH 12 / US 52	55034
US 52	66.198	16'4" - 19'4"		10.1 MI NW JCT TH 52; 14	CSAH 12 / US 52	55079
US 52	71.261	15'5" - 15'8"		4.6 MI S OF S JCT TH 60	CSAH 11 / US 52	9668
US 52	77.231	16'2" - 16'5"		1.1MI S OF JCT TH 60	MN TH 58 / US TH 52	25037
US 52	78.280	14'5" - 14'7"		AT THE N JCT TH 60	MN 60 / US 52	9662
US 52	89.430	16'1" - 16'1"		3.2 MI N OF JCT TH57	CSAH 9 / US 52	25030
US 52	96.183	15'10" - 15'10"		NEAR CANNON FALLS	CSAH 24 / US 52	25029
US 52	98.060	18'1" - 16'0"		AT JCT TH 19; 52	TH 19 / US 52	25022
US 52	99.109	15'8" - 15'5"		6.6 MI SE OF JCT TH 50	CSAH 88 / US 52	9488
US 52	100.788	16'2" - 16'6"		6.6 MI SE OF JCT TH 50	CSAH 86 / US 52	19009
US 52	105.686	15'11" - 15'5"		AT JCT TH 50 IN HAMPTON	TH 50 / US 52	19011
US 52	107.170	16'0" - 16'4"		1.3 MI N OF JCT	CSAH 47 / US 52	19R05
US 52	113.590	16'4" - 15'11"		3.7 MI S OF S JCT TH 55	COUNTY ROAD 46 / US 52	19R04
US 52	117.383	15'1"		AT THE W JCT TH 55	TH 55 EB / US 52 NB	9110

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 52	118.316	15'11" - 16'1"		0.7 MI N OF S JCT TH 55	117TH STREET / US 52	19R01
US 52	121.893	15'8"		3.5 MI S OF JCT TH 494	TH 55 WB / US 52 SB	19023
US 52	122.874	15'10" - 15'10"		2.9 MI S OF JCT TH 494	80TH ST E / US 52	19041
US 52	123.073	17'6" - 17'6"		2.4 MI S OF JCT TH 494	75TH STREET / US 52	19085
US 52	123.505	16'1" - 16'1"		1.9 MI S OF JCT TH 494	CSAH 26 / US 52	19022
US 52	123.951	15'8" - 15'8"		1.4 MI S OF JCT TH 494	65TH STREET / US 52	19083
US 52	124.735	19'1" - 19'1"		0.7 MI S OF JCT TH 494	UPPER 55TH ST / US 52	19042
US 52	127.295	15'10" - 19'5"		1.9 MI N OF JCT TH 494	THOMPSON AVE(CR 6) / US 52	19018
US 52	127.926	19'5" - 17'6"		2.24 MI N OF JCT TH 494	PED / US 52	19548
US 52	128.048	15'11" - 19'5"		2.7 MI N OF JCT TH 494	BUTLER AVE (CR 4) / US 52	19021
US 52	128.417	17'5" - 17'4"		3.0 MI N OF JCT TH 494	PED @ LEWIS ST / US 52	19025
US 52	128.767	15'8" - 15'8"		0.3 MI S OF JCT TH 56	BELVIDERE STREET / US 52 (LAFAYETTE)	62044
US 52	129.341	16'5" - 16'1"		0.1 MI N OF JCT TH 56	PED AT WINIFRED ST / LAFAYETTE RD (US 52)	62023

US 53

US 53	1.820	18'11" - 17'5"		0.2 MI NW OF JCT TH 35	US 53 / 1ST ST; 21ST AVE	69802
US 53	2.380	16'4" - 15'8"		0.25 MI N OF JCT TH 35	5TH ST / US 53	69038
US 53	3.172	17'6" - 15'11"		0.75 MI N OF JCT TH 35	SKYLINE PARKWAY / US 53	69123
US 53	24.003	16'2"		AT THE JCT TH 33; 53	TH 33 NB / US 53 SB	69065
US 53	55.871	14'4" - 15'7"		AT JCT TH 37; 53	TH 37 / US 53	9530
US 53	58.982	14'7" - 14'10"		1.3 MI S OF N JCT TH 37	DM;IR RR / US 53	9481
US 53	59.350	14'1" - 14'8"		0.9 MI S OF N JCT TH 37	PEDESTRIAN / US 53	9482
US 53	63.400	16'4" - 17'10"		0.1 MI N OF JCT US 53	US 135 / US 53	69130
US 53	65.864	15'8" - 18'5"		AT THE JCT TH 169; 53	US 169 / US 53	69035
US 53	68.970	16'2" - 16'7"		3.1 MI N OF JCT TH 169	DM;IR RY / US 53	69014

MN 55

MN 55		17'8"		0.5 MI S OF JCT TH 94	PEDESTRIAN / TH 55 NB OFF RAMP TO 24TH ST	27202
MN 55		19'10"		AT THE JCT TH 55; 94	I 94 / TH 55 WB OFF RAMP TO I 35W NB	27855
MN 55	108.213	16'6"		0.25 MI N OF PAYNESVILLE	TH 23 WB / TH 55	73039
MN 55	108.213	16'6"		0.25 MI N OF PAYNESVILLE	TH 23 EB / TH 55	73040

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 55	176.680	15'5"	15'7"	3.8 MI NW OF JCT TH 494	CP RAIL / MN 55	5847
MN 55	184.041	15'2"	14'6"	AT JCT TH 55; 169	US 169 / TH 55 (OLSON MEMORIAL)	27014
MN 55	185.030	17'4"	17'4"	1.0 Mi East of Jct TH 16	PED (WINNETKA AVE) / MN 55	27604
MN 55	186.622	15'10"		AT THE JCT TH 55; 100	TH 100 / TH 55	27121
MN 55	191.914	17'0"	18'5"	AT THE JCT TH 55; 94	I 94 / TH 55	27855
MN 55	192.415	16'8"	17'7"	0.5 MI S OF JCT TH 94	PEDESTRIAN / TH 55 (HIAWATHA AVE)	27202
MN 55	192.517	22'0"	22'0"	0.46 MI N JCT E LAKE ST	MIDTOWN GREENWAY / HIAWATHA AVE S	27B35
MN 55	193.010	18'5"		1.2 MI S OF JCT TH 94	LRT / TH 55 NB ON RAMP FROM LAKE ST	27262
MN 55	193.015	18'5"	18'5"	1.2 MI S OF JCT TH 94	LRT / TH 55	27262
MN 55	196.000	16'11"	16'11"	2.3 MI NW OF JCT TH 5	MINNEHAHA TUNNEL / TH 55	27191
MN 55	197.119	15'10"	15'10"	NEAR THE JCT TH62; 55	LRT / TH 55	27264
MN 55	199.618	15'8"	15'8"	0.3 MI E OF JCT TH 110	ACACIA BLVD / TH 55	19090
MN 55	204.767	15'11"	15'11"	AT THE JCT TH 55	TH 3 / TH 55	19045
MN 55	206.183	15'8"	15'8"	0.3 MI NW OF W JCT TH 52	BARNES AVE CSAH 73 / TH 55	19024
MN 57						
MN 57	0.052	15'11"	15'10"	AT THE JCT OF TH 57	US 14 EB / TH 57	20002
MN 57	0.075	15'11"	15'11"	AT THE JCT OF TH 57	US 14 WB / TH 57	20001
US 59						
US 59	12.163	15'6"		AT JCT TH 59	I 90 EB / TH 59	53818
US 59	12.179	15'8"		AT JCT TH 59	I 90 WB / TH 59	53817
MN 60						
MN 60	11.084	16'0"	16'1"	IN WORTHINGTON	UP RR / TH 60	53008
MN 60	12.317	19'11"	18'6"	AT JCT TH 60	I 90 EB / UP RR; TH 60	53820
MN 60	12.340	19'8"	19'2"	AT JCT TH 60	I 90 WB / UP RR; TH 60	53819
MN 60	65.499	16'0"	16'1"	AT THE JCT TH 4	TH 4 / TH 60	83023
MN 60	66.932	15'10"	16'6"	1.4 MI NE OF JCT TH 4	CSAH 15 / MN 60	83025
MN 60	68.010	16'0"	16'1"	AT THE E JCT TH 4	MN 4 / MN 60	83026
MN 60	69.749	16'8"	16'5"	3.0 MI NE OF JCT TH 4	CSAH 12 / MN 60	83027

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 60	77.555	15'8"	15'6"	AT THE S JCT TH 60	MN 15 SB / TH 60	83005
MN 60	84.096	15'8"	16'6"	AT THE N JCT TH 60	TH 15 / TH 60	83021
MN 60	146.893	16'0"	16'1"	AT THE JCT OF TH 60	I 35 SB / TH 60	66811
MN 60	146.911	16'0"	16'0"	AT THE JCT OF TH 60	I 35 NB / TH 60	66812
MN 60	181.601	14'10"	14'5"	AT THE S JCT TH 60	US 52 SB / TH 60	9659
MN 60	181.601	16'7"	16'1"	AT THE S JCT TH 60	US 52 NB / TH 60	9660
MN 60	218.336	13'10"		0.2 MI E OF JCT TH 61	CP RAIL / MN 60	5413
MN 60	219.420	19'7"		AT WISC STATE LINE	TH 60 / MISS RIVER; STS	79000
I 61						
I 61	63.225	16'0"		AT THE JCT TH 61; 494	I 494 WB OFF RAMP / US 61 SB ON RAMP FROM N	82036
I 61	244.883	15'11"		AT THE E JCT TH 61; 94	I 94 / US 61 RAMP FROM 3RD TO 94 EB	62838
US 61						
US 61		16'1"		AT THE E JCT TH 94 61	US 61 NB / US 61 SB ON RAMP	62870
US 61	4.003	26'6"		AT JCT TH 61	I 90 WB / US 61 NB TO I 90 WB	(85849)
US 61	4.010	15'11"		WEST I 90	I 90 WB OFF RAMP / TH 61	85805
US 61	4.013	26'6"		AT JCT TH 61	I 90 WB / US 61 NB - AOI	(85849)
US 61	8.925	15'10"	16'0"	0.2 MI SE OF N JCT TH 61	CSAH 12 / US 61	85806
US 61	9.123	16'4"		AT N JCT TH 61(IN DAKOTA	I 90 WB / US 61 SB	85803
US 61	9.389	15'2"	15'11"	0.7 MI N OF N JCT TH 90	CR 101 / US 61	85004
US 61	90.858	15'10"	14'0"	AT JCT TH 63	US 63 / US 61	9103
US 61	94.906	16'11"	17'2"	1.7 MI SE OF JCT TH 19	PEDESTRIAN / US 61	25019
US 61	123.015	14'8"	14'8"	3.1 MI NW OF JCT TH 95	CSAH19-CHEMOLITERD / US 61	9071
US 61	126.198	19'7"	20'2"	4.2 MI SE OF JCT TH 494	CSAH 39 80TH ST / US 61	82019
US 61	127.949	20'4"	16'11"	2.5 MI SE OF JCT TH 494	CSAH 22 / US 61	82025
US 61	129.130	21'2"	23'0"	1.5 MI S OF JCT TH 494;61	PED / US 61	82028
US 61	129.472	15'10"	15'10"	1 MI S OF JCT TH 494; 61	GLEN ROAD / US 61	82030
US 61	129.928	16'10"	17'5"	.5 MI S OF JCT TH 494; 61	PED / US 61	82032
US 61	130.450	22'7"	23'7"	AT THE JCT TH 494; 61	I 494 WB / US 61	82860
US 61	130.484	23'2"	23'8"	AT THE JCT TH 494; 61	I 494 EB / US 61	82859

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 61	130.558	18'10" - 17'0"		AT THE JCT TH 61; 494	I 494 WB OFF RAMP / US 61	82036
US 61	130.598	18'6" - 20'8"		.1 MI NW OF JCT TH494; 61	RAMP TO I 494 WB / TH 61	82034C
US 61	130.603	20'2"		.1 MI NW OF JCT TH494; 61	RAMP TO I 494 WB / TH 61 SB ON RMP FROM BAIL	82034C
US 61	130.646	16'8"		.1 MI NW OF TH 494; 61	I 494 WB ON RAMP / RAMP TH 61 SB	82034B
US 61	130.860	20'11" - 22'4"		.4 MI N OF JCT TH494; 61	BAILEY/MAXWELL CN / US 61	62900
US 61	135.447	23'1"		AT THE E JCT TH 61; 94	I 94 / US 61 NB OFF RAMP TO 3RD ST	62838
US 61	135.478	17'1"		AT THE E JCT TH 61; 94	I 94 / US 61 SB ON RAMP FROM 3RD ST	62838
US 61	135.550	15'11"		AT THE E JCT TH 61; 94	I 94 / US 61 NB (TO I 94 WB)	62838
US 61	137.065	15'5"		BTWN MOUNDS BLVD; MARIA	PED / E 7TH ST (US 61)	62611
US 61	141.611	15'11" - 15'10"		AT JCT TH 36; 61	TH 36 / US 61	62070
US 61	143.518	15'7" - 16'11"		AT JCT TH 694; 61	I 694 EB / TH61	62852
US 61	143.536	16'5" - 17'6"		AT JCT TH 694; 61	I 694 WB / TH61	62851
US 61	159.606	16'11"		0.1 MI S OF S JCT TH 97	PEDESTRIAN / TH 97	82050
US 61	161.651	22'6" - 24'0"		1.0 MI E OF JCT TH 35	US 8 / TH 61	82002
US 61	276.481	26'6"		AT JCT TH 61	I 90 EB / US 61 NB - AOI	85850
MN 61						
MN 61	24.313	15'4" - 16'0"		0.4 MI SW OF TWO HARBORS	DM;IR RY / MN 61	38001
MN 61	25.771	15'8"		IN TWO HARBORS	DM;IR RY / MN 61	38006
MN 61	30.700	28'5"		4.5 MI NE OF JCT CSAH 2	OTHER / SILVER CLIFF TUNNEL	38005
MN 61	33.789	22'5"		7.0 MI NE OF TWO HARBORS	LAFAYETTE BLUFF / TH 61	38003
MN 61	77.109	15'4"		17.6 MI N OF JCT TH 1	CLIFFS/ERIE MINE / MN 61	6881
MN 61	77.448	99'5"		17.9 MI N OF JCT TH 1	CLIFF/ERIE MINE / MN 61	6882
MN 61	77.772	20'7"		18.2 MI N OF JCT TH 1	CLIFF/ERIE MINE / MN 61	6883
I 62						
I 62	10.659	15'6"		0.4 MI N JCT 66 ST W	I 35W OFF RAMP / I 35W ON RAMP	27V66
MN 62						
MN 62		15'10"		AT THE JCT TH 62; 55	TH 55 / TH 62 WB ON RAMP FROM TH 55 SB	27R02
MN 62	103.592	18'0" - 17'6"		AT THE JCT TH 494; 62	I 494 NB / TH 62	27V50

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 62	104.109	15'2"	16'8"	0.5 MI E OF JCT TH 494	ROWLAND RD / TH 62	27582
MN 62	105.855	14'7"		AT JCT OF TH 169,212; 62	US 169 SB / TH 62 WB	27079
MN 62	105.857	15'2"		AT JCT OF TH 169,212; 62	US 169 SB / TH 62 EB	27079
MN 62	105.866	16'8"		AT JCT OF TH 169,212; 62	US 169 NB / TH 62 WB	27080
MN 62	105.867	16'6"		AT JCT OF TH 169,212; 62	US 169 NB / TH 62 EB	27080
MN 62	106.473	15'1"	14'6"	1.7 MI W OF JCT TH 100	GLEASON ROAD / TH 62	27082
MN 62	106.473	17'6"	17'2"	1.7 MI W OF JCT TH 100	NINE MILE CREEK TR / TH 62	27W30
MN 62	107.369	14'5"	16'5"	0.8 MI W OF JCT TH 100	TRACY AVE / TH 62	27083
MN 62	107.919	16'1"	14'8"	0.4 MI W OF JCT TH 100	WYMAN AVE / TH 62	27084
MN 62	108.335	15'6"	15'0"	AT THE JCT OF TH 100; 62	TH 100 / TH 62	9500
MN 62	108.927	15'6"	14'2"	0.5 MI E OF JCT TH 100	PEDESTRAIN / TH 62	27520
MN 62	109.422	14'7"	15'10"	1.1 MI E OF JCT TH 100	FRANCE AVENUE / TH 62	7263
MN 62	110.002	14'6"	14'6"	1.7 MI E OF JCT TH 100	XERXES AVE / TH 62	27504
MN 62	110.502	14'4"	14'4"	0.7 MI W OF JCT TH 35W	PENN AVE (CSAH 32) / TH 62	7268
MN 62	111.223	16'11"		AT THE W JCT 35W; 62	MN 62 EB / RAMP (MN 62 WB TO I-35W SB)	27V68
MN 62	111.472	15'11"		0.3 MI E OF JCT 35W; 62	RAMP (35W TO 62) / RAMP (62 EB TO LYNDALE)	27V73
MN 62	112.166	20'0"	17'5"	AT E JCT OF TH 62; 35W	RAMP (35W TO 62EB) / MN 62	27V79
MN 62	112.512	14'5"	14'5"	0.4 MI E OF E JCT TH 35W	PORTLAND AVE / TH 62	7269
MN 62	113.164	14'4"	14'6"	0.4 MI W OF JCT TH 77	PED AT 14TH AVE / TH 62	27535
MN 62	113.322	14'1"	14'1"	0.3 MI W OF JCT TH 77	BLOOMINGTON AVENUE / TH 62	27525
MN 62	114.832	15'0"	14'7"	1.2 MI E OF JCT TH 77	34TH AVE S / TH 62	27522
MN 62	115.202	14'7"	14'6"	0.8 MI W OF JCT TH 55	PED AT 40TH AVE S / TH 62	27530
MN 62	115.402	15'8"	14'8"	1.0 MI W OF JCT TH 55	43RD AVE S / TH 62	27524
MN 62	115.942	19'11"	16'7"	AT THE JCT TH 62; 55	TH 55 / TH 62	27R02
MN 62	115.979	24'5"		NEAR THE JCT TH62; 55	LRT / TH 62 WB ON RAMP FROM NB TH 55	27264
MN 62	115.980	23'5"	23'5"	NEAR THE JCT TH62; 55	LRT / TH 62	27264
US 63						
US 63	33.042	16'5"	16'2"	2.3 MI N OF JCT I 90	CSAH 16 / US 63	55040
US 63	35.724	15'11"	16'1"	1.7 MI S OF JCT TH 52; 63	48TH ST (MSAS 155) / TH 63	55068
US 63	36.512	17'0"	18'4"	1.0 MI S OF JCT TH 52	40TH ST (MSAS 140) / US 63	55067

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 63	37.412	15'11"	15'10"	AT THE JCT OF TH 63	US 52 NB / TH 63	55009
US 63	37.412	15'10"	15'8"	AT THE JCT OF TH 63	US 52 SB / TH 63	55010
US 63	91.632	19'4"		AT WIS STATE LINE	US 63 / MISS RIVER; CP RAIL	9040
US 65						
US 65	309.506	20'10"	20'5"	AT JCT TH 65	I 35 NB / TH 65; UP RR	24826
US 65	309.523	20'7"	19'10"	AT JCT TH 65	I 35 SB / TH 65; UP RR	24825
US 65	315.454	15'8"		1.0 MI S OF JCT TH 90	I 35 SB / TH 65 NB	24841
US 65	315.472	15'8"		1.0 MI S OF JCT TH 90	I 35 NB / TH 65 NB	24842
MN 65						
MN 65		14'5"		ATH THE JCT TH 65; 94	15TH ST E / TH 65 SB ON RAMP FROM 12TH ST	27840
MN 65	0.227	17'6"	17'6"	0.6 MI S OF JCT TH 94	PED @ 24TH ST E / TH 65	27868
MN 65	0.237	15'6"		0.7 MI S OF JCT TH 94	I 35W SB / TH 65 NB	27871
MN 65	0.476	14'2"	14'6"	0.2 MI S OF JCT TH 94	E FRANLIN AVE / TH 65	27872
MN 65	0.744	14'10"	14'5"	AT THE JCT TH 65; 94	I 94 WB ON RAMP / TH 65	27842
MN 65	0.847	14'6"	14'6"	ATH THE JCT TH 65; 94	15TH ST E / TH 65	27840
MN 65	0.981	14'11"	15'4"	0.2 Mi North of Jct TH 94	11 ST S / TH 65	27100
MN 65	2.855	16'0"		1.2 MI N OF JCT TH 47	BNSF RR / TH 65	27236
MN 65	5.551	17'6"	17'6"	0.5 MI S OF JCT 49TH AV	PEDESTRIAN / MN 65	02005
MN 65	6.356	17'11"	16'5"	AT THE JCT TH 65	I 694 / MN 65	02815
MN 65	9.488	15'11"		3.1 Mi NORTH OF JCT TH694	PED @ 80TH AVE NE / MN 65 W FRONTAGE RD	02022
MN 65	9.488	17'6"	17'2"	3.1 Mi NORTH OF JCT TH694	PED @ 80TH AVE NE / MN 65	02022
MN 65	10.103	15'5"	15'2"	0.9 Mi South of Jct TH 1	CSAH 10 EB / TH 65	9264
MN 65	10.116	15'5"	15'2"	0.9 Mi South of Jct TH 1	CSAH 10 WB / TH 65	9263
MN 65	11.055	15'11"	15'11"	AT THE JCT TH 65	US 10 EB / MN 65	02046
MN 65	11.073	15'11"	15'11"	AT THE JCT TH 65	US 10 WB / MN 65	02045
MN 65	14.934	16'4"	16'5"	0.5 MI SO JCT MN 65; 242	PAUL PKWY(121 AVE) / MN 65	02050
MN 65	15.420	16'1"	15'11"	AT THE JCT MN 65; CSAH14	MAIN ST / MN 65	02051
MN 65	15.916	15'11"	15'10"	0.5 MI N JCT MN 65	129 AVE NE / MN 65	02052
MN 65	172.032	16'5"		0.5 MI S OF JCT TH 169	DM;IR RY (ABAN) / TH 65	9185

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 65	172.508	15'8"		0.1 MI S OF JCT TH 169	BNSF RR / TH 65	9186
MN 66						
MN 66	11.766	16'2"		AT JCT TH 66 IN MANKATO	US 169 / TH 66	07030
MN 66	12.037	16'7" - 16'6"		AT THE JCT TH 66	US 169 / TH 66	07029
MN 70						
MN 70	20.033	13'4"		1.3 MI E OF JCT TH 35	SCV RR / MN 70	6334
US 71						
US 71	9.930	15'4" - 15'7"		AT JCT TH 71	I 90 EB / TH 71	32812
US 71	9.947	15'4" - 15'7"		AT JCT TH 71	I 90 WB / TH 71	32811
US 71	27.392	14'10"		0.1 MI SE OF S JCT TH 60	UP RR / US 71	6872
US 71	52.222	14'5"		IN SANBORN	DME RR / US 71	5501
US 71	122.837	15'10"		2.0 MI NE OF S JCT TH 23	CSAH 23 / US 71	34006
US 71	123.964	16'0"		AT THE JCT TH 71	US 12 / TH 71	34009
US 71	124.219	15'8"		0.3 MI N OF JCT TH 12	BNSF RAIL / US 71	34010
US 71	129.364	15'10"		AT THE N JCT TH 23; 71	TH 23 WB / US 71 NB	34027
US 71	168.048	16'2"		0.7 MI N OF JCT TH 94	WOBEGON TRL / US 71	73030
US 71	316.039	15'10" - 15'11"		3.7 MI N OF JCT TH 2	CSAH 15 / US 71	04021
MN 72						
MN 72	76.864	14'1"		IN BAUDETTE	TH 72 / RAINY RIVER	9412
MN 73						
MN 73	87.445	16'1"		AT THE N JCT TH 169; 73	US 169 NB / TH 73 NB	69084
MN 73	87.474	16'2"		AT THE N JCT TH 169; 73	US 169 SB / TH 73 NB	69083
MN 74						
MN 74	32.463	15'8"		AT JCT TH 74	I 90 EB / TH 74	85818
MN 74	32.479	16'0"		AT JCT TH 74	I 90 WB / TH 74	85817

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 75						
US 75	249.329		16'8"	0.9 MI N JCT TH 94	PED (SKYWAY) / US 75 (8TH ST S)	94280
MN 76						
MN 76	36.815		16'5"	AT JCT TH 76	I 90 EB / TH 76	85830
MN 76	36.833		15'8"	AT JCT TH 76	I 90 WB / TH 76	85829
MN 77						
MN 77			16'8"	1.3 MI S OF JCT TH 35E	CSAH 38 / TH 77 SB OFF RAMP TO ZOO ROAD	19081
MN 77			17'4"	0.7 MI S OF JCT TH 494	KILLEBREW DR / TH 77 NB COLL RD	27046
MN 77			17'2"	0.4 MI S OF JCT TH 494	SB CD TO LINDAU LN / TH 77 NB COLL RD	27048
MN 77			16'7"	0.4 MI S OF JCT TH 494	SB CD TO LINDAU LN / TH 77 NB OFF RAMP TO I 4	27048
MN 77			17'2"	0.4 MI S OF JCT TH 494	SB CD TO LINDAU LN / TH 77 SB ON RAMP	27048
MN 77			17'0"	0.4 MI S OF JCT TH 494	SB CD TO LINDAU LN / TH 77 SB OFF RAMP	27048
MN 77			17'6"	0.4 MI S OF JCT TH 494	SB CD TO LINDAU LN / TH 77; RAMPS	27048
MN 77			17'0"	AT THE JCT TH 494; 77	TH 77 NB COLL RD / TH 77 NB OFF RAMP TO I 494	27052C
MN 77			28'0"	AT THE JCT TH 494; 77	TH 77 NB COLL RD / TH 77 NB ON RAMP & I 494 W	27052C
MN 77	1.562		15'8" - 16'6"	1.3 MI S OF JCT TH 35E	CSAH 38 / TH 77	19081
MN 77	1.977		16'5" - 16'1"	0.9 MI S OF JCT TH 35E	127 ST / TH 77	19082
MN 77	3.655		15'6" - 20'1"	0.9 MI N OF JCT TH 35E	CSAH 32 / TH 77	19067
MN 77	4.707		15'10" - 18'2"	0.7 MI S OF JCT TH 13	CSAH 30 / TH 77	19053
MN 77	4.707		17'6"	0.5 MI S OF JCT TH 13	SKYWAY / TH 77 OFF RAMP	19096
MN 77	4.707		17'6"	0.5 MI S OF JCT TH 13	SKYWAY / TH 77	19096
MN 77	5.420		17'0" - 16'1"	AT THE JCT TH 77; 13	TH 13 NB / NB TH 77	19056
MN 77	5.480		20'8" - 20'5"	AT THE JCT TH 77; 13	TH 13 SB / SB TH 77	19055
MN 77	6.165		17'7"	1.0 MI N OF JCT TH 13	TH 77 NB / MINNESOTA R ; BLACK DOG	9600N
MN 77	6.165		17'10"	1.0 MI N OF JCT TH 13	TH 77 SB / MINNESOTA R ; BLACK DOG	9600S
MN 77	7.585		15'11" - 16'5"	1.7 MI S OF JCT TH 494	OLD SHAKOPEE RD / TH 77	27062
MN 77	7.835		16'10" - 17'2"	1.2 MI S OF JCT TH 494	PED AT 88TH ST / TH 77	27028
MN 77	8.062		16'2" - 16'1"	1.0 MI S OF JCT TH 494	86 ST / TH 77	27060
MN 77	8.327		37'1"	0.7 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77 SB ON RAMP	27045

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 77	8.338	39'5"		0.7 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77 NB COLL RD	27045
MN 77	8.393	16'11"		0.7 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77 SB COLL RD	27045
MN 77	8.395	39'5" - 39'5"		0.7 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77	27045
MN 77	8.454	17'2" - 18'1"		0.7 MI S OF JCT TH 494	KILLEBREW DR / TH 77	27046
MN 77	8.670	26'8"		0.4 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77 SB OFF RAMP TO 81S	27047
MN 77	8.675	39'5"		0.4 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77 NB COLL RD	27047
MN 77	8.685	39'5" - 39'5"		0.4 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77	27047
MN 77	8.685	15'11" - 16'5"		0.4 MI S OF JCT TH 494	SB CD TO LINDAU LN / TH 77	27048
MN 77	8.718	39'5"		0.4 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77 SB ON RAMP FROM I 4	27047
MN 77	8.727	39'5"		0.4 MI S OF JCT TH 494	TH 77 SB ON RAMP / TH 77 NB OFF RAMP TO I 49	27047
MN 77	8.733	17'1"		0.4 MI S OF JCT TH 494	TH 77 NB ON RAMP / 81ST STREET	27050
MN 77	8.956	30'5"		AT THE JCT TH 494; 77	TH 77 NB, WB 494 / TH 77 NB ON RAMP FROM I 49	27052A
MN 77	9.002	26'7"		AT THE JCT TH 77; 494	TH 77 NB ON RAMP / TH 77 NB ON RAMP FROM I 4	27052B
MN 77	9.007	34'7"		AT THE JCT TH 77; 494	TH 77 NB ON RAMP / TH 77 NB ON RAMP FROM I 4	27052D
MN 77	9.205	16'10"		0.1 MI N OF JCT TH 494	TH 77 SB / NB OFF RAMP TO WB 494	27053
MN 77	9.278	15'7"		0.1 MI N OF JCT TH 494	TH 77 SB ON RAMP / TH 77 NB OFF TO I 494 WB	27053A
MN 77	9.279	16'4"		0.2 MI N OF JCT TH 494	TH 77 NB / 77 NB OFF RAMP TO WB 494	27070
MN 77	10.568	15'5" - 15'7"		1.5 MI N OF JCT TH 494	EB 66TH ST / TH 77	9195
MN 77	10.582	15'5" - 15'7"		1.5 MI N OF JCT TH 494	WB 66TH ST / TH 77	27291
MN 77	11.390	15'1" - 15'1"		AT THE JCT TH 77; 62	TH 62 EB / TH 77	27022
MN 77	11.393	14'10" - 15'0"		AT THE JCT TH 77; 62	TH 62 WB / TH 77	27021
MN 78						
MN 78	4.628	15'6"		4.3 MI N OF JCT TH 94	CENTRAL LAKES TRL / MN 78	26001
MN 79						
MN 79	12.069	15'4"		AT THE JCT OF TH 79	I 94 EB / TH 79	21802
MN 79	12.088	15'1"		AT THE JCT OF TH 79	I 94 WB / TH 79	21801
I 90						
I 90	1.058	16'10" - 16'11"		AT JCT TH 23	MN 23 / I 90	9687

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 90	5.077	17'1" - 15'11"		7.4 MI W OF JCT TH 75	CSAH 6 / I 90	9774
I 90	12.481	15'5" - 15'8"		AT JCT TH 75	US 75 / I 90	67804
I 90	16.485	15'11" - 16'0"		4.0 MI E OF JCT TH 75	CR 55 / I 90	67809
I 90	18.487	15'8" - 15'10"		6.0 MI E OF JCT TH 75	CSAH 3 / I 90	67810
I 90	19.488	15'10" - 16'0"		7.0 MI E OF JCT TH 75	TR 8 / I 90	67811
I 90	22.508	15'11" - 16'0"		4.2 MI W OF JCT TH 91	CSAH 19 / I 90	53801
I 90	26.626	16'0" - 15'6"		AT JCT TH 91	MN 91 / I 90	53802
I 90	29.678	15'10" - 15'5"		3.1 MI E OF JCT TH 91	CSAH 15 / I 90	53809
I 90	31.675	15'8" - 15'6"		5.1 MI E OF JCT TH 91	CR 60 / I 90	53824
I 90	33.707	15'11" - 15'6"		7.1 MI E OF JCT TH 91	CSAH 13 / I 90	53810
I 90	35.719	15'11" - 15'11"		9.1 MI E OF JCT TH 91	CR 61 / I 90	53811
I 90	37.709	15'11" - 16'1"		11.1 MI E OF JCT TH 91	CSAH 9 / I 90	53812
I 90	47.816	15'10" - 15'10"		2.7 MI E OF JCT TH 60	CSAH 3 / I 90	53821
I 90	50.748	15'7" - 15'7"		AT NOBLES-JACKSON CO LIN	MN 264 / I 90	53822
I 90	54.687	15'8" - 15'8"		10.0 MI W OF JCT TH 86	CSAH 5 / I 90	32801
I 90	57.734	16'0" - 16'0"		7.0 MI W OF JCT TH 86	CSAH 9 / I 90	32802
I 90	59.741	15'8" - 15'8"		5.0 MI W OF JCT TH 86	TR 170 / I 90	32816
I 90	62.728	15'8" - 15'8"		2.0 MI W OF JCT TH 86	CR 67 / I 90	32818
I 90	64.763	15'11" - 15'11"		AT JCT TH 86	MN 86 / I 90	32804
I 90	68.770	15'8" - 16'8"		4.0 MI E OF JCT TH 86	CSAH 17 / I 90	32805
I 90	71.796	16'7" - 15'8"		2.0 MI W OF JCT TH 71	CSAH 14 / I 90	32806
I 90	73.097	16'0" - 16'2"		0.7 MI W OF JCT TH 71	SOO LINE (ABAN) / I 90	32809
I 90	74.828	15'7" - 15'7"		1.0 MI E OF JCT TH 71	CSAH 23 / I 90	32810
I 90	75.730	16'5" - 16'1"		1.9 MI E OF JCT TH 71	CSAH 34 / I 90	32813
I 90	78.092	15'11" - 15'10"		4.2 MI E OF JCT TH 71	CR 85 / I 90	32814
I 90	80.110	15'8" - 15'8"		6.2 MI E OF JCT TH 71	CSAH 29 / I 90	32815
I 90	84.159	15'11" - 15'11"		3.2 MI W OF JCT TH 4	CSAH 7 / I 90	46801
I 90	91.283	15'11" - 16'0"		3.9 MI E OF JCT TH 4	CSAH 23 / I 90	46832
I 90	91.906	16'6" - 16'5"		4.5 MI E OF JCT TH 4	UP RR / I 90	46830
I 90	96.818	16'0" - 16'0"		5.3 MI W OF JCT TH 15	CSAH 130 / I 90	46813

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 90	99.807	15'10"	- 16'7"	1.8 MI W OF JCT TH 15	CSAH 39 / I 90	46814
I 90	101.322	16'11"	- 16'0"	0.7 MI W OF JCT TH 15	CSAH 41 / I 90	46829
I 90	104.171	16'0"	- 16'0"	2.1 MI E OF JCT TH 15	TWP 40 / I 90	46831
I 90	107.195	16'2"	- 16'4"	AT THE JCT TH 262	CSAH 53 / I 90	46823
I 90	110.235	16'0"	- 16'0"	8.2 MI E OF JCT TH 15	CSAH 59 / I 90	46824
I 90	113.265	15'11"	- 16'1"	6.0 MI W OF JCT TH 169	CSAH 1 / I 90	22801
I 90	115.776	15'11"	- 16'0"	3.5 MI W OF JCT TH 169	CSAH 5 / I 90	22802
I 90	119.489	16'2"	- 18'0"	0.4 MI W OF JCT TH 169	CSAH 6 / I 90	22805
I 90	121.490	16'6"	- 16'6"	2.2 MI E OF JCT TH 169	CSAH 11 / I 90	22806
I 90	124.277	16'0"	- 16'0"	5.0 MI E OF JCT TH 169	CSAH 13 / I 90	22809
I 90	126.538	16'2"	- 16'0"	7.2 MI E OF JCT TH 169	CR 109 / I 90	22810
I 90	128.565	16'0"	- 15'11"	AT THE JCT OF TH 254	TH 254 / I 90	22811
I 90	130.562	16'4"	- 16'1"	11.3 MI E OF JCT TH 169	CSAH 19 / I 90	22812
I 90	132.570	16'4"	- 16'2"	13.3 MI E OF JCT TH 169	CR 221 / I 90	22813
I 90	134.591	15'10"	- 15'10"	AT THE JCT TH 253	TH 253 / I 90	22820
I 90	138.687	15'8"	- 15'8"	AT THE JCT OF TH 22	TH 22 / I 90	22814
I 90	141.741	16'10"	- 16'4"	3.0 MI E OF JCT TH 22	CSAH 31 / I 90	22819
I 90	143.806	16'1"	- 16'0"	1.0 E OF COUNTY LINE	CR 61 / I 90	24809
I 90	146.352	16'8"	- 15'5"	3.9 E OF COUNTY LINE	TH 109 / I 90	24810
I 90	151.850	16'8"	- 15'7"	2.7 MI W OF JCT TH 13	CSAH 14 / I 90	24813
I 90	156.170	16'2"	- 15'5"	3.5 MI W OF JCT TH 35	CSAH 20 / I 90	24817
I 90	159.228	17'0"	- 15'5"	0.4 MI W OF JCT TH 35	CSAH 45 / I 90	24823
I 90	161.418	16'1"	- 15'4"	1.8 MI E OF JCT TH 35	CR 92 / I 90	24847
I 90	163.587	16'0"	- 15'6"	4.0 MI E OF JCT TH 35	CSAH 26 / I 90	24806
I 90	168.080	15'4"	- 16'2"	7.9 MI E OF JCT TH 35	CSAH 30 / I 90	9729
I 90	172.098	15'6"	- 16'7"	3.7 MI W OF JCT TH 105	CSAH 34 / I 90	9730
I 90	175.771	15'4"	- 16'2"	AT THE JCT TH 105	MN 105 / I 90	9183
I 90	177.458	16'11"	- 16'2"	AT THE W JCT TH 218	US 218 SB / I 90	50803
I 90	177.474	16'10"	- 16'1"	AT THE W JCT TH 218	US 218 NB / I 90	50804
I 90	178.156	16'5"	- 16'4"	0.7 MI E OF W JCT TH 218	CSAH 45 / I 90	9180

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 90	179.152	15'5" - 15'5"		1.2 MI W OF E JCT TH 218	IM RAIL / I 90	6809
I 90	179.246	21'0" - 21'0"		1.1 MI W OF E JCT TH 218	PEDESTRIAN / I 90	50802
I 90	179.434	16'4" - 16'0"		0.9 MI W OF E JCT TH 218	111TH DR NE / I 90	50808
I 90	180.029	16'2" - 16'4"		0.3 MI W OF JCT TH 218	I 90 WB OFF RAMP / I 90	50807
I 90	180.312	15'7" - 15'8"		AT THE E JCT TH 218	US 218 / I 90	9201
I 90	180.788	16'1" - 16'1"		0.5 MI E OF E JCT TH 218	CSAH 46 / I 90	9504
I 90	183.846	17'6" - 16'10"		AT JCT TH 56	TH 56 / I 90	9505
I 90	185.862	15'7" - 15'7"		2.0 MI E OF JCT TH 56	CSAH 19 / I 90	50801
I 90	187.625	17'0" - 16'11"		3.8 MI E OF JCT TH 56	CSAH 20 / I 90	9506
I 90	189.870	17'4" - 17'8"		6.0 MI E OF JCT TH 56	CSAH 13 / I 90	9507
I 90	193.334	15'10" - 16'0"		AT JCT TH 16	MN 16 / I 90	9678
I 90	195.239	16'7" - 15'10"		1.9 MI NE OF JCT TH 16	CSAH 2 / I 90	9680
I 90	199.263	16'1" - 15'11"		5.9 MI NE OF JCT TH 16	CSAH 1 / I 90	9705
I 90	201.999	15'8" - 15'8"		7.5 MI SW OF JCT TH 63	CSAH 15 / I 90	9706
I 90	205.323	15'8" - 15'4"		4.2 MI SW OF JCT TH 63	CSAH 6 / I 90	9856
I 90	207.178	15'11" - 15'5"		2.4 MI SW OF JCT TH 63	CSAH 35 / I 90	9859
I 90	209.551	15'11" - 15'5"		AT THE JCT TH 63	US 63 SB / I 90	9889
I 90	209.556	16'4" - 15'5"		AT THE JCT TH 63	US 63 NB / I 90	9890
I 90	221.034	15'7" - 15'6"		3.0 MI E OF JCT TH 52	CSAH 19 / I 90	55814
I 90	224.071	15'10" - 15'5"		6.1 MI E OF JCT TH 52	TH42 / I 90	55808
I 90	227.089	16'0" - 15'2"		8.9 MI E OF JCT TH 52	CSAH 32 / I 90	55813
I 90	236.278	16'11" - 15'8"		3.4 MI SE OF JCT TH 74	CSAH 37 / I 90	85847
I 90	242.766	15'10" - 15'10"		7.1 MI W OF W JCT TH 43	CSAH 29 / I 90	85822
I 90	249.904	15'7" - 15'11"		AT THE W JCT TH 43	TH 43 / I 90	85826
I 90	252.896	15'8" - 15'7"		AT THE E JCT TH 43	TH 43 SB / I 90	85839
I 90	252.909	15'10" - 15'8"		AT E JCT TH 43	TH 43 NB / I 90	85840
I 90	260.537	15'1" - 15'11"		1.9 MI E OF JCT TH 76	CSAH 11 / I 90	85828
I 90	267.084	15'8" - 15'10"		4.2 MI W OF N JCT TH 61	CSAH 12 / I 90	85814
I 90	271.490	17'4" - 16'8"		0.2 MI SE OF N JCT TH 61	CSAH 12 / I 90	85806
I 90	276.282	17'0"		5.4 M SE N JCT TH61 TH90	AOI ACCESS ROAD / TH61 NB TH90 WB	85013

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 90	276.400	16'2"		AT JCT TH 61	I 90 EB / I 90 WB TO US 61 SB	85850
I 90	276.405	17'5"		AT JCT TH 61	PEDESTRIAN BRIDGE / TH 90	(85001)
I 90	276.480	16'5"		WEST I 90	I 90 WB OFF RAMP / I 90	85805
MN 93						
MN 93	0.059	12'2"		0.8 MI E OF JCT TH 169	UP RR / MN 93	4629
I 94						
I 94		15'11"		0.3 MI N OF JCT TH 394	I 94 NB OFF RAMP / GLENWOOD AVE; RR	27727A
I 94		17'0"		AT THE JCT TH 394; 94	I 94 NB OFF RAMP / I 94 SB OFF RAMP TO FRONT	27793
I 94		14'7"		AT THE JCT TH 94; 394	I 394 EB OFF RAMP / NB LYNDALE TO I 94 NB	27794
I 94		15'11"		AT THE JCT TH 94; 394	I 394 EB OFF RAMP / I 94 SB OFF RAMP TO SB LY	27794
I 94		15'0"		AT THE JCT TH 94; 394	I 394 EB OFF RAMP / I 94 NB OFF RAMP TO I 394 \	27794
I 94		14'5"		ATH THE JCT TH 65; 94	15TH ST E / I 94 WB OFF RAMP TO 11TH ST	27840
I 94		16'2"		0.6 MI WEST OF JCT TH 55	PORTLAND AVE / I 94 WB OFF RAMP TO 11TH ST	27851
I 94		14'6"		0.6 MI WEST OF JCT TH 55	PORTLAND AVE / I 94 EB ON RAMP FROM FRANK	27851
I 94		15'11"		0.5 MI WEST OF JCT TH 55	PARK AVE / I 94 EB ON RAMP	27852
I 94		14'6"		0.3 MI WEST OF JCT TH 55	11 AVE / I 94 WB ON RAMP FROM TH 55 NB	27854
I 94		17'2"		AT THE JCT TH 55; 94	I 94 / I 94 EB ON RAMP FROM 6TH ST	27855
I 94		21'5"		AT THE JCT TH 55; 94	I 94 / I 94 WB ON RAMP FROM TH 55 WB	27855
I 94		15'10"		1.6 MI NE OF JCT TH 55	27TH AVE SE / I 94 WB OFF RAMP TO HURON ST	27856
I 94		16'7"		1.6 MI NE OF JCT TH 55	27TH AVE SE / I 94 EB ON RAMP FROM HURON S	27856
I 94		17'1"		1.6 MI E OF JCT TH 55	PEDESTRIAN / I 94 EB OFF RMP TO HURON ST-A	27955
I 94		17'11"		1.6 MI E OF JCT TH 55	PEDESTRIAN / I 94 WB OFF RMP TO HURON ST-B	27955
I 94		17'2"		1.6 MI E OF JCT TH 55	PEDESTRIAN / I 94 WB ON RMP FRM HURON ST-E	27955
I 94		16'6"		1.6 MI E OF JCT TH 55	PEDESTRIAN / I 94 EB ON RMP FRM HURON ST-D	27955
I 94		17'2"		AT JCT LYNDALE; HENNEPIN	I 94 WB OFF RAMP / I 94 WB OFF RMP TO LYNDAL	27961
I 94		14'7"		AT JCT LYNDALE; HENNEPIN	I 94 WB OFF RAMP / I 94 EB ON RMP FROM SB LY	27961
I 94		20'7"		AT THE JCT TH 100; 94	TH 100 SB / I 94 EB ON RMP FROM SHINGLE CK	27962
I 94		17'5"		AT JCT LYNDALE AVE; I 94	I 94 EB ON RAMP / TH 94 WB OFF RMP TO SB LY	27965
I 94		18'1"		AT THE JCT TH 100; 94	TH 100 NB / I 94 EB ON RMP FROM SHINGLE CK	27982

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94		17'1"		1.6 MI SE OF JCT TH 55	I 94 EB OFF RAMP / I 94 WB OFF RAMP TO HUROI	27998
I 94		15'11"		.1 MI W OF JCT TH 35W	3RD AVE S / WB ON RAMP FROM TH 65 NB	27V25
I 94		18'1"		0.8 MI E OF JCT TH 51	GRIGGS ST PED / I 94 OFF RAMP TO LEXINGTON	62809
I 94		17'0"		0.1 MI E OF JCT TH 280	CP RAIL / I 94 EB ON RAMP FROM TH 280 SB	62814
I 94		15'8"		AT THE W JCT TH 35E; 94	I 94 WB ON RAMP / 12TH STREET EAST	9805
I 94	0.100	18'5" - 15'8"		AT JCT I94	TH 610 EB / I 94	27228
I 94	0.565	16'0" - 16'0"		AT THE JCT TH 75 IN MOOR	US 75 NB / I 94	14813
I 94	0.577	15'10" - 15'8"		AT THE JCT TH 75 IN MOOR	US 75 SB / I 94	14814
I 94	1.573	15'7" - 15'7"		1.0 MI E OF JCT TH 75	MSAS 126 / I 94	14811
I 94	1.585	16'5" - 16'4"		1.0 MI E OF JCT TH 75	PED (@ 20TH ST) / I 94	14530
I 94	1.596	15'8" - 15'8"		1.0 MI E OF JCT TH 75	BNSF RR / I 94	9477
I 94	2.745	16'2" - 16'2"		2.1 MI E OF JCT TH 75	MSAS 136 / I 94	9478
I 94	2.767	15'11" - 15'10"		2.1 MI E OF JCT TH 75	OTV RAILROAD / I 94	9479
I 94	2.848	16'2" - 17'4"		0.1 MI E OF JCT MAIN; 94	34 ST / I 94	14816
I 94	6.108	16'0" - 16'0"		at the jct TH 94; TH 336	MNTH 336 / ISTH 94	14815
I 94	8.489	24'8"		0.4 MI W OF JCT TH 94	I-394R EB RAMP / I 94 SB OFF RAMP	27776F
I 94	8.781	16'6"		AT THE JCT TH 394; 94	I 394 / NB LYNDAL TO I 94 NB & 394 WB	27792
I 94	10.258	15'6" - 15'10"		4.2 MI E OF JCT TH 336	CSAH 17 / I 94	14802
I 94	15.280	15'4" - 15'6"		7.5 MI NW OF JCT TH 9	CSAH 10 / I 94	14805
I 94	22.729	15'4" - 15'8"		AT THE JCT OF TH 9; 94	TH 9 / I 94	14807
I 94	24.575	15'6" - 16'1"		AT THE JCT OF TH 34	TH 34 / I 94	14808
I 94	28.141	15'10" - 15'8"		1.0 MI S OF COUNTY LINE	CSAH 32 / I 94	84801
I 94	30.365	15'7" - 15'7"		3.0 MI S OF COUNTY LINE	CR 188 / I 94	84802
I 94	32.530	15'8" - 16'0"		AT JCT TH 108	TH 108 / I 94	84803
I 94	35.792	15'10" - 16'1"		2.5 MI NW OF COUNTY LINE	CR 178 / I 94	84805
I 94	38.257	15'10" - 15'5"		AT THE W COUNTY LINE	CSAH 11 / I 94	56816
I 94	39.395	15'5" - 15'11"		15.1MI NW OF JCT TH 210	CSAH 24 / I 94	56804
I 94	41.812	15'8" - 15'10"		12.7MI NW OF JCT TH 210	TR 891 / I 94	56805
I 94	50.786	16'0"		3.4 MI N OF JCT TH 210	US 59 SB / I 94	9688
I 94	54.177	15'10" - 17'1"		AT JCT TH 210	MN 210 WB / I 94	56001

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	54.193	16'4" - 17'6"		AT JCT TH 210	MN 210 EB / I 94	9697
I 94	54.499	16'0" - 17'8"		0.3 MI S OF JCT TH 210	OTV RAILROAD / I 94	9698
I 94	55.220	17'0" - 15'10"		1.1 MI SE OF JCT TH 210	CSAH 15 / I 94	9876
I 94	55.889	15'11" - 16'7"		5.9 MI NW OF JCT TH 59	CSAH 1 / I 94	9699
I 94	57.919	18'4" - 15'8"		3.8 MI NW OF JCT TH 59	MN 210 / I 94	56806
I 94	61.714	15'8" - 15'7"		AT THE S JCT TH 59	US 59 / I 94	9701
I 94	63.099	15'11" - 15'10"		1.4 MI SE OF JCT TH 59	CSAH 82 / I 94	56801
I 94	67.661	16'5" - 15'11"		6.2 MI SE OF JCT TH 59	CSAH 35 / I 94	56802
I 94	70.958	15'11" - 16'4"		AT THE S COUNTY LINE	CSAH 26 / I 94	56803
I 94	73.580	16'7" - 15'7"		3.0 MI NW OF JCT TH 78	CSAH 4 / I 94	26801
I 94	77.139	15'8" - 16'1"		AT JCT TH 78	TH 78 / I 94	26802
I 94	80.583	15'11" - 15'8"		3.4 MI SE OF JCT TH 78	CSAH 19 / I 94	26803
I 94	87.545	15'7" - 15'8"		5.0 MI SE OF JCT TH 79	CSAH 15 / I 94	21809
I 94	90.149	15'8" - 15'8"		7.4 MI SE OF JCT TH 79	CSAH 7 / I 94	21810
I 94	94.867	16'0" - 15'10"		2.1 MI NW OF JCT TH114	CSAH 8 / I 94	21812
I 94	100.747	15'7" - 16'5"		AT THE JCT OF TH 94; 27	TH 27 / I 94	21825
I 94	103.101	16'4" - 16'2"		AT THE JCT OF TH 29	TH 29 / I 94	21827
I 94	107.730	15'11"		0.1 MI N OF E JCT TH 94	I 35E SB OFF RAMP / I 94 WB OFF RAMP TO 12TH	62884
I 94	108.234	16'0" - 15'6"		5.0 MI E OF JCT TH 29	CSAH 17 / I 94	21819
I 94	112.223	16'0" - 15'6"		1.5 MI W OF COUNTY LINE	CSAH 2 / I 94	21820
I 94	114.441	15'8" - 15'5"		AT THE JCT I 94	TH 27 / I 94	21821
I 94	119.188	16'4" - 15'10"		1.5 MI NW OF COUNTY LINE	CSAH 46 / I 94	77802
I 94	124.745	16'5" - 16'4"		2.4 MI NW OF JCT TH 71	I 94 EB OFF RP / I 94	73818
I 94	127.218	16'0" - 15'11"		AT JCT TH 71	US 71 / I 94	73804
I 94	128.543	15'10" - 17'0"		1.4 MI SE OF JCT TH 71	CR 186 / I 94	73806
I 94	134.000	16'1" - 16'4"		2.9 MI SE OF JCT TH 4	CR 186 / I 94	73816
I 94	135.017	15'7" - 15'7"		2.9 MI W OF JCT TH 237	CSAH 13 / I 94	73817
I 94	137.907	15'10" - 16'1"		AT JCT TH 237	MN 237 / I 94	73812
I 94	140.906	15'8" - 15'7"		3.0 MI E OF JCT TH 237	CSAH 11 / I 94	73813
I 94	146.038	15'5" - 15'10"		1.2 MI W OF ALBANY	CP RAIL / I 94	6871

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	153.162	16'7" - 16'5"		6.4 MI E OF JCT TH 238	CSAH 9 / I 94	73815
I 94	156.299	15'11" - 15'11"		7.9 MI NW OF JCT TH 23	CR 159 / I 94	73872
I 94	157.460	18'1" - 17'8"		6.7 MI NW OF JCT TH 23	PEDESTRIAN / I 94	73871
I 94	163.072	16'0" - 16'0"		1.0 MI NW OF JCT TH 23	CSAH 138 / I 94	73864
I 94	164.041	15'11" - 15'11"		AT THE JCT TH 23	MN 23 SB / I 94	73861
I 94	164.065	15'11" - 16'0"		AT THE JCT TH 23	MN 23 NB / I 94	73862
I 94	165.272	16'5" - 17'0"		1.2 MI SE OF JCT TH 23	CSAH 6 / I 94	73860
I 94	167.189	17'5"		0.7 MI E OF JCT TH 15	CSAH 74 / I 94 RAMP	73857
I 94	167.261	16'7" - 16'1"		0.7 MI E OF JCT TH 15	CSAH 74 / I 94	73857
I 94	168.581	15'11" - 16'0"		2.0 MI E OF JCT TH 15	CSAH 136 / I 94	73852
I 94	173.001	16'8" - 16'4"		8.3 MI SE OF JCT TH 23	CSAH 75 / I 94	73566
I 94	176.760	16'2" - 17'10"		0.6 MI SE OF JCT CR145	CR 143 / I 94	73842
I 94	178.276	16'2" - 16'0"		AT JCT TH 24; 94	TH 24 / I 94	86807
I 94	181.418	16'0" - 15'10"		3.1 MI E OF JCT TH 24	TWP 389 / I 94	86808
I 94	183.491	15'10" - 16'4"		5.2 MI E OF JCT TH 24	CSAH 8 / I 94	86809
I 94	186.448	16'2" - 15'10"		7.0 MI W OF JCT TH 25	CR 111 / I 94	86810
I 94	190.367	17'8" - 16'2"		3.0 MI W OF JCT TH 25	TWP 209 / I 94	86815
I 94	192.243	16'1" - 16'1"		1.1 MI W OF JCT TH 25	CSAH 39 / I 94	86802
I 94	193.411	15'8" - 15'8"		AT JCT TH 25; 94	TH 25 / I 94	86803
I 94	194.921	15'11" - 15'11"		1.5 MI E OF JCT TH 25	CSAH 18 / I 94	86530
I 94	194.932	17'11" - 17'5"		59 W of jct CSAH 18	PED / I 94	86526
I 94	202.021	16'0" - 15'10"		3.3 MI NW OF E CO LINE	CSAH 37 / I 94	86811
I 94	205.566	15'6" - 16'0"		AT JCT TH 241	TH 241 / I 94	86812
I 94	205.805	16'2" - 16'11"		1.9 MI NW OF JCT TH 101	CTY RD 144 / I 94	27944
I 94	207.708	15'10" - 16'4"		AT W JCT TH 101; 94	TH 101 / I 94	27945
I 94	209.728	16'0" - 17'2"		2.0 MI SE OF JCT TH 101	CSAH 81 / I 94	27947
I 94	209.765	16'6" - 16'4"		2.1 MI SE OF JCT TH 101	BNSF RR / I 94	27948
I 94	210.432	16'10" - 16'1"		2.7 MI SE OF JCT TH 101	BROCKTON LN / I 94	27946
I 94	212.189	16'5" - 16'2"		3.7 MI NW OF JCT TH 494	105TH AVE N / I 94; RUSH CREEK	27251
I 94	213.730	17'5"		2.75 MI NW of jct TH 94	CSAH 30 / WB OFF RAMP TO 95TH AVE	27A69

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	213.767	18'5" - 18'5"		2.75 MI NW of jct TH 94	CSAH 30 / I 94	27A69
I 94	214.118	18'8" - 16'10"		2.8 MI NW OF JCT TH 494	MAPLE GROVE PKWY / I 94	27A98
I 94	215.579	16'8" - 16'6"		0.8 MI NW OF JCT TH 494	WEAVER LAKE RD / I 94	27950
I 94	216.671	15'11"		AT JCT TH 494; 94	TH 494 NB TO 94 WB / I 94 EB	27907
I 94	218.983	16'5" - 16'1"		AT THE JCT OF TH 169; 94	US 169 SB / I 94	27V01
I 94	218.995	16'10" - 16'8"		AT THE JCT OF TH 169; 94	US 169 NB / I 94	27V02
I 94	219.504	16'4"		0.5 MI E OF JCT TH 169	BOONE AVE N / I 94 WB ON RAMP FROM BOONE	27707
I 94	219.520	15'11" - 15'10"		0.5 MI E OF JCT TH 169	BOONE AVE N / I 94	27707
I 94	221.342	16'0" - 17'5"		2.3 MIE OF JCT TH 169	ZANE AVE N / I 94	27V46
I 94	223.158	15'8" - 15'11"		1.0 MI W OF JCT TH 100	XERXES AVE N / I 94	27964
I 94	223.663	18'10"		0.5 MI W OF JCT TH 100	PED @ SHINGLE CRK / I 94 WB	27864
I 94	223.663	17'11"		0.5 MI W OF JCT TH 100	PED @ SHINGLE CRK / I 94 EB	27864
I 94	223.775	15'11"		0.4 MI W OF JCT TH 100	SHINGLE CREEK PKWY / I 94 WB	27910
I 94	223.775	16'1"		0.4 MI W OF JCT TH 100	SHINGLE CREEK PKWY / I 94 EB	27910
I 94	224.029	16'1"		0.2 MI W OF JCT TH 100	I 694 EB ON RAMP / I 94 EB	27960
I 94	224.132	28'5"		0.1 MI W OF JCT TH 100	TH 100 SB ON RAMP / I 94 WB ON RAMP FROM TH	27913
I 94	224.138	23'7"		0.1 MI W OF JCT TH 100	TH 100 SB ON RAMP / I 94 WB	27913
I 94	224.145	25'0"		0.1 MI W OF JCT TH 100	TH 100 SB ON RAMP / I 94 EB	27913
I 94	224.163	29'5"		0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / I 94 EB ON RMP FROM SH	27914
I 94	224.164	24'10"		0.1 MI W OF JCT TH 100	TH 100 SB ON RAMP / I 94 EB ON RMP FROM SHII	27913
I 94	224.170	29'5" - 29'5"		0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / I 94 WB	27914
I 94	224.175	29'5"		0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / I 94 EB	27914
I 94	224.177	32'5"		0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / I 94 WB ON RAMP FORM T	27914
I 94	224.198	21'4"		AT THE JCT TH 100; 94	TH 100 SB / I 94 EB	27962
I 94	224.200	17'2"		AT THE JCT TH 100; 94	TH 100 SB / I 94 WB	27962
I 94	224.215	15'10"		0.3 MI E OF JCT TH 100	DUPONT AVE / I 94 WB ON RAMP FROM TH 252 S	27929
I 94	224.241	17'6"		AT THE JCT TH 100; 94	TH 100 NB / I 94 EB	27982
I 94	224.451	16'0"		0.3 MI E OF JCT TH 100	DUPONT AVE / I 94 WB	27929
I 94	224.451	16'6"		0.3 MI E OF JCT TH 100	DUPONT AVE / I 94 EB	27929
I 94	224.676	15'7"		AT THE JCT TH 694; 94	I 694 EB / I 94 WB	27734

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	225.467	16'1" - 17'11"		0.8 MI S OF JCT TH 694	57TH AVE / I 94	27806
I 94	225.981	15'8" - 15'11"		1.3 MI S OF JCT TH 694	53RD AVE / I 94	27807
I 94	226.470	17'2"		2.0 MI S OF JCT TH 694	49TH AVE N / I 94 EB ON RAMP	27808
I 94	226.483	17'4" - 16'0"		2.0 MI S OF JCT TH 694	49TH AVE N / I 94	27808
I 94	226.494	15'7"		2.0 MI S OF JCT TH 694	49TH AVE N / I 94 BUS RAMP	27808
I 94	227.314	15'10" - 15'11"		2.7 MI S OF JCT TH 694	CP RAIL / I 94	27821
I 94	227.356	24'11" - 28'6"		2.8 MI S OF JCT TH 694	42ND AVE N(CAMDEN) / I 94	27549A
I 94	227.505	20'10" - 15'10"		2.9 MI S OF JCT TH 694	41ST AVE N / I 94	27819
I 94	227.900	22'11" - 18'5"		3.4 MI N OF JCT TH 12	DOWLING AVE / I 94	27812
I 94	228.661	25'10" - 19'5"		2.7 MI N OF JCT TH 12	LOWRY AVE / I 94	27813
I 94	229.158	16'2" - 16'2"		2.2 MI N OF JCT TH 12	26TH AVE N / I 94	27814
I 94	229.627	17'5" - 17'2"		1.8 MI N OF JCT TH 394	BROADWAY AVE / TH 94	27815
I 94	230.089	17'8"		1.2 MI N OF JCT TH 394	PLYMOUTH AVE / I 94 NB ON RAMP FROM 7TH ST	27796
I 94	230.123	34'5" - 34'5"		1.3 MI N OF JCT TH 394	US 952A SB / I 94	27781
I 94	230.124	32'5"		1.3 MI N OF JCT TH 394	US 952A SB / I 94 NB ON RAMP	27781
I 94	230.148	20'5" - 18'11"		1.2 MI N OF JCT TH 394	PLYMOUTH AVE / I 94	27796
I 94	230.166	15'10"		1.2 MI N OF JCT TH 394	PLYMOUTH AVE / I 94 SB OFF RAMP TO 7TH ST	27796
I 94	230.286	16'1"		0.4 MI N OF JCT TH 55	LYNDALE AVE NB / I 94 SB OFF RAMP	27715
I 94	230.333	18'5" - 19'4"		0.4 MI N OF JCT TH 55	LYNDALE AVE NB / I 94	27715
I 94	230.509	16'11" - 15'10"		0.2 MI N OF JCT TH 55	7TH ST / I 94	27782
I 94	230.732	16'5" - 16'10"		AT THE JCT TH 55	TH 55 / I 94	27785
I 94	231.225	15'0"		AT THE JCT TH 394; 94	I 394 / I 94 NB ON RAMP FROM I 394 EB	27792
I 94	231.259	18'0"		0.3 MI N OF JCT TH 394	I 94 SB ON RAMP / I 94 SB OFF RAMP	27727B
I 94	231.260	16'5"		AT THE JCT TH 394; 94	I 394 WB ON RAMPS / I 94 SB OFF RAMP TO LYND	27798
I 94	231.291	16'2"		AT THE JCT TH 394; 94	I 394 / I 94 NB TO I 394 WB & I 394R	27792
I 94	231.296	17'10"		AT THE JCT TH 394; 94	I 394 / I 94 SB OFF RAMP TO LYNDALE AV	27792
I 94	231.310	16'5" - 16'5"		AT THE JCT TH 394; 94	I 394 WB ON RAMPS / I 94	27798
I 94	231.323	16'11" - 15'6"		AT THE JCT TH 394; 94	I 94 NB OFF RAMP / I 94	27793
I 94	231.336	15'8"		AT THE JCT TH 394; 94	I 394 / I 94 E FRONTAGE RD	27792
I 94	231.379	19'5" - 19'5"		AT THE JCT TH 394; 94	I 394 / I 94	27792

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	231.429	14'10"	- 15'1"	AT THE JCT TH 94; 394	I 394 EB OFF RAMP / I 94	27794
I 94	231.777	16'8"	- 16'8"	0.3 MI S OF JCT TH 394	PED AT WHITNEY / I 94	27003
I 94	231.926	14'11"	- 14'11"	0.4 MI S OF JCT TH 394	LOWRY HILL TUNNEL / I 94	27832
I 94	232.000	14'7"		AT JCT OF LYNDAL; I 94	I 94 EB ON RAMP / TH 94 WB OFF RMP TO LYNDA	27963
I 94	232.311	17'1"	- 15'0"	0.7 MI W OF W JCT TH 35W	GROVELAND AVE / I 94	27966
I 94	232.506	18'0"	- 14'11"	0.5 MI W OF W JCT TH 35W	LASALLE AVE / I 94	27836
I 94	232.585	16'4"	- 14'7"	0.4 MI W OF W JCT TH 35W	NICOLLET AVE / I 94	27837
I 94	232.651	16'11"	- 14'4"	0.3 MI W OF W JCT TH 35W	1ST AVE S / I 94	27838
I 94	232.838	17'0"	- 16'0"	.1 MI W OF JCT TH 35W	3RD AVE S / I 94	27V25
I 94	232.990	15'4"	- 14'6"	AT JCT TH 65; 94	TH 65 / I 94	27843
I 94	232.999	44'5"	- 37'5"	AT THE JCT TH 65; 94	I 94 WB ON RAMP / I 94	27842
I 94	233.074	14'7"		AT THE W JCT TH 35; 94	I 35W / I 94 EB	27834
I 94	233.098	15'4"	- 16'4"	0.6 MI WEST OF JCT TH 55	PORTLAND AVE / I 94 WB	27851
I 94	233.223	16'0"	- 15'1"	0.5 MI WEST OF JCT TH 55	PARK AVE / I 94 EB	27852
I 94	233.233	14'11"		0.5 MI WEST OF JCT TH 55	PARK AVE / I 94 WB	27852
I 94	233.348	14'2"		0.4 MI WEST OF JCT TH 55	CHICAGO AVE / I 94 WB	27853
I 94	233.348	14'5"	- 14'7"	0.4 MI WEST OF JCT TH 55	CHICAGO AVE / I 94 EB	27853
I 94	233.562	14'2"		0.3 MI WEST OF JCT TH 55	11 AVE / I 94 EB	27854
I 94	233.562	14'4"	- 14'2"	0.3 MI WEST OF JCT TH 55	11 AVE / I 94 WB	27854
I 94	234.282	14'1"	- 16'5"	0.4 MI SE OF JCT TH 55	20TH AVE S / I 94	27865
I 94	234.483	13'11"	- 14'5"	0.6 MI SE OF JCT TH 55	PED AT 22ND AVE / I 94	9892
I 94	234.677	14'7"	- 14'4"	0.8 MI SE OF JCT TH 55	25TH AVE S / I 94	9420
I 94	234.814	14'4"	- 15'8"	0.9 MI SE OF JCT TH 55	RIVERSIDE AVE / I 94	9421
I 94	235.291	18'8"		1.5 MI E OF JCT TH 55	I 94 EB ON RAMP / I 94 WB ON RAMP FROM HURC	27860
I 94	235.301	17'11"	- 15'8"	1.4 MI SE OF JCT TH 55	E RIVER ROAD / I 94	27981
I 94	235.314	15'11"		1.5 MI E OF JCT TH 55	I 94 EB ON RAMP / I 94 EB OFF RAMP TO HURON	27860
I 94	235.332	16'0"	- 18'1"	1.5 MI E OF JCT TH 55	I 94 EB ON RAMP / I 94	27860
I 94	235.450	16'1"	- 16'0"	1.6 MI SE OF JCT TH 55	I 94 EB OFF RAMP / I 94	27998
I 94	235.494	16'4"	- 15'6"	1.6 MI NE OF JCT TH 55	27TH AVE SE / I 94	27856
I 94	235.584	16'11"	- 15'5"	1.7 MI NE OF JCT TH 55	CP RAIL / I 94	27956

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	235.788	15'4" - 19'1"		1.8 MI NE OF JCT TH 55	FRANKLIN AVE / I 94	27957
I 94	235.990	20'6" - 16'4"		2.2 MI NE OF JCT TH 55	PED @ SEYMOUR / I 94	27958
I 94	236.693	15'11"		0.1 MI E OF JCT TH 280	CP RAIL / I 94 EB	62814
I 94	236.700	39'5"		0.1 MI E OF JCT TH 280	PELHAM BLVD / I 94 WB	62813
I 94	236.702	15'6"		0.1 MI E OF JCT TH 280	CP RAIL / I 94 WB	62814
I 94	236.703	39'5"		0.1 MI E OF JCT TH 280	PELHAM BLVD / I 94 EB	62813
I 94	237.138	14'5" - 17'4"		0.5 MI SE OF JCT TH 280	CRETIN AVE / I 94	9452
I 94	237.412	15'1" - 14'4"		0.8 MI SE OF JCT TH 280	CLEVELAND AVE / I 94	9457
I 94	237.673	16'7" - 14'4"		1.1 MI SE OF JCT TH 280	PRIOR AVE / I 94	62845
I 94	237.945	14'2" - 14'8"		0.5 MI W OF JCT TH 51	UTILITIES / I 94	62848
I 94	237.974	15'8" - 17'0"		0.4 MI W OF JCT TH 51	CP RAIL / I 94	62846
I 94	238.222	16'1" - 16'0"		0.2 MI W OF JCT TH 51	PED AT ALDINE / I 94	62849
I 94	238.446	14'11" - 14'11"		AT JCT TH 94; 51	SNELLING AVE(TH51) / I 94	9377
I 94	238.689	14'5"		0.3 MI E OF JCT TH 51	PASCAL ST / I 94 EB ON RAMP FROM SNELLING	9379
I 94	238.696	14'5" - 15'1"		0.3 MI E OF JCT TH 51	PASCAL ST / I 94	9379
I 94	238.945	14'5" - 15'4"		0.5 MI E OF JCT TH 51	HAMLIN AVE / I 94	9381
I 94	239.194	18'4" - 18'2"		0.8 MI E OF JCT TH 51	GRIGGS ST PED / I 94 WB & EB	62809
I 94	239.444	16'7" - 15'2"		1.0 MI E OF JCT TH 51	LEXINGTON(CSAH 51) / I 94	9383
I 94	239.643	17'6" - 17'1"		1.2 MI E OF JCT TH 51	PED AT CHATSWORTH / I 94	62867
I 94	239.942	15'1" - 14'7"		1.5 MI E OF JCT TH 51	VICTORIA S / I 94	9663
I 94	240.264	17'2" - 17'2"		1.7 MI E OF JCT TH 51	PED AT GROTTO / I 94	62800
I 94	240.440	14'11" - 14'8"		2.0 MI E OF JCT TH 51	DALE ST(CSAH 53) / I 94	9387
I 94	240.702	16'8" - 16'8"		2.3 MI E OF JCT TH 51	PED AT MACKUBIN ST / I 94	62892
I 94	240.866	15'8"		2.5 MI E OF JCT TH 51	WESTERN AVE / TH 94 EB OFF RAMP TO KELLOG	62877
I 94	240.943	15'8" - 15'8"		2.5 MI E OF JCT TH 51	WESTERN AVE / I 94	62877
I 94	241.188	15'8"		0.7 MI W OF W JCT TH 35E	MARION ST (CSAH56) / I 94 WB ON RAMP FROM 5	62878
I 94	241.249	15'8" - 15'8"		0.7 MI W OF W JCT TH 35E	MARION ST (CSAH56) / I 94	62878
I 94	241.440	15'8" - 15'0"		0.5 MI W OF W JCT TH 35E	JOHN IRELAND SB / I 94	9631
I 94	241.455	15'8" - 16'7"		0.5 MI W OF W JCT TH 35E	JOHN IRELAND NB / I 94	9632
I 94	241.488	16'4"		AT JCT MARION ST; TH 94	I 94 EB ON RAMP / I94 EB OFF RAMP	62880

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	241.518	15'8"		0.6 MI W OF W JCT TH 35E	I 94 WB ON RAMP / I 94 EB OFF RAMP TO 10TH S	62879
I 94	241.519	15'8"		0.6 MI W OF W JCT TH 35E	I 94 WB ON RAMP / I 94 EB ON RAMP FROM MARI	62879
I 94	241.520	15'8" - 15'8"		0.6 MI W OF W JCT TH 35E	I 94 WB ON RAMP / I 94	62879
I 94	241.546	16'10"		0.5 MI W OF W JCT TH 35E	JOHN IRELAND SB / I 94 EB ON RAMP FROM MAR	9631
I 94	241.547	14'6"		0.5 MI W OF W JCT TH 35E	JOHN IRELAND SB / I 94 EB OFF RAMP TO 10TH S	9631
I 94	241.562	18'5"		0.5 MI W OF W JCT TH 35E	JOHN IRELAND NB / I 94 EB ON RAMP FROM MAR	9632
I 94	241.564	14'6"		0.5 MI W OF W JCT TH 35E	JOHN IRELAND NB / I 94 EB OFF RAMP TO 10TH S	9632
I 94	241.731	17'5"		0.1 MI SW OF W JCT TH 94	ST PETER S / I 94 WB	62897
I 94	241.731	15'10"		0.1 MI SW OF W JCT TH 94	ST PETER S / I 94 EB	62897
I 94	241.801	14'7"		AT THE W JCT TH 35E; 94	I 94 WB ON RAMP / 12TH STREET EAST	9805
I 94	242.115	18'10"		AT THE E JCT TH 35E; 94	I 35E SB OFF RAMP / I 94 WB OFF RAMP TO 12TH	62830
I 94	242.115	16'1"		AT E JCT TH 94; 35E	I 35E SB / I 94 WB OFF RAMP TO 12TH ST	62857
I 94	242.115	16'2"		AT THE E JCT TH 94; 35E	I 35E NB / I 94 WB OFF RAMP TO 12TH ST	62858
I 94	242.116	16'2"		AT THE E JCT TH 35E; 94	I 94 EB ON RAMP / I 94 WB OFF RAMP TO 12TH S	62831
I 94	242.116	16'2"		AT THE E JCT TH 35E; 94	I 94 EB ON RAMP / I 94 WB	62831
I 94	242.169	16'2"		AT THE E JCT TH 35E; 94	I 35E NB ON RAMP / 35E NB ON RAMP	62874
I 94	242.211	16'1"		AT E JCT TH 94; 35E	I 35E SB / I 94 WB	62857
I 94	242.237	16'2"		AT THE E JCT TH 94; 35E	I 35E NB / I 94 WB	62858
I 94	242.279	16'2"		0.1 MI E OF E JCT TH 35E	I 35E SB OFF RAMP / I 94 EB	62701
I 94	242.294	18'10"		AT THE E JCT TH 35E; 94	I 35E SB OFF RAMP / I 94 WB	62830
I 94	242.376	15'8"		0.2 MI E OF E JCT TH 35E	E 9TH ST / I 94 WB	62702
I 94	242.376	15'8"		0.2 MI E OF E JCT TH 35E	E 9TH ST / I 94 EB	62702
I 94	242.394	15'8"		0.2 MI E OF E JCT TH 35E	E 9TH ST / I 94 EB ON RAMP FROM I 35E SB	62702
I 94	242.401	15'8"		0.2 MI E OF E JCT TH 35E	E 9TH ST / I 94 WB OFF RAMP TO I 35E NB	62702
I 94	242.416	15'8"		0.2 MI E OF E JCT TH 35E	E 9TH ST / I 94 EB OFF RAMP TO 7TH ST	62702
I 94	242.484	15'10"		0.1 MI W OF JCT TH 52	EAST 7TH STREET / I 94 EB OFF RAMP TO SB US	62703
I 94	242.485	15'10"		0.1 MI W OF JCT TH 52	EAST 7TH STREET / I 94 EB	62703
I 94	242.487	15'10"		0.1 MI W OF JCT TH 52	EAST 7TH STREET / I 94 WB	62703
I 94	242.577	15'10"		0.1 MI W OF JCT TH 4	94 WB OFF RAMP / I 94 EB	62704
I 94	242.578	15'10"		0.1 MI W OF JCT TH 52	I 94 EB ON RAMP / I 94 EB	62704A

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 94	242.582	15'8"		0.1 MI W OF JCT TH 52	OFF RAMP TO TH 52 / I 94 WB	62705
I 94	242.614	16'7"		0.1 MI W OF JCT TH 52	I 94 EB ON RAMP / I 94 EB OFF RAMP TO US 52	62704A
I 94	242.630	16'7"		0.1 MI W OF JCT TH 4	94 WB OFF RAMP / I 94 EB OFF RAMP TO US 52	62704
I 94	242.708	15'8"		AT THE JCT TH 52; 94	US 52 / I 94 WB OFF RAMP TO 6TH ST	62881
I 94	242.732	15'8"		AT THE JCT TH 52; 94	US 52 / I 94 WB	62881
I 94	242.732	15'8"		AT THE JCT TH 52; 94	US 52 / I 94 EB	62881
I 94	242.739	15'8"		AT THE JCT TH 52; 94	US 52 / I 94 EB ON RAMP FROM 6TH ST	62881
I 94	242.805	15'8"		AT THE JCT TH 52; 94	OFF RAMP TO SB 52 / I 94EB	62707
I 94	242.996	16'0"		0.4 MI E OF JCT TH 52	I 94 EB OFF RAMP / I 94 WB	62882
I 94	243.273	17'10" - 20'1"		0.5 MI E OF JCT TH 52	KELLOGG BLVD / I 94	62080A
I 94	243.459	16'4" - 20'4"		0.7 MI E OF JCT TH 52	US 61(MOUNDS BLVD) / I 94	62706
I 94	243.812	25'1" - 19'5"		1.0 MI W OF E JCT TH 61	PED AT MAPLE / I 94	62868
I 94	244.148	16'5" - 15'7"		0.7 MI W OF JCT TH 61	EARL STREET / I 94	62861
I 94	245.109	22'11"		0.3 MI E OF JCT TH 61	PED AT HAZELWOOD / I 94 EB ON RAMP FROM U	62869
I 94	245.124	19'7" - 16'5"		0.3 MI E OF JCT TH 61	PED AT HAZELWOOD / I 94	62869
I 94	245.654	15'0" - 15'8"		2.0 MI W OF JCT TH 120	WHITE BEAR AVENUE / I 94	9148
I 94	246.150	15'5" - 15'1"		1.5 MI W OF JCT TH 120	RUTH ST / I 94	9147
I 94	248.901	15'7"		AT JCT TH 694	I 694 NB / EB COLL ROAD	82832
I 94	248.915	17'1" - 18'2"		AT JCT TH 694	I 694 SB / I 94	82831
I 94	248.931	15'10" - 15'6"		AT JCT TH 694	I 694 NB / I 94	82832
I 94	248.943	17'7"		AT JCT TH 694	I 694 SB / WB COLL RD	82831
I 94	248.945	17'1"		AT JCT TH 694	I 694 SB / EB COLL RD	82831
I 94	250.135	15'11" - 15'11"		1.2 MI E OF JCT TH 494	CSAH 13 SB / I 94	82843
I 94	250.147	16'0" - 17'1"		1.2 MI E OF JCT TH 494	CSAH 13 NB / I 94	82852
I 94	251.676	16'4" - 16'0"		2.7 MI E OF JCT TH 494	CSAH 19 / I 94	82844
I 94	252.674	16'6" - 16'6"		3.7 MI E OF JCT TH 494	CSAH 17 / I 94	82845
I 94	253.680	16'2" - 16'4"		4.8 MI E OF JCT TH 494	TH 95 / I 94	82846
I 94	254.647	16'2" - 16'0"		5.7 MI E OF JCT TH 494	CR 71 / I 94	82847
I 94	256.965	16'6" - 15'8"		8.0 MI E OF JCT TH 494	CSAH 21 / I 94	82848

MN 94

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 94	0.150	39'5"		0.1 MI E OF JCT TH 280	PELHAM BLVD / I 94 EB ON RAMP FROM TH 280 S	62813
MN 95						
MN 95	0.050	18'4" - 17'7"		AT THE JCT TH 95	I 94 EB / TH 95	82850
MN 95	42.367	16'10" - 16'6"		AT THE JCT TH 95	TH 65 SB / TH 95	30003
MN 95	42.385	17'8" - 17'11"		AT THE JCT TH 95	TH 65 NB / TH 95	30004
MN 95	98.249	16'6"		4.6 MI NE OF JCT TH 96	WC LIMITED RR / TH 95	82013
MN 95	102.917	14'5"		1.6 Mi North of Stillwat	BROWNS CREEK TRAIL / MN 95	6266
MN 95	105.620	15'10"		0.09 M E OF JCT TH95	TH 36 / ST CROIX RIVER-TH95-UPRR	82045
MN 95	111.001	16'8" - 16'1"		AT THE JCT TH 95	I 94 WB / TH 95	82849
MN 96						
MN 96	11.455	16'8"		2.1 MI E OF JCT TH 61	PED WALKWAY / MN 96	94274
MN 96	15.229	17'11"		4.3 MI W OF JCT TH 95	GATEWAY TRAIL / TH 96	82522
MN 97						
MN 97	2.023	16'8"		0.1 MI W OF S JCT TH 61	PEDESTRIAN / TH 97	82515
MN 99						
MN 99	13.533	15'0"		IN ST PETER	TH 99 / MINNESOTA RIVER	4930
MN 100						
MN 100		16'6"		0.4 MI S OF JCT TH 7	W 36TH ST / TH 100 SB OFF RAMP	27109
MN 100		18'1"		0.4 MI S OF JCT TH 7	W 36TH ST / TH 100 NB ON RAMP	27109
MN 100		15'11"		2.3 MI SW OF JCT TH 694	CP RAILROAD / TH 100 SB ON RAMP	27281
MN 100		15'11"		2.3 MI SW OF JCT TH 694	CP RAILROAD / TH 100 NB OFF RAMP	27281
MN 100	0.000	17'6"		AT THE JCT TH 100; 494	I 494 / TH 100	27V38
MN 100	0.359	15'8" - 15'11"		0.2 MI N OF JCT TH 494	W 77TH ST / TH 100	27210
MN 100	1.723	16'5" - 17'2"		0.4 MI S OF JCT TH 62	W 66TH ST / TH 100	9432
MN 100	2.625	16'1" - 16'2"		0.5 MI N OF JCT TH 62	BENTON AVE / TH 100	9894
MN 100	2.854	17'2" - 17'1"		0.7 MI N OF JCT TH 62	NINE MILE CREEK TR / TH 100	27W31
MN 100	2.854	24'6" - 24'6"		0.7 MI N OF JCT TH 62	PED AT S VIEW LANE / TH 100	9895

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 100	3.186	22'6" - 22'6"		1.1 MI N OF JCT TH 62	PED AT WINDSOR AVE / TH 100	9896
MN 100	3.618	15'7"		2.3 MI S OF JCT TH 7	EDEN AVE / TH 100 SB ON RAMP FROM 50TH ST	27029
MN 100	3.631	19'8" - 17'6"		2.3 MI S OF JCT TH 7	EDEN AVE / TH 100	27029
MN 100	3.659	20'5"		2.3 MI S OF JCT TH 7	EDEN AVE / TH 100 NB OFF RAMP TO EDEN AVE	27029
MN 100	3.776	16'10" - 16'2"		2.2 MI S OF JCT TH 7	50TH ST W / TH 100	27102
MN 100	4.730	16'5" - 17'8"		1.2 MI S OF JCT TH 7	PED AT 41ST ST / TH 100	27105
MN 100	4.984	14'10" - 14'11"		0.9 MI S OF JCT TH 7	EXCELSIOR BLVD / TH 100	27106
MN 100	5.011	14'11"		0.9 MI S OF JCT TH 7	EXCELSIOR BLVD / TH 100 SB OFF RP TO EXCEL	27106
MN 100	5.480	17'11" - 16'11"		0.4 MI S OF JCT TH 7	W 36TH ST / TH 100	27109
MN 100	5.703	16'10" - 16'10"		0.2 MI S OF JCT TH 7	CMSTP; P RR / TH 100	27303
MN 100	5.723	16'11" - 18'7"		0.2 MI S OF JCT TH 7	CEDAR LAKE TRAIL / TH 100	27304
MN 100	5.892	16'0" - 16'5"		AT JCT TH 100; TH 7	TH 7 (CSAH 25) / TH 100	(27305)
MN 100	6.186	16'6" - 16'4"		0.3 MI N OF JCT TH 7	MINNETONKA BLVD / TH 100	27306
MN 100	6.697	18'0" - 17'6"		1.3 MI N OF JCT TH 7	PED AT 26TH ST / TH 100	27012
MN 100	7.422	16'0"		0.4 MI S OF JCT TH 100	I 394 EB ON RAMP / TH 100 NB ON RAMP	27788
MN 100	7.569	15'8"		0.4 MI S OF JCT TH 394	TH 100 SB CD / TH 100 SB COLL RD RAMP	27789
MN 100	8.318	16'1" - 16'5"		0.6 MI N OF JCT TH 394	GLENWOOD AVE / CSAH 40; TH 100	27023
MN 100	8.341	15'10"		0.4 MI N OF JCT TH 394	TH 100 SB ON RAMP / TH 100 SB RAMP TO I 394	27791
MN 100	10.551	16'8" - 16'8"		1.7 MI N OF JCT TH 55	PED (BASSETT CRK) / TH 100	27A71
MN 100	11.425	16'2" - 16'6"		2.5 MI N OF JCT TH 55	36TH AVE N / TH 100	27168
MN 100	11.792	17'0" - 20'6"		2.9 MI N OF JCT TH 55	PED AT 39TH AVE / TH 100	27284
MN 100	12.173	17'5" - 15'8"		AT THE JCT TH100; CSAH9	42ND AVE N (CR 9) / TH 100	27285
MN 100	12.435	16'1"		3.5 MI N OF JCT TH 55	BNSF RR / TH 100 SB ON RAMP FROM CSAH 81	27286
MN 100	12.441	16'0" - 15'8"		3.5 MI N OF JCT TH 55	BNSF RR / TH 100	27286
MN 100	12.450	16'0"		3.5 MI N OF JCT TH 55	BNSF RR / TH 100 NB RAMP COLLECTOR	27286
MN 100	12.451	15'10"		THE JCT TH 100; CMSA 8	WEST BROADWAY / SB ON RAMP FROM CSAH 81	27170
MN 100	12.467	18'2" - 17'10"		THE JCT TH 100; CMSA 8	WEST BROADWAY / TH 100	27170
MN 100	12.487	16'6"		THE JCT TH 100; CMSA 8	WEST BROADWAY / NB OFF RAMP TO CSAH 8&8	27170
MN 100	12.562	16'10" - 15'8"		At jct TH 100; CSAH 81	CSAH 81 / TH 100	27203
MN 100	13.292	15'8" - 15'8"		AT THE JCT TH 100; FRANCE	FRANCE AVENUE / TH 100	27280

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 100	13.467	15'8" - 15'8"		2.3 MI SW OF JCT TH 694	CP RAILROAD / TH 100	27281
MN 100	14.016	16'1" - 16'5"		South side BR 27038	PED BROOKLYN BLVD / TH 100	27038A
MN 100	14.032	14'7" - 14'4"		1.8 MI SW OF JCT TH 694	BROOKLYN BLVD / TH 100	27038
MN 100	14.039	16'2" - 15'10"		North side BR 27038	PED BROOKLYN BLVD / TH 100	27038B
MN 100	14.603	16'11" - 17'0"		1.2 MI SW OF JCT TH 694	PEDESTRIAN BRIDGE / TH 100	27649
MN 100	14.894	15'2" - 17'2"		0.9 MI SW OF JCT TH 694	BASS LAKE ROAD / TH 100	27041
MN 100	15.016	14'11" - 14'6"		0.8 MI SW OF JCT TH 694	JOHN MARTIN DRIVE / TH 100	27042
MN 100	15.012	14'4"		0.8 MI SW OF JCT TH 694	JOHN MARTIN DRIVE / TH 100 SB OFF RAMP TO E	27042
MN 100	15.214	17'4" - 18'11"		0.6 MI SW OF JCT TH 694	PED AT 59TH AVE N / TH 100	27615
MN 100	15.216	17'11"		0.6 MI SW OF JCT TH 694	PED AT 59TH AVE N / TH 100 SB OFF RAMP	27615
MN 100	15.681	18'2"		0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / TH 100 SB	27914
MN 100	15.681	17'7"		0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / TH 100 NB	27914

MN 101

MN 101	42.028	16'0" - 16'5"		2.6 MI N OF JCT TH 94	CSAH 36 / TH 101	86013
MN 101	43.636	16'0" - 16'10"		2.8 MI S JCT TH 169; 10	CSAH 37 / TH 101	86014
MN 101	45.693	18'6"		0.7 MI S OF JCT TH 169;10	TH 101 SB / CSAH 39	86017

MN 110

MN 110	0.181	15'8"		AT THE JCT TH 110	TH 55 WB / TH 110 EB	19089
--------	-------	-------	--	-------------------	----------------------	-------

MN 112

MN 112	0.000	23'2"		AT JCT TH 112	US 169 / TH 112; UP RR	40008
--------	-------	-------	--	---------------	------------------------	-------

MN 114

MN 114	19.882	15'2"		AT THE JCT OF TH 114	I 94 EB / TH 114	21804
MN 114	19.897	15'4"		AT THE JCT OF TH 114	I 94 WB / TH 114	21803

MN 115

MN 115	9.150	16'0" - 16'0"		AT THE JCT TH 371; 115	TH 371 SB / TH 115	49039
MN 115	9.155	16'1" - 16'1"		AT THE JCT TH 371; 115	TH 371 NB / TH 115	49040

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 119						
MN 119	8.902		14'5"	IN APPLETON	TCW RR / MN 119	9394
MN 120						
MN 120	2.154		16'0" - 15'4"	AT THE JCT TH 120; 94	I 94 EB / TH 120	9144
MN 120	2.167		16'0" - 15'2"	AT THE JCT TH 120; 94	I 94 WB / TH 120	9143
MN 120	7.096		16'10" - 16'10"	AT THE JCT TH 120; TH 36	GATEWAY TRAIL / TH 120	62009
MN 120	8.507		18'1" - 18'5"	0.4 MI N OF JCT TH 694	PED / CENTURY AVE (TH 120)	62913
MN 121						
MN 121	0.324		16'1" - 16'4"	0.1 MI W OF W JCT FAI 35W	RAMP (121N TO 62W) / TH 121	27V69
MN 121	0.334		16'7" - 15'7"	AT THE W JCT 35W; 62	MN 62 EB / MN 121	27V68
MN 121	0.359		17'5" - 18'2"	0.1 MI W OF W JCT FAI 35W	MN 62 WB / MN 121	27V67
MN 121	0.518		16'2" - 15'10"	0.3 MI NE OF JCT TH 35W	PED AT 61ST ST / TH 121	27061
I 126						
I 126	251.964		19'5"	3.5 MI SW OF JCT TH 535	I 35 NB / I 35 SB OFF RAMP TO GRAND AVE	69879
MN 156						
MN 156	0.000		15'6" - 15'10"	AT THE JCT TH 156; 494	I 494 / TH 156 (CONCORD STREET)	19865
MN 156	2.700		16'8"	2.7 mi N of jct TH 494	PEDESTRIAN / CONCORD ST (TH 156)	19537
MN 156	4.151		16'5" - 16'1"	AT THE JCT TH 156	US 52 (LAFAYETTE) / CONCORD ST (TH 156)	62045
US 169						
US 169			18'11"	1.7 MI S OF JCT 169; 610	US 169 SB / RAMP (US 169 SB TO CSAH 81 EB)	27R18
US 169			25'6"	1.7 MI S OF JCT 169; 610	US 169 NB / RAMP (US 169 SB TO CSAH 81 EB)	27R19
US 169			15'10"	2.2 MI S OF JCT TH 14	US 169 RAMP / US 169 RAMP	52008
US 169			15'10"	2.2 MI S OF JCT TH 14	US 169 RAMP / US 169 RAMP	52008
US 169			15'8"	2.2 MI S OF JCT TH 14	US 169 RAMP / US 169 RAMP	52011
US 169			16'1"	2.2 MI S OF JCT TH 14	US 169 RAMP / US 169 RAMP	52011
US 169			17'7"	2.2 MI S OF JCT TH 14	US 169 / US 169 RAMP	52012
US 169			16'11"	AT N CO LINE IN MANKATO	US 169 / US 169 RAMP	9098

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 169	9.182	13'6"		2.0 MI S OF JCT TH 90	UP RR / US 169	5154
US 169	11.365	16'1" - 15'10"		AT THE JCT TH 169	I 90 EB / US 169	22826
US 169	11.381	16'5" - 16'0"		AT THE JCT TH 169	I 90 WB / US 169	22825
US 169	52.496	16'11"		0.4 MI W OF JCT TH 66	US 169 NB / OFF RAMP FROM US 169	07041
US 169	53.234	16'8" - 16'8"		AT N CO LINE IN MANKATO	US 169 / MINN R, UP RR; STR	9098
US 169	54.025	16'0" - 15'6"		1.6 MI S OF JCT TH 14	TH 960D / US 169	52009
US 169	55.659	15'8" - 15'10"		AT THE JCT TH 169	US 14 / TH 169	07023
US 169	76.672	15'4" - 15'6"		AT THE JCT TH 93	MN 93 / US 169	9309
US 169	84.288	16'5" - 15'10"		At jct TH 19; 169	TH 19 / US 169	40007
US 169	91.065	16'11" - 17'0"		0.5 MI N OF JCT TH 169	ENTERPRISE DR / US 169	70031
US 169	92.286	18'0"		AT THE JCT OF TH 169; 25	TH 25 NB / US 169 SB OFF RAMP TO TH 25	70043
US 169	92.300	18'2"		AT THE JCT OF TH 169; 25	TH 25 NB / US 169 NB ON RAMP FROM TH 25	70043
US 169	92.307	16'5" - 16'2"		AT THE JCT OF TH 169; 25	TH 25 SB / US 169	70044
US 169	92.322	17'8" - 17'10"		AT THE JCT OF TH 169; 25	TH 25 NB / US 169	70043
US 169	92.325	16'1"		AT THE JCT OF TH 169; 25	TH 25 SB / US 169 SB OFF RAMP TO TH 25	70044
US 169	92.333	17'6"		AT THE JCT OF TH 169; 25	TH 25 SB / US 169 NB ON RAMP FROM TH 25	70044
US 169	107.735	22'4" - 22'5"		1.25 M E OF JCT TH41	CSAH 69 / US 169	70007
US 169	108.787	17'10" - 16'2"		2.3 MI E OF JCT TH 41	CSAH 15 / US 169	70011
US 169	109.381	17'5" - 17'5"		39 FEET E OF CR 77	PED TRAIL / US 169	70550
US 169	109.385	17'5" - 16'0"		2.8 MI E OF JCT TH 41	MSAS 117 / US 169	70012
US 169	109.889	16'8" - 16'8"		3.4 MI E OF JCT TH 14	PED W OF CR 79 / US 169	70539
US 169	109.898	17'11" - 16'4"		3.4 MI E OF JCT TH 41	CR 79 / US 169	70013
US 169	110.732	17'5" - 16'7"		4.2 MI E OF JCT TH 41	CSAH 17 / US 169	70014
US 169	110.743	17'1" - 17'1"		4.2 MI E OF JCT TH 41	PED E OF CSAH 17 / US 169	70536
US 169	116.141	17'5"		5.8 MI SW OF JCT TH 494	US 169 NB / COUNTY 101 EB (SAVAGE)	70521
US 169	116.351	16'2"		5.8 MI SW OF JCT TH 494	US 169 SB / COUNTY 101EB (SAVAGE)	70522
US 169	118.537	16'6" - 16'4"		2.9 MI S OF JCT TH494;169	PIONEER TRAIL / US 169	27294
US 169	120.150	15'8" - 16'2"		1.6 MI S OF JCT TH494;169	ANDERSON LAKES PKW / US 169	27295
US 169	122.135	18'8" - 18'2"		0.1 MI E OF JCT TH 169	I 494WB TO US169SB / US 169	27V95
US 169	122.292	17'10"		0.15 MI N OF JCT TH 494	US 169 NB OFF RAMP / NE LOOP US 169	27V92

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 169	123.131	15'11" - 15'11"		1.1 MI S OF JCT TH 62	VALLEY VIEW ROAD / US 169	27589
US 169	124.943	21'2" - 21'6"		0.7 MI N OF JCT TH 62	BREN RD W / US 169	27B69
US 169	125.949	14'8" - 14'10"		1.7 MI N OF JCT TH 62	7TH ST S / US 169	27567
US 169	127.449	16'1" - 16'7"		AT THE JCT TH 7; 169	TH 7 / US 169	27033
US 169	127.813	15'8" - 16'8"		0.3 MI N OF JCT TH 7	W 36TH ST / US 169	27583
US 169	128.866	14'5" - 14'7"		1.9 MI N OF JCT TH 7	CEDAR LAKE RD / US 169	27517
US 169	130.667	14'4" - 14'4"		0.3 MI S OF JCT TH 55	BETTY CROCKER DR / US 169	27526
US 169	132.621	15'10" - 14'8"		1.7 MI N OF JCT TH 55	MEDICINE LAKE RD / US 169	27536
US 169	133.624	17'2" - 17'4"		0.75 MI S OF CR9; TH169	PED-BIKE / US 169	27B42
US 169	133.626	14'2" - 14'5"		2.7 Mi North of Jct TH 5	36TH AVE S / US 169	27550
US 169	134.408	14'5" - 14'5"		3.4 MI S OF JCT TH 94	ROCKFORD RD / US 169	27551
US 169	135.141	14'6" - 14'8"		2.7 MI S OF JCT TH 94	49TH AVE N / US 169	27555
US 169	135.487	14'6" - 14'8"		2.3 MI S OF JCT TH 94	CP RAIL / US 169	27544
US 169	136.111	14'2" - 14'5"		1.7 MI S OF JCT TH 94	BASS LAKE ROAD / US 169	27523
US 169	136.904	14'6" - 14'6"		0.9 MI S OF JCT TH 94	63RD AVE N / US 169	27534
US 169	138.648	14'10" - 14'10"		0.8 MI N OF JCT TH 94	77TH AVE N / US 169	27630
US 169	140.792	16'2" - 18'2"		0.4 MI S OF JCT TH 610	93RD AVE N / TH 169	27298
US 169	140.825	18'2"		0.4 MI S OF JCT TH 610	93RD AVE N / CSAH 30 RAMP TO TH 169 SB	27298
US 169	140.825	16'5"		0.4 MI S OF JCT TH 610	93RD AVE N / TH 169 NB RAMP TO CSAH 30	27298
US 169	141.298	16'6" - 17'1"		AT THE JCT TH 610; 169	TH 610 EB / US 169	27234
US 169	141.315	16'5" - 16'7"		AT THE JCT TH 610; 169	TH 610 WB / US 169	27233
US 169	142.044	16'10"		2.4 MI N OF JCT TH 152	PEDESTRIAN / US 169	27662
US 169	143.777	16'11" - 17'1"		.3 MI N OF JCT 114th AVE	PED / US 169	27A75
US 169	158.365	15'0" - 15'5"		0.1 MI N OF N JCT TH 10	BNSF RR / US 169	9480
US 169	159.829	16'8" - 16'8"		0.6 MI N OF W JCT TH 10	PED WALKWAY / US 169	71522
US 169	161.821	15'8" - 16'2"		3.6 MI N OF E JCT TH 10	CR 33(205TH AVE NW / TH 169	71013
US 169	173.254	16'11" - 16'4"		5.4 mi S of jct TH 95	CSAH 9 / US 169	71014
US 169	178.770	15'10" - 16'0"		AT THE JCT TH 95	TH 95 / US 169	48013
US 169	213.511	16'9" - 17'0"		IN ONAMIA	SOO LINE TRAIL / US 169	48035
US 169	308.141	15'10" - 15'10"		2.5 MI NE OF E JCT TH 2	BNSF RR / US 169	31017

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 169	311.685	15'7" - 16'2"		6.0 MI NE OF E JCT TH 2	MUN 30 / US 169	31004
US 169	321.871	16'7"		1.8 MI SW OF S JCT TH 65	BNSF RR / US 169	5332
US 169	321.897	15'8"		1.8 MI SW OF S JCT TH 65	PED / US 169	5342
US 169	332.903	26'5" - 26'5"		0.8 MI E OF W CO LINE	WATER FLUME / US 169	92973
US 169	338.364	16'5" - 16'5"		1.0 MI E OF S JCT TH 73	CSAH 57 / US 169	69565
US 169	350.112	16'1" - 15'11"		4.0 MI E OF N JCT TH 73	BN RR (ABAND) / US 169	69080
MN 169						
MN 169	368.028	15'10" - 15'11"		AT THE N JCT TH 53; 169	US 53 SB / TH 169	69127
MN 169	368.887	16'4" - 16'5"		AT THE N JCT TH 53; 169	US 53 NB / TH 169	69128
US 169R						
US 169R	115.427	16'8"		7.1 MI SW OF JCT TH 494	US 169 WB / TH 169R WB	70526
US 169R	115.448	18'8"		7.1 MI SW OF JCT TH 494	US 169 EB / TH 169R WB	70525
MN 169R						
MN 169R	21.782	18'7" - 16'5"		AT THE JCT TH 169R	TH 801B EB / COUNTY 101 TH 169R	70009
MN 194						
MN 194	17.124	20'2"		0.3 MI SW OF JCT 5TH AVE	I 35 SB / SL;LC RR; TH 194 NB	69818S
MN 194	17.126	19'2"		0.3 MI SW OF JCT 5TH AVE	I 35 NB / SL;LC RR; TH 194 NB	69818N
MN 194	17.160	16'4"		AT JCT TH 35	NB MICHIGAN ST / TH 194 SB	69839
MN 197						
MN 197	0.947	17'11"		0.9 mi N of jct TH 2	PAUL BUNYAN TRAIL / TH 197	04025
MN 197	2.031	17'4" - 17'4"		.04 MI N TH 197; 1ST E	PAUL BUNYAN TRAIL / TH 197	04027
MN 197	6.560	15'8"		0.5 MI NW OF N JCT TH 71	US 2 WB / TH 197 EB	04007
MN 210						
MN 210	216.023	16'0" - 15'11"		AT JCT TH 210	I 35 SB / TH 210	9188
MN 210	216.044	15'7" - 15'10"		AT JCT TH 210	I 35 NB / TH 210	9189
MN 210	219.543	16'5"		1.0 MI E OF JCT TH 45	TH 210 / ST LOUIS RIVER	09001

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 212						
US 212	48.453	15'1"		0.6 MI E OF W JCT TH 67	BNSF RAIL / US 212	5117
US 212	119.593	16'6" - 17'0"		0.1 MI NE OF JCT TH 22	PEDESTRIAN / US 212	43006
US 212	119.853	16'5" - 15'11"		0.3 MI E OF JCT TH22	CSAH 2 / US 212	43004
US 212	145.540	16'4" - 17'7"		1.0 MI S JCT CR140;CSAH11	CSAH 11 / US 212	10019
US 212	145.947	16'0" - 18'2"		1.5 MI SW JCT MN41; CR112	US 912C / US 212	10024
US 212	146.821	15'10" - 15'10"		1.5 MI E JCTCSAH11; CR140	CNTY RD 140 / US 212	10017
US 212	147.938	16'5" - 17'1"		0.8 MI W JT ENGLER;BAV RD	ENGLER BLVD / US 212	10029
US 212	148.831	16'1" - 17'2"		0.57 MI N CSAH 10; BAV RD	BAVARIA ROAD / US 212	10031
US 212	149.353	15'11" - 17'1"		0.75 MI N JCT CSAH 10	MN 41 / US 212	10032
US 212	150.129	17'1" - 16'11"		1.0 MI NE JCT MN41;CSAH10	PED/BIKE / US 212	10048
US 212	150.720	16'5" - 16'4"		1.0 MI N JCT CSAH 10; 15	AUDUBON ROAD / US 212	10037
US 212	151.681	16'1" - 17'10"		0.37 MI E JCT CSAH14;BLUF	PIONEER TRAIL / US 212	10041
US 212	152.285	16'0" - 16'7"		1.25 MI N JCT CSAH 1; 17	POWERS BLVD / US 212	10038
US 212	152.829	20'2" - 16'4"		0.3 MI W JCT 101; CSAH 1	LYMAN BLD / US 212	10039
US 212	153.238	17'4" - 15'11"		1.25 MI N JCT 101; CSAH 1	GREAT PLAINS BLVD / US 212	10040
US 212	154.972	16'2" - 15'11"		1.0 MI N JCT DELL; PIONE	DELL RD / US 212	27137
US 212	155.461	18'5" - 17'1"		1.0 MI NW JCT CSAH 4	PED/BIKE / US 212	27R30
US 212	155.938	15'10" - 17'7"		.86 MI SW OF JCT TH 5	EDEN PRAIRIE RD / US 212	27138
US 212	156.899	18'4" - 15'10"		AT THE JCT TH 5; 312	TH 5 EB / US 212	27194
US 212	157.630	16'0" - 16'1"		1.5 MI W OF TH 494	MITCHELL RD / US 212	27147
US 212	158.441	13'11"		0.7 MI W OF JCT TH 494	TH 5 EB OFF RAMP / BUS CONNECTION	27141
US 212	158.535	17'5" - 15'11"		0.7 MI W OF JCT TH 494	PRAIRIE CENTER DR / US 212	27148
US 212	159.322	15'11" - 15'11"		AT THE JCT US 212; 494	I 494 NB / US 212	27V10
US 212	159.360	17'7" - 17'5"		AT THE JCT US 212; 494	I 494 SB / US 212	27V09
US 212	159.869	16'4" - 16'5"		0.5 MI NE OF JCT TH 494	VALLEY VIEW RD / US 212	27087
US 212	161.023	16'2" - 16'5"		1.6 MI NE OF JCT TH 494	CSAH 61 / US 212	(27W10)
US 212	161.590	18'0" - 16'8"		AT THE JCT OF TH 62; 212	TH 62 EB / US 212	27078
US 212	161.649	14'8"		AT THE JCT OF TH 62; 212	TH 62 EB / US 212 SB ON RMP FROM TH 62 WB	27078
US 212	161.983	15'6" - 14'10"		AT JCT OF TH 169,212; 62	US 169 SB / US 212	27079

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
US 212	161.993	17'5" - 16'11"		AT JCT OF TH 169,212; 62	US 169 NB / US 212	27080
US 218						
US 218	43.648	22'10"		AT JCT TH 14; 218	US 14 EB / TH 218; IM RAIL	74010
MN 238						
MN 238	0.047	16'8"		AT THE JCT TH 238(ALBANY	I 94 EB / TH 238	73850
MN 238	0.060	16'1"		AT THE JCT TH 238(ALBANY	I 94 WB / TH 238	73849
MN 241						
MN 241	3.456	15'6"		AT JCT TH 241	TH 241 / I 94	86812
MN 252						
MN 252	0.069	15'7"		0.3 MI S OF JCT TH 694	I 94 WB / TH 252 SB	27805
MN 252	0.247	15'11" - 15'6"		AT THE JCT TH 252; 694	I 694 / TH 252	27891
MN 252	0.263	15'6"		AT THE JCT TH 252; 694	I 694 / TH 252 SB OFF RAMP TO I 694 EB	27891
MN 252	0.341	15'7"		AT THE JCT TH 252; 694	I 694 WB OFF RAMP / TH 252 SB RAMP	27890
MN 252	3.266	19'6" - 18'5"		3.2 MI N OF JCT TH 694	PED AT 85TH AVE / TH 252	27685
MN 263						
MN 263	11.155	16'10"		6.3 MI E OF JCT TH 4	I 90 EB / TH 263	46812
MN 263	11.171	15'11"		6.3 MI E OF JCT TH 4	I 90 WB / TH 263	46811
MN 280						
MN 280		14'11"		AT JCT TH 280; 94	I 94 WB / TH 280 SB OFF RAMP TO I 94 WB	62808
MN 280		16'0"		AT JCT TH 94; 280	WABASH AVE / I 94 WB OFF RAMP TO CROMWEL	62843
MN 280		16'0"		AT JCT TH 94; 280	WABASH AVE / TH 280 NB ON RAMP FROM I 94 W	62843
MN 280		16'0"		AT JCT TH 94; 280	WABASH AVE / TH 280 SB OFF RAMP TO I 94 WB	62843
MN 280		14'5"		AT JCT TH 94; 280	TH 280 NB / TH 280 NB ON RAMP FROM I 94 WB	62844
MN 280		15'5"		AT JCT TH 94; 280	TH 280 NB / TH 280 SB	62844
MN 280		15'11"		0.6 MI N OF JCT TH 94	TERRITORIAL RD / TH 280 NB ON RAMP	9471
MN 280	0.118	14'4" - 14'11"		AT JCT TH 280; 94	I 94 WB / TH 280 NB	62808

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 280	0.124	15'8"		AT JCT TH 94; 280	MC RAIL / TH 280 SB OFF RAMP TO I 94 WB	62842
MN 280	0.144	15'6"		AT JCT TH 94; 280	MC RAIL / TH 280 NB FROM I 94 WB	62842
MN 280	0.150	14'7"		AT THE JCT TH 94; 280	I 94 WB / TH 280 SB	62812
MN 280	0.161	14'11"		AT JCT TH 94; 280	MC RAIL / TH 280 NB	62842
MN 280	0.166	24'5"		AT JCT TH 94; 280	WABASH AVE / TH 280 SB	62843
MN 280	0.168	16'1"		AT JCT TH 94; 280	WABASH AVE / TH 280 NB	62843
MN 280	0.212	24'5"		AT JCT TH 94; 280	MC RAIL / TH 280 SB	62842
MN 280	0.417	15'11"		0.4 MI N OF JCT TH 94	FRANKLIN AVE / TH 280 SB	62033
MN 280	0.417	15'7"		0.4 MI N OF JCT TH 94	FRANKLIN AVE / TH 280 NB	62034
MN 280	0.486	15'11" - 15'8"		0.5 MI N OF JCT TH 94	UNIVERSITY AVE / TH 280	9472
MN 280	0.486	15'11" - 15'8"		0.5 MI N OF JCT TH 94	LRT (UNIVERSITY) / TH 280	9472A
MN 280	0.613	15'8" - 15'7"		0.6 MI N OF JCT TH 94	TERRITORIAL RD / TH 280	9471
MN 280	2.302	16'4" - 16'4"		1.2 MI S OF JCT TH 36	LARPENTEUR AVE / TH 280	62048
MN 280	3.397	15'11"		AT JCT TH 280; 35W	I 35W / TH 280 SB	62860
MN 280	3.419	15'10"		AT JCT TH 280; 35W	I 35W / TH 280 NB OFF RAMP TO TERMINAL	62860
MN 280	3.560	14'8"		AT JCT TH 280; 35W	I35W RMP TO TH36EB / TH 280 NB	62853
MN 280	3.619	15'11"		AT JCT TH 35W; 280	TH 280 NB OFF RAMP / TH 280 SB	62821
MN 317						
MN 317	0.000	15'4"		AT N DAK STATE LINE	TH 317 / RED RIVER OF THE NORTH	5872
I 350						
I 350	232.697	15'8"		BTWN 6TH N; 7TH ST N	SKYWAY / 1ST AVE N	27B05
MN 371						
MN 371	25.355	16'8" - 16'4"		2.3 mi N of jct CSAH 27	TH 371 BUSINESS / TH 371	18006
MN 371	52.780	17'0"		20.5 MI N OF JCT TH 210	PAUL BUNYAN TRAIL / MN 371	18005
MN 371	52.780	15'11"		1.9MI S OD CSAH16	CSAH 11 / MN 371	18009
MN 371	94.040	17'5"		2.6 MI NW OF JCT TH 34	PAUL BUNYAN TRAIL / MN 371	11009
I 394						
I 394		16'7"		AT THE JCT TH 394; 100	I 394R EB ON RAMP / I 394 WB COLLECTOR RD	27751

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 394		16'10"		AT THE JCT TH 394; 100	I 394R WB RAMP / I 394 EB COLLECTOR ROAD	27751A
I 394	0.000	18'6" - 17'0"		AT THE JCT TH 494; 394	I 494 NB / I 394	27829
I 394	0.000	17'2" - 15'11"		AT THE JCT TH 494; 394	I 494 SB / I 394	27830
I 394	0.001	20'1"		AT THE JCT TH 494; 394	I 494 NB / I 394 EB COLLECTOR RD	27829
I 394	0.009	17'2"		AT THE JCT TH 494; 394	I 494 NB / I 394 WB COLLECTOR RD	27829
I 394	0.748	15'8" - 17'4"		0.8 MI E OF JCT TH 494	PLYMOUTH AVE / I 394	27736
I 394	0.797	15'8"		0.8 MI E OF JCT TH 494	PLYMOUTH AVE / EB OFF RAMP TO PLYMOUTH A	27736
I 394	0.799	16'2"		0.9 MI E OF JCT TH 494	I 394 EB ON RAMP / EB OFF RAMP	27731
I 394	1.941	16'5" - 19'5"		1.9 MI E OF JCT TH 494	HOPKINS CROSSROAD / I 394	27737
I 394	2.533	16'5" - 16'1"		2.3 MI E OF JCT TH 494	SHELARD PKWY / I 394	27738
I 394	2.897	16'5"		AT THE JCT TH 169; 394	US 169 / I 394 SOUTH COLLECTOR RD	27742
I 394	2.917	15'8"		AT THE JCT TH 169; 394	US 169 / I 394 NORTH COLLECTOR RD	27742
I 394	2.946	15'10" - 15'6"		AT THE JCT TH 169; 394	US 169 / I 394	27742
I 394	3.897	16'5" - 18'11"		2.1 MI W OF JCT TH 100	WINNETKA AVE / I 394	27744
I 394	4.111	17'4" - 17'1"		1.3 MI W OF JCT TH 100	PED @ PENNSYLVANIA / I 394	27710
I 394	4.455	15'11" - 16'0"		1.4 MI W OF JCT TH 100	LOUISIANA AVE / I 394	27745
I 394	4.727	16'7" - 16'11"		1.2 MI W OF JCT TH 100	PED @ FLORIDA AVE / I 394	27711
I 394	5.153	16'8" - 16'7"		0.8 MI W OF JCT TH 100	CP RAIL / I 394	27746
I 394	5.169	16'1"		0.8 MI W OF JCT TH 100	CP RAIL / I 394 WB COLLECTOR RD	27746
I 394	5.199	16'11"		0.8 MI W OF JCT TH 100	CP RAIL / I 394 EB COLLECTOR RD	27746
I 394	5.413	15'6" - 16'1"		0.4 MI W OF JCT TH 100	PARK PLACE / I 394	27747
I 394	5.421	15'11"		0.4 MI W OF JCT TH 100	PARK PLACE / I 394 WB COLLECTOR RD	27747
I 394	5.485	15'6"		0.4 MI W OF JCT TH 100	PARK PLACE / I 394 EB COLLECTOR RD	27747
I 394	5.801	16'6"		AT THE JCT TH 394; 100	I 394R WB RAMP / I 394 EB	27751A
I 394	5.809	16'8"		AT THE JCT TH 394; 100	I 394R EB ON RAMP / I 394 WB	27751
I 394	5.838	17'10"		AT THE JCT TH 100; 394	TH 100 / I 394 WB COLLECTOR RD	27752
I 394	5.845	17'10"		AT THE JCT TH 100; 394	TH 100 SB RAMP / I 394 WB COLLECTOR RD	27752A
I 394	5.889	19'2"		AT THE JCT TH 100; 394	TH 100 SB RAMP / I 394 EB COLLECTOR RD	27752A
I 394	5.903	17'11"		AT THE JCT TH 100; 394	TH 100 SB RAMP / I 394 EB	27752A
I 394	5.904	17'7"		AT THE JCT TH 100; 394	TH 100 SB RAMP / I 394 WB	27752A

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 394	5.918	17'7"		AT THE JCT TH 100; 394	TH 100 / I 394 WB	27752
I 394	5.918	17'11"		AT THE JCT TH 100; 394	TH 100 / I 394 EB	27752
I 394	5.925	19'2"		AT THE JCT TH 100; 394	TH 100 / I 394 EB COLLECTOR RD	27752
I 394	5.973	17'1"		AT THE JCT TH 100; 394	WB 394R TO 100NB / I 394 WB COLLECTOR RD	27753A
I 394	6.068	17'4"		AT THE JCT TH 100; 394	WB 394R TO 100NB / I 394 WB	27753A
I 394	6.089	17'7"		0.4 MI E OF JCT TH 100	PEDESTRIAN / I 394 WB COLLECTOR RD	27755
I 394	6.090	16'1"		AT THE JCT TH 100; 394	394R TO; FRM 100NB / I 394 EB	27753
I 394	6.154	23'2"		0.4 MI E OF JCT TH 100	PEDESTRIAN / I 394 EB ON RMP FROM TH 100 NE	27755
I 394	6.190	18'7"		0.4 MI E OF JCT TH 100	PEDESTRIAN / I 394 WB	27755
I 394	6.190	19'6"		0.4 MI E OF JCT TH 100	PEDESTRIAN / I 394 EB	27755
I 394	6.854	15'10"		0.8 MI E OF JCT TH 100	THEODORE WIRTH PKWY / I 394 WB	27756
I 394	6.854	16'8"		0.8 MI E OF JCT TH 100	THEODORE WIRTH PKWY / I 394 EB	27756
I 394	7.255	17'1"		1.3 MI E OF JCT TH 100	PED @ CEDAR LK RD / I 394 WB	27757
I 394	7.255	21'8"		1.3 MI E OF JCT TH 100	PED @ CEDAR LK RD / I 394 EB	27757
I 394	7.479	16'0"		1.6 MI E OF JCT TH 100	PENN AVE S / I 394 WB	27758
I 394	7.479	16'10"		1.6 MI E OF JCT TH 100	PENN AVE S / I 394 EB	27758
I 394	8.105	18'6"		0.4 MI W OF JCT TH 94	I 394R / I 394 WB	27776A
I 394	8.387	17'2" - 17'2"		0.4 MI W OF JCT TH 94	I 394R EB / I 394	27776B
I 394	8.427	16'5"		0.4 MI W OF JCT TH 94	I 394R EB / I 394 WB ON RAMP FROM I 94	27776B
I 394	8.512	16'5"		0.4 MI W OF JCT TH 94	I 394R WB / I 394 WB ON RAMP	27776C
I 394	8.963	20'10" - 20'10"		0.3 MI NE OF JCT TH 94	LINDEN AVE / I 394	27701
I 394	8.998	15'10" - 15'10"		0.3 MI NE OF JCT TH 94	12TH ST N / I 394	27702
I 394	9.068	16'8" - 16'8"		0.4 MI NE OF JCT TH 94	11TH ST N / I 394	27703
I 394	9.186	15'11" - 15'11"		0.5 MI NE OF JCT TH 94	GLENDWOOD AVE N / I 394	27704
I 394	9.207	15'11"		0.5 MI NE OF JCT TH 94	GLENDWOOD AVE N / I 394 EB OFF RAMP TO 6TH	27704
I 394	9.213	15'11"		0.5 MI NE OF JCT TH 94	GLENDWOOD AVE N / I 394 SB ON RAMP FROM C	27704
I 394	9.214	15'11"		0.5 MI NE OF JCT TH 94	GLENDWOOD AVE N / I 394 SB BUS RAMP	27704
I 394	9.254	16'1" - 16'1"		At Jct TH 55 (EB)	TH 55 EB (10TH ST) / I 394	27730
I 394	9.277	16'1"		At Jct TH 55 (EB)	TH 55 EB (10TH ST) / BUS ON RAMP	27730
I 394	9.283	16'1"		At Jct TH 55 (EB)	TH 55 EB (10TH ST) / I 394 EB OFF RAMP	27730

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 394	9.286	16'1"		At Jct TH 55 (EB)	TH 55 EB (10TH ST) / BUS OFF RAMP	27730
I 394	9.290	13'6"		At Jct TH 55 (EB)	TH 55 EB (10TH ST) / I 394 WB ON RAMP FROM GAR	27730
I 394	9.293	16'1"		At Jct TH 55 (EB)	TH 55 EB (10TH ST) / I 394 EB OFF RAMP TO GAR	27730
I 394	9.293	16'1"		At Jct TH 55 (EB)	TH 55 EB (10TH ST) / I 394 WB ON RAMP	27730
I 394	9.294	17'8" - 17'8"		0.1 MI S OF JCT TH55(7TH	PARKING RAMP A / I 394	95892
I 394	9.322	16'11"		0.1 MI S OF JCT TH55(7TH	PARKING RAMP A / I 394 OFF RAMP	95892
I 394	9.323	16'5"		0.1 MI S OF JCT TH55(7TH	PARKING RAMP A / BUS OFF RAMP	95892
I 394	9.325	17'11"		0.1 MI S OF JCT TH55(7TH	PARKING RAMP A / I 394 ON RAMP	95892
I 394	9.327	16'11"		0.1 MI S OF JCT TH55(7TH	PARKING RAMP A / BUS ON RAMP	95892
I 394	9.334	15'10" - 15'10"		At Jct TH 55 (WB)	7TH ST N / I 394	27705
I 394	9.344	17'6"		0.7 MI NE OF JCT TH 94	7TH ST PED PLAZA / I 394 EB RAMP	27B48
I 394	9.346	15'10"		At Jct TH 55 (WB)	7TH ST N / I 394 NB BUS RAMP	27705
I 394	9.349	15'10"		At Jct TH 55 (WB)	7TH ST N / I 394 SB BUS RAMP	27705
I 394	9.365	16'7"		0.7 MI NE OF JCT TH 94	7TH ST PED PLAZA / I 394 EB	27B48
I 394	9.367	15'10"		At Jct TH 55 (WB)	7TH ST N / I 394 NB OFF RAMP TO 6TH ST	27705
I 394	9.371	16'0"		At Jct TH 55 (WB)	7TH ST N / I 394 SB ON RAMP FROM 5TH ST	27705
I 394	9.375	16'7"		0.7 MI NE OF JCT TH 94	7TH ST PED PLAZA / I 394 EB BUS RAMP	27B48
I 394	9.389	15'10"		1.1 MI N OF JCT TH 94	6TH; 7TH ST PED / I 394 WB BUS RAMP	27B49
I 394	9.390	15'10"		1.1 MI N OF JCT TH 94	6TH; 7TH ST PED / I 394 WB	27B49
I 394	9.404	15'10"		1.1 MI N OF JCT TH 94	6TH; 7TH ST PED / I 394 WB ENT RAMP	27B49
I 394	9.417	16'0"		1.2 MI N OF JCT TH 94	6TH ST PED PLAZA / I 394 SB ON RAMP FROM 5TH	27B50
I 394	9.418	27'6"		1.2 MI N OF JCT TH 94	6TH ST PED PLAZA / 394 WB	27B50
I 394	9.419	27'6"		1.2 MI N OF JCT TH 94	6TH ST PED PLAZA / I 394 WB BUS RAMP	27B50
I 394	9.419	27'6"		1.2 MI N OF JCT TH 94	6TH ST PED PLAZA / I 394 EB	27B50
I 394	9.421	27'6"		1.2 MI N OF JCT TH 94	6TH ST PED PLAZA / I 394 EB BUS RAMP	27B50
I 394	9.422	15'10"		1.2 MI N OF JCT TH 94	6TH ST PED PLAZA / I 394 ON RAMP FROM 6TH S	27B50
I 394	9.423	20'11"		0.8 MI NE OF JCT TH 94	W. SKYWAY RAMP B / EB OFF RAMP TO 4TH ST F	95893
I 394	9.443	20'11"		0.8 MI NE OF JCT TH 94	W. SKYWAY RAMP B / EB OFF RAMP TO WASHIN	95893
I 394	9.444	15'8" - 20'11"		0.8 MI NE OF JCT TH 94	W. SKYWAY RAMP B / I 394	95893
I 394	9.451	20'11"		0.8 MI NE OF JCT TH 94	W. SKYWAY RAMP B / WB ON RAMP FROM WASH	95893

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 394	9.486	15'8"	20'5"	0.8 MI NE OF JCT TH 94	5TH ST N / I 394	27706
I 394	9.486	15'8"	20'5"	0.8 MI NE OF JCT TH 94	LRT (5TH ST N) / I 394	27706A
I 394	9.491	15'8"		Transit Level in 5th St.	E. SKYWAY RAMP B / 2ND AVE N	95893A
I 394	9.505	20'5"		0.8 MI NE OF JCT TH 94	5TH ST N / I 394 WB ON RAMP FROM WASH AVE	27706
I 394	9.505	20'5"		0.8 MI NE OF JCT TH 94	LRT (5TH ST N) / I 394 WB ON RAMP FROM WASH	27706A
I 394	9.507	15'10"		0.3 MI SE OF JCT TH 94	US 952A NB / I 394 EB BUS RAMP	27816N
I 394	9.508	20'11"		0.8 MI NE OF JCT TH 94	5TH ST N / I 394EB OFF RP TO 4TH GARAGE	27706
I 394	9.508	20'11"		0.8 MI NE OF JCT TH 94	LRT (5TH ST N) / I 394EB OFF RP TO 4TH GARAGE	27706A
I 394	9.509	22'6"		0.3 MI SE OF JCT TH 94	US 952A SB / I 394 WB OFF RAMP TO 4TH ST	27816S
I 394	9.510	24'11"		0.8 MI NE OF JCT TH 94	5TH ST N / I 394 EB OFF RAMP TO WASH AVE	27706
I 394	9.510	24'11"		0.8 MI NE OF JCT TH 94	LRT (5TH ST N) / I 394 EB OFF RAMP TO WASH A	27706A
I 394	9.539	18'11"		0.9 MI NE OF JCT TH 94	I 394 EB OFF RAMP / WASH AVE ON RAMPFROM	27720
I 394	9.552	18'11"		0.9 MI NE OF JCT TH 94	I 394 EB OFF RAMP / I 394 BUS RAMP	27720
I 394	9.553	15'10"		0.3 MI SE OF JCT TH 94	US 952A NB / I 394 EB ON RAMP	27816N
I 394	9.557	21'10"		0.3 MI SE OF JCT TH 94	US 952A NB / I 394 EB OFF RAMP	27816N
I 394	9.567	16'2"		0.3 MI SE OF JCT TH 94	US 952A SB / I 394 WB	27816S
I 394	9.571	15'5"		Between 4th St. & 3rd St	PARKING RAMP C / I 394 WB ON RAMP	95894
I 394	9.588	24'1"		Between 4th St. & 3rd St	PARKING RAMP C / I 394 WB BUS ON RAMP	95894
I 394	9.594	16'1"		Between 4th St. & 3rd St	PARKING RAMP C / I 394 WB	95894
I 394	9.611	15'2"		Between 4th St. & 3rd St	PARKING RAMP C / I 394 EB BUS OFF RAMP	95894
I 394	9.615	21'10"		Between 4th St. & 3rd St	PARKING RAMP C / I 394 EB OFF RAMP TO WASH	95894
I 394	9.622	16'2"		0.3 MI SE OF JCT TH 94	US 952A SB / I 394 EB ON RAMP FROM 3RD AVE	27816S
I 394	9.632	16'7"		1.0 MI NE OF JCT TH 94	I 394 WB ON RAMP / I 394 EB OFF RAMP TO WASI	27708
I 394	9.645	16'2"		0.3 MI SE OF JCT TH 94	US 952A SB / I 394 EB BUS RAMP FROM 3RD AVE	27816S
I 394	9.649	16'7"		1.0 MI NE OF JCT TH 94	I 394 WB ON RAMP / I 394 EB BUS RAMP TO WASI	27708
US 394						
US 394	157.001	18'8"		AT THE JCT TH 494; 394	I 494 SB / I 394 EB COLLECTOR RD	27830
US 394	157.009	16'1"		AT THE JCT TH 494; 394	I 494 SB / I 394 WB COLLECTOR RD	27830
I 394R						

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 394R			16'7"	AT THE JCT TH 394; 100	I 394R EB ON RAMP / I 394R	27751
I 394R			15'11"	1.6 MI E OF JCT TH 100	PENN AVE S / I 394R	27758
I 394R	5.819		15'11" - 15'11"	AT THE JCT TH 100; 394	TH 100 SB RAMP / I 394R	27752A
I 394R	5.924		15'11" - 15'11"	AT THE JCT TH 100; 394	TH 100 / I 394R	27752
I 394R	5.992		15'8"	AT THE JCT TH 100; 394	WB 394R TO 100NB / I 394R	27753A
I 394R	6.009		17'0"	0.4 MI E OF JCT TH 100	PEDESTRIAN / I 394R	27755
I 394R	6.110		17'0"	0.4 MI E OF JCT TH 100	PEDESTRIAN / I 394R RAMP	27755
I 394R	6.827		16'0"	0.8 MI E OF JCT TH 100	THEODORE WIRTH PKWY / I 394R	27756
I 394R	7.291		17'1"	1.3 MI E OF JCT TH 100	PED @ CEDAR LK RD / I 394R	27757
I 394R	7.951		30'8" - 30'8"	0.4 MI W OF JCT TH 94	I 394R / I 394R RAMP CONNECTION	27776A
I 394R	8.628		15'6"	0.4 MI W OF JCT TH 94	I-394R EB RAMP / I 394 EB OFF RAMP	27776F
I 494						
I 494			22'5"	0.2 MI W OF JCT TH 35E	TH 55 / I 494 EB COLL RD OFF RP TO 35E	19827
I 494			19'2"	0.2 MI W OF JCT TH 35E	TH 55 / I 494 EB COLLECTOR ROAD	19827
I 494	0.929		22'11"	1.9 Mi EAST OF Jct TH 77	TH 5 EB ON RAMP / I 494 WB OFF RAMP TO TH 5	27763
I 494	0.953		17'7" - 16'0"	1.9 Mi EAST OF Jct TH 77	TH 5 EB ON RAMP / I 494	27763
I 494	0.958		19'5"	1.9 MI EAST OF JCT TH 77	EB OVER TH494 / I 494 WB OFF RAMP	27984
I 494	0.982		15'6"	1.8 Mi East of Jct TH 77	TH 5 WB / I 494 WB OFF RAMP	27983
I 494	0.982		18'1" - 15'7"	1.9 MI EAST OF JCT TH 77	EB OVER TH494 / I 494	27984
I 494	1.180		15'8"	1.6 Mi East of Jct TH 77	TH 5 EB ON RAMP / I 494 WB OFF RAMP TO TH 5	27764
I 494	1.188		16'8"	1.6 Mi EAST OF Jct TH 77	TH 5 EB / I 494 WB OFF RAMP TO TH 5 EB	27766
I 494	2.242		16'8" - 16'8"	0.4 MI E JCT TH 77; 494	UTILITY LIGHT BR / I 494	27A78
I 494	2.253		16'8"	0.4 MI E JCT TH 77; 494	UTILITY LIGHT BR / I 494 EB ON RAMP FROM 24TH	27A78
I 494	2.255		16'10"	0.4 MI E JCT TH 77; 494	UTILITY LIGHT BR / I 494 EB ON RAMP FROM TH 7	27A78
I 494	2.282		16'10"	0.4 MI E JCT TH 77; 494	UTILITY LIGHT BR / I 494 WB OFF RAMP TO CEDAR	27A78
I 494	2.320		16'10"	0.4 MI E OF JCT TH 77	24TH AVE; RAMP / I 494 EB ON RAMP	27712
I 494	2.333		15'10"	0.4 MI E OF JCT TH 77	24TH; WB OFF RAMP / I 494 WB OFF RAMP	27709
I 494	2.338		16'10" - 15'11"	0.4 MI E OF JCT TH 77	24 AVE / I 494	27820
I 494	2.726		16'11" - 19'5"	AT THE JCT TH 77; 494	TH 77 NB ON RAMP / I 494	27052D
I 494	2.735		19'6" - 22'1"	AT THE JCT TH 77; 494	TH 77 NB ON RAMP / I 494	27052B

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 494	2.819	14'10"	14'10"	AT THE JCT TH 77; 494	TH 77 NB / I 494	9082
I 494	2.832	14'8"	14'8"	AT THE JCT TH 77; 494	TH 77 SB / I 494	9081
I 494	2.842	14'8"	14'8"	AT THE JCT TH 77; 494	TH 77 SB COLL RD / I 494	9081A
I 494	3.350	15'1"	15'4"	0.5 MI W OF JCT TH 77	12TH AVE S / I 494	9080
I 494	3.361	17'7"	17'6"	0.5 MI W OF JCT TH 77	REGIONAL TRAIL / I 494	(27W19)
I 494	3.848	14'11"	14'10"	1.0 MI W OF JCT TH 77	PORTLAND AVE / I 494	9079
I 494	4.165	15'8"	15'8"	1.4 MI E OF JCT TH 35W	PED AT 2ND AVE S / I 494	9078
I 494	4.357	14'6"	14'5"	1.0 MI E OF JCT TH 35W	NICOLLET AVE / I 494	9077
I 494	4.606	14'8"	14'5"	0.8 MI E OF JCT TH 35W	CP RAIL / I 494	9289
I 494	4.848	18'0"	16'5"	0.5 MI E OF JCT TH 35W	LYNDALE AVE S / I 494	27V63
I 494	5.846	17'2"	19'0"	0.5 MI W OF JCT TH 35W	PENN AVE / I 494	27V45
I 494	6.403	17'2"	16'7"	1.0 MI W OF JCT TH 35W	XERXES AVE / I 494	27408
I 494	6.919	15'6"	17'7"	1.5 MI W OF JCT TH 35W	FRANCE AVE S / I 494	27892
I 494	8.500	15'10"		.6 MI W OF JCT TH 100	E BUSH LAKE RD / I 494 EB OFF RAMP TO E BUSH	27V33
I 494	8.538	16'7"	17'7"	.6 MI W OF JCT TH 100	E BUSH LAKE RD / I 494	27V33
I 494	8.538	17'6"	16'7"	0.6 MI W OF JCT TH 100	CP RAIL / I 494	27V34
I 494	8.554	54'2"		0.6 MI W OF JCT TH 100	CP RAIL / I 494 EB ON RAMP	27V34
I 494	9.570	15'7"	16'1"	1.4 MI W OF JCT TH 100	W BUSH LAKE ROAD / I 494	27V35
I 494	10.056	31'7"	22'7"	0.1 MI E OF JCT TH 169	I 494WB TO US169SB / I 494	27V95
I 494	10.108	15'8"	15'8"	AT THE JCT TH 169; 494	US 169 NB / I 494	27V04
I 494	10.120	15'10"	15'10"	AT THE JCT OF TH 169; 494	US 169 SB / I 494	27V03
I 494	10.280	17'0"		0.22 MI W OF JCT TH 169	WASHINGTON AVE / I 494 EB TO US 169 SB	27R29
I 494	10.328	16'10"	16'10"	0.22 MI W OF JCT TH 169	WASHINGTON AVE / I 494	27R29
I 494	11.657	16'10"	15'8"	AT THE JCT OF I 494; 212	CSAH 61 / I 494	27762
I 494	12.224	15'10"	16'7"	0.3 MI NW OF JCT TH 5	VALLEY VIEW ROAD / I 494	27761
I 494	15.324	16'11"	16'10"	0.9 MI S OF JCT TH 7; 494	PED AT MAYWOOD LN / I 494	27V57
I 494	15.537	17'2"	19'0"	0.7 MI S OF JCT TH 494; 7	EXCELSIOR BLVD / I 494	27V58
I 494	16.259	15'11"	15'11"	AT THE JCT TH 494; 7	TH 7 EB / I 494	27V60
I 494	16.272	16'5"	16'6"	AT THE JCT TH 7; 494	TH 7 WB / I 494	27V59
I 494	16.962	16'4"	15'11"	0.7 MI N OF JCT TH 7;494	ORCHARD ROAD / I 494	27V61

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 494	19.251	16'0"		0.2 MI S OF JCT TH 12;494	OAKLAND RD / I 494 NB OFF RAMP TO I 394 EB	27V62
I 494	19.278	16'0" - 15'11"		0.2 MI S OF JCT TH 12;494	OAKLAND RD / I 494	27V62
I 494	19.282	16'2"		0.2 MI S OF JCT TH 12;494	OAKLAND RD / I 494 SB ON RAMP FROM I 394 EB	27V62
I 494	19.817	15'4" - 15'4"		0.3 MI N OF JCT TH 12	CHESHIRE LANE / I 494	9834
I 494	20.332	15'7" - 15'6"		1.9 MI S OF JCT TH 55	CARLSON PKWY / I 494	27654
I 494	21.270	15'11" - 16'5"		1.0 MI S OF JCT TH 55	CSAH 6 / I 494	27679
I 494	22.275	16'0" - 15'10"		AT THE JCT TH 55; 494	TH 55 / I 494	27971
I 494	23.493	17'0" - 17'11"		2 MI N JCT TH 55; 494	PEDESTRIAN / I 494	27V26
I 494	23.503	15'10" - 17'1"		1.3 MI N OF JCT TH 55	ROCKFORD ROAD / I 494	27972
I 494	26.188	16'0" - 15'8"		3.8 MI N OF JCT TH 55	BASS LAKE RD / I 494	27681
I 494	27.142	16'11" - 17'7"		0.4 MI S OF JCT TH 94	FISH LAKE RD PED / I 494	27A25
I 494	27.150	15'5" - 16'1"		0.4 MI S OF JCT TH 94	FISH LAKE ROAD / I 494	27905
I 494	27.973	16'1"		AT JCT TH 94; 494	94 WB TO SB I 494 / I 494 NB	27906
I 494	27.973	16'6"		AT JCT TH 494; 94	TH 494 NB TO 94 WB / I 94 EB	27907
I 494	59.025	17'1" - 16'8"		0.9 MI S OF JCT 94; 494	TAMARACK RD / I 494	82518
I 494	59.869	15'5" - 17'6"		1.7 MI S OF JCT TH 94	VALLEY CREEK RD / I 494	82016
I 494	60.720	17'5" - 15'11"		0.9 MI SW OF JCT TH 120	LAKE ROAD / I 494	82511
I 494	62.946	25'11" - 24'0"		.2 MI NE OF JCT TH 494;61	BAILEY ROAD / INT 494	82865
I 494	62.997	27'11"		.2 MI NE OF JCT TH 494;61	BAILEY ROAD / EB ON RAMP FROM TH 61NB	82865
I 494	63.000	23'11"		.2 MI NE OF JCT TH 494;61	BAILEY ROAD / WB OFF RAMP TO TH 61 SB	82865
I 494	63.060	15'10"		AT THE JCT TH 494; 61	I 494 EB / TH 61 NB ON RAMP	82863
I 494	63.071	16'0"		.17 MI NE OF TH 61; 494	I 494 WB RAMP / TH 61 SB	82035
I 494	63.071	16'10"		AT THE JCT TH 494; 61	I 494 WB / TH 61 NB ON RAMP	82864
I 494	63.225	17'8"		AT THE JCT TH 494; 61	I 494 WB / RAMP TH 494 WB TO TH 61 SB	82860
I 494	63.236	19'5"		AT THE JCT TH 494; 61	I 494 EB / RAMP I 494 WB TO TH61 SB	82859
I 494	65.106	16'6" - 15'7"		1.0 MI E OF JCT TH 52	5TH AVENUE SOUTH. / I 494	19895
I 494	65.232	15'10" - 15'7"		0.8 MI E OF JCT TH 52	7TH AVENUE SOUTH / I 494	19894
I 494	65.732	16'1" - 16'10"		0.4 MI E OF JCT TH 52	BLAINE AVENUE EAST / I 494	19837
I 494	66.042	17'2"		AT THE JCT TH 52; 494	US 52 NB / I 494 EB COLLECTOR ROAD	19856
I 494	66.055	16'6"		AT THE JCT TH 52; 494	US 52 SB / I 494 EB COLLECTOR ROAD	19855

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 494	66.089	16'2"	16'8"	AT THE JCT TH 52; 494	US 52 NB / I 494	19856
I 494	66.096	16'6"		AT THE JCT TH 52; 494	US 52 NB / I 494 WB COLLECTOR ROAD	19856
I 494	66.101	15'8"	15'11"	AT THE JCT TH 52; 494	US 52 SB / I 494	19855
I 494	66.117	16'1"		AT THE JCT TH 52; 494	US 52 SB / I 494 WB COLLECTOR ROAD	19855
I 494	66.224	16'2"		0.2 MI W OF JCT TH 52	CSAH73 BABCOCK TRL / I 494 EB COLLECTOR RC	19854
I 494	66.240	16'4"		0.2 MI W OF JCT TH 52	CSAH73 BABCOCK TRL / I 494 EB OFF RAMP TO U	19854
I 494	66.286	15'8"	15'10"	0.2 MI W OF JCT TH 52	CSAH73 BABCOCK TRL / I 494	19854
I 494	66.320	16'0"		0.2 MI W OF JCT TH 52	CSAH73 BABCOCK TRL / I 494 WB COLLECTOR R	19854
I 494	66.326	15'11"		0.2 MI W OF JCT TH 52	CSAH73 BABCOCK TRL / I 494 WB ON RAMP FROI	19854
I 494	66.836	21'6"		0.7 MI W OF JCT TH 52	TH 110 EB / I 494 WB ON RAMP FROM US 52 SB	19853
I 494	66.840	15'10"	18'0"	0.7 MI W OF JCT TH 52	TH 110 EB / I 494	19853
I 494	66.877	15'8"		0.7 Mi West of Jct TH 52	TH 110 WB / I 494 WB ON RAMP	19884
I 494	67.094	17'2"	23'4"	1.0 MI W OF JCT TH 52	TH 3 / I 494	19832
I 494	68.064	16'0"	16'1"	2.7 MI E OF JCT TH 35E	60TH ST. PIEPER RD / I 494	19835
I 494	68.757	16'0"	19'1"	2.0 MI E OF JCT TH 35E	DELAWARE AVENUE / I 494	19831
I 494	69.909	15'8"	15'6"	0.8 MI E OF JCT TH 35E	TH 149 / I 494	19857
I 494	70.811	18'5"		AT THE JCT TH 35E; 494	I 494 WB / WB OFF RAMP TO I 35E	19897
I 494	70.956	19'10"	20'0"	0.2 MI W OF JCT TH 35E	TH 55 / I 494	19827
I 494	70.975	16'4"	15'8"	0.2 MI W OF JCT TH 35E	CP RR / I 494	19829
I 494	71.071	16'6"		AT THE JCT TH 35E; 494	I 494 EB / OFF RAMP TO I 35E SB	19898
I 494	71.071	17'10"		AT THE JCT TH 35E; 494	494 EB SOTH RAMP / OFF RAMP TO 35E SB	19900
I 494	71.088	15'11"		0.2 MI W OF JCT TH 35E	CP RR / I 494 EB COLLECTOR ROAD	19829
I 494	71.091	16'11"		0.2 MI W OF JCT TH 35E	CP RR / I 494 EB COLL RD OFF RP TO 35E	19829
I 494	71.771	15'8"	15'11"	1.1 MI W OF JCT TH 35E	PILOT KNOB CSAH 31 / I 494	19826

MN 494

MN 494	61.438	16'11"		1.6 MI E OF JCT TH 77	I 494 / I 494 WB OFF RAMP TO TH 5 EB	27767
MN 494	61.460	16'2"		1.6 Mi East of Jct TH 77	I 494 WB OFF RAMP / I 494 WB OFF RAMP TH TTH	27769

I 535

I 535		18'2"		AT THE JCT TH 35; 535	I 535 SB OFF RAMP / FILL	69801E
-------	--	-------	--	-----------------------	--------------------------	--------

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 535		16'0"		AT THE JCT TH 35; 535	I 535 NB OFF RAMP / I 35 SB	69801K
I 535	0.000	18'7" - 18'7"		1.3 SE OF JCT TH 35	I 535 / ST LOUIS R; RR,STREET	9030
I 535	0.425	24'5"		1.3 SE OF JCT TH 35	I 535 / RAMP TO GARFIELD AVE	9030
I 535	1.490	15'11"		AT THE JCT TH 35; 535	I 535 NB SEG 1 / I 35 NB; SB OFF RAMP	69801J
I 535	1.499	16'2"		AT THE JCT TH 35	I 535 SB ON RAMP / I 535 NB	69824
I 535	1.546	18'5"		AT THE JCT TH 35; 535	I 535 NB SEG 1 / I 535 SB OFF RAMP TO I 35 NB	69801J
I 535	255.235	18'5"		AT THE JCT TH 35; 535	I 535 SB SEG 1 / NB OFF RAMP TO I 35 SB	69801F
I 535	255.257	16'0"		AT THE JCT TH 35; 535	I 535 NB ON RAMP / NB OFF RAMP TO I 35 SB	69801H

MN 610

MN 610		16'6" - 16'6"		2.7 MI W OF JCT TH 94;610	CSAH 81 / TH 610	27238
MN 610	1.000	15'11" - 15'11"		1.0 MI E OF JCT TH 94;610	MAPLE GROVE PKWY / TH 610	27230
MN 610	2.554	20'6" - 20'1"		2.5 MI E OF JCT TH 94;610	ELM CREEK BLVD / TH 610	27235
MN 610	2.572	16'7"		2.7 MI W OF JCT TH 94;610	CSAH 81 / TH 610 EB ON RAMP FROM CSAH 81	27238
MN 610	3.200	15'6" - 15'6"		1.9 MI W OF JCT US 169	HEMLOCK LANE / TH 610	27240
MN 610	3.533	15'6" - 15'6"		1.6MI W OF JCT US 169	ZACHARY LANE / TH 610	27247
MN 610	4.038	18'2"		AT THE JCT TH 610; 252	TH 252 SB / TH 610 WB ON RAMP	27219
MN 610	4.066	15'6" - 15'6"		1.0 MI W OF JCT US 169	REVERE LANE / TH 610	27248
MN 610	4.400	15'6" - 15'6"		0.8 MI W OF JCT US 169	PED BRIDGE / TH 610	27249
MN 610	4.576	16'6" - 15'6"		0.5 MI W OF JCT US 169	JEFFERSON HWY / TH 610	27250
MN 610	5.806	16'0" - 16'0"		0.7 MI W OF JCT TH 169	W BROADWAY AVENUE / TH 610	27225
MN 610	6.305	16'4" - 16'2"		1.2 MI E OF JCT TH 169	HAMPSHIRE AVENUE N / TH 610	27224
MN 610	6.817	16'1" - 16'0"		1.7 MI E OF JCT TH 169	ZANE AVE / TH 610	27223
MN 610	7.337	15'8" - 16'5"		2.2 MI W OF JCT TH 169	REGENT AVENUE / TH 610	27222
MN 610	7.850	15'11" - 16'0"		1.7 MI W OF JCT TH 252	NOBLE AVENUE / TH 610	27221
MN 610	8.668	16'11" - 17'5"		0.9 MI W OF JCT TH 252	PEDESTRIAN / TH 610	27220
MN 610	9.126	16'8" - 16'10"		AT THE JCT TH 252; 610	TH 252 NB ON RAMP / TH 610	27217
MN 610	9.290	19'11" - 16'4"		AT THE JCT TH 252; 610	TH 252 SB / TH 610	27218
MN 610	9.790	15'10" - 15'11"		1.9 MI SW OF JCT TH 47	WEST RIVER ROAD / TH 610	27244
MN 610	11.883	15'11"		0.1 MI E OF JCT TH 47	US 10 WB / MN 610	02037W
MN 610	11.902	15'10"		0.1 MI W OF JCT TH 47	US 10 EB / MN 610 WB	02037E

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
MN 610	11.907		15'11"	0.1 MI E OF JCT TH 47	MN 610 WB / UNIVERSITY AVENUE	02039
I 694						
I 694			16'0"	0.4 MI E OF E JCT TH 35	LABORE ROAD / I 694 EB ON RAMP FROM I 35E S	62909
I 694	34.664		16'7"	0.5 MI W OF JCT TH 100	PED @ SHINGLE CRK / I 694 EB	27864
I 694	34.776		16'1"	0.4 MI W OF JCT TH 100	SHINGLE CREEK PKWY / I 694 EB	27910
I 694	35.100		23'0"	0.1 MI W OF JCT TH 100	TH 100 SB ON RAMP / I 694 EB ON RMP FRM SHIN	27913
I 694	35.105		25'5"	0.1 MI W OF JCT TH 100	TH 100 SB ON RAMP / I 694 EB	27913
I 694	35.132		36'5"	0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / I 694 EB ON RMP FRM SHII	27914
I 694	35.153		36'5"	0.1 MI W OF JCT TH 100	TH 100 NB OFF RAMP / I 694 EB	27914
I 694	35.226		17'8"	AT THE JCT TH 100; 94	TH 100 SB / I 694 EB	27962
I 694	35.436		16'4"	0.3 MI E OF JCT TH 100	DUPONT AVE / I 694 WB	27929
I 694	35.436		16'1"	0.3 MI E OF JCT TH 100	DUPONT AVE / I 694 EB	27929
I 694	36.531		15'8" - 15'8"	0.4 MI W OF JCT TH 47	BNSF RR / I 694	02807
I 694	36.703		15'8" - 15'7"	0.2 MI W OF JCT TH 47	MAIN ST NE / I 694	9860
I 694	38.247		15'10" - 15'10"	1.3 MI E OF JCT TH 47	MATTERHORN DR. / I 694	9868
I 694	39.176		16'5" - 15'8"	1.7 MI W OF JCT TH 35W	SILVER LK RD / I 694	9869
I 694	39.975		16'5" - 17'7"	0.8 MI W OF JCT TH 35W	LONG LK RD(CSAH45) / I 694	62828
I 694	40.321		16'0" - 15'8"	0.5 MI W OF JCT TH 35W	MC RAIL / I 694	9390
I 694	40.426		16'4" - 16'5"	0.4 MI W OF JCT TH 35W	5TH AVE NW(CSAH77) / I 694	9389
I 694	42.282		15'11" - 22'1"	0.47 MI E OF JCT TH694;10	TH 51 / I 694; RAMP	62052
I 694	42.808		15'11" - 15'6"	0.5 MI E OF JCT TH 51	LEXINGTON (CSAH51) / I 694	62824
I 694	43.606		15'8" - 15'10"	1.4 MI E OF JCT TH 51	VICTORIA ST / I 694	62823
I 694	44.489		16'11" - 16'1"	0.6 MI NW OF JCT TH 49	PED WALKWAY / I 694	62582
I 694	44.527		15'11" - 15'5"	0.6 MI NW OF JCT TH 49	CP RAIL / I 694	6582
I 694	44.799		15'7" - 15'4"	0.3 MI NW OF JCT TH 49	CP RAIL / I 694	6581
I 694	45.100		15'8" - 15'8"	0.97 MI NW of W JCT I 35E	RICE ST(TH 49) / I 694	6580
I 694	46.223		15'8" - 15'8"	AT THE W JCT I 35E; 694	I 35 E NB OFF RAMP / I 694	62902
I 694	47.484		15'8" - 15'10"	AT THE E JCT TH 694; 35E	I 35E SB OFF RAMP / I 694	62908
I 694	47.840		18'8" - 17'10"	0.4 MI E OF E JCT TH 35	LABORE ROAD / I 694	62909
I 694	48.809		15'7" - 15'6"	0.3 MI E OF JCT TH 61	RECREATION TRAIL / I 694	62822

HIGHWAY NUMBER	MILE POINT	PERMITABLE VERT CLEARANCE		LOCATION	FACILITY CARRIED / FEATURE CROSSED	BR NO
		NB/EB	SB/WB			
I 694	50.338	15'7"	15'8"	1.8 MI E OF JCT TH 61	MCKNIGHT RD / I 694	62837
I 694	51.351	15'8"	15'7"	AT THE JCT TH 120; 694	TH 120 / I 694	62827
I 694	54.168	15'8"	15'5"	1.8 MI S OF JCT TH 36	40TH STREET NORTH / I 694	82816
I 694	55.494	15'6"	15'7"	2.7 MI N OF JCT TH 94	CSAH 6 / I 694	82804
I 694	55.502	16'11"	17'1"	0.8 MI S OF JCT TH 5	PEDESTRIAN / I 694	82516
I 694	56.670	15'5"	15'6"	1.5 MI N OF JCT TH 94	15TH STREET NORTH / I 694	82803
I 694	57.175	16'5"	15'8"	1.0 MI N OF JCT TH 94	CSAH 10 / I 694	82818
I 694	57.869	15'8"	16'5"	0.3 MI N OF JCT TH 94	4TH STREET NORTH / I 694	82817
I 694	248.903	15'7"		AT JCT TH 694	I 694 NB / WB COLL RD	82832
MN 801B						
MN 801B	22.141	21'11"	22'10"	5.7 MI SW OF JCT TH 494	US 169 NB / TH 801B	70519
MN 801B	22.167	22'0"	22'8"	5.7 MI SW OF JCT TH 494	US 169 SB / TH 801B	70520
US 810A						
US 810A	238.431	18'6"		AT THE S JCT TH 10; 35W	US 810 WB / 35W SB OFF RAMP TO SB US 10	62057
MN 922A						
MN 922A	54.771	17'1"	16'1"	AT THE JCT TH 22	US 14 WB / N RIVERFRONT DR	07017
I 987						
I 987	242.823	14'4"		0.2 MI E OF JCT TH 52	I 94 WB / BNSF RR; 5TH; 6TH CONN	62875
I 987	242.838	14'4"		0.2 MI E OF JCT TH 52	I 94 WB OFF RAMP / BNSF RR; 5TH;6TH CONN	62875A
MN 994A						
MN 994A	1.352	16'7"		2.0 MI N OF JCT TH 12	US 71 SB / OLD TH 71 NB (MN 994A)	34024
I 4752						
I 4752	97.350	15'11"		0.4 N OF JCT 35E; CSAH28	NORTHWOOD PKWY / I 35E ON RAMP (NB)	19562

1412 BRIDGES