



**Minnesota Department of Transportation  
Office of Freight and Commercial Vehicle Operations**

# Mn/DOT Transportation Permit Restrictions Bulletin

**UPDATED: MAY 06, 2009 (08:00am)**

This bulletin is designed to keep commercial vehicle operators informed of which State Trunk Highway and Interstate routes have restrictions that affect the transport of over legal size and/or over legal weight permit loads. Several sections comprise this Bulletin and each should be reviewed for the trunk highway being traveled on.

Questions regarding this Bulletin can be directed to [ofcvopermits@dot.state.mn.us](mailto:ofcvopermits@dot.state.mn.us)

Additional information can be found on our web site: [www.dot.state.mn.us/cvo/oversize/oversize.html](http://www.dot.state.mn.us/cvo/oversize/oversize.html)

## LEGEND

*Unless Stated Otherwise, Projects Affect Traffic in Both Directions*

NEW	...	New Within Last 7 Days	DEL	...	Removed Within Last 7 Days
CHA	...	Info Change Over Last 7 Days	GVW	...	Gross Vehicle Weight
BR	...	Bridge	CR	...	County Road or County State-Aid Highway

**Bold** text denotes changes made within last 24 hours

## SPECIAL NOTICES

- MN Fishing Opener Restriction. No movement allowed from 2pm on Friday, May 8 until 2am on Monday, May 11, 2009.
- Full summer weights for South, Southeast & Metro.
- Middle Range Restrictions for the Central Zone.
- SPRING LOAD RESTRICTIONS (SLR) is still in effect for North Central and North Zones.

Check the following Web link for the latest SLR information:

[www.mrr.dot.state.mn.us/research/seasonal\\_load\\_limits/slindex.asp](http://www.mrr.dot.state.mn.us/research/seasonal_load_limits/slindex.asp)

- Red River Valley areas are still experiencing flooding. Check local weather reports for current conditions.

## Highway Projects Limiting Over Legal Size/Weight Permits

Highway	Status	Description
MN1		From MN-ND line to W of Alvarado is closed due to flooding.
MN1		From Pennington CR23 to MN89 west of Grygla. 11' wide
US2	NEW..	From Deer River to Cohasset 12' wide. Starts 5/04/09.
US2		E of Crookston between MN9 to Polk CR46 at Gentilly, all traffic using one side of 4-lane, 8'6" wide. Check with Polk County at 218-281-3952 for county road bypass.
US2B		At MN-ND line – closed in Grand Forks, ND per ND DOT.
MN5		Between Airport Road to before Smith Ave, exit ramp closed, right lane closed. Starting 9AM to 2:30 PM each day. Mon & Tues; EB. Wed-Fri; WB. The exit ramp to MN55 from EB MN5 will be closed.
MN6/MN210		See MN210/MN6
MN6		Between E Jct MN210 at Deerwood and MN18. Daylight hours 12'wide
US10	CHA	Eastbound between Hanson Blvd and Foley Blvd in Anoka left lane closed. 8:00pm to 5:00am.
US10	NEW	Westbound between Foley Blvd and Hanson Blvd in Anoka left lane closed. 10:00pm to 7:00am.
US10		From the E of Wadena to W end of Staples 12' wide. Starts 5/04/09.
US10/MN47		In Coon Rapids at 111 <sup>th</sup> Ave NW, approximately 0.7 mile SE of Hanson Blvd (Anoka CR78) 9' wide.
MN11		From MN-ND line to W of Donaldson is closed due to flooding.
MN13		From 5 miles S of Waseca (CR15) to before US14 permits closed. Begins 5/08/09
MN19		From MN3 to I35 at Rice CR59 eastbound lane is closed, no permits.
MN22/MN30		See MN30/MN22
MN23		From Division St to Washington Memorial Dr in St Cloud, 1.50 S of MN23 US10 closed – no permits on detour.
MN23		In St Cloud over the Mississippi River Bridge is closed – no permits on detour.
MN23		From .5 miles north of Jct MN23 & MN19 in Marshall to 800ft north of Lyon CR 24 south of Cottonwood closed. Detour on Lyon CR 9. Permits limited to 12'wide and 10 ton.
MN24		Road closed from 3 miles E of Forest City. Detour ends at MN15 S of Kingston. No permits on detour. Starts 5/11/09.
MN30		From N Jct US218 by Blooming Prairie to MN56 at Hayfield 8'6" wide.
MN30		From 2 miles W of Mapleton (Blue Earth CR18) to MN 22 closed. No permits.
I35		Between Scott CR2 at Elko & 185 <sup>th</sup> St in Lakeville, 4 miles S of the south Jct of I35W-I35E, 11' wide.
I35W		In Bloomington, the ramp from I35W N to I494 E is closed. No permits.
I35W-MN65		Between 43 <sup>rd</sup> ST, 3 miles S of I94, in Mpls, & 66 <sup>th</sup> ST, 0.5 miles S of MN62 in Richfield MN62- along Mpls –Richfield city border between Penn Ave, 0.8 mile W of I35W & Portland Ave, 0.5 mile E of I35W, Permits limited to 10' wide, legal length, including 75' combo, & no overweight
MN42		From MN247 at Plainview to US61 at Kellogg 12' wide. Starts 5/11/09
MN43	NEW.	From MN-WI line to MN43. Max width 8'6". Starts 5/11/09
MN47/US10		See US10/MN47
US52		From MN30 at Chatfield to MN80 at Fountain 8'6" wide.
US53	NEW....	From 1.5 miles N of Jct US53 MN169 at St Louis CR307 to 4 miles S of Jct US53 MN1 at St Louis CR652 14' wide. Starts 5/25/09.
US53	NEW....	From I35 to 1 mile N of I35 at St Louis CR54 14' wide. Starts 5/18/09
US53		In the city of Duluth from the E Jct of MN194 to 1100 ft west of Burning Tree Road is 12' wide.
US53		In International Falls at the MN-ON border, no oversize or overweight permits.
US53		From MN33 to St Louis CR8, 2 miles SE of MN33, 13' wide, southbound. Daytime restrictions only.
MN58		Between US52 and Goodhue CR6 in Zumborta closed.
MN60		On MN60 in Faribault between, 2 miles E of I35 @ 3 <sup>rd</sup> St NW & 3 miles E of I35 @ Rice CR20 road closed. No permits on detour.

US61		Northbound from US14 to MN42 12' wide.
US61		Southbound from MN248 to Us14 12' wide.
MN61	NEW.	Bridge over Temperance River 1.4 miles NE of Schroeder 13' wide. Starts 5/11/09
MN61		From Tofte to Lutsen 14' wide.
US61/US14		From MN16 to S Jct I90, reduced to one lane at 12' wide.
MN65-I35W		See I35W-MN65
MN65		Between 0.5 mile N & 0.5 mile S of Anoka CR14 (Main St). Access to MN65 at 121 <sup>st</sup> Ave NE Paul Parkway & 129 <sup>th</sup> Ave NE are closed. Width limit is 11'0.
US75		Between Ortonville and Graceville closed.
US75/MN171		See MN171/US75
US75		From Clay CR100 in Georgetown to just N of MN220 in Climax closed due to flooding.
US75		From Comstock to Rustad at Clay CR 2 & CR8 is closed due to flooding.
US75		Underpass in the city of Kent closed from Wilkin CR24 to CR26 is closed due to flooding. No permit on detour.
MN89		From MN219 to Grygla (Marshall CR54). 11' wide
I90		Eastbound from MN109 to MN13 10' wide. Starts 5/11/09.
I90	NEW.	Westbound from MN43 to MN76 12' wide. Starts 5/11/09
I90	NEW.	Eastbound from MN56 to MN16, 8'6" wide, 16' high & 75' long. Starts 5/11/09.
I90	NEW.	From MN-WI line to US14, 8'6" wide. Starts 5/12/09
MN93	NEW	From MN112 to US169 closed. Permit allowed on detour from US169 to MN112. Starts 5/11/09.
I94	NEW...	From US59 N to MN78 12' wide. Starts 5/11/09.
MN99	NEW	From North Jct us169 to Le Sueur CR 23 Max width 14'. Starts 6/8/09 On weekdays
MN108		Near Otter Tail CR 30 about 7 miles E of I94 is closed due to flooding. No permits
US169		From Jct US169 US2 to Itasca CR66 12' wide. Daytime restriction only.
US169	CHA...	From N Jct of MN73 to 1 mile E (St Louis CR67) in Chisholm is closed. No permits on detour.
US169		In Brooklyn Park from CR81 to 93 <sup>rd</sup> Ave N, 11' wide.
MN171/US75		From the MN-ND line to N of Kittson CR6 to S of Kittson CR16 at Humboldt closed due to flooding.
MN175		From MN-ND to US75 at Kittson CR16 is closed due to flooding.
MN210		Between 0.2 mile S of W Jct US10 MN210 in Staples & 0.8 mile E of US71 in Hewitt, 12' wide.
MN210		At W Limits of Thomson over the St Louis River near Carlton E limits. No overweight permits.
MN210/MN6		Between Crow Wing CR28, 0.5 miles W of W Jct MN210 & MN6 in Crosby and Crow Wing CR12, 0.5 mile W of E Jct MN210 MN6 in Deerwood. Daylight hours 12' wide.
MN219		From MN1 near Goodridge to MN89 near Grygla. 11' wide
MN220		Between Marshall CR4, 10 miles S of Robbin to CR5, 8 miles N of Oslo is closed due to flooding.
MN220		Between Polk CR23, 10 miles N of E Grand Forks & E Jct MN1 at Alvarado is closed due to flooding. Between US2 and MN1 road posted at 7-Ton Axle limit due to roadway damage.
MN317		From MN-ND line to MN220 (located between Robbin and Olso) is closed due to flooding.
I494		Northbound under Cheshire Lane in Minnetonka maximum permit height 14'11" high.
I494		Eastbound entrance ramp from Hardman Ave in S St Paul, 0.5 mile E of MN156 (Concord St-CR56) is closed-use MN156 in S St Paul.
I494		Eastbound over Mississippi River at S St Paul, loads over 11' wide use right two lanes between MN156 & US61. Use extra caution on Mississippi River bridge due to construction equipment at edge of right most lanes.
I494		Westbound over Mississippi River at Newport. Loads over 11' wide use right lane between US61 & MN156
I535		Duluth bridge right lane closed northbound and southbound 13'wide. 6am to 6pm only.

## Permanent Restriction Changes

Visit our web site at [www.dot.state.mn.us/cvo/oversize/oversize.html](http://www.dot.state.mn.us/cvo/oversize/oversize.html) for a complete listing of permanent changes.

Highway	Status	Description
BRIDGES		See "Bridge Weight Changes" below that list "Permanent Permit Restriction Changes" for operating weight.
MN1		If peace office escort is required when traveling on MN1 or MN89 within the Red Lake Indian Reservation, only Reservation police can fulfill that requirement.
MN1		BR # 6710 southeast of Ely has been replaced. No weight restriction.
US2		5.2 miles S of MN194, reduced vertical clearance is 15'2" high, (maximum permitted is 14'8" high).
US2		Low railroad underpass, BR # 5172, just E of Grand Rapids (at LaPrairie) has been replaced. The new bridge height is 16'4".
MN3		In Farmington, 3 miles N of MN50 is now 85'L, 12'6" wide. (Due to roundabout).
MN5		Between MN41 & MN25 at Norwood, over 12'6" up to 14'0" wide, lead & rear escort plus if over 14'0", move only from 2am to 6am with lead & rear escort + lighting.
MN7		At Jct MN25, N of Mayer is now 95' long and 12'6" wide. (Due to roundabout).
MN7		N of Waconia at Jct Carver CR10, 2.5 miles E of MN25 is now 95' long & 12'6" wide. (Due to roundabout).
MN7		Between CR92 in St Bonifacius to MN41 in Shorewood, 14'0" wide with maximum 2'3" overhang left side of an 8'6" wide vehicle(s).
MN7-US59		Railroad underpass, 1.3 miles NW of Milan, reduce actual vertical clearance to 14'3" (maximum permitted is 13'9" high).
US12		From Long Lake to Orono is the new US12 alignment. Signs along the old US12 alignment now show Wayzata Blvd.
US12		Railroad underpass, 0.15 mi W of Maple Plain between CR90 & CR83, vertical clearance at 13'9" (maximum permitted 13'6" with caution). Maximum width 9'6".
US12-I394		See I394-US12
MN15		At Jct McLeod CR12 near N limits of Hutchinson at 0.8 mile N of Jct MN15 MN7 MN22 is now 110' long & 14'6" wide. (Due to roundabout).
MN23		In St Cloud Bet NE Jct MN15 & Jct US10, 9'0" wide, 14'0" high, & legal length (75' combination, 40' single motor vehicle, 48' mobile crane).
MN25		At Jct MN7, N of Mayer is now 95' long & 12'6" wide. (Due to roundabout).
I35E		In St Paul between Jct MN5-W 7 <sup>th</sup> St-Fort Rd & Jct I94, also known as the I35E Parkway – No permits.
I35E		In St Paul between Jct I94 & Maryland Ave – For loaded sizes that exceed 10' wide, 14' high & legal length, including 75' combination length, travel is only allowed between 12:01 am & 5 am weekdays. In addition, overweight loads that exceed "A" Class overweight are prohibited at all times (BR # 6515, # 6516, # 62857).
I35W		At 76 <sup>th</sup> St over I35W in Richfield the northbound clearance is 16' high & the southbound clearance is 16'8" high. (BR # 27V98).
I35W		Between I494 in Bloomington/Richfield and University Ave-4 <sup>th</sup> St SE in Minneapolis – For loaded sizes that exceed 10' wide, 14' high, & legal length, including 75' combination length, travel is only allowed between 12:01am & 5:am weekdays. In addition, overweight loads that exceed "B" Class overweight are prohibited at all times (BR # 27848, # 27879, # 27879A).
MN36		At the MN-WI border crossing in to downtown Stillwater, 10' wide, 8' high & 80,000 GVW.
MN39		In Duluth at MN-WI border, over St Louis River Bridge, No permits.
MN42		Old Olmsted CR7 between US14 at Eyota & I90, approximately 12 miles east of Rochester, has been taken over by the State of MN & signs are in place showing it is MN42, obtain permit from MnDOT.
US53-US71		At the International Falls Border Crossing, questions for toll bridge owner call 218-285-5694 or 807-274-5311, ext.1534.
US59-MN7		See MN7-US59
MN60		Between Jct MN60 & I90 at Worthington to S Jct MN60 & US71 at Windom is now four lane divided hwy. Movement up 14'6" wide on 8'0" wide axle is allowed without escorts. Movement over 14'6" wide up to 16'0" wide on 8'0" wide axle is allowed with rear escort only.
MN60		In Wabasha, between W end of Mississippi River Bridge & US61, 12'0" wide, 13'6" high, & 75'0" long combinations.
MN61		At MN-Canadian border, both northbound & southbound limited up to 18' wide, 16'1" high. For

		southbound traffic exceeding 11' wide, custom's requires OS/OW permit carriers to call 218-475-2244 before any crossing, 30 to 60 minutes before arriving at MN-Canadian border.
US61		Northbound only near Weaver, 1.3 miles N of MN74, no overweight allowed.
MN62		Between MN100 in Edina & MN77 in Minneapolis – For loaded sizes that exceed 10' wide, 14' high, & legal length, including 75' combination length, travel is only allowed between 12:01 am & 5am weekdays. In addition, overweight loads that exceed "B" Class overweight are prohibited at all times (BR # 99147 # 27932).
MN65		Silverdale Bridge (old # 5721) 6.8 miles N of Itasca & Koochiching CR, is no longer a posted bridge.
MN70		Between I35 and MN107, maximum width is 12'6"
US71-US53		See US53-US71
MN89		A Peace Officer is required when traveling on MN1 or MN89 within the Red Lake Indian Reservation, only Reservation Police can fulfill that permit requirement.
I94		Between ramps to/from Olson Memorial Hwy (W Jct MN55) 3 <sup>rd</sup> St N 4 <sup>th</sup> St N 7 <sup>th</sup> St N in Minneapolis & the W Jct US61-Mounds Blvd in St Paul. For loaded sizes that exceed 10' wide, 14' high & legal length, including 75' combination length, travel is only allowed between 12:01 am & 5 am weekdays. In addition, overweight loads that exceed "B" Class overweight are prohibited at all times (BR # 2788, # 27861, # 62879, # 9144).
MN95		MN95 between W of I35 at North Branch & NE Jct US8 in Taylors Falls requires minimum lead Peace Officer & rear escort whenever width exceeds 12'6" wide to 16' wide. When width exceeds 16' wide, minimum escort is lead peace officer & rear LPA escort. In addition, when over 12'6" wide on the noted highway, hours of travel are limited to 2 am to 6 am only. If axle width is wider than 8'0", the noted escort & time restrictions will start at a narrower width than 12'6".
MN95		In Stillwater, Between S Jct MN36-MN95 & Jct MN95-MN96, No permits.
MN100		Between Excelsior Blvd (Hennepin CR3) in St Louis Park & MN55 in Golden Valley – For loaded sizes that exceed 10' wide, 14' high & legal length, including 75' combination length, travel is only allowed between 12:01am & 5am weekdays.
MN104		Between US12 near Pennock & E Jct MN9 at Sunburg is no longer a State Trunk Highway. It is now a Kandiyohi CR. Contact County Highway Dept. for permit.
MN124		In Paynesville between MN55 & MN23 is no longer a State Trunk Highway. It is now a Stearns CR. Contact County Highway Dept for permit.
US169		In Bloomington at Pioneer Trail, new overpass with max permit at 16'5" southbound & 16'0" northbound.
US212		Between Jct I494 MN5 US212 in Eden Prairie & 6 miles E of Cologne is a new alignment. Signs along the old alignment now show US212.
MN242		Between MN65 in Blaine & US10 in Coon Rapids is no longer a State Trunk Highway. It is now a Anoka CR. Contact County Highway Dept for permit.
MN244		In White Bear Lake between US61 & MN120 is no longer a State Trunk Highway. It is now a Ramsey CR. Contact County Highway Dept for permit.
MN273		Between Belview & MN19 is no longer a State Trunk Highway. It is now a Redwood CR. Contact County Highway Dept for permits.
MN284		At 102 <sup>nd</sup> St N of Cologne is now 95' long & 12'6" wide. (Due to roundabout)
MN312		The signing has now been changed to US212.
MN324		Between MN361 at Pine City & I35 is no longer a State Trunk Highway. It is now a Pine CR. Contact County Highway Dept. for permit.
MN361		Between MN324 at Pine City & MN70 near Rock Creek is now a Pine CR (signs to be changed by mid-Oct., 2003) is no longer a State Trunk Highway. It is now a Pine CR. Contact County Highway Dept for permit.
MN361		In Rock Creek at 0.4 mi S of S Jct MN70, max permitted is 13'9" high.
I394-US12		Between MN100 & I94 in Minneapolis – For loaded sizes that exceed 10' wide, 14' high & legal length, including 75' combination length, travel is only allowed between 12:01 am & 5 am weekdays. In addition, overweight loads that exceed "B" Class overweight are prohibited at all times (BR # 27770C).

## Bridge (BR) Weight Changes

Highway	Status	Description
MN9		BR # 6783 at 5.8 miles S of Barnesville, weight restricted – now posted for not over GVW of 90,000 lbs. Single vehicle GVW may not exceed legal.
MN11		BR # 6690 over Red River of the North at the MN-ND line W of Donaldson is not posted with signs, but overweight Permit loads are restricted as follows. On a vehicle or combo having 7 or more axles, axles weight class must not exceed "A" class overweight with GVW limited to 104,000 lbs.
MN23		BR # 5549 over Big Willow River at Duquette, 0.1 miles N of Pine CR47, is posted at legal weight or less. Single vehicle GVW limited to 52,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN23		BR # 5470 over BNSF RR, 1.8 miles N Carlton CR4 is posted at legal weight or less. Single vehicle GVW limited to 56,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN23		In St Cloud over the Mississippi River Bridge (BR # 6748) is closed. No permits on city streets detour.
MN24		BR # 6557, over the Mississippi River at the N limits of Clearwater between I94 & US10 at Clear Lake. Weight over 136,000 lbs is no longer allowed.
MN24		BR # 5388 over North Fork Crow River, 4 miles E of Forest City, is posted at legal weight or less. Single vehicle GVW limited to 48,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN30		BR # 5803 over Trout Run Creek, approximately 1 mile W of Pilot Mound, has been replaced with BR # 23024 & is no longer weight restricted.
MN40		BR # 5380 over Lac Qui Parle 3.8 miles W of US59 is posted at legal weight or less. Single vehicle GVW limited to 56,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN42		BR # 5787 over Gorman Creek, 0.2 miles S of US61 near Kellogg is posted at legal weight or less. Single vehicle GVW limited to 72,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN43		BR # 23004 over S Fork Root River, 10.8 mile N of Jct MN44 is posted at legal weight or less. Single vehicle GVW limited to 52,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN58		BR # 5188 over N Fork Zumbrota River, 1 mile N of US52 at Zumbrota is posted at legal weight or less. Single vehicle GVW limited to 44,000 lbs. and vehicle combination GVW limited to 76,000. (02/09)*
US61		BR # 6483 over Hay Creek and Withers Dr in Red Wing, 1.5 miles N of MN58 is posted at legal weight or less. Single vehicle GVW limited to 72,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
US61		Northbound BR # 6461 over E Indian Creek, 1.3 miles NW of Jct MN74, is no longer posted at less than legal. Even though not posted, no overweight permits allowed.
US63		BR # 4342 over stream, 0.1 miles S of MN60 in Zumbrota Falls is posted at legal weight or less. Single vehicle GVW limited to 48,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN65		BR # 4677 over Prairie Creek, 2 miles N of Koochiching CR74 near Silverdale is posted at legal weight or less. Single vehicle GVW limited to 64,000 lbs. and vehicle combination GVW limited to 80,000. (2/09)*
MN65		BR # 6766 over a stream just S of Little Fork is posted (at legal weight or less. Single vehicle GVW limited to 56,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN67		BR # 4966 over Lac Qui Parle River 17 miles W of Clarkfield is posted at legal weight or less. Single vehicle GVW limited to 52,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN68		BR # 5432 over Lazarus Creek ditch 5.0 miles W of Canby is posted at legal weight or less. Single vehicle GVW limited to 72,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN68		BR # 6962 over ditch 3.0 miles E of Wabasso is posted at legal weight or less. Single vehicle GVW limited to 64,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN74		BR # 5932 over S Fork White Water River, 0.3 miles N of US14 near Eyota is posted at legal weight or less. Single vehicle GVW limited to 68,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
US75		BR # 6572 over ditch 0.8 mile N Shelly is posted at legal weight or less. Single vehicle GVW limited to 60,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
US75		BR # 6730 over ditch, 0.8 miles N of Shelly, Bridge class A1 BC4
US75		BR # 6731 over ditch, 1.8 miles N of Shelly, Bridge class A1 BC4
MN105		BR # 4867 over Woodbury Creek, 0.7 miles N of IA line (S of Austin) is posted at legal weight or less.

		Single vehicle GVW limited to 48,000 lbs. and vehicle combination GVW limited to 80,000. (02/09)*
MN210		BR # 09001, over the St Louis R, on the east side of Carlton. No overweight.
MN227		BR # 3038 over Cat River, 7.9 miles E of Sebeka, now posted for not over GVW of 90,000. Single vehicle GVW may not exceed legal.

## Completed Projects

Highway	Completion Date	Description
US10	4/30/09	Eastbound between Hanson Blvd and Foley Blvd in Anoka 10'wide. 7:00pm to 5:00am
MN32	4/30/09	From 2 miles S of Rollag (Clay CR126) to 2 miles N of Rollag (Clay CR10) is closed. Permits allowed on Detour.
I35	5/04/09	From Jct I35 MN19 to the N Jct of I35 US14 left lane closed, 11' wide.

## Additional Information

- Visit our web site: [www.dot.state.mn.us/cvo/oversize/oversize.html](http://www.dot.state.mn.us/cvo/oversize/oversize.html) for last minute information, application forms, permit attachments and links to other sources.
- For location information on Roundabouts (traffic circles), see the Permanent Restriction Changes section above.
- "Width of Roadway & Bridge Deficiency Map for Oversized and Overweight Permit Loads" available on our web site.

