

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**44 In. Front Blade  
(For LT and LTR with Foot Pedal Lift)  
Equipment for Base Machine**

44 In. Wide, Heavy Gauge,  
Curved Blade

Two Adjustable Skid Shoes  
Three-Angle Positioning  
Replaceable Cutting Edge

Reinforcing Angle on Back  
of Blade

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9480M		44 In. Front Blade (For LT and LTR with Foot Pedal Lift) <i>For French Canada Dealers, Order M146504 French Operator's Manual.</i>  <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	89	475.00
-------	--	--	----	--------

**ATTACHMENTS FOR FIELD CONVERSION**

BM20796		<b>Miscellaneous:</b> Lift Assist Kit <i>Available for LT150, LT160, and LT170 to Reduce Effort to Raise Front Blade by 40%. Order BM20796 Lift Assist Kit for LT180 if Tractor was Ordered "Less Mower" and is not already Equipped with the Internal Lift Assist Spring (M134323).</i>	5	39.00
AM132109		Rubber Blade Squeegee Kit		See Parts
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10		See Parts
TY24327		Tire Chains for 22x11-10 In. Tuf Tires		See Parts
BM19123		<b>Weights:</b> 31 Lb. Plastic Rear Wheel Weights	63	55.00
R66949		Quik-Tatch Weight, 42 Lb. <i>Not for LTR166 or LTR180</i>	42	37.00
BM21432		Rear Weight Bracket Kit <i>Requires Two R66949 Quik-Tatch Weights Not for LTR166 or LTR180</i>	12	80.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**44 In. Front Blade  
(For LT and LTR with Hand Lift)  
Equipment for Base Machine**

44 In. Wide, Heavy Gauge,  
Curved Blade  
Two Adjustable Skid Shoes  
Reinforcing Angle on Back  
of Blade  
Three-Angle Positioning

Height Controlled by Manual  
Lift Lever on Tractor  
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9550M		44 In. Front Blade (For LT and LTR with Hand Lift) <i>For French Canada Dealers, Order M147263 French Operator's Manual.</i>  <i>Rear Weights and Tire Chains are Recommended for Additional Traction.</i>	89	475.00
-------	--	--	----	--------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>			
AM132109		Rubber Blade Squeegee Kit		See Parts
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10		See Parts
	<b>Weights:</b>			
BM19123		31 Lb. Plastic Rear Wheel Weights	63	55.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM21432		Rear Weight Bracket Kit <i>Requires Two R66949 Quik-Tatch Weights Not for LTR166 or LTR180</i>	12	80.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**44 In. Front Blade  
(For LX, GT and GX255)  
Equipment for Base Machine**

44 In. Wide, Heavy Gauge,  
Curved Blade  
Two Adjustable Skid Shoes  
Reinforcing Angle on Back  
of Blade  
Three-Angle Positioning

Height Controlled by Manual  
Foot Lift on Tractor  
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9561M		44 In. Front Blade (For LX, GT and GX255) <i>Rear Weights and Tire Chains are Recommended for Additional Traction. Hand Lift Tractors Require BM21360 Retro-Fit Kit.</i>	100	495.00
-------	--	--	-----	--------

**ATTACHMENTS - ORDER AS DESIRED**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>			
BM19797		Adapter Kit for LX277 AWS and LX280 AWS	3	23.00
BM21360		Retro-Fit Kit <i>Required for Hand-Lift Tractors</i>		62.00
AM132109		Rubber Blade Squeegee Kit		See Parts
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10		See Parts
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires		See Parts
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires		See Parts
TY24327		Tire Chains for 22x11-10 In. Tuf Tires		See Parts
	<b>Weights:</b>			
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM17296		Rear Weight Mounting Kit (LX Series) <i>For LX280 AWS</i>	12	44.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48 In. Front Blade  
(For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)  
Equipment for Base Machine**

48 In. Wide, Heavy Gauge,  
Curved Blade  
Two Adjustable Skid Shoes  
Replaceable Cutting Edge  
Reinforcing Angle on Back  
of Blade

Easy-On, Easy-Off Mounting  
Five-Angle Positioning  
Spring Breakaway with Lock

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3481M		48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i>  <i>One 50 Lb. Plastic Wheel Weight on each Rear Wheel or up to Four 42 Lb. Quik-Tatch Weights Recommended for Additional Traction. Tire Chains helpful when Blading Snow.</i>	132	590.00
-------	--	---	-----	--------

**LIFT KIT**

1000		Front Implement Lift Kit (GT with Hand Lift) <i>GT242, GT262, GT275 require two M132142 Brackets, two 19M7789 Bolts and two 14M7466 Nuts.</i>	10	81.00
1001		Front Implement Lift Kit (325, 335, 345, 355D)	8	49.00
1002		Front Implement Lift Kit (240-285,320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	8	69.00
1003		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	8	49.00
1004		Front Implement Lift Kit (GT and GX255 with Foot Lift)	11	94.00
1010		Less Front Implement Lift Kit		In Base Price

**ATTACHING PARTS**

2001		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285, 320 Tractors Require 24M7053 Washers.</i>	2	29.00
2002		Attaching Parts (GT and GX255)	14	38.00
2010		Less Attaching Parts		In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

**French Canadian Kit:**

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48 In. Front Blade  
(For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS - ORDER AS DESIRED Continued...</b>				
9221		French Canadian Operator's Manual and Decals for 48 In. Front Blade on GT/GX255 Tractors with Foot Lift	1	No Charge
9222		French Canadian Operator's Manual and Decals for 48 In. Front Blade on GT/GX Tractors with Hand Lift	1	No Charge
9223		French Canadian Operator's Manual and Decals for 48 In. Front Blade on GX300 Tractors	1	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Miscellaneous:</b>				
BM19218		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285, 320 Tractors Require six 24M7053 Washers.</i>	2	29.00
BM21340		Attaching Parts (GT and GX255)	14	38.00
BM16733		Front Implement Lift Kit (240-285,320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	8	69.00
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	8	49.00
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	8	49.00
BM21337		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>(LX, GT and GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>	11	94.00
BM18977		Front Implement Lift Kit (LX/GT with Hand Lift) <i>GT242, GT262, GT275 require two M132142 Brackets, two 19M7789 Bolts and two 14M7401 Nuts.</i>	10	81.00
AM119321		Heavy Duty Skid Shoe (1)		See Parts
BM21341		Manual Angling Kit (GT, 240-285, 320, 325, 335, 345, 355D, GX) <i>For 240-285, 320 Tractors, Order one AM103783 Bracket, one 19M7866 Bolt and one 14M7401 Nut.</i>	13	155.00
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires		See Parts
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires		See Parts
<b>Weights:</b>				
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware <i>Use of Two Weights is Recommended.</i>	50	44.00
R66949		Quik-Tatch Weight, 42 Lb. <i>Use of Four Weights is Recommended.</i>	42	37.00

**JOHN DEERE LAWN & GARDEN PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Front Blade**  
**(For X400/X500 HDGT's, X700's, 425-455, 2210, 2305,**  
**2320, 2520, 4010, 4100, 4110 and 4115 Tractors)**

Equipment for Base Machine

54 In. Clearing Width "Straight" 48 In. Clearing Width "Fully Angled" Replaceable Cutting Edge Heavy 11-Gauge, Curved Blade Angled Left or Right Up to 27 Degrees	Two Adjustable Skid Shoes Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin Less Front Hitch Less Hydraulic Angling
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1491M		54 In. Quick-Hitch Front Blade (For X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115 Tractors) X700, X465, X475 and 425 Require BM20761 Hydraulic Coupler Kit.	181	480.00
<p><i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i></p> <p><i>See Sales Manual for Ballast Requirements.</i></p>				

**FRONT QUICK-HITCH**

1000		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	83	546.00
1001		Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	83	546.00
1006		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
1007		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
1010		Less Front Quick-Hitch		In Base Price

**HYDRAULIC ANGLING (REQUIRED FOR OPERATION)**

2000		Hydraulic Angling (For X400/X500 HDGT's, X700's) BM20761 Hydraulic Coupler Kit Required on X700, X465 and X475.	10	169.00
2001		Hydraulic Angling (425, 445, 455) BM20761 Hydraulic Coupler Kit Required on 425 Tractor.	9	147.00
2005		Hydraulic Angling (2210, 2305)	22	159.00
2006		Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
2010		Less Hydraulic Angling		In Base Price

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Front Blade**  
**(For X400/X500 HDGT's, X700's, 425-455, 2210, 2305,**  
**2320, 2520, 4010, 4100, 4110 and 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS - ORDER AS DESIRED</b>				
9100		<b>European CE Kit:</b> European CE Certification Kit	1	No Charge
9220		<b>French Canadian Kit:</b> French Canadian Decals for 48 In. and 54 In. Front Blades <i>Order M147479 French Canadian Operator's Manual for X400/X500 HDGT and X700 Series Garden Tractors.</i> <i>Order M126797 French Canadian Operator's Manual for 425-455, 318, 322, 332, 420, and 430 Tractors.</i> <i>Order M147588 French Canadian Operator's Manual for 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115 Tractors.</i>	1	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Front Hitch:</b>		
LVB24898		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
BM20921		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	83	546.00
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
		<b>Hydraulics:</b>		
LVB24901		Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
BM17650		Hydraulic Angling (415, 425, 445, 455)	9	147.00
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	10	169.00
BM20922		Hydraulic Angling Kit (2210, 2305)	22	159.00
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
		<b>Miscellaneous:</b>		
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
LVB25302		Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors.</i> <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB25396		Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**54 In. Quick-Hitch Front Blade**  
**(For X400/X500 HDGT's, X700's, 425-455, 2210, 2305,**  
**2320, 2520, 4010, 4100, 4110 and 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
AM119321		Heavy Duty Skid Shoe (1)		See Parts
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>		See Parts
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)		See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires		See Parts
TY15958		Tire Chains (Pair) for 26x12-12 Tires		See Parts
BM18021		Wheel Spacer Kit (425, 445, 455) <i>For all Wheel Steer Tractors when Installing TY15956 Chains. Not for X400/X500 HDGT's or X700 Series Tractors.</i>	5	110.00
		<b>Order Zone:</b> <i>For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the C&amp;CE Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "John Deere Order Zone". Customers must contact your local JD Dealer.</i>		
LP5400		54 In. Tractor Shovel <i>For X400/X500 HDGT's and X700's Only. Go to Order Zone for Specific Requirements.</i>		In Catalog
		<b>Weights:</b>		
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**60 In. Hydraulic Angling Mid-Mount Blade  
(For X400/X500 HDGT and X700 Series Garden Tractors)  
Equipment for Base Machine**

Hydraulic Lift and Angling	and Right
60 In. Clearing Width	Above Ground Level is 4-In.
"Straight"	Below Ground Level is 6-In.
55 In. Clearing Width	Replaceable Cutting Edge
"Fully Angled"	Easy On-Off Attachability
Heavy .12-In. Thick Steel	
Curved Blade	
25 Degree Angling Left	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9700M	60 In. Hydraulic Angling Mid-Mount Blade (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Cannot be Used with all Wheel Steer Tractors, Mower Decks and Powered Front Attachments.</i>  <i>BM20761 Hydraulic Coupler Kit is Required for the X700, X465 and X475 Tractor. Requires either BM20714 Click-N-Go or BM21263 3-PT. Hitch for Installation.</i>	113	650.00
-------	--	-----	--------

**ATTACHMENTS FOR FIELD CONVERSION**

M147537	<b>Attachments-Order as Desired:</b> French Canadian Operator's Manual		See Parts
BM21801	<b>Hitch:</b> 3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
BM21804	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
BM20761	<b>Hydraulics:</b> Hydraulic Coupler Kit <i>Required for the X465 and X475 Tractor.</i>	5	44.00
BM20714	<b>Miscellaneous:</b> Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**60 In. Rear Mount Blade  
(For X400/X500 HDGT and X700 Series Garden Tractors)  
Equipment for Base Machine**

Hydraulic Lift  
60 In. Clearing Width  
"Straight"  
Manual Angling  
Easy On-Off Attachability  
Five Forward and Three Rear  
Angling Positions  
Forward 15-30 Degrees

Rear 15 Degrees  
360 Degree Rotation  
Replaceable Cutting Edge  
Category 1 3-Pt. Hitch  
Mounting

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9810M		60 In. Rear Mount Blade (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Requires Category 1 3-Point Hitch. Also requires (2) R66949 Quik-Tatch Weights for front ballast.</i>	111	530.00
-------	--	---	-----	--------

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Attachments-Order as Desired:</b> French Canadian Operator's Manual		See Parts
		<b>Hitch:</b> 3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
		<b>Weights:</b> Quik-Tatch Weight, 42 Lb.	42	37.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**48 In. Box Scraper  
(For X400/X500 HDGT and X700 Series Garden Tractors)  
Equipment for Base Machine**

Hydraulic Lift  
Above Ground Lift 10 In.  
Below Ground 4 In.  
Three Height Adjustments  
Category 1 3-Pt. Hitch  
Mounting

Four Scarifier Shanks  
Easy On-Off Attachability  
Replaceable Cutting Edge

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9800M		48 In. Box Scraper (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Requires BM21263, 3-Pt. Hitch, Category 1. Also requires (2) R66949, Quik-Tatch Weights for front ballast.</i>	275	700.00
-------	--	---	-----	--------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Attachments-Order as Desired:</b>		
M147535		French Canadian Operator's Manual	See Parts
M88781		French Caution Label	See Parts
	<b>Hitch:</b>		
BM21801		3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59 504.00
BM21804		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3 60.00
	<b>Weights:</b>		
R66949		Quik-Tatch Weight, 42 Lb.	42 37.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**ROPS Soft Cab**  
**(For X400/X500 HDGT and X700 Series Garden Tractors)**  
Equipment for Base Machine

Modular Design  
ROPS Certified  
Vinyl Doors  
Clear Vinyl Windows  
Clear Vinyl Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9353M		ROPS Soft Cab (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Is compatible with 45 Loader.</i>	205	2,470.00
-------	--	---	-----	----------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>				
BM20990		Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	22	397.00
BM21720		Auxiliary Alternator Kit (X700, X720, X724, X728, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	7	299.00
BM20931		Exterior Rear View Mirror Kit (Set of 2)	5	83.00
BM21480		Heater, Tuck-Away	11	330.00
BM20932		Strobe Light	2	109.00
BM20930		Switch Panel Kit/Fuse Block	10	188.00
BM20934		Wiper, Electric	4	155.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**ROPS Hard Cab**  
**(For X400/X500 HDGT and X700 Series Garden Tractors)**  
Equipment for Base Machine

Modular Design  
ROPS Certified  
Steel Doors  
Sliding Glass Windows  
Safety Glass Rear Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

9354M		ROPS Hard Cab (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Not Compatible with 45 Loader. Cab is Shipped in two Boxes.</i>	330	3,540.00
-------	--	---	-----	----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Miscellaneous:</b>			
BM20990		Alternator Kit, 40 Amp (X740, X744, X748, X495, X595) <i>Replaces Standard 20 Amp Alternator Recommended with Heated Cab. Standard Equipment on MY2007 (Serial 020001-).</i>	22	397.00
BM21720		Auxiliary Alternator Kit (X700, X720, X724, X728, X475, X485, X575, X585) <i>Supplements Standard 20 Amp Alternator. Recommended with Heated Cabs.</i>	7	299.00
BM20931		Exterior Rear View Mirror Kit (Set of 2)	5	83.00
BM21480		Heater, Tuck-Away	11	330.00
BM20932		Strobe Light	2	109.00
BM20930		Switch Panel Kit/Fuse Block	10	188.00
BM20934		Wiper, Electric	4	155.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Weather Enclosure (For X400/X500 HDGT and X700 Series Garden Tractors)**  
Equipment for Base Machine

16 Gauge Steel Tubing  
Construction  
Molded Plastic Roof  
Vinyl Fabric Doors and  
Sides  
Lexan Window

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>Weather Enclosure</b> <i>Weather Enclosure is not Modular Design, not ROPS Certified and no Wiper as Standard Equipment.</i>		
BM20482		Soft Weather Enclosure	67	860.00
		<b>ATTACHMENTS FOR FIELD CONVERSION</b>		
		<b>Miscellaneous:</b>		
	BM20926	Light, 12V Caution	3	100.00
	BM20923	Windshield, Safety Glass	21	160.00
	BM20925	Wiper, 12V Electric <i>Requires BM20923 Windshield</i>	4	166.00
	BM20924	Wiper, Hand Operated <i>Requires BM20923 Windshield</i>	2	72.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**10K PTO Generator  
(For X400/X500 HDGT and X700 Series Garden Tractors)  
Equipment for Base Machine**

3-Point Hitch Point Mounted	(1) 40 Amp NEMA 6-50 240 Volt
540 RPM PTO Drive System	Receptacle
10,560 Watts Peaks, 9,600 Watts Continuous Power	AC Voltmeter
(4) 20 Amp GFCI Protected 120 Volt Outlets	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3950M		10K PTO Generator (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Requires Category 1 3-Point Hitch and 540 RPM Rear PTO Drive.</i>	330	2,079.00
-------	--	---	-----	----------

**DRIVE SHAFT**

1000		Drive Shaft for 10K PTO Generator (For X400/X500 HDGT's, X700's)	16	161.00
1010		Less Drive Shaft		In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual		No Charge
------	--	--	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Hitch:</b>				
BM21801		3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
BM21804		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
<b>Miscellaneous:</b>				
BM20633		540 RPM Rear PTO Drive (X400/X500 HDGT's, X700's)	32	764.00
BM20887		Driveshaft for 10K PTO Generator (X400/X500 HDGT's, X700's)	16	161.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**45 Loader  
(For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors,  
Not for X465 Model)  
Equipment for Base Machine**

Lift Height: 73"  
Lift Capacity:  
Boom Breakout Force  
770 Lbs. (349 kg)  
640 Lbs. (290 kg) to  
36"  
385 Lbs. (175 kg) to  
Maximum Lift Height  
Bucket Rollback Force  
@ Ground Line 740 Lbs.  
(336 kg)

Bucket Width - 48"  
(122 cm)  
Bucket Capacity (Struck)  
5.0 Cu. Ft.  
Integral Parking Support  
Cylinder Diameter  
Lift - 1.5" (38 mm)  
Bucket - 1.75" (44 mm)  
Quik-Tatch Mounting  
Hoses and Couplers  
Tractor Transaxle

Hydrostatic Pressure  
Relief Valve

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3990M		45 Loader (For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors, Not for X465 Model) <i>Tractor ballasting required. See operator's manual/sales manual.</i>  <i>X475 and the X700 model require BM20761 Hydraulic Coupler Kit. Requires AM131526 Hydraulic Cylinder Lock-Out Valve (must order from parts). Requires Transaxle Hydrostatic Relief Valve (included with loader).</i>	580	3,250.00
-------	--	--	-----	----------

**TRANSAXLE HYDROSTATIC RELIEF VALVE**

1000		2WD Transaxle Hydrostatic Relief Valve (X400 HDGT's, X700, X720, X740)	1	Same Price
1001		4WD Transaxle Hydrostatic Relief Valve (X500 HDGT's, X728, X748)	1	In Base Price

**Ballast Box**

2000		Ballast Box (Click-N-Go) <i>Requires BM20714 Click-N-Go Bracket</i>	48	200.00
2002		Ballast Box (Category 1 3-Pt. Hitch)	98	220.00
2010		Less Ballast Box		In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

**Hitch:**

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**45 Loader**  
**(For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors,**  
**Not for X465 Model)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM21801		3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
M146148		<b>Hydraulics:</b> Free-Wheeling Valve Control Lever <i>Included with loader. Must be installed with Transaxle Hydrostatic relief valve on any X400/X500 HDGT or X700 Series Tractor equipped with a Loader.</i>		See Parts
AM134625		Hydraulic Cylinder Lockout Valve		See Parts
BM22220		Regenerative Bucket Kit	2	56.00
BW15043		Transaxle Hydrostatic Relief Valve <i>Included with Loader. Must be Installed on any X400 Series Tractor Equipped with a Front End Loader. Requires M146148 Free-Wheeling Valve Control Lever.</i>	1	122.00
BW15044		Transaxle Hydrostatic Relief Valve <i>Included with Loader. Must be Installed on any X500 Series HDGT, X728 or X748 Tractor Equipped with a front end loader. Requires M146148 Free-Wheeling Valve Control Lever.</i>	1	122.00
BM17981		<b>Miscellaneous:</b> 12 Volt Work Light Kit	3	40.00
BW15041		48 In. Bucket <i>For Replacement Only.</i>	133	441.00
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
AM131526		Hydraulic Cylinder Lockout Valve		See Parts
BM20940		Wiring Harness for Work Light Kit on Loader	1	23.00
BM17972		<b>Weights:</b> 50 Lb. Cast Iron Wheel Weight (1) <i>Requires BM17985 Wheel Weight Mounting Hardware Kit.</i>	55	92.00
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	50	44.00
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	71	130.00
BW14313		Ballast Box (Category 1, 3-Pt. Hitch)	98	220.00
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	1	23.00
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	1	10.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**45 Loader**  
**(For X400/X500 HDGT and X700 Series Two Wheel Steer Tractors,**  
**Not for X465 Model)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	BM20779	Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**7 Bu. Rear Bagger  
(For Riding Mowers)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy

Installation and Removal  
Air Flow Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Material Collection System Hoppers:</b>		
BM20452		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute. Front Ballast is Required when Bagging. Order BM17963, Front Weight Kit and BM17979, Weight Mounting Hardware.</i>	50	349.00
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>		
BM20384		Rear Bagger Chute for 30 In. and 38 In. Mowers	6	56.00
		<b>Miscellaneous:</b>		
BM17963		Front Weight Kit	50	105.00
BM17979		Weight Mounting Hardware	1	8.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems**  
**(For STX38 and STX46 Lawn Tractors)**  
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal	Air Flow Indicator BLOWER ASSEMBLY: Easy Installation and Removal Polyethylene Housing
--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Attachments-Order as Desired:</b>				
BM20817		French Canadian Operator's Manual and Decal Kit for 7 Bu. Bagger	1	No Charge
BM20539		French Canadian Operator's Manual and Decal Kit for Quik-Tatch Blower Assembly of 38 and 48 In. Mowers	1	No Charge
<b>Material Collection System Hoppers:</b>				
BM20453		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute, or Blower Assembly and Power Flow Chute.</i>	50	349.00
<b>Material Collection System Power Flow Blowers:</b>				
BM16659		Blower Assembly-38 In. Mower (Yellow) <i>STX38 (- 210,000).</i>	30	410.00
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>				
BM20988		Power Flow Chute	6	56.00
BM20982		Rear Bagger Chute for 38 In. Mowers	6	56.00
<b>Mower Deck and Mower Deck Attachments:</b>				
BM20018		Counter Weight Kit for 38 In. Mower	19	66.00
M83459		High Lift Mower Blade (38 In. Mower)		See Parts
AM103851		Mower Lip Kit (Left), 38 In. Mower		See Parts
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower		See Parts

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems  
(For LT Lawn Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Attachments-Order as Desired:</b>				
BM20804		French Canadian Operator's Manual and Decal Kit for 38" Blower	1	No Charge
BM20816		French Canadian Operator's Manual and Decal Kit for 46"/48"/54" Blowers	1	No Charge
BM20815		French Canadian Operator's Manual and Decal Kit for 48" Blower	1	No Charge
BM20817		French Canadian Operator's Manual and Decal Kit for 7 Bu. Bagger	1	No Charge
<b>Material Collection System Hoppers:</b>				
BM20454		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	51	349.00
<b>Material Collection System Power Flow Blowers:</b>				
BM19359		Blower Assembly for 46 In. Mower <i>Availability Limited to Dealer Inventory.</i>	32	410.00
BM20004		QT Blower Assembly for 38 In. Mower	32	410.00
BM21380		QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	34	410.00
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>				
BM20988		Power Flow Chute	6	56.00
BM20942		Rear Bagger Chute - 42C Mower, LT Only	8	72.00
<b>Mower Deck and Mower Deck Attachments:</b>				
AM115595		48 In. Rear Lip Kit (1992 and prior)		See Parts
BM20548		48C Adverse Condition Baffle Kit <i>May reduce clipping drop when used with BM19893 Blower Assembly in damp conditions.</i>	7	25.00
BM20018		Counter Weight Kit for 38 In. Mower	19	66.00
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	5	25.00
M135589		Hi Lift Blade For 48 In. Mower		See Parts
M83459		High Lift Mower Blade (38 In. Mower)		See Parts
M145970		High Lift Mower Blade (42C Mower) <i>For LT Lawn Tractor.</i>		See Parts

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems  
(For LT Lawn Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00
AM103851		Mower Lip Kit (Left), 38 In. Mower		See Parts
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower		See Parts
		<b>Rear Bagger Chute:</b>		
BM20493		Rear Bagger Chute 38 In. Mower, LT Only	8	56.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System  
(For LX Lawn Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Attachments-Order as Desired:</b>				
BM20804		French Canadian Operator's Manual and Decal Kit for 38" Blower	1	No Charge
BM20816		French Canadian Operator's Manual and Decal Kit for 46"/48"/54" Blowers	1	No Charge
BM20815		French Canadian Operator's Manual and Decal Kit for 48" Blower	1	No Charge
BM20900		French Canadian Operator's Manual and Decal Kit for High Performance Blower Assembly.	1	No Charge
<b>Material Collection System Hoppers:</b>				
BM20455		7 Bushel Hopper Assembly <i>For LX172-LX188 and LX255, LX266, LX277, LX277 AWS, LX280 AWS and LX288 Lawn Tractors. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. LX277 AWS and LX280 AWS Requires BM19797, Adapter Kit.</i>	53	349.00
BM20456		7 Bushel Hopper Assembly <i>For LX280 (Not LX280 AWS) and LX289. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	54	349.00
<b>Material Collection System Power Flow Blowers:</b>				
BM20667		48C High Performance Blower Assembly for 48C Mower <i>Requires BM21681 Power Flow Chute.</i>	34	441.00
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck) <i>Requires BM21681 Power Flow Chute.</i>	36	441.00
BM19089		Blower Assembly for 48 In. Mower <i>Not for 48C Mower. Requires BM20988 Power Flow Chute.</i>	27	410.00
BM19090		Blower Assembly for 54 In. Mower <i>Not for 54C Mower. Requires BM20988 Power Flow Chute.</i>	28	410.00
BM16659		Blower Assembly-38 In. Mower (Yellow) <i>Use for LX277 AWS only and LX280 AWS. Requires BM20988 Power Flow Chute.</i>	30	410.00
BM18770		QT Blower Assembly for 38 In. Mower (Yellow 38 In. Decks) <i>Not for use on LX277 AWS or LX280 AWS. Requires BM20988 Power Flow Chute.</i>	35	410.00
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>				
BM20988		Power Flow Chute	6	56.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System  
(For LX Lawn Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	9	89.00
BM20982		Rear Bagger Chute for 38 In. Mowers	6	56.00
BM19649		Rear Bagger Chute for 42 In. Convertible Mower (42C) <i>For LX255-LX289, except LX277 AWS and LX280 AWS.</i>	5	56.00
		<b>Miscellaneous:</b>		
BM19797		Adapter Kit for LX277 AWS and LX280 AWS	3	23.00
		<b>Mower Deck and Mower Deck Attachments:</b>		
AM115595		48 In. Rear Lip Kit (1992 and prior)		See Parts
BM20548		48C Adverse Condition Baffle Kit <i>May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.</i>	7	25.00
M139977		Bagging Mower Blade (42C Mower)		See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	5	25.00
M135589		Hi Lift Blade For 48 In. Mower		See Parts
M83459		High Lift Mower Blade (38 In. Mower)		See Parts
M145970		High Lift Mower Blade (42C Mower)		See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower)	8	90.00
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00
AM103851		Mower Lip Kit (Left), 38 In. Mower		See Parts
AM103852		Mower Lip Kit (Right Rear), 38 In. Mower		See Parts

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems  
(For SST Lawn Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Attachments-Order as Desired:</b>				
BM20815		French Canadian Operator's Manual and Decal Kit for 48" Blower	1	No Charge
BM20817		French Canadian Operator's Manual and Decal Kit for 7 Bu. Bagger	1	No Charge
BM20900		French Canadian Operator's Manual and Decal Kit for High Performance Blower Assembly.	1	No Charge
<b>Material Collection System Hoppers:</b>				
BM20684		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute for 42 In. Convertible Mower or Blower Assembly and Power Flow Chute for 48 In. Convertible Mower. Front ballast is required when bagging. Order BM20937, Front Weight Kit for SST15, SST16 and SST18.</i>	50	324.00
<b>Material Collection System Power Flow Blowers:</b>				
BM20667		48C High Performance Blower Assembly for 48C Mower	34	441.00
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>				
BM20988		Power Flow Chute	6	56.00
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	9	89.00
BM20943		Rear Bagger Chute for 42 In. All Purpose Mower (42AP)	16	67.00
<b>Mower Deck and Mower Deck Attachments:</b>				
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	5	25.00
M135589		Hi Lift Blade For 48 In. Mower		See Parts
M145970		High Lift Mower Blade (42C Mower) <i>For LT Lawn Tractor.</i>		See Parts
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00
<b>Weights:</b>				
BM20937		Front Weight Kit (SST) <i>Warning Label not Included. French Canadian Dealers Need to Order M127333 Warning Label. Order M127333 Warning Label.</i>	88	50.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems  
(For GT Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Attachments-Order as Desired:</b>				
BM20816		French Canadian Operator's Manual and Decal Kit for 46"/48"/54" Blowers	1	No Charge
BM20815		French Canadian Operator's Manual and Decal Kit for 48" Blower	1	No Charge
BM20817		French Canadian Operator's Manual and Decal Kit for 7 Bu. Bagger	1	No Charge
BM20900		French Canadian Operator's Manual and Decal Kit for High Performance Blower Assembly.	1	No Charge
<b>Material Collection System Hoppers:</b>				
BM20456		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	54	349.00
<b>Material Collection System Power Flow Blowers:</b>				
BM20667		48C High Performance Blower Assembly for 48C Mower <i>Requires BM21681 Power Flow Chute.</i>	34	441.00
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck) <i>Requires one AM133822 Wheel Adjusting Pin for use on Model Year 2004 Mowers. Requires BM21681 Power Flow Chute.</i>	36	441.00
BM19089		Blower Assembly for 48 In. Mower <i>Not for 48C Mower. Requires BM20988 Power Flow Chute.</i>	27	410.00
BM19090		Blower Assembly for 54 In. Mower <i>Not for 54C Mower. Requires BM20988 Power Flow Chute.</i>	28	410.00
BM16659		Blower Assembly-38 In. Mower (Yellow) <i>Requires BM20988 Power Flow Chute</i>	30	410.00
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>				
BM20988		Power Flow Chute	6	56.00
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	9	89.00
BM20982		Rear Bagger Chute for 38 In. Mowers	6	56.00
BM19649		Rear Bagger Chute for 42 In. Convertible Mower (42C) <i>For GT225, GT235, GT235 E and GT245.</i>	5	56.00
<b>Mower Deck and Mower Deck Attachments:</b>				
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems  
(For GT Garden Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM20548		48C Adverse Condition Baffle Kit <i>May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.</i>	7	25.00
M139977		Bagging Mower Blade (42C Mower) <i>For LX, GT and GX Tractors.</i>		See Parts
BM20505		Front Blowout Baffle for 42 In. Mower (42C/42X)	5	25.00
M135589		Hi Lift Blade For 48 In. Mower		See Parts
M135590		Hi Lift Blade for 54 In. Mower		See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower)	8	90.00
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems  
(For GX and 300 Series Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Attachments-Order as Desired:</b>				
BM20816		French Canadian Operator's Manual and Decal Kit for 46"/48"/54" Blowers	1	No Charge
BM20815		French Canadian Operator's Manual and Decal Kit for 48" Blower	1	No Charge
BM20817		French Canadian Operator's Manual and Decal Kit for 7 Bu. Bagger	1	No Charge
BM20900		French Canadian Operator's Manual and Decal Kit for High Performance Blower Assembly.	1	No Charge
<b>Material Collection System Hoppers:</b>				
BM20456		7 Bushel Hopper Assembly <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	54	349.00
<b>Material Collection System Power Flow Blowers:</b>				
BM20667		48C High Performance Blower Assembly for 48C Mower <i>Requires BM21681 Power Flow Chute.</i>	34	441.00
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck) <i>Requires BM21681 Power Flow Chute.</i>	36	441.00
BM16456		Blower Assembly for 46 In. Mower <i>Requires BM20988 Power Flow Chute.</i>	30	410.00
BM19089		Blower Assembly for 48 In. Mower <i>Not for 48C Mower. Requires BM20988 Power Flow Chute.</i>	27	410.00
BM19090		Blower Assembly for 54 In. Mower <i>Not for 54C Mower. Requires BM20988 Power Flow Chute.</i>	28	410.00
BM16659		Blower Assembly-38 In. Mower (Yellow) <i>Requires M118053 Right Rear Draft Arm. Also requires BM18851 Power Flow Chute.</i>	30	410.00
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>				
BM20988		Power Flow Chute	6	56.00
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	9	89.00
BM20982		Rear Bagger Chute for 38 In. Mowers	6	56.00
BM19649		Rear Bagger Chute for 42 In. Convertible Mower (42C)	5	56.00

**Mower Deck and Mower Deck Attachments:**

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems  
(For GX and 300 Series Garden Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts
BM20548		48C Adverse Condition Baffle Kit <i>May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.</i>	7	25.00
M135589		Hi Lift Blade For 48 In. Mower		See Parts
M135590		Hi Lift Blade for 54 In. Mower		See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower)	8	90.00
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System  
(For 425, 445, 455 Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Attachments-Order as Desired:</b>				
BM20816		French Canadian Operator's Manual and Decal Kit for 46"/48"/54" Blowers	1	No Charge
BM20817		French Canadian Operator's Manual and Decal Kit for 7 Bu. Bagger	1	No Charge
<b>Material Collection System Hoppers:</b>				
BM20780		7 Bushel Hopper Assembly <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	50	386.00
<b>Material Collection System Power Flow Blowers:</b>				
BM19089		Blower Assembly for 48 In. Mower	27	410.00
BM19090		Blower Assembly for 54 In. Mower	28	410.00
<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>				
BM20988		Power Flow Chute	6	56.00
<b>Miscellaneous:</b>				
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
<b>Mower Deck and Mower Deck Attachments:</b>				
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts
M135589		Hi Lift Blade For 48 In. Mower		See Parts
M135590		Hi Lift Blade for 54 In. Mower		See Parts
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**7 Bu. Power Flow Material Collection System  
(For X400/X500 HDGT and X700 Series Garden Tractors)  
Equipment for Base Machine**

7 BUSHEL HOPPER ASSEMBLY:  
Polypropylene Hopper Top  
Two Easy-to-Empty Bags  
Quik-Tatch Mounting  
POWER FLOW CHUTE:  
Handle for Easy  
Installation and Removal  
Air Flow Indicator

BLOWER ASSEMBLY:  
For 48 In. and 54 In. Mowers  
Easy Installation and  
Removal  
Polyethylene Housing

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Attachments-Order as Desired:</b>		
BM20817		French Canadian Operator's Manual and Decal Kit for 7 Bu. Bagger	1	No Charge
BM20900		French Canadian Operator's Manual and Decal Kit for High Performance Blower Assembly.	1	No Charge
		<b>Material Collection System Hoppers:</b>		
BM20780		7 Bushel Hopper Assembly <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	50	386.00
		<b>Material Collection System Power Flow Blowers:</b>		
BM20976		48C High Performance Blower Assembly Adapter Kit	2	34.00
BM20667		48C High Performance Blower Assembly for 48C Mower <i>When BM20667 Power Flow Blower is Used on an (X400/X500 HDGT or X700 Series Tractor, BM20976 Adapter Kit is required. Also BM20857 Power Flow Chute is Required.</i>	34	441.00
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck) <i>Requires BM21681 Power Flow Chute.</i>	36	441.00
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>		
BM21681		Power Flow Chute (7 bu.) <i>For 48C, 48X, 54C or 54X Series Blowers.</i>	9	89.00
		<b>Miscellaneous:</b>		
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
		<b>Mower Deck and Mower Deck Attachments:</b>		
BM20985		Leaf Bagging Kit (54C/54X Mower)	8	90.00
BM20986		Leaf Bagging Kit (62C/62X Mower)	8	90.00
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**3-Bag Power Flow Material Collection System  
(For X500 M-T, GT and GX)  
Equipment for Base Machine**

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

SKU21680		3-Bag Power Flow Material Collection System (For X500 M-T, GT and GX Series Garden Tractors) <i>Also Requires "C or X" Power Flow Blower Assembly and Power Flow Chute. Requires M146153 Bracket for use on GT and GX Tractors. Front Ballast is Recommended when Bagging. Especially on Hill or Inclines.</i>		765.00
----------	--	--	--	--------

**ATTACHMENTS - ORDER AS DESIRED**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit for 3-Bag Power Flow Hopper	1	No Charge
9221		French Canadian Operator's Manual and Decal Kit for High Performance Blower Assembly	1	No Charge

**ATTACHMENTS FOR FIELD CONVERSION**

BM20667		<b>Material Collection System Power Flow Blowers:</b> 48C High Performance Blower Assembly for 48C Mower	34	441.00
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck)	36	441.00
SKU21776		HP Power Flow Blower Assembly for 48X Mower with Rotatable Anti-Scalp Wheels (X300/X500 M-T) <i>French Canadian Order 9220 Code. For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010000-040000), and the Model X500 M-T Tractor (Serial 010001-020000). Also for use with SKU21895 (48X with Rotatable Anti-Scalp Wheels) Cartoned Deck.</i>	43	445.00
SKU21799		HP Power Flow Blower Assembly for 54X Mower (X300/X500 M-T) <i>French Canadian Order 9220 Code.</i>	41	445.00
BM21682		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Power Flow Chute (14 bu)	12	110.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**3-Bag Power Flow Material Collection System  
(For X400/X500 HDGT and X700 Series Garden Tractors)  
Equipment for Base Machine**

Hopper Volume = 14 Bushels  
Polyethylene Hopper Top  
3 Polyester Bags  
Easy-to-Empty Bags  
Bags will Accept Plastic  
Liners  
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist  
No Tools Quik-Tatch Hitch  
Fill-Minder Indicator

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Greeneville, Tennessee*

2712M		3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors) <i>Requires BM20714 Click-N-Go Bracket, Requires "C" Series high performance power flow blower assembly and power flow chute.</i>  <i>Front ballast is recommended when bagging, especially on hills or inclines.</i>	76	765.00
-------	--	--	----	--------

**ATTACHMENTS - ORDER AS DESIRED**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit for 3-Bag Power Flow Hopper (14 Bu.)	1	No Charge
9221		French Canadian Operator's Manual and Decal Kit for High Performance Blower Assembly	1	No Charge

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Material Collection System Power Flow Blowers:</b>		
BM20976		48C High Performance Blower Assembly Adapter Kit	2	34.00
BM20667		48C High Performance Blower Assembly for 48C Mower <i>When BM20667 Power Flow Blower is used on an X400/X500 HDGT or X700 Tractor, BM20976 Adapter Kit is Required.</i>	34	441.00
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck)	36	441.00
SKU22330		60 In. High Performance Power Flow (For Use with X700 7-Iron Deck) <i>French Canadian Order 9220 Code. Not Compatible with Cabs.</i>		588.00
BM21496		62 In. High Performance Power Flow (For Use with 62C or 62D Mower Deck)	36	441.00
		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b>		
BM21682		Power Flow Chute (14 bu)	12	110.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**3-Bag Power Flow Material Collection System**  
**(For X400/X500 HDGT and X700 Series Garden Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
		<b>Miscellaneous:</b>		
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

---

**6.5 Bushel Hopper, Chute and Power Flow for 190C and G110, 54 In.**  
Equipment for Base Machine

Hopper Volume = 6.5 Bushels  
 ABS Hopper Top  
 2 Polyester Bags  
 Easy-to-Empty Bags  
 Bags will Accept Plastic  
 Liners

Ployethylene Blower and Fan  
 will not Rust or Corrode  
 No Tools Gargo Mount

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**2-BAG MCS**

*F.O.B. Greeneville, Tennessee*

SKU21376	<b>SKU</b>	6.5 Bushel Hopper, Chute and Power Flow for 100 Series and G110, 54 In. <i>Front Ballast is Recommended when Bagging, Especially on Hills or Inclines. French Canadian Dealers order Code 9220.</i>	65	720.00
----------	------------	--	----	--------

**ATTACHMENTS - ORDER AS DESIRED**

9220	<b>French Canadian Kit:</b>	French Canadian Operator's Manual and Decal Kit	1	No Charge
------	-----------------------------	---	---	-----------

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**MC519 Cart and Material Collection System  
(For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700)  
Equipment for Base Machine**

Capacity, "Collector Bagger Volume = 19 Bushels Cart Load = 500 Lbs. (227 Kg.)	.0478-In. Steel Box 14 Oz. Nylon Fabric Dump From the Seat Gas Cylinder Lift Assist
No Tools Quik-Tatch Hitch Powder Painted Finish	Pneumatic Casters 4.10 x 3.50 4 Ply Tires
Capacity "Utility Cart Volume = 8.5 Cu. Ft. Heaped Load = 500 Lbs. (227 Kg.)	Greasable Bearings 11 In. (28 mm) Ground Clearance

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3302M		MC519 Cart and Material Collection System (For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700) <i>Not for X300 or LX Lawn Tractors.Requires Power Flow Blower Assembly and Power Flow Chute.Certain Tractor Models May Require M115521 Hitch Mounting Bracket. See Attachments for Field Conversion. See Sales Manual for Ballast Requirements.</i>	176	810.00
-------	--	--	-----	--------

**ATTACHING PARTS**

1000		Operator's Manual for GT, GX, 200, 300, and 400 Tractors <i>Includes Operator Manual for these applications. Attaching Parts for these Applications are In Base Equipment (except for M115521-notes below).</i>		In Base Price
1001		Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors <i>Includes Operator Manual and Adaptor Bracket for these Applications.</i>		40.00
1010		No Attaching Parts <i>Operator's Manual and Attaching Parts In Base Equipment Accommodates X500 M-T Tractors.</i>		Same Price

**ATTACHMENTS - ORDER AS DESIRED**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit - MC519	1	No Charge
------	--	--	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

AM116194		<b>Material Collection System Power Flow Blowers:</b> 48 In. Wear Strap Kit <i>For Use in Commercial or Abrasive Conditions with 48 In., 54 In. and 60 In. Power Flows.</i>		See Parts
----------	--	---	--	-----------

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**MC519 Cart and Material Collection System**  
**(For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM20976		48C High Performance Blower Assembly Adapter Kit	2	34.00
BM20667		48C High Performance Blower Assembly for 48C Mower <i>When BM20667 Power Flow Blower is used on an X400/X500 HDGT or X700 Tractor, BM20976 Adapter Kit is Required.</i>	34	441.00
BM21495		54 In. High Performance Power Flow (For Use with 54C or 54D Mower Deck)	36	441.00
SKU22330		60 In. High Performance Power Flow (For Use with X700 7-Iron Deck) <i>French Canadian Order 9220 Code. Not Compatible with Cabs.</i>		588.00
BM21496		62 In. High Performance Power Flow (For Use with 62C or 62D Mower Deck)	36	441.00
BM16456		Blower Assembly for 46 In. Mower	30	410.00
BM19089		Blower Assembly for 48 In. Mower	27	410.00
BM19090		Blower Assembly for 54 In. Mower	28	410.00
BM17488		Blower Assembly for 60 In. Mower <i>For 420 and 430, Order (1) AM118915 Bracket from Parts.</i>	33	541.00
BM16659		Blower Assembly-38 In. Mower (Yellow) <i>Not Compatible with 300 Series Tractors.</i>	30	410.00
SKU22144		HP Power Flow Blower Assembly for 48X Mower with Non-Rotatable Anti-Scalp Wheels (X300/X500 M-T) <i>French Canadian Order 9220 Code. For use with MY2007 X320 (Serial 040001-), X324 (Serial 040001-), and the Model X500 M-T Tractor (Serial 020001-). Also for use with SKU22194 (48X with Non-Rotatable Anti-Scalp Wheels) Cartoned Deck. Available Nov 2006.</i>		445.00
SKU21776		HP Power Flow Blower Assembly for 48X Mower with Rotatable Anti-Scalp Wheels (X300/X500 M-T) <i>French Canadian Order 9220 Code. For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010000-040000), and the Model X500 M-T Tractor (Serial 010001-020000). Also for use with SKU21895 (48X with Rotatable Anti-Scalp Wheels) Cartoned Deck.</i>	43	445.00
SKU21799		HP Power Flow Blower Assembly for 54X Mower (X300/X500 M-T) <i>French Canadian Order 9220 Code.</i>	41	445.00
BM19695		<b>Material Collection System Power Flow/Rear Bagger Chutes:</b> Power Flow Chute <i>Not for "C" Series High Performance Blowers</i>	7	56.00
BM20855		Power Flow Chute (MC519/C or X Series Blowers)	7	67.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**MC519 Cart and Material Collection System**  
**(For GT, GX, 200, 300, 400, X400/X500 HDGT, X500 M-T, X700)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
		<b>Miscellaneous:</b>		
M115521		Bracket, Hitch Mounting <i>Required on MC519 (S/N 045001 - ) to Mount on the following Tractors: * 316, 318, 322, 330, 332, 420 and 430 * 425 Two Wheel Steer (- A040774) without 3-Point Hitch. * 425 All Wheel Steer (- B040203) without 3-Point Hitch. * 445 (- C040542) without 3-Point Hitch. * 455 Two Wheel Steer (- C040507) without 3-Point Hitch. * 455 All Wheel Steer (- D040074) without 3-Point Hitch. This bracket was included in older MC519's but was eliminated when the 425, 445 and 455 Tractors Hitch design was changed and the Bracket was no longer Required for Hookup.</i>		See Parts
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
BM20919		Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors <i>Includes Mounted Bracket and Operator Manual for these applications.</i>	7	40.00
BM24521		Operator's Manual for GT, GX, 200, 300, and 400 Tractors <i>Includes Operator Manual for these applications. Mounting Parts for these applications are in Base equipment (except for M115521)</i>		No Charge
		<b>Mower Deck and Mower Deck Attachments:</b>		
AM115595		48 In. Rear Lip Kit (1992 and prior) <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts
BM20548		48C Adverse Condition Baffle Kit <i>May reduce clipping drop when used with BM19439 Blower Assembly in damp conditions.</i>	7	25.00
BM19894		Mower Leaf Bagging Kit (48C/48X Mower) <i>Contains Three Bolt-on Deck Lips for Improved Bagging of Leaves.</i>	8	69.00
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower <i>Bolt on Lips Provide Increased Vacuum Action.</i>		See Parts
		<b>Weights:</b>		
BM17972		50 Lb. Cast Iron Wheel Weight (1)	55	92.00
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires	1	14.00

**JOHN DEERE LAWN & GARDEN PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**3-Bag Power Pak Material Collection System**  
**(For 318, 322, 332, 420, 430, 425, 445, 455, F900's, 790,**  
**3120-3720, 4010 Thru 4400-4410 Tractors)**  
 Equipment for Base Machine

10 Bushel Capacity  
 Polyethylene Hopper Top  
 3 Polyester Bags  
 Less Engine and Power Pak Blower  
 Less Attaching Parts

Less Mower Boot

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

2710M		3-Bag Power Pak Material Collection System (For 318, 322, 332, 420, 430, 425, 445, 455, F900's, 790, 3120-3720, 4010 Thru 4400-4410 Tractors) <i>F911 and F925 Front Mowers require AM101468 Steering Cylinder Guard Kit.</i>  <i>For 4200-4400, 4210-4410 and 3120-3720 Tractors, a Dual SCV and a Third SCV Kit is Required to Raise and Lower Material Collection System and Mower Deck.</i>  <i>See Sales Manual for Ballast Requirements.</i>	71	630.00
-------	--	--	----	--------

**ENGINE AND POWER PAK BLOWER**

1000		5 H.P. Engine and Power Pak Blower	82	970.00
1001		Less 5 H.P. Engine and Power Pak Blower		In Base Price

**ATTACHING PARTS**

2000		Attaching Parts (F900's)	43	465.00
2001		Less Attaching Parts		In Base Price
2002		Attaching Parts (318, 322, 332, 420, 430, 425, 445, 455) <i>For Mounting on 425, 445, 455 Tractors the Following Parts are Required; (2) M124214 Brackets (4) 19M7285 Capscrews M12 x M30 and (4) 14M7275 M12 Nuts. Order thru Parts.</i>	101	515.00
2003		Attaching Parts (790, 4010 thru 4400-4410 and 3120-3720 Tractors)	88	465.00

**MOWER BOOT**

3001		Mower Boot for 60 In. Mower Deck (420,430, 425-455, F900's, 4010, 4100, 4110, 4115, 790, 55 and 70 Series Tractors)	6	75.00
3002		Less Mower Boot		In Base Price
3003		Mower Boot for 46 In. Mower Deck	6	67.00
3005		Mower Boot with Baffle for 60 In. Mower Deck (4200-4400, 4210-4410, 3120-3720)	6	117.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**3-Bag Power Pak Material Collection System**  
**(For 318, 322, 332, 420, 430, 425, 445, 455, F900's, 790,**  
**3120-3720, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>MOWER BOOT Continued...</b>				
3006		Mower Boot with Baffle for 48 In. and 54 In. Mower Decks (300 and 400 Series L&GT, 4010, 4100, 4110)	6	110.00

**ATTACHMENTS - ORDER AS DESIRED**

9223		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>				
BM16453		46 In. Mower Boot	6	67.00
BM19800		48 In. and 54 In. Mower Boot with Baffle (318, 322, 332, 420, 430, 425, 445, 455, 4010, 4100, 4110)	6	110.00
BM16454		50 In. Mower Boot (655) <i>For 655 Tractor.</i>	6	65.00
BM16455		60 In. Mower Boot (F900's, 4010, 4100, 4110, 4115, 790, 55 and 70 Series)	6	75.00
BM19801		60 In. Mower Boot With Baffle (4200-4400, 4210-4410, 3120-3720)	6	117.00
BM16451		Attaching Parts (318, 322, 332, 420, 430, 425, 445, 455)	101	515.00
BM16571		Attaching Parts (790, 4010 thru 4400-4410, 3120-3720)	88	465.00
BM16686		Attaching Parts (F900's)	43	465.00
BM20521		Engine (5 H.P.) and Power Pak Blower	82	970.00
M74665		Hook		See Parts
M74666		Hook		See Parts
BM20582		Remote Air Intake Kit	3	62.00
AM101468		Steering Cylinder Guard		See Parts
AM30577		Turnbuckle <i>For Easier Installation and Removal of Power Pak. Requires one M74665 Hook and one M74666 Hook.</i>		See Parts
<b>Weights:</b> <i>For Various Wheel Weight and Hardware Options Reference Tractor Price Pages, Operator's Manual and Sales Manual.</i>				
R66949		Quik-Tatch Weight, 42 Lb. <i>When Installed on Front Bumper of 425, 445 or 455 Tractor, (1) M112887 Rod and (2) M40461 Spring Clips are Required.</i>	42	37.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**Hydraulic Dump Power Pak Material Collection System  
(For 425, 445, 455, 318, 322, 332, 420, 430 Tractors)  
Equipment for Base Machine**

13 Bushel Capacity  
Polyethylene Hopper  
Hydraulic Controlled  
Emptying  
7 In. Diameter Hose

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

2665M		Hydraulic Dump Power Pak Material Collection System (For 425, 445, 455, 318, 322, 332, 420, 430 Tractors) <i>For Mounting on 425, 445 and 455 Tractors, the following are required: (2) M124214 Brackets, (4) 19M7285 Capscrews (M12 X M30), (4) 14M7275 M12 Nuts. Order from Parts.</i>  <i>See Sales Manual for Ballast requirements.</i>	370	3,940.00
-------	--	---	-----	----------

**ENGINE AND POWER PAK BLOWER**

1000		5 H.P. Engine and Power Pak Blower	80	970.00
1001		Less 5 H.P. Engine and Power Pak Blower		In Base Price

**MOWER BOOT**

2002		Mower Boot for 60 In. Mower	6	75.00
2003		Less Mower Boot		In Base Price
2004		Mower Boot for 48 In. and 54 In. Decks with Baffle	6	110.00

**REAR HYDRAULIC OUTLET**

3000		Rear Hydraulic Outlet (318, 322, 332) <i>Availability Limited to Dealer Inventory.</i>	5	161.00
3002		Rear Hydraulic Outlet (430) <i>Availability Limited to Dealer Inventory.</i>	5	203.00
3003		Less Rear Hydraulic Outlet		In Base Price
3004		Rear Hydraulic Outlet (425, 445, 455)	4	105.00

**ATTACHMENTS - ORDER AS DESIRED**

9220		French Canadian Operator's Manual and Decal Kit for Hydraulic Dump	1	No Charge
9223		French Canadian Operator's Manual and Decal Kit for Power Pak Engine <b>French Canadian Kit:</b>	1	No Charge

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Hydraulic Dump Power Pak Material Collection System**  
**(For 425, 445, 455, 318, 322, 332, 420, 430 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Hydraulics:</b>		
BM16654		Rear Hydraulic Outlet Kit (318, 322, 332) <i>Availability Limited to Dealer Inventory.</i>	3	161.00
BM17939		Rear Hydraulic Outlet Kit (425, 445, 455)	4	105.00
BM16356		Rear Hydraulic Outlet Kit (430) <i>Availability Limited to Dealer Inventory.</i>	6	203.00
		<b>Miscellaneous:</b>		
BM19800		48 In. and 54 In. Mower Boot with Baffle (318, 322, 332, 420, 430, 425, 445, 455, 4010, 4100, 4110)	6	110.00
BM16454		50 In. Mower Boot (655) <i>For 655 Tractor.</i>	6	65.00
BM16455		60 In. Mower Boot (F900's, 4010, 4100, 4110, 4115, 790, 55 and 70 Series)	6	75.00
BM20521		Engine (5 H.P.) and Power Pak Blower	82	970.00
M89191		Fine Mesh Screen <i>Two Required.</i>		See Parts
M74665		Hook		See Parts
M74666		Hook		See Parts
M87624		Large Mesh Screen <i>Two Required.</i>		See Parts
BM20582		Remote Air Intake Kit	3	62.00
AM30577		Turnbuckle <i>For Easier Installation and Removal of Power Pak. Requires one M74665 Hook and one M74666 Hook.</i>		See Parts
		<b>Weights:</b>		
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Miscellaneous Category 1 3-PT. Hitch Attachments**  
**(For X400/X500 HDGT and X700 Series Garden Tractors)**  
Equipment for Base Machine

Cultivator:	42 In. to 52 In.
5/16 In. Angle Iron Construction	Greaseable Bearings
Adjustable Shanks, 30 In.-46 In.	Plow:
Eight Spring Steel Shanks	1/4 In. Solid Steel Plow Share
DISK:	Adjustable Gauge Wheel
Tandem, Tapered Disk Design	13 Gauge Steel
Width Adjustable From	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Attachments-Order as Desired:</b>		
M147970		French Canadian Operator's Manual for Category 1 3-Pt. Hitch Cultivator	1	See Parts
M147969		French Canadian Operator's Manual for Category 1 3-Pt. Hitch Harrow Disk	1	See Parts
M134495		French Warning Label	1	See Parts
		<b>Hitch:</b>		
BM21801		3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
BM21804		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
		<b>Three Point Hitch Attachments:</b>		
BM21272		Alpha Hitch Kit <i>Required When Using Cultivator or Harrow Disk with Alpha Hitch</i>	5	44.00
BM20918		Category 1 3-Pt. Hitch Cultivator	80	349.00
BM20916		Category 1 3-Pt. Hitch Plow, Single Bottom	116	499.00
M147968		French Canadian Operator's Manual for Category 1 3-Pt. Hitch Plow, Single Bottom	1	See Parts

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Mowers and Attachments for Mowers  
For Non-Current Riding Lawn Equipment**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Mower Deck and Mower Deck Attachments:</b>		
BM17870		48 In. Front Edge Kit	5	69.00
BM18365		48 In. Mower (240, 245, 265)	110	1,022.00
BM17879		48 In. Mower for 120, 140, 300, 314, 316, 317, 318, 322 and 332 Tractors <i>330, 322 and 332 Require M119871 Belt. 317 requires only AM119485 Attaching Parts Kit. 316 (80001-95000), 314, 312, 300, 140 and 120 requires one AM119485 Attaching Parts Kit and M87218 Belt. If tractor is not Currently Equipped with a Mower, Order Front Mounting Bracket Assembly (Mule Drive), Front Draft Arm Assembly and Mower Lift Strap Components through Parts.</i>  <i>Order AM116964 Export Decal Kit thru Parts.</i>	159	1,029.00
AM115595		48 In. Rear Lip Kit (1992 and prior)		See Parts
SKU17205		48 In. Shaft Driven Mower (425, 445, 455) <i>48 In. Mower Requires (1) AM117017 Gauge Wheel Bracket.</i>	184	1,199.00
BM18361		48 In. Side Discharge Mower <i>For LX100's, 325 and 345 Tractors.</i>	145	968.00
BM18362		48 In. Side Discharge Mower (GT242, GT262, GT275)	145	968.00
BM17871		54 In. Front Edge Kit	5	67.00
SKU17206		54 In. Shaft Driven Mower (425, 445, 455)	190	1,259.00
SKU19807		54 In. Side Discharge Mower (LX288, GT235, 325-355D)	134	1,091.00
SKU17220		60 In. Shaft Driven Mower (425, 445, 455)	346	1,799.00
BM16601		Attaching Parts for 38 In. Mower (210, 212, 214, 216)	16	194.00
AM119679		Blowout Reduction Kit (48 In. Mower)		See Parts
AM119680		Blowout Reduction Kit (54 In. Mower)		See Parts
BM20985		Leaf Bagging Kit (54C/54X Mower)	8	90.00
BM20986		Leaf Bagging Kit (62C/62X Mower)	8	90.00
AM115361		Leaf Mulcher Kit <i>For 48 In. and 54 In. Mowers.</i>		See Parts
AM108476		Mower Deck Wear Plate (38 In. Mower)		See Parts
AM115596		Rear Lip Kit (1992 and prior) for 54 In. Mower		See Parts

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**Mowers and Attachments for Mowers  
For Non-Current Riding Lawn Equipment**

Continued

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Mulching Attachments**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Mower Deck and Mower Deck Attachments:</b>		
BM17920		30 In. Tricycler Mulching Attachment <i>Fits 108, 130 and Riders.</i>	13	83.00
BM17876		38 In. Tricycler Mulching Attachment <i>For 38 In. 3-Spindle Model 39 and 41 Mowers.</i>	24	139.00
BM20008		42 In. Mulching Attachment with Plug and Blades (LX/GT) <i>Fits 42 In. Convertible Mower (42C) Only.</i>	8	77.00
BM20686		42 In. Rear Discharge Mulch Plug Attachment (LTR155, LTR166, LTR180)	8	129.00
BM19321		46 In. Tricycler Mulching Attachment <i>Fits 46 In. Decks with Hinged Discharge, include Blades.</i>	19	134.00
BM19918		48 In. Mulch Kit	25	179.00
BG20304		54 In. Mulch Kit <i>Fits G110, 190C.</i>	26	180.00
BM19919		54 In. Mulch Kit <i>Fits G100, Sabre.</i>	23	187.00
BM17869		54 In. Tricycler Mulching Kit	25	187.00
BM17878		60 In. Tricycler Mulching Attachment	34	209.00
BM20985		Leaf Bagging Kit (54C/54X Mower)	8	90.00
BM20986		Leaf Bagging Kit (62C/62X Mower)	8	90.00
BM21817		Mulch Kit (38 In. or 38X) <i>For 2 Spindle Mowers</i>	12	100.00
BM21816		Mulch Kit (42 In. or 42X) <i>For 100's, L100's, LT, SST, X300's.</i>	22	77.00
BM19868		Mulch Kit (48C/48X)	26	122.00
BM20827		Mulch Kit (54C/54D/54X)	40	166.00
TCB10953		Mulch Kit (60 In. 7-Iron and 7-Iron II)	37	260.00
BM21890		Mulch Kit (62C/62D/62X)	25	182.00

**JOHN DEERE LAWN & GARDEN PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 In. Quick-Hitch Rotary Broom**  
**(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Equipment for Base Machine

52 In. Clearing Width "Straight"	Caster Wheels
48 In. Clearing Width "Angled"	Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear Bolts "Mounted to Shell"
21 In. Diameter Polypropylene Brush	Less Front Quick-Hitch
Gearbox with 3:1 Reduction	Less Hydraulic Angling
Heavy Duty No. 50 Chain Drive	Less Front PTO
(2) Adjustable Rear Mounting	Less Implement Drive Shaft

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3880M	52 In. Quick-Hitch Rotary Broom (For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115 Tractors) <i>X465 and X475 Requires BM20761 Hydraulic Coupler Kit. See Sales Manual for Ballast Requirements.</i>  <i>Not Compatible with BM17347, 425-455 Quick-Hitch Updated for Use on X400/X500 HDGT's and X700's with BM20979 Front-Hitch Angling Retro-Fit Kit.</i>  <i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	290	1,960.00
-------	--	-----	----------

**FRONT QUICK-HITCH**

1000	Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	83	546.00
1005	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
1006	Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
1010	Less Front Quick-Hitch		In Base Price

**HYDRAULIC ANGLING CYLINDER**

2000	Hydraulic Angling (For X400/X500 HDGT's, X700's)	10	169.00
2005	Hydraulic Angling (2210, 2305)	22	159.00
2006	Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)		159.00
2010	Less Hydraulic Angling		In Base Price

**2000 RPM FRONT PTO KIT**

3000	2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	11	198.00
------	--	----	--------

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom**  
**(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>2000 RPM FRONT PTO KIT Continued...</b>				
3001		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748) <i>For European RII Homologation Tractors, also order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	12	223.00
3003		2000 RPM Front PTO (4100 and 4110)	12	212.00
3004		2000 RPM Front PTO (4010 and 4115)	12	212.00
3005		2000 RPM Front PTO (2210, 2305)	24	212.00
3006		2000 RPM Front PTO (2320)	18	212.00
3007		2000 RPM Front PTO (2520)	17	212.00
3010		Less 2000 RPM Front PTO		In Base Price
<b>IMPLEMENT DRIVE SHAFT</b>				
4000		Implement Drive Shaft (X400/X500 HDGT's, X700's, 2210, 2305)	8	223.00
4002		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
4001		European RII Implement Drive Shaft <i>Includes Shielding for CE, Supplemental CE Labels, FIGS OM. for X400/X500 HDGT's and X700's.</i>	10	265.00
4010		Less Implement Drive Shaft		In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>				
9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decals for 52 In. Rotary Broom	1	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
LVB24898		<b>Front Hitch:</b> Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
BM20921		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	83	546.00
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's) <i>Also Order BM20837, Angling Cylinder to Hydraulically Angle the Front Hitch.</i>	83	546.00
LVB25397		<b>Front PTO:</b> 2000 RPM Front PTO (2210, 2305)	24	212.00
LVB24900		2000 RPM Front PTO (2320)	18	212.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom**  
**(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115**  
**Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	LVB24801	2000 RPM Front PTO (2520, 3120-3720)	17	212.00
	BM18695	2000 RPM Front PTO (4100, 4110)	12	212.00
	BM17330	2000 RPM Front PTO (415, 425, 445, 455) <i>For European RII Homologation Tractors, also Order BM17861 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	22	198.00
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	12	212.00
	BM20991	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	11	198.00
	BM20382	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748) <i>For European RII Homologation Tractors, also Order BM20978 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	12	223.00
	BM20978	Front PTO Shield <i>For BM20382 (4WD) 2000 RPM Front PTO when used on X595 or X748. Required to Meet Homologation Standards. Not Required for CE.</i>		110.00
	BM20966	Front PTO Shield Kit <i>For BM20991 (2WD) 2000 RPM Front PTO when used on X495 or X740. Required to Meet Homologation Standards. Not Required for CE.</i>		77.00
		<b>Hydraulics:</b>		
	LVB24901	Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
	BM20837	Hydraulic Angling (X400/X500 HDGT's, X700's) <i>For BM19782 Front Quick Hitch</i>	10	169.00
	BM20922	Hydraulic Angling Kit (2210, 2305)	22	159.00
	BM20761	Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
		<b>Miscellaneous:</b>		
	BM20714	Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
	BM21777	Deflector Kit for 52 Broom		47.00
	LVB25302	Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
	LVB25396	Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**52 In. Quick-Hitch Rotary Broom**  
**(For X400/X500, HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115**  
**Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use With all Mid-Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractor.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
BM20836		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 2210, 2305)	8	223.00
BM21853		Thatching Wheel Kit for 52 Broom	25	199.00
TY15958		Tire Chains (Pair) for 26x12-12 Tires		See Parts
TY25326		Tire Chains for 26x10.50-12 Turf Drive Tires <i>For X400 All Wheel Steer Tractors with Standard 26x10.5-12 In Tires.</i>		See Parts
BM18021		Wheel Spacer Kit (425, 445, 455) <i>For 400 Series All Wheel Steer Tractors when Installing TY15956 Chains. Not for X-Series Tractors.</i>	5	110.00
BM20715		<b>Weights:</b> Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00

**JOHN DEERE LAWN & GARDEN PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**60 In. Heavy-Duty Rotary Broom**  
**(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru**  
**4400-4410 Tractors)**  
**Equipment for Base Machine**

57 In. Clearing Width "Straight"	Broom Head Float
50 In. Clearing Width "Angled"	Four Spare Driveshaft Shear
Storage Stands	Bolts Two Sizes, "Mounted to
26 In. Diameter Polypropylene	Shell"
Brush	Less Mounting Frame
Gearbox with 3:1 Reduction	Less Front Quick-Hitch
Chain and Sprocket Final Drive	Less Front PTO
(2) Adjustable Rear Mounted	Less Implement Drive Shaft
Caster Wheels	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3790M		60 In. Heavy-Duty Rotary Broom (For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors) <i>X465 and X475 Tractors Require BM20761 Hydraulic Coupler Kit.</i>  <i>Not Compatible with BM17347, 400 Series Quick Hitch.</i>  <i>Compact Tractors Require Dual Selective Control Valve and Mid PTO. Small Chassis Compact Tractors also Require Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i>	320	3,000.00
-------	--	---	-----	----------

**MOUNTING FRAME**

1000		Mounting Frame (X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115)	23	350.00
1001		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410)	78	1,006.00
1002		Mounting Frame with Drive Shaft and Hydraulic Angling (3120-3720)		668.00
1010		Less Mounting Frame		In Base Price

**FRONT QUICK-HITCH / HYDRAULIC LIFT**

2000		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
2002		Front Quick-Hitch and Hydraulic Lift (4210-4410)	45	569.00
2003		Front Quick-Hitch and Hydraulic Lift (4200-4400)	45	589.00
2004		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
2005		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom**  
**(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru**  
**4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>FRONT QUICK-HITCH / HYDRAULIC LIFT Continued...</b>				
2006		Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720)	140	1,040.00
2010		Less Front Quick-Hitch and Hydraulic Lift		In Base Price
<b>HYDRAULIC ANGLING</b>				
<i>Hydraulic Angling for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>				
3000		Hydraulic Angling (X400/X500 HDGT's, X700's)	10	169.00
3002		Hydraulic Angling Kit (2210, 2305)	22	159.00
3003		Hydraulic Angling ( 2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
3010		Less Hydraulic Angling		In Base Price
<b>2000 RPM FRONT PTO KIT</b>				
4000		2WD Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	11	198.00
4001		4WD Front PTO (X500 HDGT's, X728, X748)	12	223.00
4002		2000 RPM Front PTO Kit (4100, 4110)	12	212.00
4003		2000 RPM Front PTO Kit ( 4010, 4115)	12	212.00
4004		2000 RPM Front PTO Kit (4200-4400, 4210-4410)	25	180.00
4005		2000 RPM Front PTO Kit (2210, 2305)	24	212.00
4006		2000 RPM Front PTO Kit (2320)	18	212.00
4007		2000 RPM Front PTO Kit (2520, 3120-3720)	17	212.00
4010		Less 2000 RPM Front PTO Kit		In Base Price
<b>IMPLEMENT DRIVE SHAFT</b>				
<i>Drive Shaft for 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Code 1001/1002.</i>				
5001		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
5003		Implement Drive Shaft (X400/X500 HDGT's, X700's, 2210, 2305)	8	223.00
5010		Less Implement Drive Shaft		In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>				
9221		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decals for X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115	1	No Charge

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom**  
**(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS - ORDER AS DESIRED Continued...</b>				
9222		French Canadian Operator's Manual and Decals for 4200-4400 and 4210-4410	1	No Charge
9223		French Canadian Operator's Manual and Decals for 3120-3720	1	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Front Hitch:</b>				
	LVB24797	A-Frame Quick Attach System (3120-3720)	22	130.00
	LVB24898	Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
	BM20921	Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
	BM19575	Front Quick-Hitch and Hydraulic Lift (4200-4400)	45	589.00
	LVB25306	Front Quick-Hitch and Hydraulic Lift (4210-4410)	45	569.00
	BM19782	Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
	LVB25582	Front Three-Point Hitch (3120-3720)	106	855.00
	LVB24815	Front Three-Point Hitch with A-Frame Quick Attach System (3120-3720) <i>Consists of (1) LVB24797, (1) LVB25759, (1) LVB25582</i>	140	1,040.00
<b>Front PTO:</b>				
	LVB25397	2000 RPM Front PTO (2210, 2305)	24	212.00
	LVB24900	2000 RPM Front PTO (2320)	18	212.00
	LVB24801	2000 RPM Front PTO (2520, 3120-3720)	17	212.00
	BM18695	2000 RPM Front PTO (4100, 4110)	12	212.00
	BM19576	2000 RPM Front PTO (4200-4400, 4210-4410)	25	180.00
	LVB25305	2000 RPM Front PTO Kit (4010, 4115)	12	212.00
	BM20991	2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	11	198.00
	BM20382	4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748)	12	223.00
	LVB25759	Front PTO Bracket (3120-3720)	12	55.00
<b>Hitch:</b>				
	BM21801	3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom**  
**(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru**  
**4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM21804		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
		<b>Hydraulics:</b>		
LVB24901		Hydraulic Angling (2320, 2520, 4010, 4100, 4110, 4115)	9	159.00
BM20837		Hydraulic Angling (X400/X500 HDGT's, X700's)	10	169.00
BM20922		Hydraulic Angling Kit (2210, 2305)	22	159.00
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
		<b>Miscellaneous:</b>		
BM20706		19.25x12.5x6.5 Heavy Duty Wheel Kit	18	279.00
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
BM19805		Debris Deflector	18	315.00
LVB25302		Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors.</i> <i>If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB25396		Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00
LVB24810		Front Three-Point Hitch/Mid Mount Mower Draft Arms <i>Required for use with LVB24815 Front Three-Point Hitch with A-Frame (3120-3720 Tractors Only) and Mid-Mount Mowers.</i>		170.00
BM20836		Implement Drive Shaft (2320, 2520, 4010, 4100, 4110, 4115)	50	213.00
LVB24956		Implement Drive Shaft (3120-3720)	9	103.00
BM21854		Implement Drive Shaft for Rotary Brooms (X400/X500 HDGT's, X700's, 425-455, 2210, 2305)	8	223.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**60 In. Heavy-Duty Rotary Broom**  
**(For X400/X500 HDGT's, X700's, 2305, 2320, 2520, 3120-3720, 2210, 4010 Thru 4400-4410 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
BM20626		Mounting Frame (X400/X500 HDGT's, X700's, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115)	23	350.00
LVB24896		Mounting Frame and Hydraulic Angling (3120-3720)		565.00
BM19804		Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400, 4210-4410)	78	1,006.00
AM128682		Wafers, Polypropylene Bristle (Pack of 16)		See Parts
AM128683		Wafers, Steel Bristle (Pack of 16)		See Parts
<b>Weights:</b>				
BM17972		50 Lb. Cast Iron Wheel Weight (1)	55	92.00
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware	50	44.00
BM17973		72 Lb. Cast Iron Starter Wheel Weight (1)	71	130.00
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
BM18101		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight and (2) 50 Lb. Cast Iron Weights on 26 In. Tire	1	23.00
BM18089		Mounting Hardware (1) for Attaching 72 Lb. Starter Weight on 26x12-12 Tire	1	10.00
BM17977		Mounting Hardware (1) for Attaching Two 50 lb. Weights to 23 In., 24 In. or 26 In. Tires <i>Two Wheel Steer only.</i>	1	14.00
BM18094		Mounting Hardware (1), for Attaching 1 Wheel Weight. 4-Wheel Steer Only.	1	7.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.)	32	74.00
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	1	5.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42 In. Two-Stage Snow Blower**  
**(For LT Series Lawn Tractors Model Year 2000 and Newer)**  
Equipment for Base Machine

42 In. (107 cm) Clearing Width	Tensioner
6 In. Diameter Discharge Chute	Chute Rotation and Deflector
12 In. Diameter Auger	Actuation From Operator's Seat
4.5 In. Ground Clearance in Transport	Includes All Attaching Parts
21 In. Tall Housing	Large, Adjustable Skid Shoes
180 Degree Chute Rotation	Replaceable Scraper Bar
Spring Loaded Belt	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3840M	42 In. Two-Stage Snow Blower (For LT Series Lawn Tractors Model Year 2000 and Newer) (Not Recommended for Model Years 1998 and 1999). Will not fit LTR166 and LTR180 Lawn Tractors.  <i>Rear Weight and Chains are recommended.</i>  Tractors with no Mower or Equipped with a 42M (Freedom 42, 46, OR 48C) Mower require AM132726 PTO Rod and Spring Assembly.	1,350.00
-------	--	----------

**ATTACHMENTS - ORDER AS DESIRED**

9220	<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit	No Charge
------	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Miscellaneous:</b>				
AM132726	PTO Rod and Spring Assembly			See Parts
TY16200	Tire Chains (Pair) for 20x10-8, 20x10-10			See Parts
TY24327	Tire Chains for 22x11-10 In. Tuf Tires			See Parts
<b>Weights:</b>				
BM19123	31 Lb. Plastic Rear Wheel Weights <i>Not for LT190</i>	63		55.00
R66949	Quik-Tatch Weight, 42 Lb.	42		37.00
BM21432	Rear Weight Bracket Kit <i>Requires Two R66949 Quik-Tatch Weights</i> <i>Not for LTR166 or LTR180</i>	12		80.00

**JOHN DEERE LAWN & GARDEN PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

---

**47 In. Quick-Hitch Two-Stage Snow Blower**  
**(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,**  
**2320, 2520, 4010, 4100, 4110, 4115 Tractors)**  
 Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 90 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts
15.5 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Unstop

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

1473M		47 In. Quick-Hitch Two-Stage Snow Blower (X400/X500 HDGT's, X700's, 425-455, 2210, 2305, 2320, 2520, 4010, 4100, 4110, 4115 Tractors) <i>BM20761 Hydraulic Coupler Kit Required on X465, X475 and 425 Tractors.</i>	318	1,950.00
<p><i>Compact Tractors Require Dual Selective Control Valve and Front Attaching Support Kit. See Sales Manual for Front Attaching Support Requirements.</i></p> <p><i>See Sales Manual for Ballast requirements.</i></p>				

**FRONT QUICK-HITCH**

2000		Front Quick-Hitch and Hydraulic Lift (425, 445, 455)	83	546.00
2005		Front Quick-Hitch and Hydraulic Lift (For X400/X500 HDGT's, X700's)	83	546.00
2006		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
2007		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
2010		Less Front Quick-Hitch		In Base Price

**2000 RPM FRONT PTO KIT**

3000		2000 RPM Front PTO (425, 445, 455)	12	198.00
3003		2000 RPM Front PTO (4100, 4110)	12	212.00
3004		2WD 2000 RPM Front PTO (X400 HDGT's, X700, X720, X724, X740, X744)	11	198.00
3005		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748)	12	223.00
3006		2000 RPM Front PTO (4010, 4115)	12	212.00
3007		2000 RPM Front PTO (2210, 2305)	24	212.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower  
(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,  
2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>2000 RPM FRONT PTO KIT Continued...</b>				
3008		2000 RPM Front PTO Kit (2320)	18	212.00
3009		2000 RPM Front PTO (2520)	12	212.00
3010		Less Power Take Off		In Base Price
<b>IMPLEMENT DRIVE AND UPSTOP</b>				
4000		Implement Drive and Upstop (425, 445, 455)	15	198.00
4003		Implement Drive and Upstop (For X400/X500 HDGT's, X700's)	11	198.00
4004		Implement Drive and Upstop (2210, 2305)	13	246.00
4005		Implement Drive and Upstop (2320, 2520, 4010, 4100, 4110, 4115)	49	296.00
4010		Less Implement Drive and Upstop		In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>				
<b>French Canadian Kit:</b>				
9221		French Canadian Decals and Operators Manual (X400/X500 HDGT's, and X700's)	1	No Charge
9222		French Canadian Decals and Operators Manual (425, 445, 455)	1	No Charge
9223		French Canadian Decals and Operators Manual (318, 322, 420, 430)	1	No Charge
9226		French Canadian Decals and Operators Manual (CUT Tractors)	1	No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Front Hitch:</b>				
BM20979		Front Hitch/Angling Retro Fit Kit (For X400/X500 HDGT's, X700's) <i>Converts a Customer's old Front Quick Hitch and Angling Kit on a new X400/X500 HDGT or X700 Series Tractor. Required when using BM17347 Quick-Hitch and BM17650 Angling Kit.</i>	6	44.00
LVB24898		Front Quick-Hitch and Hydraulic Lift (2320, 2520, 4010, 4100, 4110, 4115)	79	569.00
BM20921		Front Quick-Hitch and Hydraulic Lift (2210, 2305)	83	546.00
BM17347		Front Quick-Hitch and Hydraulic Lift (415, 425, 445, 455)	83	546.00
BM19782		Front Quick-Hitch and Hydraulic Lift (X400/X500 HDGT's, X700's)	83	546.00
<b>Front PTO:</b>				
LVB25397		2000 RPM Front PTO (2210, 2305)	24	212.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower  
(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,  
2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
LVB24900		2000 RPM Front PTO (2320)	18	212.00
LVB24801		2000 RPM Front PTO (2520, 3120-3720)	17	212.00
BM18695		2000 RPM Front PTO (4100, 4110)	12	212.00
BM17330		2000 RPM Front PTO (415, 425, 445, 455) <i>European Region II 455 Requires BM17861.</i>	22	198.00
LVB25305		2000 RPM Front PTO Kit (4010, 4115)	12	212.00
BM20991		2000 RPM Mid-to-Front PTO Kit, 2WD (X400 HDGT's, X700, X720, X724, X740, X744) <i>For Homologation Tractors, also Order BM20966 Front PTO Shield. Required to Meet Homologation Standards. Not Required for CE.</i>	11	198.00
BM20382		4WD 2000 RPM Front PTO (X500 HDGT's, X728, X748)	12	223.00
<b>Hydraulics:</b>				
BM20761		Hydraulic Coupler Kit <i>Required on X700, X465, X475 and 425 Tractors.</i>	5	44.00
BM20896		Hydraulic Retro Kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	2	23.00
<b>Miscellaneous:</b>				
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
M88984		Drift Blade <i>Requires (2) 19H1914 Bolts and (2) N10217 Lock Nuts.</i>		See Parts
LVB25302		Front Attaching Support Kit <i>For 2520, 4100, 4110, 4115 Tractors. If Tractor is Equipped with Hood Guard, Attaching Support Kit is not Required. 2520 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB25396		Front Attaching Support Kit (2210, 2305) <i>2210, 2305 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	12	44.00
LVB24895		Front Attaching Support Kit (2320) <i>2320 Tractors with 200X or 200CX Hood Guard Require Attaching Support Kit.</i>	23	44.00
LVB25293		Front Attaching Support Kit (4010) <i>Required for Installation and Use with all Mid Mounted Mowers and all Front Attaching Implements (Blade, Broom and Snow Blower) with 4010 Tractors.</i>	18	44.00
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (2320, 2520, 4115) <i>Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (2320, 2520, 4115).</i>	11	94.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

**47 In. Quick-Hitch Two-Stage Snow Blower  
(X400/X500 HDGT's, X700's, 425-455, 2210, 2305,  
2320, 2520, 4010, 4100, 4110, 4115 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
AM119321		Heavy Duty Skid Shoe (1) <i>For Snow Blowers Serial Numbered up to 060000.</i>		See Parts
BM24006		Implement Drive and Upstop (2210, 2305)	13	246.00
LVB24902		Implement Drive and Upstop (2320, 2520, 4010, 4100, 4110, 4115)	49	296.00
BM18172		Implement Drive and Upstop (318, 322, 332, 420, 430)	13	230.00
BM20871		Implement Drive and Upstop (425, 445, 455, F900's)	15	198.00
BM20708		Implement Drive and Upstop (X400/X500 HDGT's, X700's)	11	198.00
AM128337		Left-Side Skid Shoe Plate and Hardware		See Parts
BM20960		Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	3	95.00
LVB24958		Remote Spout Cap Control Kit <i>For 2320, 2520 Tractors. See Sales Manual for Required Attaching Parts.</i>	4	95.00
AM128336		Right-Side Skid Shoe Plate and Hardware		See Parts
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires <i>All Wheel Steer Tractors with Standard 23x10.50-12 In. Tires Require BM18021 Wheel Spacer Kit to Provide Clearance Between Tire Chains and Steering Linkage.</i>		See Parts
TY15845		Tire Chains (Pair) for 23x10.50-12 In. Rear Tires (318, 322, 332)		See Parts
TY15841		Tire Chains (Pair) for 23x8.50-12 In. Drive Tires <i>Compatible on all Wheel Steer Tractors with BM17332 Tires.</i>		See Parts
TY15958		Tire Chains (Pair) for 26x12-12 Tires		See Parts
BM18021		Wheel Spacer Kit (425, 445, 455) <i>For all Wheel Steer Tractors when Installing TY15956 Chains. Not for X400/X500 HDGT's or X700 Series Tractors.</i>	5	110.00
		<b>Weights:</b>		
BM20715		Ballast Box (Click-N-Go) (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	47	200.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM20779		Rear Click-N-Go Weight Bracket (X400/X500 HDGT's, X700's) <i>Requires BM20714 Click-N-Go Bracket.</i>	20	122.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Snow Thrower  
(For G100, Scotts/Sabre Yard Tractors, LX, GT, GX,  
325, 335, 345, 355D, 240-285, 320 Tractors)  
Equipment for Base Machine**

42 In. (107 cm) Clearing Width Easy-On, Easy-Off Mounting 12 In. Diameter Auger Reversible and Replaceable Cutting Blade 216 Degree Spout Rotation	Over-Center Belt Tensioner Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Large, Adjustable Skid Shoes
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3252M		42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i>  <i>100 Lbs. of Ballast is Recommended on Rear of Tractor.</i>	185	1,340.00
-------	--	--	-----	----------

**LIFT KIT**

1000		Front Implement Lift Kit (G100, Scotts/Sabre Yard Tractors, LX, GT with Hand Lift) <i>G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require two M132142 Brackets, four 19M7285 Bolts, and four 14M7466 Nuts. LX277 AWS requires two M136814 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX172-LX188 require BM19407 Mounting Parts.</i>	10	81.00
1001		Front Implement Lift Kit (325, 335, 345, 355D)	8	49.00
1002		Front Implement Lift Kit (240-285, 320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193, Right and 1-M71194, Left Mower Lift Stops, 4-03M7190, Carriage Bolts and 4-14M7296, Flange Head Nuts may be Required.</i>	8	69.00
1003		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	8	49.00
1004		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>		94.00
1010		Less Front Implement Lift Kit		In Base Price

**ATTACHING PARTS**

2001		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285 and 320 Tractors Require one M137636 Bracket, two 03M7190 Bolts, two 19M7866 Bolts and six 24M7053 Washers.</i>	6	45.00
------	--	---	---	-------

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Snow Thrower  
(For G100, Scotts/Sabre Yard Tractors, LX, GT, GX,  
325, 335, 345, 355D, 240-285, 320 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHING PARTS Continued...</b>				
2003		Attaching Parts (LX, GT, GX255)	4	65.00
2004		Attaching Parts (G100 and Scotts/Sabre Yard Tractors)	4	65.00
2010		Less Attaching Parts		In Base Price
<b>ATTACHMENTS - ORDER AS DESIRED</b>				
<b>French Canadian Kit:</b>				
9220		French Canadian Operator's Manual and Decals for 42 In. Snow Thrower on LX, GT, GX255 Tractors with Foot Lift		No Charge
9221		French Canadian Operator's Manual and Decals for 42 In. Snow Thrower on LX, GT Tractors with Hand Lift		No Charge
9222		French Canadian Operator's Manual and Decals for 42 In. Snow Thrower on 240-285, 320, 335, 345, 355D, GX325, GX335, GX345, GX355 Tractors		No Charge
9223		French Canadian Operator's Manual and Decals for 42 In. Snow Thrower on G100 Tractor and Scotts/Sabre Yard Tractors		No Charge
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
<b>Miscellaneous:</b>				
BM19797		Adapter Kit for LX277 AWS and LX280 AWS <i>Required to Install BM17296 Rear Weight Mounting Kit on LX277 AWS and LX280 AWS</i>	3	23.00
BM19216		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX300 Series) <i>240-285 and 320 Tractors Require one M137636 Bracket, two 03M7190 Bolts, two 19M7866 Bolts and six 24M7053 Washers.</i>	6	45.00
BM21339		Attaching Parts (LX, GT, GX255)	8	65.00
M88984		Drift Blade		See Parts
BM19867		Electric Spout Rotation Kit	8	232.00
BM16733		Front Implement Lift Kit (240-285,320) <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts and 4-14M7296 Flange Head Nuts may be Required.</i>	8	69.00
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	8	49.00
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	8	49.00
BM21337		Front Implement Lift Kit (LX, GT, GX255 with Foot Lift) <i>(LX, GT and GX255 with Foot Lift) LX280 AWS Requires (2) M136814 Brackets, (4) 19M7285 Bolts and four 14M7466 Nuts (1) M155668 Bracket, (1) 19M7786 M10x30 Bolt, and (1) 14M7400 M10 Locknut.</i>	11	94.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**42 In. Snow Thrower**  
**(For G100, Scotts/Sabre Yard Tractors, LX, GT, GX,**  
**325, 335, 345, 355D, 240-285, 320 Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
BM18977		Front Implement Lift Kit (LX/GT with Hand Lift) <i>G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require two M132142 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX277 AWS requires two M136814 Brackets, four 19M7285 Bolts and four 14M7466 Nuts. LX172- LX188 require BM19407 Mounting Parts.</i>	10	81.00
AM122263		Heavy Duty Skid Shoe, Left Hand		See Parts
AM122264		Heavy Duty Skid Shoe, Right Hand		See Parts
BM19407		Mounting Parts (LX172-LX188)	8	109.00
TY16200		Tire Chains (Pair) for 20x10-8, 20x10-10		See Parts
TY15956		Tire Chains (Pair) for 23x10.50-12 In. Drive Tires		See Parts
TY24328		Tire Chains (Pair) for 24x12.00-12 In. Drive Tires		See Parts
TY24327		Tire Chains for 22x11-10 In. Tuf Tires		See Parts
M142891		Wear Plate		See Parts
		<b>Weights:</b>		
BM17976		50 Lb. Wheel Weight, Rear Plastic (1) with Mounting Hardware <i>Not Compatible with LX Tractors.</i>	50	44.00
R66949		Quik-Tatch Weight, 42 Lb.	42	37.00
BM17296		Rear Weight Mounting Kit (LX Series) <i>Not for LX280 or LX289</i> <i>For (2) R66949 Weights. LX277 AWS and LX280 AWS also Requires BM19797 Adapter Kit.</i>	12	44.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**40 Gallon 3-Pt. Hitch Sprayer**  
**(For X400/X500 HDGT and X700 Series Garden Tractors)**  
Equipment for Base Machine

40 Gallon Container	Operating Pressure Gauge	w/12 Ft. Hose
Shurr Flo Pump	Built-In Recirculating	
14 Amp. Rating	Circuit	
Viton Valves	Spray Boom:	
Santoprene Diaphragm	180 In., 144 In. and 108 In.	
Built-In Sump	Spray Width	
12V Electric Harness	Quick Detach Spray Nozzle	
3.6 GPM	Caps	
Control System:	Operates at 20 psi	
3-Way Selector Valve	Non-Corrosive Handgun	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Attachments-Order as Desired:</b>		
BM20531		French Canadian Operator's Manual and Decal Kit <i>(15 Gallon, 25 Gallon and 40 Gallon Sprayers)</i>	1	No Charge
		<b>Hitch:</b>		
BM21801		3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
BM21804		Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
BM21271		Alpha Hitch Kit <i>Required when using Sprayer with Alpha Hitch</i>	8	44.00
		<b>Three Point Hitch Attachments:</b>		
BM20840		40 Gallon Spayer with Handgun <i>Requires Category 1 Three Point Hitch.</i>	80	1,359.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**Front Mounted Thatchers**

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Attachments-Order as Desired:</b>		
BM19688		French Canadian Operator's Manual and Decal Kit	1	No Charge
		<b>FRONT MOUNTED THATCHERS:</b>		
SKU13056		38 In. Front Thatcher (Center) <i>French Canadian Order 9220 Code. Requires Mounting Frame.</i>	47	177.00
TY13036		8 In. Front Thatcher (Extension) <i>Add to 38 In. Thatcher as Needed to Approximate Mower Width.</i>	5	43.00
		<b>Mounting Frames:</b>		
BM17348		Thatcher Mounting Frame <i>For 425, 445, 455 Tractors with Mid-Mount Mower.</i>	25	122.00
BM20853		Thatcher Mounting Frame <i>For X-Series Tractors with mid-mount mower.</i>	25	166.00
BM19510		Thatcher Mounting Frame (LX255, LX266, LX277, LX277 AWS, LX279, LX280, LX280 AWS, LX288, LX289, GT225, GT235, GT235E, GT245, and GX255) <i>Order M142332, Draft Rod when using with a 54C Mower.</i>	22	139.00
BM20760		Thatcher Mounting Frame (GX325, GX335, GX345, GX355, 325, 335, 345, 355D, 240, 245, 260, 265, 285 and 320)	15	139.00
BM16692		Thatcher Mounting Frame (GX75, GX85, SX85, SRX75, SRX95, GX95, GX70, RX70, RX72, RX75, RX92, SX95 Riding Mowers)	17	109.00
BM17336		Thatcher Mounting Frame (LX172, LX173, LX176, LX178, LX188, GT242, GT262, GT275)	15	128.00
BM18884		Thatcher Mounting Kit (STX38 and STX46)	19	128.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**30 In. Mechanical Drive Tiller  
(For 240-285, 320, 325, 345, 355D, G100 (Not G110) GT, GX Tractors and Sabre Yard  
and Garden Tractors)  
Equipment for Base Machine**

30 In. (762 mm) Tilling Width	Mounting
14 In. Tine Diameter	End Drive
Welded Tine Housing	250 RPM Tine Speed
6 In. Tilling Depth	Double-Wall Housing
Leveling Blade	
Easy-On, Easy-Off	

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

3264M		30 In. Mechanical Drive Tiller (For 240-285, 320, 325, 345, 355D, G100 (Not G110) GT, GX Tractors and Sabre Yard and Garden Tractors) <i>Tiller Mounting Kit Required for Model Year 1999 and Prior Sabre Yard Tractors)</i>	145	1,450.00
-------	--	--	-----	----------

**LIFT ARMS**

1000		Lift Arm (GT225, GT235, GT235 E GT245 and GX255 Tractors)	5	86.00
1001		Lift Arm (G100, GT242, GT262, GT275 and Sabre Yard and Garden Tractors)	6	60.00
1002		Lift Arm (GX325-GX355, 325-355D, 240-285, 320) <i>For 240-320 Tractors. Also Requires M72234 Lift Rod.</i>	4	54.00
1010		Less Lift Arm		In Base Price

**ATTACHMENTS - ORDER AS DESIRED**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit	1	No Charge
------	--	--	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

BM20325		<b>Miscellaneous:</b> Lift Arm (240-285, 320, 325-355D, GX325-GX355) <i>For 240-320 Tractors. Also Requires M72234 Lift Rod.</i>	4	54.00
BM20242		Lift Arm (G100, GT242, GT262 GT275 and Sabre Yard and Garden Tractors)	6	60.00
BM21343		Lift Arm (GT225, GT235, GT235 E, GT245, GT255)	5	86.00
BM20420		Tiller Mounting Kit <i>For 30 In. Tiller to fit Sabre Yard Tractors for model year 1999 and prior.</i>	2	16.00

**Weights:**

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

**30 In. Mechanical Drive Tiller**  
**(For 240-285, 320, 325, 345, 355D, G100 (Not G110) GT, GX Tractors and Sabre Yard and Garden Tractors)**

Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
BM19928		75 Lb. Plastic Rear Wheel Weight <i>Two Required.</i>	76	64.00
BM19511		Front Weight Bracket/Bumper <i>For use of R66949 Weight on GT225, GT235, GT235E, GT245 and GX255 Tractors. French Canada Dealers must order M139913, Warning Decal.</i>	10	105.00
R66949		Quik-Tatch Weight, 42 Lb. <i>Use up to 3 Weights at Rear when Tilling Sod or Hard Packed Soil.</i>	42	37.00
BM17964		Wheel Weight (Cast Iron, Front, 30 Lb. 8 In.) <i>Use at Front of Tractor when Operating on Slopes. Front Wheel Weight Requires BM17978 Wheel Weight Mounting Hardware Kit.</i>	32	74.00
BG10189		Wheel Weight Kit (Set of 2) <i>Fits Front Wheels.</i>	62	54.00
BM17978		Wheel Weight Mounting Hardware (1) for Attaching Front Wheel Weight	1	5.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Hydraulic Tiller  
(For GX325, GX335, GX345, GX355, 325-355D Tractors)  
Equipment for Base Machine**

42 In. Tilling Width  
Leveling Blade  
14 In. Cutting Circle  
1-6 In. Tilling Depth  
28 High-Carbon, Heat  
Treated Steel Tines  
Optional Six Position  
Adjustable Skid Shoes  
5 Gallon Hydraulic Oil

Reservoir  
Adjustable Rear Hinged  
Cover Door  
200 RPM Tine Rotation Speed  
at Full Throttle  
Standard or Counter-Rotating  
Tines

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

4383M		42 In. Hydraulic Tiller (For GX325, GX335, GX345, GX355, 325-355D Tractors) <i>Bar Tires are Recommended for Tilling Applications. Chains not Recommended for Tilling.</i>  <i>See Sales Manual for Ballast Requirements.</i>	450	2,240.00
-------	--	---	-----	----------

**ATTACHMENTS - ORDER AS DESIRED**

9221		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit <i>For Serial Numbers M04381X025001 (325-355D) and above, and M04390X025001 (425-455) and above. Also for all Tillers for the GX300's and X-Series Tractors.</i>	1	No Charge
------	--	--	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	BM19406	<b>Miscellaneous:</b> Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	20	175.00
	R66949	<b>Weights:</b> Quik-Tatch Weight, 42 Lb.	42	37.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Hydraulic Tiller  
(For 425, 445, and 455 Tractors)  
Equipment for Base Machine**

42 In. Tilling Width Shaft Drive with "Lock-Back Collar" - 425-455 2000 RPM PTO Input Speed Category "0" 3-Point Hitch Mounting, 425-455 Leveling Blade 14 In. Cutting Circle 1-6 In. Tilling Depth 28 High-Carbon, Heat	Treated Steel Tines Optional Six Position Adjustable Skid Shoes 5 Gallon Hydraulic Oil Reservoir Adjustable Rear Hinged Cover Door 200 RPM Tine Rotation Speed at Full Throttle Standard or Counter-Rotating	Tines
---	---	-------

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

4390M		42 In. Hydraulic Tiller (For 425, 445, and 455 Tractors) <i>If no Mower Deck, then AM124467 is Required.</i>  <i>Bar Tires are Recommended for Tilling Applications. Chains not Recommended for Tilling.</i>  <i>200 Lbs. of front ballast is required.</i>  <i>425-455 Garden Tractors must be equipped with 3-Point Hitch.</i>	287	2,140.00
-------	--	--	-----	----------

**ATTACHMENTS - ORDER AS DESIRED**

9221		<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit <i>For Serial Numbers M04381X025001 (325-355D) and above, and M04390X025001 (425-455) and above. Also for all Tillers for GX300's, X400/X500 HDGT, and X700 Series Garden Tractors.</i>	1	No Charge
------	--	---	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

		<b>Hitch:</b> 3-Point Hitch (Category 0) <i>For Various Wheel Weights and Mounting Hardware Kits. Reference Tractor Price Pages, Operator's Manual and Sales Manual.</i>	60	504.00
BM17327				
		<b>Miscellaneous:</b> Adjustable Skid Shoes <i>For 42 In. Hydraulic Tiller</i>	20	175.00
BM19406				
AM124467		Shaft, Half and Joint Assembly (425, 445, 455)		See Parts
		<b>Weights:</b> Quik-Tatch Weight, 42 Lb.	42	37.00
R66949				

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**42 In. Hydraulic Tiller  
(For X400/X500 HDGT and X700 Series Garden Tractors)  
Equipment for Base Machine**

42 In. Tilling Width	28 High-Carbon, Heat Treated Steel Tines	Tines
Shaft Drive with "Lock-Back Collar" - X400/X500 HDGT'S, X700's	Optional Six Position Adjustable Skid Shoes	
2000 RPM PTO Input Speed	5 Gallon Hydraulic Oil Reservoir	
Category "1" 3-Point Hitch Mounting, X400/X500 HDGT'S, X700's	Adjustable Rear Hinged Cover Door	
Leveling Blade	200 RPM Tine Rotation Speed at Full Throttle	
14 In. Cutting Circle	Standard or Counter-Rotating	
1-6 In. Tilling Depth		

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

4391M	42 In. Hydraulic Tiller (For X400/X500 HDGT and X700 Series Garden Tractors) <i>if no Mower Deck, then AM132008 is Required.</i>	305	2,240.00
	<i>Bar Tires are Recommended on 2WD Tractors and HDAP Tires Recommended on 4WD Tractors for Tilling Applications. Chains not Recommended for Tilling.</i>		
	<i>160 Lbs. of front ballast is required for X400/X500 HDGT and X700 Series Garden Tractors.</i>		
	<i>X400/X500 HDGT and X700 Series Garden Tractors must be equipped with 3-Point Hitch.</i>		

**ATTACHMENTS - ORDER AS DESIRED**

9221	<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal Kit <i>For Serial Numbers M04381X025001 (325-355D) and above, and M04390X025001 (425-455) and above. Also for all Tillers for GX300's, X400/X500 HDGT, and X700 Series Garden Tractors.</i>	1	No Charge
------	---	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hitch:</b> 3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
BM21801			
BM21804	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.	3	60.00
	<b>Miscellaneous:</b> Adjustable Skid Shoes For 42 In. Hydraulic Tiller	20	175.00
BM19406			
AM132008	Shaft, Half and Joint Assembly (X400/X500 HDGT's, X700's)		See Parts

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS

---

**42 In. Hydraulic Tiller**  
**(For X400/X500 HDGT and X700 Series Garden Tractors)**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
		<b>Weights:</b>		
	R66949	Quik-Tatch Weight, 42 Lb.	42	37.00

**JOHN DEERE LAWN & GARDEN PRODUCTS**  
**EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**647 Rotary Tiller**  
 Equipment for Base Machine

48 In. Tilling Width	6 Hybrid Tines per Flange
540 PTO Shaft Drive with "Quick Lock" Collar	6 Flanges - Total of 36 Tines
Pre-set Slip Clutch	4 Position Adjustable Skidshoes
15-35 PTO HP Rated Main Gearbox	ASA 60 Roller Chain
Breather on Gearbox and Chain Case	Parking Stands
Dipstick on Gearbox	Adjustable Rear Hinged Cover Door
Sight Glass on Chain Case	Center Mounted Cat 1 Hitch
7 In. Tilling Depth	iMatch & Alpha Compatible 3-Point Hitch
14 In. Rotor Diameter	Drive Shaft (CUT Tractors)

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Davenport, Iowa*

0200LV	647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 2210, 2305, 2320, 2520, 4010, 4100, 4110 and 4115 Tractors. X400/X500 HDGT and X700 Series Tractors must be equipped with 540 RPM rear PTO Drive and Category 1 3-Point Hitch. Front Ballast is required. See Sales Manual for specific requirements.</i>	321	1,960.00
--------	--	-----	----------

**DRIVE SHAFT**

1000	Drive Shaft for Compact Utility Tractors	29	In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors	29	27.00
1010	Less Drive Shaft	-29	(263.00)

**ATTACHMENTS - ORDER AS DESIRED**

9220	<b>French Canadian Kit:</b> French Canadian Operator's Manual and Decal	1	No Charge
------	--	---	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Hitch:</b> 3-Pt. Hitch, Category 1 (X400/ X500 HDGT's, X700's)	59	504.00
BM21801			
BM21804	Adaptor Kit, X400/X500 HDGT 3-Point Hitch on X700's <i>Converts BM21263 (Cat 1) or BM17327 (Cat 0) X400/X500 HDGT 3-Point Hitch for use on X700 Series Tractor.</i>	3	60.00
	<b>Miscellaneous:</b> 540 RPM Rear PTO Drive ( X700's) <i>Also order AM120840 Module for MY2005 and older X400 or X500 HDGTs.</i>		764.00
BM21914			
LVB25518	Drive Shaft Kit (CUTS)	29	263.00

JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

---

**647 Rotary Tiller**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>		
	LVB25545	Drive Shaft Kit (X400/X500 HDGT's, X700's)	29	290.00
		<b>Weights:</b>		
	BM20957	Front Weight Bracket "9 Weight Special" <i>For X400/X500 HDGT's, X700's</i>	33	149.00
	LVB25363	Front Weight Bracket Extension Kit (2305, 2320, 2520) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Seven Quik-Tatch Weights.</i>	25	149.00
	R66949	Quik-Tatch Weight, 42 Lb. <i>For X400/X500 HDGT's and X700 Series also order M147986 Retaining Rod and Two M40461 Spring Clips. For 2210, 2305, 2320, 2520, 4010, 4100, 4110, and 4115 also order M128726 Retaining Rod and Four A15147 Spring Clips.</i>	42	37.00

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors**  
Equipment for Base Machine

Spreaders: Capacity and Type: 80 Lb. Pull-Type (TY25010) 125 Lb. Pull-Type (TY25011) 175 Lb. Pull-Type (TY25012) 175 Lb. Pull-Type (LPBST35JD) NEED TO UPDATE ALL SPECS 40 Lb. Push-Type (TY24375) 110 Lb. Pull-Type (TY24378) Hopper Material Stainless Steel (40 Lb.) Polyethylene (80-, 125-, 175, 110- Lb.) 80 Setting Dial-A-Matic Rate Control Knob	Solid, One-Place Axle Drive Gears Delron/Nylon (40- and 80-Lb.) Heavy-Duty Die Cast Metal (110-, 125-, and 175-Lb.) Tires: 10 In. Pneumatic (80 Lb.) 14 In. Pneumatic (125- and 175-Lb.) 8x2.25 In. Semi-Pneumatic (40 Lb) 13x5 In. Turf Saver (110 Lb) Powder-Coated 16 gauge Tubular Steel Frame	Stainless Steel Hopper Bottom No-Stick Nylon Rate Gauge Stainless Steel Rate Gauge Linkage and Rotary Agitator One-Year Limited Warranty
---	--	--

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
------	-----------------------	-------------	-------------	-------------------------------

**Attachments - Order as Desired**

9220		<b>French Canadian Kit:</b> French Canadian Operator's Manual for 10S, 16S and 13 Utility Cart		No Charge
------	--	---	--	-----------

**ATTACHMENTS FOR FIELD CONVERSION**

**FRONT MOUNTED THATCHERS:**

TY13036		8 In. Front Thatcher (Extension) <i>Add to one end of 40 In. Thatcherator to make 48 In. wide, both ends for 56 In. total width</i>	5	43.00
---------	--	--	---	-------

**Miscellaneous:**

AM105666		Extension, Wiring Harness (X400/X500 HDGT's, X700's, 322, 330, 332, 425, 445, 455) <i>30 in extension for use with sprayers on (X400's, X500's, 322, 330, 332, 425, 445, 455)</i>		See Parts
----------	--	---	--	-----------

**Order Zone:**

*For ordering and pricing information on the below product, Dealers can refer to the John Deere Order Zone site via the C&CE Pathways Home Page, then "Sales" then "John Deere Licensed Products" then "John Deere Order Zone". Customers must contact your local JD Dealer.*

LPBST35JD		175 Lb. Pull Type Spin Spreader (Homeowner)		In Catalog
LP19490		25 Gallon Portable Sprayer		In Catalog
LPPRT36SJD		36 In. Tow Behind Lawn Roller		In Catalog
LP20485		40 Gallon Tow Behind Sprayer <i>Compatible with GT, GX, X500M-T and similar sized Lawn and Garden Tractors.</i>		In Catalog
LPAS40JD		40 In. Tow Behind Aerator-Spreader		In Catalog
LPPA40JD		40 In. Tow Behind Plug Aerator		In Catalog
LPSAT40JD		40 In. Tow Behind Spiker Aerator		In Catalog
LPTA40JD		40 In. Tow Behind Thatcherator		In Catalog

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors**  
Continued

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>				
	LPSTS42JD	42 in. Lawn Sweeper		In Catalog
	LPPA48JD	48 In. Tow Behind Plug Aerator <i>Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.</i>		In Catalog
	LPPTK10	Poly Cart Hard Top		In Catalog
	LP19478	Tow Behind Sprayer, 15 Gallon		In Catalog
	LP19479	Tow Behind Sprayer, 25 Gallon		In Catalog
	LPPCT10JD	Utility Cart, 10P		In Catalog
	LPHDC18JD	Utility Cart, 18 <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with GT, GX, X500 M-T, X700 and similar-sized lawn and garden tractors.</i>		In Catalog
	LP90117	Utility Carts Load Cover		In Catalog
	LPUT21JD	Utility Trailer, 21 <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized Lawn and Garden Tractors.</i>		In Catalog
		<b>Spreaders:</b>		
	TY24378	110 Lb. Pull-Type Spin Spreader (Commercial)	38	373.00
	TY25011	125 Lb. Pull-Type Spin Spreader (Homeowner)	37	237.00
	TY25012	175 Lb. Pull-Type Spin Spreader (Homeowner)	45	268.00
	TY24375	40 Lb. Push-Type Spin Spreader (Homeowner)	17	129.00
	TY25010	80 Lb. Pull-Type Spin Spreader (Homeowner)	28	173.00
	TY8528	See-Through Hopper Cover for 110-Lb. Spreader	1	See Parts

**JOHN DEERE LAWN & GARDEN PRODUCTS  
EQUIPMENT FOR RIDERS & TRACTORS**

**Tractor Trunk and Optional Sprayer  
(STX, LT, LX, SST, GT, GX, 400, X400/X500 HDGT's, X700's)  
Equipment for Base Machine**

2 or 3 Cu. Ft. Capacity High Molecular Weight High Density Polyethylene Quik-Tatch Mounting Dump Latch Mounting Parts for LT and LX Lawn Tractors Sprayer Option:	15 or 25 Gallon Capacity 7 Amp. Shurr Flo Pump Spray Wand Boom Spray Width 15 Gallon - 60 In. (152 cm) 25 Gallon - 90 In. (229 cm)
--	---

CODE	ATTACHMENT IDENTIFIER	DESCRIPTION	WEIGHT LBS.	SUGGESTED LIST PRICE USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION</b>				
		<b>Attachments-Order as Desired:</b>		
BM20531		French Canadian Operator's Manual and Decal Kit <i>(15 Gallon, 25 Gallon and 40 Gallon Sprayers)</i>	1	No Charge
BM20698		French Canadian Operator's Manual and Decal Kit <i>(2 Cu. Ft. and 3 Cu. Ft. Tractor Trunk)</i>	1	No Charge
BM19796		Region II Decals and Operator's Manual <i>(3 Cu. Ft. Tractor Truck)</i>	1	No Charge
BM19210		<b>Miscellaneous:</b> 2 Cu. Ft. Tractor Trunk <i>Must Order in Quantities of two. Includes Mounting Parts for LT and LX 2WS Tractors with Hand Lift. BM19211 Mounting Parts are Required for STX, LX277 AWS, LX280, LX280 AWS, LX289, GT, GX and 325, 335, 345 and 355D Tractors.</i>  <i>Two Front Wheel Weights or Two Front Suitcase Weights Recommended, Especially on Hills or Inclines. If the Mid-Mount Mower or a Front Attachment is not Installed, Two Front Wheel Weights or Two Front Suitcase Weights are Required.</i>	20	110.00
BM19794		25 Gallon Sprayer (3 Cu. Ft. Tractor Trunk) <i>Requires BM20874, 3 Cu. Ft. Tractor Trunk.</i>	60	429.00
BM20874		3 Cu. Ft. Tractor Trunk (Click-N-Go) <i>Must order in quantities of Two. Requires BM20714 Click-N-Go Bracket for X400/X500 HDGT's and X700 Series Tractors.</i>	68	187.00
BM19248		CE Kit, Tractor Trunk (LT and LX)	1	No Charge
BM20714		Click-N-Go Bracket (X400/X500 HDGT's, X700's)	8	83.00
AM105666		Extension, Wiring Harness <i>(X400/X500 HDGT's, X700's, 322, 330, 332, 425, 445, 455) For BM19794, 25 Gallon Sprayer. Required for 425, 445, 455, X400/X500 HDGT's and X700 Series Tractors.</i>		See Parts
BM19211		Mounting Parts for 2 Cu. Ft. Tractor Trunk <i>To Install BM19210 Tractor Trunk on STX, LX277 AWS, LX280, LX280 AWS, LX289 GT, GX and 300 Series Tractors.</i>	2	21.00
BM20937		<b>Weights:</b> Front Weight Kit (SST) <i>Warning Label not Included. French Canadian Dealers Need to Order M127333 Warning Label. Order M127333 Warning Label.</i>	88	50.00