

**INSTRUCTIONS FOR DOWNLOADING AND SUBMITTING AN EXCEL® PRICE SCHEDULE
WHEN RESPONDING TO A SWIFT EVENT**

Responders MUST use the Excel Price Schedule included in the SWIFT Solicitation. The State reserves the right to reject any offer that is not submitted on the Price Schedule included in the SWIFT solicitation.

PRICE SCHEDULE INSTRUCTIONS:

A Price Schedule in Excel® 97-2003 WORKSHEET (.xls), Microsoft Excel® 2010 Worksheet (.xlsx), or later version is attached to the 'Line Details' of this Event. You must 'download' and save the Excel® Price Schedule to your desktop before you can enter information or pricing.

On the Excel® Price Schedule, type your responses to the requested information. **Type in the yellow/shaded cells only.** Keep descriptions to less than 250 characters per cell.

Use the TAB KEY to advance to the next cell.

Do not change pre-typed cells.

On the Excel Price Sheet(s), make sure the spec numbers (e.g., A.1, A.2, A.3.) are recorded in the proper sequence when you are filling in those lines with information. **To insert additional lines, use the "Insert Row" function.**

On the Excel Price Sheet(s), the price should represent the industry standard unit of measure for that item or option. If clarification of the unit of measure is needed, contact the AMS/Buyer prior to the Event End Date.

Type the catalog price list discount amount or percentage information in the space provided. If more than one discount applies to a catalog, state the different discounts along with the sections/products that they pertain to in the shaded space provided.

Save your completed Price Schedule.

FOR FIXED PRICE METHOD – For each **"Make & Model"** create a Price Sheet Tab at the bottom of the workbook (example: Craftsman - # 4237 Skill Saw). After equipment Information and Pricing Sheets have been filled in, save your workbook. Do this by choosing the "File" menu, "Save As" and then type the appropriate information for the workbook as the file name (example: Craftsman Tools Price Schedule).

Attach your File attachment to your Event response in the Supplier Portal.

IF YOUR FILES ARE TOO LARGE, USE A ZIP FILE

ZIP FILE INSTRUCTIONS:

If the Solicitation instructions require submittals to be uploaded/attached in a "ZIP" file, do the following:

Create one Price Schedule for each make and model offered in the Excel Workbook and title each tab with the Make and Model Number (i.e., John Deere Model #1) offered.

When all of the files have been completed in the proper format, **CREATE A "ZIP" FILE** that will contain all of the data that is being offered for the Event.

"Upload" the "Zip" file.

If the offer returned with the Event includes multiple Price Schedules and Technical Data, and is not submitted in a "ZIP" file, the State reserves the right to reject the offer in its entirety.

UPLOADING/ATTACHING INSTRUCTIONS:

To "Upload/Attach" the completed Price Schedule Workbook, you must 'upload/attach' the completed Price Schedule Workbook where indicated and select the 'I HAVE ATTACHED MY PRICE SCHEDULE' box where directed in the Line Details section of the Event.

DO NOT SELECT: 'I DECLINE TO BID ON THIS LINE' ! Selecting this box may cause your response to be rejected.

Responses will only be accepted on the Price Schedule Workbook included with the Event. The completed Price Schedule Workbook should be uploaded in either a Microsoft Excel® 97-2003 Worksheet (.xls), or Microsoft Excel® 2010 Worksheet (.xlsx). The State reserves the right to reject Price Schedules submitted in any other format. Other Excel® file extensions that MAY be compatible are: .xlsm, .xlt, .xltm, and .xlw.

Once you have completed and submitted your response, you will receive a system confirmation message that your response has been 'accepted'. Lines with a Price Schedule attached to them will show as \$0.00. Print and save the confirmation for your file. If you're having trouble submitting your response or attaching your Price Schedule, call the Help Desk at 651-201-8100 – Option No. 1.

"DO NOT" SUBMIT THE EXCEL PRICE SCHEDULE AS PDF FILES. The State reserves the right to reject responses if the Excel Price Schedule are submitted as PDF files or any other format not supported by SWIFT. Prices must be submitted as outlined above.

ATV-UTV PRESSURE WASHERS

**BASE UNIT REQUIREMENTS
NO. 4.2 COLD WATER**

**SPECIFICATION
SWIFT**

EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

4.2	Information Requested	Answer
	Make & Model Number Many other Makes, Models & Options Available	397/SKID50 Contact R.J. Sayers Distributing Tech Support for more information
	Water Tank Capacity (In gallons)	50
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3
	Pressure (In PSI)	2700
	Hot Water Capable? (Yes/No)	No
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	N/A
	Approx. Temperature Rise (In Fahrenheit, range)	Ambient
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Honda GX200
	Engine Fuel Type and Capacity (In gallons)	Gas 0.82 gal

Engine Displacement	196cc
Engine Air or Water Cooled	Air Cooled
Engine Location	Curb/Rear
Control Panel (Yes/No)	No
What does the Control Panel control?	N/A
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	50
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	No
Wand Type	42" Single Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	40" x 48" x 50"
How is Skid attached to ATV-UTV?	Bolt or Strap
What is the estimated weight of the unit with the tanks full and ready to spray?	650 lbs
Warranty Length (In days, months, or years)	See Attached Pressure Pro Warranty
COLD WATER BASE UNIT PRICE:	\$1,995.00

ATV-UTV PRESSURE WASHERS

OPTIONS

SPECIFICATION NO. 4.3 COLD WATER
SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip:	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

Cold Water Base Unit Price: \$ 1,995.00
No additional discount allowed on Base Unit Price

Spec No.	Description	Price
4.3.1	Date & Title/I.D. of Price List	03-2019 Pressure Pro Equip Price List
4.3.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% off List Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
4.3.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$35.00 includes spark plugs
4.3.4	EXTENDED WARRANTY OPTIONS Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	\$ N/A \$ N/A \$ N/A

4.3.5 **DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS** **NO FLAT RATE ALLOWED**

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00

MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.3.6 **EQUIPMENT INSPECTION & REPAIR RATES**

Hourly Rate for Initial Inspection/Diagnostic : \$95.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) : \$95.00
Hourly Rate for Body Work (including paint or welding labor) : \$95.00

4.3.7 **NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate: \$ N/A

Weekly Rental Rate: \$ N/A

Monthly Rental Rate: \$998.00

Percent (%) of Rental Fee applied to purchase price: 50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: N/A

ATV-UTV PRESSURE WASHERS

**BASE UNIT REQUIREMENTS
NO. 4.2a HOT WATER**

**SPECIFICATION
SWIFT**

EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

4.2	Information Requested	Answer
	Make & Model Number Many other Makes, Models & Options Available	12/SS30004VG Certified to UL-1776 Contact R.J. Sayers Distributing Tech Support for more information
	Water Tank Capacity (In gallons)	Pressure Feed
	Water Tank Construction (Plastic, Stainless, etc)	N/A
	Water Volume (GPM - Gallons per Minute)	3.8
	Pressure (In PSI)	3000
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil Fired - 8 gal capacity
	Approx. Temperature Rise (In Fahrenheit, range)	130° F
	Steam Capable? (Yes/No)	Yes
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Vanguard
	Engine Fuel Type and Capacity (In gallons)	Unleaded Gas 8 gal

Engine Displacement	479cc
Engine Air or Water Cooled	Air Cooled
Engine Location	Curb/Rear
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Function
Number of Nozzles	3
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	50
High Pressure Hose Reel Included? (Yes/No)	No - Optional
Fill Hose Reel Included? (Yes/No)	No
Wand Type	48" Single Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	No - Optional
Skid Size (length and width, in inches)	47.5" x 27.5" x 40.25"
How is Skid attached to ATV-UTV?	Bolt or Strap
What is the estimated weight of the unit with the tanks	439 lbs
Warranty Length (In days, months, or years)	Mfr Lifetime Coil - See Attached HydroTek Warranty
HOT WATER BASE UNIT PRICE:	\$4,913.00

ATV-UTV PRESSURE WASHERS

OPTIONS

SPECIFICATION NO. 4.3a HOT WATER

SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

Hot Water Base Unit Price: \$4,913.00
No additional discount allowed on Base Unit Price

Spec No.	Description	Price
4.3.1	Date & Title/I.D. of Price List	03-2019 HYDROTEK EQUIPMENT PRICE LIST
4.3.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% Off List Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
4.3.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$47.50 includes spark plugs
4.3.4	<u>EXTENDED WARRANTY OPTIONS</u> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		\$ N/A
		\$ N/A
		\$ N/A

4.3.5 **DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS** **NO FLAT RATE ALLOWED**

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00
MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.3.6	<u>EQUIPMENT INSPECTION & REPAIR RATES</u>
	Hourly Rate for Initial Inspection/Diagnostic : \$95.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) : \$95.00
	Hourly Rate for Body Work (including paint or welding labor) : \$95.00

4.3.7	<u>NEW EQUIPMENT RENTAL PROGRAM</u>
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.
	Daily Rental Rate: \$ N/A
	Weekly Rental Rate: \$ N/A
	Monthly Rental Rate: \$2,457.00
	Percent (%) of Rental Fee applied to purchase price: 50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: N/A

SKID-TYPE PRESSURE WASHERS

BASE UNIT REQUIREMENTS SPECIFICATION NO. 4.4 COLD WATER SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

4.4	Information Requested	Answer
	Make & Model Number Many other Makes, Models & Options Available	397/SKID50 Contact R.J. Sayers Distributing Tech Support for more information
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck, Ag/Farm Tractor, Class 2/3/4/5
	Water Tank Capacity (In gallons)	50
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3
	Pressure (In PSI)	2700
	Hot Water Capable? (Yes/No)	No
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	N/A
	Approx. Temperature Rise (In Fahrenheit, range)	Ambient
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Honda GX200

Engine Fuel Type and Capacity (In gallons)	Gas 0.82 gal
Engine Displacement	196cc
Engine Air or Water Cooled	Air Cooled
Engine Location	Curb/Rear
Control Panel (Yes/No)	No
What does the Control Panel control?	N/A
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	50
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	No
Wand Type	42" Single Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	40" x 48" x 50"
How is Skid attached to Vehicle/Trailer?	PW is bolted to trailer
What is the estimated weight of the unit with the tanks full and ready to spray?	650 lbs
Warranty Length (In days, months, or years)	See Attached Pressure Pro Warranty
COLD WATER BASE UNIT PRICE:	\$1,995.00

SKID-TYPE PRESSURE WASHERS

SPECIFICATION NO. 4.5 COLD WATER
SWIFT EVENT NO. 10213

OPTIONS

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip:	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

Cold Water Base Unit Price: \$1,995.00

No Additional Discount is allowed on Base Unit Price

Spec No.	Description	Price
4.5.1	Date & Title/I.D. of Price List	03-2019 Pressure Pro Equipment Price List
4.5.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% Off List Price Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$35.00 includes spark plugs
4.5.4	<u>EXTENDED WARRANTY OPTIONS</u> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		\$ N/A
		\$ N/A
		\$ N/A

4.5.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00

MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.5.6 EQUIPMENT INSPECTION & REPAIR RATES

Hourly Rate for Initial Inspection/Diagnostic :	\$95.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$95.00
Hourly Rate for Body Work (including paint or welding labor) :	\$95.00

4.5.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate:	\$ N/A
Weekly Rental Rate:	\$ N/A
Monthly Rental Rate:	\$998.00
Percent (%) of Rental Fee applied to purchase price:	50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: N/A

SKID-TYPE PRESSURE WASHERS

BASE UNIT REQUIREMENTS SPECIFICATION NO. 4.4a HOT WATER SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

4.4	Information Requested	Answer
	Make & Model Number Many other Makes, Models & Options Available	12/SS30004VG Certified to UL-1776 Contact R.J. Sayers Distributing Tech Support for more information
	Skid Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck, Ag/Farm Tractor, Class 2/3/4/5
	Water Tank Capacity (In gallons)	N/A
	Water Tank Construction (Plastic, Stainless, etc)	Pressure Feed
	Water Volume (GPM - Gallons per Minute)	3.8
	Pressure (In PSI)	3000
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil Fired 8 gal capacity
	Approx. Temperature Rise (In Fahrenheit, range)	130° F
	Steam Capable? (Yes/No)	Yes
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Vangaurd

Engine Fuel Type and Capacity (In gallons)	Unleaded Gas 8 gal
Engine Displacement	479cc
Engine Air or Water Cooled	Air Cooled
Engine Location	Curb/Rear
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner Function
Number of Nozzles	3
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	50
High Pressure Hose Reel Included? (Yes/No)	No - Optional
Fill Hose Reel Included? (Yes/No)	No
Wand Type	48" Single Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	No - Optional
Skid Size (length and width, in inches)	47.5" x 27.5" x 40.25"
How is Skid attached to Vehicle/Trailer?	PW is bolted to trailer
What is the estimated weight of the unit with the tanks	439 lbs
Warranty Length (In days, months, or years)	Mfr Lifetime Coil - See Attached HydroTek Warranty
HOT WATER BASE UNIT PRICE:	\$4,913.00

SKID-TYPE PRESSURE WASHERS

OPTIONS

SPECIFICATION NO. 4.5a HOT WATER
SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip:	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	risayers@frontiernet.net

Hot Water Base Unit Price: \$4,913.00

No Additional Discount is allowed on Base Unit Price

Spec No.	Description	Price
----------	-------------	-------

4.5.1	Date & Title/I.D. of Price List	03-2019 HydroTek Equipment Price List
-------	---------------------------------	---------------------------------------

4.5.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% Off List Price Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
-------	--	--

4.5.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$35.00 includes spark plugs
-------	---	---------------------------------

4.5.4	EXTENDED WARRANTY OPTIONS Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		\$ N/A
		\$ N/A
		\$ N/A

4.5.5	DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS	NO FLAT RATE ALLOWED
-------	--	-----------------------------

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00

MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.5.6	EQUIPMENT INSPECTION & REPAIR RATES	
	Hourly Rate for Initial Inspection/Diagnostic :	\$95.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$95.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$95.00

4.5.7	NEW EQUIPMENT RENTAL PROGRAM If rental programs are available on the new equipment ordered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to	
	Daily Rental Rate:	\$ N/A
	Weekly Rental Rate:	\$ N/A
	Monthly Rental Rate:	\$2,457.00
	Percent (%) of Rental Fee applied to purchase price:	50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: N/A

TRAILER-TYPE PRESSURE WASHERS

BASE UNIT REQUIREMENTS SPECIFICATION NO. 4.6 COLD WATER SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip:	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	risayers@frontiernet.net

4.6	Information Requested	Answer
	Make & Model Number	T200E/SEB3025HA
	Many other Makes, Models & Options Available	Contact R.J. Sayers Distributing Tech Support for more information
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck, Ag/Farm Tractor, Class 2/3/4/5
	Water Tank Capacity (In gallons)	200
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3
	Pressure (In PSI)	2500
	Hot Water Capable? (Yes/No)	No
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	N/A
	Approx. Temperature Rise (In Fahrenheit, range)	Ambient
	Steam Capable? (Yes/No)	No
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Honda GX200
	Engine Fuel Type and Capacity (In gallons)	Unleaded Gas 0.82 gal
	Engine Displacement	196cc

Engine Air or Water Cooled	Air Cooled
Engine Location	Front/Curb
Control Panel (Yes/No)	No
What does the Control Panel control?	N/A
Number of Nozzles	4
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	100
High Pressure Hose Reel Included? (Yes/No)	Yes
Fill Hose Reel Included? (Yes/No)	Yes
Wand Type	42" Dual Vario Pressure Wand
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	28" x 16" x 18"
How is Skid attached to Vehicle/Trailer?	Bolt Down
Trailer Type (deck-over, deck-under, open frame, enclosed)	Open Frame
Number of Axles & Weight Rating per Axle	Single 3700# Torsion
Trailer Size/Length	125" x 70" x 61"
Trailer Hitch Type	3" Pintle Hitch
Trailer Tire Size & Rating	ST205/75D14 1760 Cap x 2
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric
Does the Trailer have lights? (i.e. stop/turn/tail)	Yes - LED Stop / Turn / Tail / License
What is the estimated weight of the unit with the tanks full and ready to spray?	2400 lbs
Warranty Length (In days, months, or years)	See Attached Pressure Pro Warranty
COLD WATER BASE UNIT PRICE:	\$6,975.00

TRAILER-TYPE PRESSURE WASHERS

OPTIONS

SPECIFICATION NO. 4.7 COLD WATER
SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

Base Unit Price: \$ 6,975.00
No Additional Discount is allowed on Base Unit Price

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	03-2019 Pressure Pro Equipment Price List
4.7.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% Off List Price Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$35.00 includes spark plugs
4.7.4	<u>EXTENDED WARRANTY OPTIONS</u> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	\$ N/A \$ N/A \$ N/A

4.7.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00
MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.7.6 <u>EQUIPMENT INSPECTION & REPAIR RATES</u>	Hourly Rate for Initial Inspection/Diagnostic :	\$95.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) :	\$95.00
	Hourly Rate for Body Work (including paint or welding labor) :	\$95.00

4.7.7 <u>NEW EQUIPMENT RENTAL PROGRAM</u>	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Daily Rental Rate:	\$ N/A
	Weekly Rental Rate:	\$ N/A
	Monthly Rental Rate:	\$3,488.00
	Percent (%) of Rental Fee applied to purchase price:	50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: N/A

TRAILER-TYPE PRESSURE WASHERS

BASE UNIT REQUIREMENTS SPECIFICATION NO. 4.6a HOT WATER SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

4.6	Information Requested	Answer
	Make & Model Number Many other Makes, Models & Options Available	T200E/SS30004VG Certified to UL-1776 Contact R.J. Sayers Distributing Tech Support for more information
	Trailer Type (Pickup Truck, Ag/Farm Tractor, 3-Point, Class 2/3/4, etc)	Pickup Truck, Ag/Farm Tractor, Class 2/3/4/5
	Water Tank Capacity (In gallons)	200 gal
	Water Tank Construction (Plastic, Stainless, etc)	Plastic
	Water Volume (GPM - Gallons per Minute)	3.8
	Pressure (In PSI)	3000
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil - 8 gal
	Approx. Temperature Rise (In Fahrenheit, range)	130° F
	Steam Capable? (Yes/No)	Yes
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Vanguard

Engine Fuel Type and Capacity (In gallons)	Unleaded Gas - 8 gal
Engine Displacement	479cc
Engine Air or Water Cooled	Air Cooled
Engine Location	Front/Drive
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Burner, Temp, Soap
Number of Nozzles	3
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	50
High Pressure Hose Reel Included? (Yes/No)	No - Optional
Fill Hose Reel Included? (Yes/No)	No - Optional
Wand Type	48" Single Molded Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	48" x 28" x 42"
How is Skid attached to Vehicle/Trailer?	Bolt Down
Trailer Type (deck-over, deck-under, open frame,	Open Frame
Number of Axles & Weight Rating per Axle	Single 3700# Torsion
Trailer Size/Length	125" x 70" x 61"
Trailer Hitch Type	3" Pintle Hitch
Trailer Tire Size & Rating	ST205/75D14 1760 Cap x 2
Does the Trailer have brakes?	Yes
If yes, what type of brakes?	Electric

Does the Trailer have lights? (i.e. stop/turn/tail)

Yes - LED Stop / Turn / Tail / License

What is the estimated weight of the unit with the tanks full and ready to spray?

2900 lbs

Warranty Length (In days, months, or years)

Mfr Lifetime Coil - See Attached HydroTek Warranty

HOT WATER BASE UNIT PRICE:

\$10,876.00

TRAILER-TYPE PRESSURE WASHERS

OPTIONS

SPECIFICATION NO. 4.7a HOT WATER
SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rsayers@frontiernet.net

Hot Water Base Unit Price: \$ 10,876.00

No Additional Discount is allowed on Base Unit Price

Spec No.	Description	Price
4.7.1	Date & Title/I.D. of Price List	03-2019 HydroTek Equipment Price List
4.7.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% Off of List Price Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
4.7.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$47.50 includes spark plugs
4.7.4	EXTENDED WARRANTY OPTIONS Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		\$ N/A
		\$ N/A
		\$ N/A

4.7.5 **DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS** NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00
MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.7.6	EQUIPMENT INSPECTION & REPAIR RATES
	Hourly Rate for Initial Inspection/Diagnostic : \$95.00
	Hourly Rate for Shop/Mechanical Work (including installation/assembly) : \$95.00
	Hourly Rate for Body Work (including paint or welding labor) : \$95.00

4.7.7	NEW EQUIPMENT RENTAL PROGRAM
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.
	Daily Rental Rate: \$ N/A
	Weekly Rental Rate: \$ N/A
	Monthly Rental Rate: \$3,626.00
	Percent (%) of Rental Fee applied to purchase price: 50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: N/A

STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

BASE UNIT REQUIREMENTS SPECIFICATION NO. 4.12 PORTABLE SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip:	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

4.12	Information Requested	Answer
	Make & Model Number Many other Makes, Models & Options Available	12/HD15002E1 Certified to UL-1776 Contact R.J. Sayers Distributing Tech Support for more information
	Type (Portable or Stationary)	Portable
	Water Volume (GPM - Gallons per Minute)	2
	Pressure (In PSI)	1500
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	Fuel Oil
	Approx. Temperature Rise (In Fahrenheit, range)	140° F
	Steam Capable? (Yes/No)	Yes
	Drive Type (Belt or Direct)	Direct
	Engine Make and Model	Marathon ODP1725
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	2 HP

Engine Air or Water Cooled	Air Cooled
Engine Location	Under Heater
Control Panel (Yes/No)	Yes
What does the Control Panel control?	Pump, Burner, Temp, Soap
Number of Nozzles	3
Hose diameter	3/8"
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	50
High Pressure Hose Reel Included? (Yes/No)	No - Optional
Fill Hose Reel Included? (Yes/No)	No - Optional
Wand Type & Description	36" Insulated with QC Nozzle
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	47" x 29" x 26"
What is the estimated weight of the unit with the tanks full and ready to spray?	250 lbs
Warranty Length (In days, months, or years)	Mfr Lifetime Coil - See Attached HydroTek Warranty
PORTABLE BASE UNIT PRICE:	\$2,657.25

STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

OPTIONS SPECIFICATION NO. 4.13 PORTABLE SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

Base Unit Price: \$ 2,657.25
No additional discount allowed on Base Unit Price

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	03-2019 HydroTek Equip Price List
4.13.2	Discount to be applied to Price List *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% Off List Price Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$10.00
4.13.4	EXTENDED WARRANTY OPTIONS Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		\$ N/A
		\$ N/A
		\$ N/A

4.13.5 **DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS** **NO FLAT RATE ALLOWED**

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00
MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.13.6 **EQUIPMENT INSPECTION & REPAIR RATES**
INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic : \$95.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) : \$95.00
Hourly Rate for Body Work (including paint or welding labor) : \$95.00

4.13.7 **NEW EQUIPMENT RENTAL PROGRAM**

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate: \$ N/A
Weekly Rental Rate: \$ N/A
Monthly Rental Rate: \$1,329.00
Percent (%) of Rental Fee applied to purchase price: 50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____ N/A _____

STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

BASE UNIT REQUIREMENTS SPECIFICATION NO. 4.12a STATIONARY SWIFT EVENT NO. 10213

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

4.12	Information Requested	Answer
	Make & Model Number Many other Makes, Models & Options Available	12/HN20004E2G Certified to UL-1776 Contact R.J. Sayers Distributing Tech Support for more information
	Type (Portable or Stationary)	Stationary
	Water Volume (GPM - Gallons per Minute)	3.9
	Pressure (In PSI)	2000
	Hot Water Capable? (Yes/No)	Yes
	Heat Source (Electric, Fuel Oil, LP/Natural Gas)	LP/Natural Gas
	Approx. Temperature Rise (In Fahrenheit, range)	140° F
	Steam Capable? (Yes/No)	Yes
	Drive Type (Belt or Direct)	Belt
	Engine Make and Model	Marathon 208-230v / 1ph
	Engine Fuel Type and Capacity (Gas, Diesel, Electric)	Electric
	Engine Displacement (or HP, if electric)	5 HP
	Engine Air or Water Cooled	Air / ODP
	Engine Location	Mid Frame

Control Panel (Yes/No)	Yes
What does the Control Panel control?	Motor, Burner, Temp, Soap
Number of Nozzles	3
Hose diameter	3/8"
Hose Type (1 or 2 Wire-braided? Other?)	1 Wire-braided
Hose Length (In feet)	50
High Pressure Hose Reel Included? (Yes/No)	No - Optional
Fill Hose Reel Included? (Yes/No)	No - Optional
Wand Type & Description	48" Insulated Grip
Soap Injection Accessories Included? (Yes/No/NA)	Yes
Skid Size (length and width, in inches)	47" x 25" x 48"
What is the estimated weight of the unit with the tanks full and ready to spray?	495 lbs
Warranty Length (In days, months, or years)	Mfr Lifetime Coil - See Attached HydroTek Warranty
STATIONARY BASE UNIT PRICE:	\$4,077.00

STATIONARY/PORTABLE HOT WATER PRESSURE WASHERS

OPTIONS

**SPECIFICATION NO. 4.13a STATIONARY
SWIFT EVENT NO. 10213**

Customer should contact Contract Vendor for questions & assistance with quote

Vendor Name:	R.J. SAYERS DISTRIBUTING, LLC
Contact Person:	Rick Sayers
Street Address:	21020 Cambodia Ave
P.O. Box:	
City, State, Zip	Farmington, MN 55024
Phone #:	651-460-6101
Toll Free #:	800-456-9840
Fax #:	651-460-6168
Email Address:	rjsayers@frontiernet.net

Base Unit Price: \$ 4,077.00
No additional discount allowed on Base Unit Price

Spec No.	Description	Price
4.13.1	Date & Title/I.D. of Price List	03-2019 HydroTek Equipment Price List
4.13.2	Discount to be applied to Price List <i>*Note:</i> The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	55% Off List Price Example: List price X .45 to reach customer cost ea. 100.00 x .45 = 45.00
4.13.3	Price for one complete set of regular maintenance filters (air, fuel, fluid) for all systems.	\$ 5.00
4.13.4	<u>EXTENDED WARRANTY OPTIONS</u> Use this section to offer performance/extended warranty options and list cost. (Specify years, months, or days extended term covers.) Add as many lines as needed.	
		\$ N/A
		\$ N/A
		\$ N/A

4.13.5 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip FARMINGTON, MN 55024

PRICE PER LOADED MILE: \$3.00
MINIMUM DELIVERY CHARGE (if applicable) \$50.00

4.13.6 EQUIPMENT INSPECTION & REPAIR RATES
INSTALLATION FOR STATIONARY UNITS IS NOT PERMITTED

Hourly Rate for Initial Inspection/Diagnostic : \$95.00
Hourly Rate for Shop/Mechanical Work (including installation/assembly) : \$95.00
Hourly Rate for Body Work (including paint or welding labor) : \$95.00

4.13.7 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Daily Rental Rate: \$ N/A
Weekly Rental Rate: \$ N/A
Monthly Rental Rate: \$2,039.00
Percent (%) of Rental Fee applied to purchase price: 50%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: N/A

Distributor:
R.J. Sayers Distributing, LLC
21020 Cambodia Ave
Farmington, MN 55024
651-460-6101 / 800-456-9840 / rjsayers@frontiernet.net

2019

LIST PRICELIST

**Effective March 1, 2017 – USA
Pressure Washers, Trailers, Hydro Vacuum
and Washing Accessories**



COLD

Part #	List Price	PSI	GPM	Temperature (max)	CC (HP for electric)	Power / Engine	Start/Stop Controls	Pump Brand	Drive	Downstream Soap	Inlet soap/float tank	Adj. Temp/Steam	Hour Meter	GFCI & 35' cord	UL 1776, CSA	Stainless Frame
CPS Series: COLD WATER SKID - GAS ENGINE POWERED																
CPS30005VH	\$ 4,715.98	3000	5.2	C	479	Vanguard gas	E/S	AR	B	N	N	N	O	N	S	O
CPS30008VG	\$ 8,856.84	3000	7.5	C	627	Vanguard gas	E/S	GEN	B	N	N	N	O	N	S	O
CPS300010HG	\$ 10,812.25	3000	9.5	C	688	GX690 Honda gas	E/S	GEN	B	N	T	N	O	N	S	O
CPS35005VG	\$ 5,291.10	3500	4.5	C	479	Vanguard gas	E/S	GEN	B	O	N	N	O	N	S	O
CPS35005VC	\$ 5,981.24	3500	4.5	C	479	Vanguard gas	E/S	CAT	B	O	N	N	O	N	S	O
CPS35006VG	\$ 6,786.41	3500	5.5	C	570	Vanguard gas	E/S	GEN	B	N	N	N	O	N	S	O
CPS40005VC	\$ 7,016.45	4000	4.5	C	570	Vanguard gas	E/S	CAT	B	O	N	N	O	N	S	O
T185CP	\$ 7,549.14	Trailer for CPS, single axle, 200g tank, inlet & h.p. hose reels, inlet hose - open back design														
AHS13	\$ 299.06	Wheel kit, qty 4 - large tires														
HS221	\$ 707.40	Substitute stainless steel frame														
AM512	\$ 149.53	Hour meter option, base plate mounted (not for pull start models)														
AC350	\$ 120.77	Downstream soap injection kit, 3-5gpm														
AR425	\$ 575.12	5000	360° Pivoting hose reel, mounts on tube frame, stainless, holds 150' (requires jumper hose)													
CPX Series: COLD WATER SKID - DIESEL ENGINE POWERED																
CPX30004D	\$ 15,678.98	3000	4	C	599	Kubota Diesel	E/S	GEN	B	O	N	N	O	N	S	N
CPX30008D	\$ 18,930.92	3000	7.8	C	719	Kubota Diesel	E/S	GEN	B	O	N	N	O	N	S	N
CPX35006D	\$ 16,956.53	3500	5.5	C	599	Kubota Diesel	E/S	GEN	B	O	N	N	O	N	S	N
AHCX1	\$ 447.14	Wheel kit, qty 4 - large tires														
AR150	\$ 442.84	5000	Hose reel, small base mount, 150' capacity, stainless (requires jumper hose)													
AR151	\$ 494.60	5000	Hose reel, large base mount, 250' capacity, stainless (requires jumper hose)													
AR425	\$ 575.12	5000	360° Pivoting hose reel, mounts on tube frame, 150' capacity, stainless (requires jumper hose)													
AM512	\$ 149.53	Hour meter option, installed														
AWT00	\$ 406.04	8 gallon float tank (not available with CPX on trailer or tank skid configurations)														
HOT LINK™ WATER HEATER																
CPHL5DC	\$ 3,450.72	4500	1 - 4	200	Hot Link™ electric powered, diesel heated hot water heater, 12v											
CPHL5E1	\$ 3,450.72	4500	2 - 5	200	Hot Link™ electric powered, diesel heated hot water heater, 115v, 2amp											

Part # / List Price / PSI / GPM / Temperature (max) / HP / Power / Engine / Start/Stop Controls / Pump Brand / Drive / Downstream Soap / Inlet soap/float tank / Adj. Temp/Steam / Hour Meter / GFCI & 35' cord / UL 1776, CSA / Stainless Frame

HD Series: HOT WATER - ELECTRIC POWERED, DIESEL HEATED

Wheel kit included with every HD Series

HD15002E1	\$ 5,405.61	1500	2.0	250	2	115v 1ph 20a	MAN	AR	D	S	N	S	N	S	S	S
HD15002E1-ITS	\$ 6,095.70	1500	2.0	250	2	115v 1ph 20a	ITS	AR	D	S	N	S	N	S	S	S
HD27004E2H	\$ 7,665.28	2700	3.5	250	6.5	230v 1ph 27a	ITS	AR	D	S	N	S	N	S	S	S
HD10003E1G	\$ 6,968.43	1000	3.0	250	2	115v 1ph 20a	MAN	GEN	B	O	S	S	N	S	S	S
HD20004E2G	\$ 7,549.14	2000	3.8	250	5	208/230v 1ph 24a	MAN	GEN	B	O	S	S	N	S	S	S
HD25004E2G	\$ 8,826.69	2500	3.8	250	6.5	230v 1ph 27a	MAN	GEN	B	O	S	S	N	S	S	S
HD30004E2G	\$ 9,639.68	3000	3.9	250	8	208/230v 1ph 36a	MAN	GEN	B	O	S	S	N	S	S	S
AC340	\$ 115.02	Downstream soap injection kit, 3-5gpm														
AR004	\$ 425.59	3500	Hose reel for HD Series 100' capacity - (not for HD35015E1H)													

HP Series: HOT WATER - ELECTRIC POWERED, DIESEL HEATED

Wheel kit included with every HP Series

HP20005E8	\$ 10,568.80	2000	4.3	250	6.5	208/230v 1ph 30a	ETS	CAT	B	O	S	S	S	S	S	S
HP22005E2	\$ 10,568.80	2200	4.3	250	6.5	230v 1ph 27a	ETS	CAT	B	O	S	S	S	S	S	S
HP30004E2	\$ 11,381.78	3000	3.9	250	8	208/230v 1ph 37a	ETS	CAT	B	O	S	S	S	S	S	S
HP35005E3	\$ 12,194.77	3500	4.3	250	10	208/230v 3ph 28a	ETS	CAT	B	O	S	S	S	N	S	S
HP35005E4	\$ 12,543.18	3500	4.3	250	10	460v 3ph 13a	ETS	CAT	B	O	S	S	S	N	S	S
AC340	\$ 115.02	Downstream soap injection kit, 3-5gpm														
AR189	\$ 511.85	3500	Hose reel 100' capacity HP series only, 1.375" diameter, center coil position													

HN Series: HOT WATER - ELECTRIC POWERED, NATURAL GAS / LP/ OIL HEATED

HN20004E2G	\$ 9,058.97	2000	3.9	250	5	208/230v 1ph 20a	MAN	GEN	B	O	S	S	O	N	S	O
HN30004E2G	\$ 10,568.80	3000	3.9	250	8	208/230v 1ph 37a	MAN	GEN	B	O	S	S	O	N	S	O
HN35005E3G	\$ 11,614.07	3500	4.3	250	10	208/230v 3ph 29a	MAN	GEN	B	O	S	S	O	N	S	O
HN35005E4G	\$ 11,730.21	3500	4.3	250	10	460v 3ph 13amp	MAN	GEN	B	O	S	S	O	N	S	O
-LP	\$ 267.11	Liquid propane conversion, installed														
-D	\$ 824.60	Diesel fired conversion & 18gal fuel tank, installed (note: this option obstructs forklift access)														
-R	\$ 1,382.07	Remote option wall mount, full function with 100' wire, incl. hour meter														
BGD10	\$ 356.58	Draft diverter 10"														
AEN80	\$ 425.59	Timer kit, wind-up remote 30 min. shutoff (not installed)														
AM603	\$ 124.22	Hour meter option, panel mounted														
AC340	\$ 115.02	Downstream soap injection kit, 3-5gpm														
HS222	\$ 2,322.81	Substitute stainless steel frame for HN models														
HS219	\$ 500.35	Stainless back panel option, installed, for HN models														
AR425	\$ 575.12	5000	360° Pivoting hose reel, mounts on tube frame, 150' capacity, stainless (requires jumper hose)													
AR151	\$ 494.60	5000	Hose reel, 250' capacity, stainless (requires jumper hose)													additional reels available



Part # / List Price / PSI / GPM / Temperature (max) / CC / Power / Engine / Start/Stop Controls / Pump Brand / Drive / Downstream Soap / Inlet soap/float tank / Adj. Temp/Steam / Hour Meter / Burner Power / UL 1776, CSA / Stainless Frame

SM Series: PORTABLE WASH SKIDS - GAS POWERED, DIESEL HEATED, 12V

All SM models include wheel kit

SM30003HH	\$ 8,396.75	3000	3.0	250	270	GX270 Honda gas	P/S	AR	D	O	N	S	O	12v	S	O
SM40004HG	\$ 8,971.86	4000	3.5	250	389	GX390 Honda gas	E/S	GEN	D	O	N	S	O	12v	S	O
HSM22	\$ 1,357.26	Substitute stainless frame for SM Series														
AC340	\$ 115.02	Downstream soap injection kit														

SS Series: MOBILE WASH SKIDS - GAS POWERED, DIESEL HEATED, 12V

All SS models 4gpm or more include 18" SpiraLast coil (3.9gpm or less include compact 14" SpiraLast coil)

Direct Drive																
SS40004V	\$ 9,755.81	4000	3.5	250	479	Vanguard gas	E/S	GEN	D	O	N	S	O	12v	S	N
Belt Drive																
SS30004VG	\$ 10,917.22	3000	3.8	250	479	Vanguard gas	E/S	GEN	B	O	O	S	O	12v	S	N
SS30005VH	\$ 11,265.64	3000	4.8	250	479	Vanguard gas	E/S	AR	B	O	O	S	O	12v	S	N
SS30008HG	\$ 15,446.70	3000	7.3	200	688	GX630 Honda gas	E/S	GEN	B	O	N	A	O	12v	S	N
SS35004VG	\$ 11,497.92	3500	4.0	250	479	Vanguard gas	E/S	GEN	B	O	O	S	O	12v	S	N
SS35005VG	\$ 12,543.18	3500	4.7	250	570	Vanguard gas	E/S	GEN	B	O	O	S	O	12v	S	N
SS35005VC	\$ 12,891.61	3500	4.6	250	570	Vanguard gas	E/S	CAT	B	O	O	S	O	12v	S	N
SS35006VG	\$ 13,704.59	3500	5.5	250	627	Vanguard gas	E/S	GEN	B	O	O	S	O	12v	S	N
SS35006HG	\$ 14,285.30	3500	5.5	250	688	GX630 Honda gas	E/S	GEN	B	O	O	S	O	12v	S	N
SS40005VH	\$ 13,123.89	4000	4.8	250	570	Vanguard gas	E/S	AR	B	O	O	S	O	12v	S	N
HS207	\$ 1,969.93	Substitute stainless frame for SS Series														
WT0SS	\$ 522.63	Inlet soap with float tank & panel mount chemical valve option, installed (up to 6 gpm)														
AC340 / 380	\$ 115.02	Downstream soap injection kit (AC340 for 3-5gpm, AC380 for 5+gpm)														
AW004	\$ 195.55	1/2" 3 way valve & fittings, installed, 4-6gpm, use with float tank option														
AM305	\$ 138.03	Hour meter option, panel mounted														
AHS12	\$ 483.10	Standard 13" wheel kit, for SS Series only														
AHA12	\$ 661.39	Deluxe 13" wheel kit with slide out handles														
AR188	\$ 632.64	5000	Hose reel, mounts on coil end, 100', stainless, for skids on wheel kit only (req. jumper hose)													

SC Series: MOBILE WASH SKIDS - ENGINE POWERED, DIESEL HEATED, 110V w/gen

SC30006VH	\$ 12,775.47	3000	5.5	250	570	Vanguard gas	E/S	AR	B	O	O	S	O	G	S	O
SC30008HG	\$ 18,001.79	3000	7.8	200	688	GX630 Honda gas	E/S	GEN	B	O	T	A	O	G	S	O
SC35005VH	\$ 13,820.74	3500	4.8	250	570	Vanguard gas	E/S	AR	B	O	O	S	O	G	S	O
SC35005VG	\$ 14,169.16	3500	4.7	250	570	Vanguard gas	E/S	GEN	B	O	O	S	O	G	S	O
SC35005VC	\$ 14,917.87	3500	4.5	250	570	Vanguard gas	E/S	CAT	B	O	O	S	O	G	S	O
SC35006VG	\$ 14,982.15	3500	5.5	250	627	Vanguard gas	E/S	GEN	B	O	O	S	O	G	S	O
SC35006HG	\$ 15,330.56	3500	5.5	250	688	GX630 Honda gas	E/S	GEN	B	O	O	S	O	G	S	O

*Two-gun and hoses / Adjustable flow / Long coil heater

SC30009KAF*	\$ 20,208.47	3000	8.5/2	200	725	Kohler gas	E/S	GEN	B	O	T	A	O	G	S	O
SC35008HAF*	\$ 19,511.63	3500	7.7/2	200	688	GX690 Honda gas	E/S	GEN	B	O	T	A	O	G	S	O
SC35008KAF*	\$ 19,743.91	3500	7.7/2	200	725	Kohler gas	E/S	GEN	B	O	T	A	O	G	S	O
HS208	\$ 2,648.01	Substitute stainless frame for SC Series														
AWT00	\$ 406.04	Float Tank 8 gallon installed for CPX, SC, and SCX Series (Not available with 7+ gpm units)														
WT0SD	\$ 517.60	Inlet soap with panel mount chemical valve, 4 gallon float tank (up to 6gpm), installed														
AC340 / 380	\$ 115.02	Downstream soap injection kit (AC340 for 3-5gpm, AC380 for 5.5-8gpm single gun)														
AW007	\$ 241.55	3 way valve & fittings, installed, 4-8 gpm, use with float tank option														
AVG61	\$ 442.84	2 gun kit for SC and SCX 30008 models (includes gun, wand, hose, 15° nozzle)														
AM601	\$ 124.22	Hour meter option, panel mounted (included on diesel engine models)														
AR150	\$ 442.84	5000	Hose reel, 150' capacity, stainless (requires jumper hose) additional reels available													
AHB12	\$ 1,207.75	Deluxe 13" wheel kit with pull bar steering, for SS, SC, SCX Series skids														
CTSKD	\$ 488.85	Custom frame color for SS, SC, & SCX additional lead time required														



Part #	List Price	PSI	GPM	Temperature (max)	CC	Power / Engine	Start/Stop Controls	Pump Brand	Drive	Downstream Soap	Inlet soap/float tank	Adj. Temp/Steam	Hour Meter	Burner Power	UL 1776, CSA	Stainless Frame
--------	------------	-----	-----	-------------------	----	----------------	---------------------	------------	-------	-----------------	-----------------------	-----------------	------------	--------------	--------------	-----------------

SCX Series: MOBILE WASH SKIDS - DIESEL POWERED, DIESEL HEATED, 12V X-tra

SCX30004D12	\$ 21,718.30	3000	4.0	250	599	Kubota diesel	E/S	GEN	B	O	T	S	S	12v	S	O
SCX30006-OS	\$ 26,712.34	3000	5.5	250	599	Kubota diesel	E/S	GEN	B	O	T	S	S	12v	S	S
SCX30008D12	\$ 29,035.15	3000	7.8	200	719	Kubota diesel	E/S	GEN	B	O	T	A	S	12v	S	O
SCX35005D12	\$ 23,228.13	3500	4.7	250	599	Kubota diesel	E/S	GEN	B	O	T	S	S	12v	S	O
SCX35006D12	\$ 24,389.53	3500	5.5	250	599	Kubota diesel	E/S	GEN	B	O	T	S	S	12v	S	O
HSX15	\$ 2,880.29	Substitute stainless frame for SCX Series														
AWT00	\$ 406.04	Float Tank 8 gallon installed for CPX, SC, & SCX Series - not compatible with SCX generator option														
AW007	\$ 241.55	3 way valve & fittings, installed, 4-8 gpm, use with float tank option														
AR151	\$ 494.60	5000	Hose reel, 250' capacity, stainless (requires jumper hose) additional reels available													
AVG61	\$ 442.84	2 gun kit for SC and SCX 30008 models (includes gun, wand, hose, 15° nozzle)														
GENERATOR	\$ 2,090.53	2900w on-board Generator option for SCX35006D12 & 115v burner, installed (PN: SCX35006D)														
CTSKD	\$ 488.85	Custom frame color for SS, SC, & SCX additional lead time required														

ProTowWash® Series: TRAILERS & TANK SKIDS FOR HYDRO TEK WASHERS

Seal Saver Bypass included as a standard item on Trailers and Tank (excludes machines ordered with inlet soap)

T185T	\$ 2,090.53	Tank skid, 200 gal tank, 74" long, for cold and hot water skids														
T270T	\$ 2,671.23	Tank skid, 270 gal tank, 80" long, for cold and hot water skids														
T185TW	\$ 3,135.80	Tank skid package for SS Skids: factory plumbed, incl. inlet & hp hose reel, inlet hose on T185T														
T270TW	\$ 3,716.50	Tank skid package for SS Skids: factory plumbed, incl. inlet & hp hose reel, inlet hose on T270T														
T200N	\$ 6,852.30	Trailer - Single axle ProTowWash®, 200 gal tank, 14" wheels														
T200E	\$ 7,665.28	Trailer - Single axle ProTowWash®, 200 gal tank, 14" wheels, electric brakes														
T300EE	\$ 10,917.22	Trailer - Tandem axle ProTowWash®, 270 gal tank, 14" wheels, electric brakes both axles														
T300S	\$ 11,381.78	Trailer - Tandem axle ProTowWash®, 270 gal tank, 14" wheels, surge brakes														
T400EE	\$ 12,310.91	Trailer - Tandem axle ProTowWash®, 400 gal tank, 14" wheels, electric brakes both axles														
T400S	\$ 12,659.32	Trailer - Tandem axle ProTowWash®, 400 gal tank, 14" wheels, surge brakes														
T500EE	\$ 14,866.00	Trailer - Tandem axle ProTowWash®, 540 gal tank, 14" wheels, electric brakes both axles														
T500S	\$ 15,214.42	Trailer - Tandem axle ProTowWash®, 540 gal tank, 14" wheels, surge brakes														

OPTIONS FOR TRAILERS & TANK SKIDS

For trailer mounted wastewater options, see Hydro Vacuum on accessory page.

TSKDT	\$ 4,064.93	Tow & Stow Wash Cart for tank skids (order with T185TW or T270TW)														
AR191	\$ 885.68	Hose reel, 5000psi, 300' installed, pop-latch														
AR192	\$ 885.68	Hose reel, 200' inlet, installed, pop-latch														
AR200	\$ 816.67	Hose reel, 5000psi, 200' 3/8", installed (use with AZV, chem. sprayer, or hopper), pop-latch														
AR201	\$ 816.67	Hose reel, inlet, 100' 5/8", installed (use with AZV, chem. sprayer, or hopper), pop-latch														
AR900	\$ 586.62	Hose reel kit for fender, inlet or up to 300psi, 100' 5/8", requires HLB98														
AG100	\$ 170.23	Inlet hose 5/8" x 100', PVC compound, installed when ordered with inlet reel														
ACR02	\$ 391.08	Bucket rack, installed, for T200, T300, T400 with an SS or SC skid (Ask about ACR06 for T500)														
HLB98	\$ 250.75	Light bar for T200, T300, T400, T500 trailer (lights not available)														
ATH50	\$ 310.57	Storage box lid, locking (not available with AZV, chemical sprayer, or sand hopper)														
TC13_	call	Lunette eye hitch options														
ATD03	\$ 230.05	Tank separation valves/plumbing and rear tank drain for T400/T500 trailers														
AW006	\$ 379.58	3-way valve/fittings, 4-6gpm, installed, for SS, SC w/float tank														
AW410	\$ 268.00	Low water shutdown, installed, for gas engine SS, SC skids														
VVF18	\$ 120.77	High water tank fill shut off valve (not installed)														

ACCESSORIES & PARTS

Part # List Price Description / Comments

HYDRO TWISTER® SURFACE CLEANERS		
ANT24	\$ 1,281.37	HYDRO TWISTER® 24" deck, stainless, with 2 #2.7 nozzles, 3 casters
ANT25	\$ 1,506.82	HYDRO TWISTER® 24" deck, stainless, hoop handle, 2 #2.7 nozzles, 2 rear airless tires
ANT28	\$ 1,797.25	HYDRO TWISTER® 28" deck, stainless, with 4 nozzles (#2 & #1), 3 casters
ANT29	\$ 2,005.73	HYDRO TWISTER® 28" deck, stainless, hoop handle, 4 nozzles (#2 & #1), 2 rear airless tires
ANT4C	\$ 2,415.50	HYDRO TWISTER® Contractor 28" deck, 4 on-board functions, 4 nozzles (#2 & #1)
ANTV5	\$ 3,738.27	Water recovery Twister Vac, requires vacuum source & pressure washer
ANTUN	\$ 1,292.58	Combination Undercarriage Washer/ 24" Surface Cleaner, stainless
ANTR1	\$ 2,155.26	24" Roof Cleaner; adjustable height, width, and pressure, stainless

UNIVERSAL HOSE REELS (hose sold separately)		
AR100	\$ 379.58	Reel base mount - 150' 3500psi, 250°, stainless, friction brake
AR110	\$ 460.09	Reel base mount - 250' 3500psi, 250°, stainless, pop-pin brake
AR150	\$ 442.84	Reel base mount - 150' 5000psi, 400°, stainless, friction brake
AR151	\$ 494.60	Reel base mount - 250' 5000psi, 400°, stainless, pop-pin brake
AR152	\$ 494.60	Reel base mount - 150' inlet, stainless, pop-pin brake
AR188	\$ 632.64	Reel, wall mount flush, 5000 psi, 100' capacity
AR425	\$ 575.12	Reel, pivoting - wall or 1¼" tube mount, 5000 psi, 150' capacity
AR325	\$ 1,248.01	Reel, double stack reels - includes 1) inlet and 1) 5000psi reel
AR326	\$ 1,248.01	Reel, double stack reels - includes 2) 5000psi reels

HOSES		
AG100	\$ 170.23	Inlet Hose, ¾" x 100'
DH050	\$ 121.93	Hose ¾" X 50' 3000psi 250°F swivel one end, bend protectors
DH057	\$ 132.27	Hose ¾" X 50' 4000psi 250°F swivel one end, bend protectors
DH060	\$ 181.74	Hose ¾" X 50' 6000psi 250°F swivel one end, bend protectors - non-marking
DH095	\$ 227.74	Hose ¾" X 100' 3000psi 250°F swivel one end, bend protectors
DH097	\$ 248.45	Hose ¾" X 100' 4000psi 250°F swivel one end, bend protectors
DH098	\$ 339.32	Hose ¾" X 100' 6000psi 250°F swivel one end, bend protectors - non-marking
AH103	\$ 132.27	Substitute 100' for 50' hose 3000psi - order with machine to extend hose
AH105	\$ 138.03	Substitute 100' for 50' hose 4000psi - order with machine to extend hose
AH106	\$ 174.84	Substitute 100' for 50' hose 6000psi - order with machine to extend hose

TANKS		
WT201	\$ 992.08	Tank 200 gal 48" x 29" x 34"
WT265	\$ 1,214.94	Tank 270 gal 48" x 34" x 41" (straps recommended for proper support)
AW201	\$ 1,322.77	Tank assembly 200g, includes filter and fittings, not installed
HCS20	\$ 109.27	Strap, stainless hold down band for 200g tank (price per each)
HTS34	\$ 264.56	Strap, stainless hold down bracket for 270g tank (price per each)

WANDS, SOAP APPLICATION & NOZZLES		
AVGH0	\$ 86.27	Trigger gun with M22 coupler option
AVW30	\$ 170.23	Substitute 42" dual lance wand for 48" single lance wand, when ordered with machine
AVW40	\$ 163.34	Dual wand w/side handle-M22 swivel, soap nozzle, ¼" coupler, 4100psi, 42", adj. pressure
AVGH2	\$ 124.22	Gun/wand, molded insulator 48", M22 & ¼" coupler, 4000psi
AVGH3	\$ 151.84	Gun/wand with nozzle holder 48" gun & removable wand, M22 & ¼" coupler, 4000psi
AVWA3	\$ 248.45	Gun/wand, adjustable, dual lance, 42"
AVUN1	\$ 133.43	Vehicle Undercarriage wand with casters
AVW20	\$ 437.09	High Reach wash pole w/shoulder strap, 20'
ANS55	\$ 161.03	Muck Scupper-sludge/water evacuation tool for #5.5 noz (use ANS04 for #4 noz)

ACCESSORIES & PARTS

Part # List Price Description / Comments

MISCELLANEOUS		
ANTIF	call	Winterizing option - antifreeze run through washer during testing
AP100	\$ 170.23	Substitute spin-on fuel filter for inline, installed
VFH11	\$ 67.87	10-micron filter cartridge, fits AF001 bracket, protects coil from debris in inlet water
VFD50	\$ 271.45	Anti-scale cartridge, fits AF001 bracket, removes minerals from inlet water protecting coil
ABBRT	call	Hose reel display tree, FREE with qualifying hose reel purchase
VFD25	call	DI resin filter insert set (use with CWD00 spot free water cart)

WASTEWATER SOLUTIONS

WATER CONTAINMENT ACCESSORIES

Recovery surface cleaners are listed above under surface cleaners

DHV50	\$ 287.56	Vacuum hose, 2" x 50ft
ATP75	\$ 148.38	Vacuum scupper head, 2" pickup tube, 12" wide, stainless steel
ASF03	\$ 253.06	Replacement filter pack for AZV/RZV (2013 models and later)
ASF10	\$ 1,150.24	Hydro Vacuum accessory pack - 2" hose, berms, pick up devices etc.
ZMAT2	\$ 29.91	Containment berm, 2' vinyl tube (partially fill with sand)
ZMAT6	\$ 60.96	Containment berm, 10' vinyl tube (partially fill with sand)
ZMAT7	\$ 124.22	Containment berm, 6' soft rubber tube (partially fill with pea gravel)
ATP40	\$ 483.10	Hydro Vacuum Arch, 5' long, accessory for 2" vac recovery systems

Part # LIST PRICE Process rate Microns Clarifier tank Voltage/Amps Description

Hydro Vacuum® - MOBILE WATER RECOVERY

Recovery surface cleaners are listed under Surface Cleaners on accessories page

RPV30E1	\$ 1,974.39				115v, 12.1a	Hydro Vacuum with pump out, 30gpm
RPV50E1	\$ 2,584.13				115v, 18.2a	Hydro Vacuum with pump out, 50gpm
AHS06	\$ 454.34	Dolly wheel kit for RPV				
VFBB3	\$ 97.77	Dry work filter pack - 3qty				
ATP36	\$ 1,060.90	Pre-filter / sand / sediment separation tank				
RGV40H12	\$ 16,068.00	Gas Powered Vac Recovery System, 425cfm, GX630 Honda, Includes vacuum tanks				
RGV40V12	\$ 15,504.21	Gas Powered Vac Recovery System, 425cfm, 627cc Vanguard, Includes vacuum tanks				

RPV & RGV systems require 2" diameter vacuum & 2" diameter discharge hoses

Truck / Trailer Mount Filtration

AZV55	\$ 6,097.39	5	5	40	SC Series skid	Vacuum filtration sys., powered by Skid generator
AZV88	\$ 6,736.16	8	5	40	SC Series skid	Vacuum filtration sys., powered by Skid generator
RZV10E1	\$ 6,852.30	9.8	5	40	115v, 14.4a	Vacuum filtration sys., min. 3500w generator
ASF03	\$ 255.51	Start-up filter pack				

AZV and RZV systems include containment berms, vac. hose, scupper, and first set of filters

Hydro Loop® - MOBILE FILTRATION, requires a vacuum source

RPF15E1	\$ 15,214.42	15	5	120	115v Pleated filtration for truck/trailer mount, great option for RPV or RGV
---------	--------------	----	---	-----	--

Longer lead time needed for production of Hydro Loop systems

Additional stationary Hydro Loop® systems are available through the special order department.

LEGEND

P/S = Pull Start Engine **E/S** = Electric Key Start (**Battery not included**)
ETS = Electronic Trigger Start/60 Second shutdown **ITS** = Instant Trigger Start/Stop
MAN = Manual ON/OFF Electrical Switch
B = Belt Drive **D** = Direct Drive
S = Standard **O** = Optional **N** = Not available
A = Adjustable temp up to 200°F, no steam **C** = Cold Water
G = 2900w, 115v generator
T = Requires supply tank (25 gal min) or 8 gallon float tank (Inlet soap not available)
****** = Requires supply tank (25 gal min) or 8 gallon float tank, inlet soap standard

Specifications +/- 5% depending on ambient conditions

2019 EQUIPMENT CATALOG & PRICE LIST

HOT & COLD WATER PRESSURE WASHERS • DIRECT DRIVE
GEAR DRIVE • BELT DRIVE • ELECTRIC, GAS & DIESEL POWERED



R.J. SAYERS DISTRIBUTING, LLC
21020 CAMBODIA AVE
FARMINGTON, MN 55024

651-460-6101 / 800-456-9840 / rjsayers@frontiernet.net

PROUDLY DESIGNED AND ASSEMBLED IN THE USA





HIGH PRESSURE WASHER APPLICATIONS

- Agriculture
 - Livestock Farms
 - Crop Farms
 - Fisheries
 - Heavy Equipment Maintenance
- Automotive/Transportation
 - Vehicle & Fleet Washing
 - Transportation Companies
 - Loading Docks
 - Bus Depots
 - Train Stations
 - Airports
 - Port Authorities
- Building & Construction
 - Construction Companies
 - Tool Companies
 - Heavy Equipment Maintenance
 - Dirt & Mud Removal
 - Grease & Oil Removal
 - Parts Washing

- Contract Cleaning
 - Building, Exterior Cleaning
 - Sidewalk Cleaning
 - Driveway Cleaning
 - Deck Cleaning
 - Restaurant & Kitchen Ceaning
 - Hood & Duct Cleaning
 - Mobile Vehicle Wash
 - Graffiti Removal
- Education
 - Primary Schools
 - High Schools
 - Universities
- Food and Beverage
 - Food Processing Plants
 - Bottling Facilities
 - Breweries
 - Wineries
 - Bakeries
 - Food Production Plants
 - Slaughterhouses

- Healthcare
 - Hospitals
 - Nursing Homes
 - Rehabilitation Facilities
- Hospitality
 - Hotels
 - Casinos
 - Cruise Ships
 - Amusement Parks
 - Stadiums
- Industrial/Manufacturing
 - Equipment or Vehicle Production
 - Assembly Lines
 - Raw Materials Production Facilities
 - Steel Mills
- Lawn and Garden
 - Landscapers
 - Driveways, Patios & Pool Decks
 - Mildew Removal
 - Storm Cleanup
 - Gutter Cleaning

- Oil/Gas/Mining
 - Drilling Oil & Gas
 - Mining Operations
- Paint
 - Surface Preparation
 - Paint Removal
 - Painting Contractors
- Pharmaceutical
 - Medical Device Production Factories
 - Pharmaceutical Manufacturing
- Public/Government
 - Municipalities (City, County, State & Federal)
- Retail
 - Shopping Malls
 - Department Stores
 - Supermarkets
 - Locally Owned Shops

PRESSURE WASHERS TABLE OF CONTENTS

COLD WATER MACHINES

PRO POWER SERIES

GAS DIRECT DRIVE2-3

EAGLE SERIES

GAS DIRECT DRIVE4-5

EAGLE SERIES

GAS V-BELT DRIVE..... 6-7

PRO SERIES

GAS V-BELT DRIVE8-9

EAGLE SERIES

DIESEL DIRECT DRIVE, DIESEL V-BELT DRIVE. 10

GAS GEAR DRIVE..... 11

EAGLE SERIES

ELECTRIC HAND CARRY DIRECT DRIVE 12

ELECTRIC WALL MOUNT DIRECT DRIVE..... 13

EAGLE SERIES

ELECTRIC DIRECT DRIVE 14-15

EAGLE SERIES

ELECTRIC V-BELT DRIVE.....16-17

PRO-MAX SERIES

GAS POLYCHAIN BELT DRIVE..... 18-19

PRO-MAX HP SERIES

GAS POLYCHAIN BELT DRIVE HP..... 20-21

PRO-MAX SERIES

ELECTRIC POLYCHAIN BELT DRIVE..... 22-23

PRO-MAX HP SERIES

ELECTRIC POLYCHAIN BELT DRIVE HP ... 24-25

HDC GAS SERIES

HEAVY-DUTY GAS V-BELT DRIVE 26

HEAVY-DUTY GAS POLYCHAIN BELT DRIVE... 27

HDC DIESEL SERIES

3 CYLINDER WATER COOLED..... 28

PRO-SKID SERIES

MODULAR TANK FEED..... 29-30

PRO-ATV SERIES

MODULAR TANK FEED..... 31-32

HD COMMERCIAL TOW-PRO TRAILERS

GAS V-BELT DRIVE & POLYCHAIN DRIVE .. 33-34

HDC TOW-PRO-JET TRAILERS

GAS V-BELT DRIVE & POLYCHAIN DRIVE .. 35-36

PRO-CHEM SERIES

SOFT WASH SPRAY SYSTEMS 37

HOT WATER MACHINES

HOT SHOT SERIES

4 WHEEL ELECTRIC DIRECT DRIVE 38

4 WHEEL ELECTRIC V-BELT DRIVE 39

HOT2GO SH SERIES

4 WHEEL GAS DIRECT DRIVE 40

HOT SHOT SERIES

4 WHEEL GAS DIRECT & V-BELT DRIVE 41

4 WHEEL DIESEL DIRECT & V-BELT DRIVE 42

SKID SERIES

PRO-SUPER SKID 12V GAS V-BELT DRIVE 43

PRO-SUPER SKID W/ 115V GENERATOR 44

HOT2GO SK SERIES

SKID 12V GAS..... 45

SKID SERIES

PRO-SUPER SKID DIESEL V-BELT DRIVE 46

HN SERIES

STATIONARY LP/NG GAS FIRED V-BELT
DRIVE ELECTRIC 47

TRAILERS/TANK SKIDS

HOT SHOT TOW-PRO TRAILERS

GAS 12V DIRECT DRIVE..... 48-49

PRO-SUPER SKID TOW-PRO TRAILERS

GAS 12V V-BELT DRIVE 50

GAS 115V V-BELT DRIVE 51

HOT2GO TRAILERS & TANK SKIDS

TRAILERS & WATER TANK PACKAGES 52

SPECIALTY ITEMS

HOT WATER GENERATORS

HOT LINK HOT WATER GENERATOR..... 53

HOT BOX VERTICAL STATIONARY..... 54

HYDRO VACUUMS

WASTEWATER & FLOOD RECOVERY..... 55

LIMITED WARRANTY 56

POLICIES..... 57

PRO POWER SERIES



PPS2533HCI



PPS2527KAI

PRO POWER MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
PPS2527HAI	2.5	2700	GC190 Honda	AR RMV-A/Int UL	\$1,058.82
PPS2527KAI	2.5	2700	SH265 Kohler	AR RMV-A/Int UL	\$873.55
PPS2530HAI	2.5	3000	GC190 Honda	AR RMV-B/Int UL	\$1,153.60
PPS3030HCI	3.0	3000	GC190 Honda	CAT 4PPX/Int UL	\$1,462.74
PPS3030KCI	3.0	3000	SH265 Kohler	CAT 4PPX/Int UL	\$1,276.39
PPS2533HAI	2.5	3300	GX200 Honda	AR RMV-B/Int UL	\$1,335.64
PPS2533KAI	2.5	3300	SH265 Kohler	AR RMV-B/Int UL	\$939.25
PPS2533HCI	2.5	3300	GX200 Honda	CAT 4PPX/Int UL	\$1,662.01

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown on all models except Honda GC
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Honda GC, GX & Kohler SH Series engines are 50 state approved
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All models meet or exceed PWMA standards of +/- 10%.

PRO POWER SERIES



PPS4042HCI

SKID MOUNT



S/PPS4042HGI

STANDARD ACCESSORIES

- Gun/wand assembly
- 25' hose w/ couplers*
- Chemical injector
- 3 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

***NOTE:** 2700-3300 PSI models include 22mm twist coupler socket hose ends; 4200 PSI models include 22mm twist socket x 3/8" QC plug hose ends.

AVAILABLE OPTIONS

ALL MODELS:

Skid Mount - precede model with S/
Example: S/PPS4042HCI.

NOTE: All SH265, GC190 & GX200 ship UPS with contractor grade two piece gun/wand assembly. Minor assembly required.

PRO POWER MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
PPS4042HCI	4.0	4200	GX390 Honda	CAT 67DX/Int UL	\$2,658.35
PPS4042HGI	4.0	4200	GX390 Honda	GP TX/Int UL	\$2,414.92

EAGLE SERIES



E3027HV



E3027HC



STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

GAS ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
E3027HV	3.0	2700	GX200 Honda	Viper	\$1,879.59
E3027HC	3.0	2700	GX200 Honda	CAT/Int UL	\$1,850.50
E3027HG	3.0	2700	GX200 Honda	GP	\$1,936.67
E3027KV	3.0	2700	SH265 Kohler	Viper	\$1,505.24
E3030HCI	3.0	3000	GX200 Honda	Cat/Int UL	\$1,850.50
E3032HA	3.0	3200	GX270 Honda	AR	\$2,280.28
E3032HG	3.0	3200	GX270 Honda	GP	\$2,435.39
E3032HV	3.0	3200	GX270 Honda	Viper	\$2,347.35

EAGLE SERIES



E4040HG

SKID MOUNT



S/E4040HA

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - precede model with S/
Example: S/E4040HG

NOTE: GX270 & Larger Units Come
with Power Coated Steel Skid.

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. All
electric start models include battery
and marine battery box. List: \$771.53
Order standard model and add
E suffix after model.
Example: E4040HGE

NOTE: All E3027, E2530 & E3030
models ship UPS with contractor
grade two piece gun/wand assembly.
Minor assembly required.

GAS ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
E4040HA	4.0	4000	GX390 Honda	AR	\$2,523.71
E4040HAI	4.0	4000	GX390 Honda	AR/Int UL	\$2,436.46
E4040HC	4.0	4000	GX390 Honda	CAT	\$3,120.44
E4040HG	4.0	4000	GX390 Honda	GP	\$2,645.42
E4040HGI	4.0	4000	GX390 Honda	GP/Int UL	\$2,523.71
E4040HGP	4.0	4000	GX390 Honda	GP-PEP	\$2,584.04
E4042HV	4.0	4200	GX390 Honda	Viper	\$2,523.71
E4042KV	4.0	4200	CH440 Kohler	Viper	\$2,059.52

EAGLE SERIES



EB3025HG

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access single bolt interlocking belt cover
- Single bolt engine adjustable belt tension
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade engines

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EB3025HA	3.0	2500	GX200 Honda	AR	\$2,431.08
EB3025HG	3.0	2500	GX200 Honda	GP	\$2,645.42

EAGLE SERIES



SKID MOUNT

S/EB4040HG



EB4042HV

**AVAILABLE OPTIONS:
ALL MODELS**

Powder Coated Steel Skid Mount - precede model with S/
Example: S/EB4040HG

**AVAILABLE OPTIONS:
GX390 MODELS ONLY**

Electric Start upgrade option:
Available on GX390 Hondas only. All electric start models include battery and marine battery box. List: \$771.53
Order standard model and add E suffix after model.
Example: E4040HGE

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EB4035HC	4.0	3500	GX390 Honda	CAT	\$3,659.00
EB4035HG	4.0	3500	GX390 Honda	HP	\$3,389.72
EB4040HA	4.0	4000	GX390 Honda	AR	\$3,220.61
EB4040HC	4.0	4000	GX390 Honda	CAT	\$3,655.77
EB4040HG	4.0	4000	GX390 Honda	HP	\$3,414.49
EB4042HV	4.0	4200	GX390 Honda	Viper	\$3,220.61

PRO SERIES



STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
 - Lifetime frame warranty
 - Easy access single bolt interlocking belt cover
 - Single bolt engine adjustable belt tension
 - 50 mesh inlet filter – *excludes 8 GPM units
 - EZ-Start
 - Adjustable pressure unloader
 - Low oil shutdown except GX690 & Vanguard models
 - Engine and pump oil drains offer easy maintenance
 - Oversize pneumatic tires
 - Dual padded shock absorbing feet
 - 3/4" cold-rolled steel threaded axle
 - 3VX belt system offers balanced power transfer
 - Commercial/Industrial grade engines
 - Low speed pump and thermo-sensor (prevents overheating in bypass mode)
 - Remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
 - All units feature electric start and include battery & marine battery box
- NOTE:** *8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
VB8030HAEA406	8.0	3000	GX630 Honda	AR	\$7,998.60
VB8030HGEA406	8.0	3000	GX630 Honda	GP	\$8,186.94
VB5535VGEA411	5.5	3500	18 HP Vanguard	HP	\$6,621.10
VB5535HGEA411	5.5	3500	GX630 Honda	HP	\$7,374.49
VB8035HAEA406	8.0	3500	GX690 Honda	AR	\$8,673.97
VB8035HGEA406	8.0	3500	GX690 Honda	GP	\$8,874.58
VB5040HAEA411	5.0	4000	GX630 Honda	AR	\$7,144.91

PRO SERIES



VB5550HGEA510



VB4560HGEA600

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, and 6000 PSI models. (See Available Options)

AVAILABLE OPTIONS:

Powder Coated Steel Skid Mount -
Precede model with S/
Example: S/VB5540HGEA411

ACI5000 5000 PSI Chemical Injector
Assembly. List: \$143.47

ACI6000 6000 PSI Chemical Injector
Assembly. List: \$241.41

CCK006 California compliant Carbon
Canister Kit for 6 gallon fuel tank.
List: \$94.69

GAS ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
VB5540HGEA411	5.5	4000	GX630 Honda	GP	\$8,315.11
VB4550HGEA510	4.5	5000	GX630 Honda	GP	\$8,789.88
VB5550HGEA510	5.5	5000	GX690 Honda	GP	\$9,420.67
VB4560HGEA600	4.5	6000	GX690 Honda	GP	\$12,231.87

EAGLE SERIES

DIESEL ENGINE DIRECT DRIVE



E4032KLDGE



EB4032KLDG

DIESEL ENGINE V-BELT DRIVE

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access single bolt interlocking belt cover - belt drives models only
- Single bolt engine adjustable belt tension - belt drives models only
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

DIESEL ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
E4032KLDG	4.0	3200	KD440 Kohler	GP	\$6,997.98
E4032KLDGE	4.0	3200	KD440ES Kohler	GP	\$8,453.56

DIESEL ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EB4032KLDG	4.0	3200	KD440 Kohler	GP	\$8,117.98
EB4032KLDGE	4.0	3200	KD440ES Kohler	GP	\$9,598.52

EAGLE SERIES



EG4035HCP

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - precede model with S/
Example: S/E4032KLDG

NOTE: GX270 and larger gas skid units & diesel skid units include powder coated steel skid with four rubber feet.

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric start upgrade option:
Available on GX390 Hondas only.
*All electric start models include battery and marine battery box.
List: \$771.53. Order standard model and add E suffix after model.
Example: E4040HGE

GAS ENGINE GEAR DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
EG4035HCP	4.0	3500	GX390 Honda	CAT	\$4,021.28
EG4040HCP	4.0	4000	GX390 Honda	CAT	\$4,021.28
EG4040HG	4.0	4000	GX390 Honda	HP	\$3,651.77

EAGLE SERIES



HC/EE2015G



HC/EE2015V

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with lifetime warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- Includes GFCI w/35' cord w/plug

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC HAND CARRY DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
HC/EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	\$1,854.27
HC/EE2012G	2.0	1200	1.5	115V/1PH/13A	GP	\$1,796.60
HC/EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	\$1,848.73
HC/EE2015V	2.0	1500	2.0	115V/1PH/18A	Viper	\$1,778.92

EAGLE SERIES



WM/EE4020G
w/ Auto Start/Stop Option



WM/EE2015G

AVAILABLE OPTIONS: ALL MODELS

*Auto Start/Stop (115V)
consult factory

*Auto Start/Stop (230V)
consult factory


NOTE: All 1.5HP, 2HP, 3HP that are NOT Auto Start/Stop ship UPS with contractor grade two piece gun/wand assembly.

Minor assembly required.

ELECTRIC WALL MOUNT DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
WM/EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	\$1,932.56
WM/EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	\$1,907.50
WM/EE3015G	3.0	1500	3.0	230V/1PH/12A	GP	\$2,310.08
WM/EE4020A	4.0	2000	6.0	230V/1PH/26A	AR	\$3,899.64
WM/EE4020G	4.0	2000	6.0	230V/1PH/26A	GP	\$4,004.65

EAGLE SERIES



EE2015V

EE2015G

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- Includes GFCI w/35' cord w/plug

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	\$1,956.97
EE2012G	2.0	1200	1.5	115V/1PH/13A	GP	\$1,914.33
EE2015A	2.0	1500	2.0	115V/1PH/18A	AR	\$1,975.24
EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	\$1,965.45
EE2015V	2.0	1500	2.0	115V/1PH/18A	Viper	\$1,879.39
EE3015G	3.0	1500	3.0	230V/1PH/12A	GP	\$2,427.46
EE5520A	5.5	2000	7.5	230V/1PH/35A	AR	\$4,482.07

EAGLE SERIES



EE3030A



SKID MOUNT

S/EE3530G

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - Precede model with S/

Example: S/EE3035A

NOTE: 5HP & Larger Units Come with Power Coated Steel Skid.

*Auto Start/Stop (115V) consult factory

*Auto Start/Stop (230V) consult factory

NOTE: All 1.5HP, 2HP, 3HP that are NOT Auto Start/Stop ship UPS with contractor grade two piece gun/wand assembly. Minor assembly required.

ELECTRIC DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EE3030A	3.0	3000	6.0	230V/1PH/26A	AR	\$3,981.36
EE3530A	3.5	3000	7.5	230V/1PH/35A	AR	\$4,952.85
EE3530G	3.5	3000	7.5	230V/1PH/35A	GP	\$4,606.84
EE4030A	4.0	3000	7.5	230V/1PH/35A	AR	\$4,813.12
EE3035A	3.0	3500	7.5	230V/1PH/35A	AR	\$4,719.96
EE4035A	4.0	3500	10.0	230V/1PH/44A	AR	\$5,246.75
EE3540A	3.5	4000	10.0	230V/1PH/44A	AR	\$5,357.65
EE7020A	7.0	2000	10.0	230V/1PH/44A	AR	\$5,421.97

EAGLE SERIES



EB4030E1G402

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Choice of reliable AR, Cat and General pumps
- 3VX belt system offers balanced power transfer
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Heavy duty motor controls in NEMA enclosure w/35' GFCI cord and plug

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC V-BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EB4030E1G402	4.0	3000	7.5	230V/1PH/33A	GP	\$5,975.82
EB4030E3A402	4.0	3000	7.5	230V/3PH/17A	AR	\$5,295.99
EB4030E3CP402	4.0	3000	7.5	230V/3PH/17A	CAT	\$5,886.67
EB4030E3G402	4.0	3000	7.5	230V/3PH/17A	GP	\$5,581.67

EAGLE SERIES



EB4035E3G402
 Shown with Block Mounted
 K7 Unloader



AVAILABLE OPTIONS: ALL MODELS

Powder Coated Steel Skid Mount -
 Precede model with S/
 Example: S/EB4035E3G402

*Auto Start/Stop (230V).
 consult factory

*Auto Start/Stop w/time
 delay-consult factory

*460V available – consult factory

***NOTE:** Review specs for models
 with Auto Start/Stop options as
 these units are custom made and
NONCANCELABLE
& NONRETURNABLE

ELECTRIC V-BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
EB4035E3G402	4.0	3500	10.0	230V/3PH/23A	GP	\$6,054.95
EB3540E3A402	3.5	4000	10.0	230V/3PH/23A	AR	\$5,827.59

PRO-MAX SERIES



SKID MOUNT



S/B1228KGEA105

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter – *excludes 8 thru 15 GPM units
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 models
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)

NOTE: *8 thru 15 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B1228KGEA105	12.0	2800	CH750 Kohler*	GP	\$13,320.22
B1030KGEA390	10.8	3000	CH750 Kohler*	GP	\$12,333.91

PRO-MAX SERIES



B5535HG403

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

***NOTE:** Electric start is standard on V-Twin engine models and include battery, marine battery box, and remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B1228KGEA105

CCK006 California compliant Carbon Canister Kit for 6 gallon fuel tank.
List: \$94.69

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. *All electric start models include battery and marine battery box. List: \$771.53
Order standard model and add E suffix after model.
Example: B4040HG403E



POLYCHAIN DRIVE

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B5535HG403	5.5	3500	GX630 Honda*	HP	\$7,966.29
B8035HG406	8.0	3500	GX690 Honda*	GP	\$9,382.78
B5540HG403	5.5	4000	GX630 Honda*	GP	\$8,933.64

PRO-MAX HP SERIES



B4550HGEA511

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 models
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- Remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- All units feature electric start and include battery & marine battery box

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B4550HGEA511	4.5	5000	GX630 Honda	GP	\$9,492.00
B5550HGEA511	5.5	5000	GX690 Honda	GP	\$10,036.98

PRO-MAX HP SERIES



B4070HGEA700

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B4550HGEA511

ACI5000 5000 PSI Chemical Injector
Assembly. List: \$142.09

ACI6000 6000 PSI Chemical Injector
Assembly. List: \$239.09

CCK006 California compliant Carbon
Canister Kit for 6 gallon fuel tank
List: \$94.69

GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
B4560HGEA600	4.5	6000	GX690 Honda	GP	\$13,340.28
B4070HAEA700	4.0	7000	GX690 Honda	AR	\$14,530.54
B4070HGEA700	4.0	7000	GX690 Honda	GP	\$14,069.15
B6070KAEA700	6.0	7000	CH1000 Kohler	AR	\$21,776.87

PRO-MAX SERIES



STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/35' GFCI cord and plug

NOTE: 8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4030E1A403	4.0	3000	7.5	230V/1PH/33A	AR	\$6,416.34
B4030E1G403	4.0	3000	7.5	230V/1PH/33A	GP	\$6,451.06
B4030E3G403	4.0	3000	7.5	230V/3PH/17A	GP	\$6,093.85

PRO-MAX SERIES



**B4035E3G403
with Auto Start/Stop Option**

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS: ALL MODELS

Skid Mount - Precede model with S/
Example: S/B4035E3G403

*Auto Start/Stop (230V).
consult factory

*Auto Start/Stop w/time
delay-consult factory


*460V available – consult factory

***NOTE:** Review specs for models
with Auto Start/Stop options as
these units are custom made
and **NONCANCELABLE &
NONRETURNABLE**

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4035E3A403	4.0	3500	10.0	230V/3PH/23A	AR	\$6,503.69
B4035E3G403	4.0	3500	10.0	230V/3PH/23A	GP	\$6,535.04
B4040E3G403	4.0	4000	15.0	230V/3PH/34A	HP	\$7,849.66

PRO-MAX HP SERIES



B5550E3G511

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/35' GFCI cord and plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4550E3G511	4.5	5000	20.0	230V/3PH/46A	GP	\$12,281.75
B5550E3G511	5.5	5000	20.0	230V/3PH/46A	GP	\$12,164.18

PRO-MAX HP SERIES



POLYCHAIN DRIVE



**B4560E3G600
with Auto Start/Stop Option**

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B5550E3G511

ACI5000 5000 PSI Chemical Injector Assembly. List: \$143.47

ACI6000 6000 PSI Chemical Injector Assembly. List: \$241.41

*Auto Start/Stop (230V).
consult factory

*Auto Start/Stop w/time delay-consult factory.

*460V available – consult factory

***NOTE:** Review specs for models with Auto Start/Stop options as these units are custom made and **NONCANCELABLE & NONRETURNABLE.**

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
B4560E3G600	4.5	6000	20.0	230V/3PH/46A	GP	\$14,506.76
B4070E3G700	4.0	7000	20.0	230V/3PH/46A	GP	\$15,813.54

HDC GAS SERIES



**HDCV5550HG
PKW005**

**SHOWN WITH
OPTIONAL
WHEEL KIT**

STANDARD FEATURES

- Rugged powder coated steel frame
- Removable roll cage w/ hose reel platform. Dimensions: 43"L x 21"W x 36"H
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/ marine battery box
- Skid mount or portable
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader
- Many flow rates and pressures available

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- Tank feed plumbing
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/ quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

HEAVY-DUTY V-BELT DRIVE GAS ENGINE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
HDCV8035HG	8.0	3500	GX690 Honda	GP	\$11,251.75
HDCV5550HG	5.5	5000	GX690 Honda	GP	\$11,383.26

HDC GAS SERIES



HDC4070HG



**SHOWN WITH
OPTIONAL
WHEEL KIT**

AVAILABLE OPTIONS

BRK200-C Brake Kit. List: \$119.53

HRK-HDC (Polychain) Hose Reel Kit,
250' x 3/8" max. w/ no add'l hose.
List: \$571.37

HRK-HDCV (V-Belt) Hose Reel Kit,
250' x 3/8" max. w/ no add'l hose.
List: \$610.67

HRK-HDC5K Hose Reel Kit,
5000 PSI units. List: \$1,331.26

HRK-HDC7K Hose Reel Kit, 6000 &
7000 PSI units. List: \$1,529.28

PKW005 Wheel Kit w/ Handle
Assembly. List: \$471.18

ACI5000 5000 PSI Chemical Injector
Assembly. List: \$142.09

ACI6000 6000 PSI Chemical Injector
Assembly. List: \$239.09

CCK015 California compliant Carbon
Canister Kit for 12 gallon fuel tank.
List: \$194.44

Jetter Valve Kit - Call factory for price
& availability.

NOTE: Portable units come with
bypass plumbing.

HEAVY-DUTY POLYCHAIN DRIVE GAS ENGINE MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
HDC5550HG	5.5	5000	GX690 Honda	GP	\$11,963.91
HDC4070HG	4.0	7000	GX690 Honda	GP	\$15,776.53

HDC DIESEL SERIES



**HDCV5550KLDG
PKW004-C**

**SHOWN
WITH
OPTIONAL
WHEEL KIT**

STANDARD FEATURES

- Rugged powder coated steel frame w/ fork lift channels
- Removable roll cage w/ lifting hooks
Dimensions: 47”L x 41”W x 48”H
- On board 12 gallon poly fuel tank
- Full sized battery w/ marine battery box
- Skid mount or portable
- Commercial/Industrial diesel engines
- Engine and pump oil drains offer easy maintenance
- V-belt drive
- Adjustable pressure unloader
- Many flow rates and pressures available

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- Tank feed plumbing
- 50’ high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/ quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

PKW004-C Wheel Kit w/ Handle Assembly. List: \$1,148.57

ACI5000 5000 PSI Chemical Injector assembly. List: \$142.09

ACI6000 6000 PSI Chemical Injector Assembly. List: \$239.09

Jetter Valve Kit - Call factory for price & availability.

NOTE: Portable units come with bypass plumbing.

3-CYLINDER WATER COOLED MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
HDCV8040KLDG	8.0	4000	KDW1003 Kohler	HP	\$24,618.18
HDCV5550KLDG	5.5	5000	KDW1003 Kohler	GP	\$25,165.13

PRO-SKID SERIES



AST200
ASR100
KBP100
AHR250-1
TS/D4040HG431

TANK, ALUMINUM SKID & INLET PLUMBING KITS

Part#	Description	List
AST050	50 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	\$1,458.07
AST100	100 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	\$1,771.75
AST200	200 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	\$2,305.42

PRESSURE WASHER POWER UNITS

Part#	GPM	PSI	Model/Brand	Pump	List
TS/D3024HG432	3.0	2400	GX200 Honda	GP Direct Drive	\$2,124.87
TS/D3027HG432	3.0	2700	GX200 Honda	GP Direct Drive	\$2,107.13
TS/D3032HG431	3.0	3200	GX270 Honda	GP Direct Drive	\$2,674.93
TS/D4040HA431	4.0	4000	GX390 Honda	AR Direct Drive	\$2,638.35
TS/D4040HG431	4.0	4000	GX390 Honda	GP Direct Drive	\$2,811.35
TS/VB4040HG431	4.0	4000	GX390 Honda	HP V-Belt Drive	\$3,848.28

PRO-SKID SERIES

Pro-Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 100 or 200 gallon tank feed system. Available pressures of 2400 PSI to 4000 PSI and flow rates up to 10 GPM in belt, gear, and direct drive configurations. Add the tank/skid model with desired equipment options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which is chemical resistant and rustproof. All units feature adjustable pressure unloader valve. These skid units mount quickly and securely into truck beds, trailers or other vehicles.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: All 100 gallon units are factory assembled (200 gallon units require minor assembly), tested in the USA, and delivered ready to operate. GX630 Model comes with remote 6 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade

PRO-SKID SERIES



**AST200
TS/VB4040HGE431**

AVAILABLE OPTIONS

GX630 Model Only: CCK006
California compliant Carbon Canister
Kit for 6 gallon fuel tank. List: \$88.66

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. *All
electric start models include battery
and marine battery box. List: \$771.53
Order standard model and add
E suffix after model.
Example: E4040HGE

DIMENSIONS:

AST-100 with AHR250
39" W x 62" L x 44" H
39" W x 62" L x 31" H (w/o hose reel)

AST-200 with AHR250
49" W x 62" L x 53" H

49" W x 62" L x 40" H (w/o hose reel)

**Call factory for more
configurations.**

OPTIONS

Part#	Description	List
ASR100	Aluminum Hose Reel Support Assembly with Mounting Hardware	\$282.71
KBP100	Tank Feed Unloader Bypass Return and Hose Assembly	\$100.31
KTF100	Float Valve Assembly – (shuts water off when tank is full)	\$206.15
KTD075	Tank Drain, 3/4"	\$139.07
LWS100	Low Water Shutdown – (shuts engine off when water level is low)	\$333.78

OPTIONAL HOSE REELS

Part#	Description	List
AHR100-1	GP Hose Reel with Hardware, 100' x 3/8" maximum	\$230.84
AHR200-1	GP Hose Reel with Hardware, 200' x 3/8" maximum	\$303.36
AHR250-1	Hosetract Heavy Duty Hose Reel with Hardware, 250' x 3/8" maximum	\$581.98
AHR250-3	Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum	\$1,186.32

PRO-ATV SERIES

**CST050-GATOR
AHR250-G
RCS/G1050HH
266693
4465-1702 200'**



TANK, ALUMINUM SKID & INLET PLUMBING KITS

Part#	Description	List
AST050-GATOR	Assembly Skid/Tank, 50 Gallon, Inlet Plumbing	\$1,298.71
CST050-GATOR	Assy. Chem. Skid/Tank, 50 Gal., w/ Inlet Plumbing & Bypass	\$1,361.74


ROLL CAGE SKID POWER UNITS

Part#	GPM	PSI	Model/Brand	Pump	List
RCS/E3027HA-TF*	3.0	2700	GX200 Honda	Viper Direct Drive	\$1,936.24
RCS/E3027HG-TF*	3.0	2700	GX200 Honda	GP Direct Drive	\$2,051.67
RCS/G1050HH	10	500	GX200 Honda	Hypro Gear Drive	\$4,121.09

PRO-ATV SERIES

Pro-ATV Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 50 gallon tank feed system. Available pressures from 500 PSI to 4000 PSI and flow rates up to 10 GPM in gear, and direct drive configurations. Add the tank/skid model with desired equipment and options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which is chemical resistant and rustproof. These units mount quickly and securely into Gator, Rhino, Mule or other ATV vehicles.

PRO-ATV SERIES



**AST050-GATOR
AHR100-1
RCS/E3027HG-TF*
KBP100**

Gator ATV NOT INCLUDED

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

***RCS/E3027H** models come with STANDARD ACCESSORIES noted on page 30

AST050-GATOR

Dimensions: (with AHR100-1)
38"W x 48"L x 44"H

CST050-GATOR

Dimensions: (with AHR250-G)
38"W x 48"L x 49"H

Call factory for more configurations.

OPTIONS

Part#	Description	List
KBP100	Tank Feed Unloader Bypass Return & Hose Assy. (CST050-GATOR already has Bypass)	\$100.31
266693	Ag. Spray Gun, compare to JD9	\$293.27
4465-1702	Ag. Hose, 3/8", Yellow, Select 200' or 400' (Price is per foot)	\$1.77
KTF100	Float Valve Assembly – (shuts water off when tank is full)	\$206.15
KTD075	Tank Drain, 3/4"	\$139.07
LWS100	Low Water Shutdown – (shuts engine off when water level is low)	\$333.78

OPTIONAL HOSE REELS

Part#	Description	List
AHR100-1	GP Hose Reel with Hardware, 100' x 3/8" maximum	\$230.84
AHR200-1	GP Hose Reel with Hardware, 200' x 3/8" maximum	\$303.36
AHR250-1	Hosetract Hose Reel w/ Hardware, 250' x 3/8" max.(High Pressure Jumper Hose)	\$581.98
AHR250-G	Hosetract Hose Reel w/ Hardware, 250' x 3/8" max.(Yellow AG Jumper Hose)	\$575.01
AHR250-3	Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum	\$1,186.32



**TRHDCV5535HG
AHS290
988VR-100**

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack w/ wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HD COMMERCIAL SKID FEATURES

- Rugged powder coated steel frame
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/ marine battery box
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader

GAS ENGINE V-BELT DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TRHDCV8030HG	8.0	3000	GX630 Honda	GP	\$19,691.17
TRHDCV5535HG	5.5	3500	GX630 Honda	HP	\$18,994.55
TRHDCV8035HG	8.0	3500	GX690 Honda	GP	\$21,636.99
TRHDCV5540HG	5.5	4000	GX630 Honda	GP	\$19,867.86
*TRHDCV5550HG	5.5	5000	GX690 Honda	GP	\$22,591.33

HD COMMERCIAL TOW-PRO TRAILERS



TRHDCV5535HG

SELF-CONTAINED, NO OUTSIDE POWER SOURCE NEEDED

AVAILABLE OPTIONS

KCT025 25 gallon Chemical Tank.
List: \$235.31

KTF200 Float valve kit. List: \$174.39

KAV001-I Air blowout valve/winterizing
kit. List: \$34.24

LWS100 Low water shut-down. List: \$333.78

ACI5000 5000 PSI Chemical Injector
Assembly. List: \$142.09

ACI6000 6000 PSI Chemical Injector
Assembly. List: \$239.09

Jetter Valve Kit - Call factory for price
& availability.

TRL-BRK Electric brakes installed.
List: consult factory

TRL-BBAK Electric brakes & breakaway
installed. List: consult factory

TLK100 Trailer leveling kit.
List \$219.69

P9000S: Wheel/Tire fits all Tow-Pro
Trailers. List: \$337.81

CCK015 California compliant Carbon
Canister Kit for 12 gallon fuel tank.
List: \$194.44

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	List
AHS235	4000	3/8" X 100'	Black W/Qc's	\$199.09
AHS240	4000	3/8" X 150'	Black W/Qc's	\$361.53
AHS245	4000	3/8" X 200'	Black W/Qc's	\$475.16
AHS285	4000	3/8" X 100'	Gray W/Qc's	\$228.18
AHS290	4000	3/8" X 150'	Gray W/Qc's	\$429.53
AHS295	4000	3/8" X 200'	Gray W/Qc's	\$563.79
*AHS335	6000	3/8" X 100'	Black W/Qc's	\$288.94
*AHS335-6K	6000	3/8" X 100'	Black W/10K Qc's	\$390.85
*AHS835	7200	3/8" X 100'	Black W/10K Qc's	\$560.76
988VR-100	400	3/4" X 100'	Black HD Garden Hose	\$190.03

* For 5000 , 6000 PSI, and 7000 PSI models only

Add Trailer Model and Options to Calculate Complete Trailer Cost

HDC TOW-PRO-JET TRAILERS



FOOT VALVE

TRAILER FEATURES

- 500' x 3/8" or 350' x 1/2" capacity electric high pressure hose reel
- Chemical resistant coating
- 200 gallon water tank w/ float valve
- Poly tool box
- Lights, jack w/ wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HDC JETTER SKID FEATURES

- Rugged powder coated steel frame
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/ marine battery box
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Pressure regulating unloader
- Pump Mounted Jetter Pulse Valve
- Foot Valve w/ 8' Jumper Hoses
- 6-Nozzle Rack w/ 3 Nozzles Included: Penetrator – dislodges blockage (1 Forward Jet, 3 Back Jets) Flusher – flushes loose debris (6 Back Jets) De-icer/De-Greaser – removes grease, hard soap or even ice from heavily blocked lines (3 Forward Angle Jets, 6 Back Jets)



NOZZLE RACK

GAS ENGINE V-BELT DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TRHDCJ/VB8035HG	8.0	3500	GX690 Honda	GP	\$21,609.98

GAS ENGINE POLYCHAIN DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
*TRHDCJ/B1030KG	10.0	3000	CH740 Kohler	GP	\$24,940.05

HDC TOW-PRO-JET TRAILERS

READY TO WORK!



**TRHDCJ/B1030KG
PRO08200S**

AVAILABLE OPTIONS

KWT025 25 gallon Winterizing Tank.
List: \$357.30

LWS100 Low water shut-down. List: \$333.78

TRL-BRK Electric brakes installed.
List: consult factory

TRL-BBAK Electric brakes & breakaway installed.
List: consult factory

TLK100 Trailer leveling kit.
List \$219.69

P9000S: Wheel/Tire fits all Tow-Pro Trailers. List: \$337.81

CCK015 California compliant Carbon Canister Kit for 12 gallon fuel tank.
List: \$194.44

JETTER HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	In/Out	List
PRO06200S	3600	3/8" X 200'	Black	3/8" MPT**	\$780.67
PRO06250S	3600	3/8" X 250'	Black	3/8" MPT**	\$924.48
PRO06300S	3600	3/8" X 300'	Black	3/8" MPT**	\$1,047.74
*PRO08200S	4000	1/2" X 200'	Green	1/2" MPT**	\$1,275.62
*PRO08250S	4000	1/2" X 250'	Green	1/2" MPT**	\$1,399.62
*PRO08300S	4000	1/2" X 300'	Green	1/2" MPT**	\$1,650.09

*1/2" hose available with these models only. **Inlet = MPT Solid/Outlet = MPT Swivel

Add Trailer Model and Options to Calculate Complete Trailer Cost

PRO-CHEM SERIES

PRO-CHEM SOFT WASH SPRAY SYSTEMS

Pro-Chem Soft Wash Spray Systems are low pressure chemical applicators designed for cleaning roofs, building exteriors, driveways, screen enclosures, wood decks, fences, vinyl siding or any softer surfaces to remove bacteria, molds, mildews, moss, fungus and algae when pressure washing is not feasible. "Totally Self Contained" 100 or 200 gallon tank feed systems with available pressures of 150 or 300 PSI and flow rates of 6 or 10 GPM featuring Honda gasoline engines and gear reduced AR or UDOR diaphragm pumps. All skid frames are constructed of aircraft grade aluminum which is chemical resistant and rustproof.

STANDARD FEATURES

- 100 or 200 gallon poly tank/skid self-contained system
- Lightweight, rustproof modular aluminum skid w/ lifetime warranty
- Durable corrosion resistant aluminum and stainless steel hose reel
- Exclusive Tank-less Clean-N-Flush Valve
- Gear Drive AR Diaphragm pumps
- Rugged GX200 Honda Commercial Engines


STANDARD ACCESSORIES

- 300' x 3/8" chemical application hose
- Adjustable Spray Gun: Up to 30' Spray distance

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate. **UNITS MUST BE FLUSHED IMMEDIATELY AFTER EACH USE.**

DIMENSIONS:

100 Gallon Models: 39" W x 65" L x 51" H
200 Gallon Models: 49" W x 65" L x 51" H



SW200-G1003HU

PRO-CHEM SOFT WASH SPRAY SYSTEMS

Part#	Tank Size	GPM	PSI	Model/Brand	Pump	List
SW100-G1003HA	100*	10.0	300	GX 200 Honda	AR	\$9,522.27
SW200-G1003HA	200*	10.0	300	GX 200 Honda	AR	\$9,938.23

*Gallon

HOT SHOT SERIES



AVAILABLE OPTIONS: ALL MODELS

ATK010 Inline Adjustable Thermostat.
List: \$228.40

AVAILABLE OPTIONS: 4 WHEEL MODELS ONLY

BRK100 Brake Kit. List: \$84.97

HRK415 Hose Reel Kit, 150' x 3/8" max.
w/ no add'l hose. List: \$366.68

**GP, CAT pumps available -
consult factory**

4 WHEEL PORTABLE DIRECT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
3230-30A1	3.0	3000	6.0	230V/1PH/26A	AR	\$8,363.99
4230-35A1	4.0	3500	10.0	230V/1PH/44A	AR	\$9,294.70

HOT SHOT SERIES



4230VB-30G1

AVAILABLE OPTIONS: ALL MODELS

ATK010 Inline Adjustable Thermostat.
List: \$228.40

BRK100 Brake Kit. List: \$84.97

HRK415 Hose Reel Kit, 150' x 3/8"
max.w/ no add'l hose. List: \$366.68

**AR, CAT and Viper pumps
available - consult factory**

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/ lifting hook & 13" flat free tires & threaded axles
- 4-wheel dimensions: 39"L x 31"W x 49"H
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade motors
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Low speed pump w/ thermo-sensor (prevents over heating in bypass mode)
- Includes GFCI with 35' cord and plug

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Adjustable high pressure chemical metering system
- 4 color-coded QC spray nozzles

4 WHEEL PORTABLE V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
3230VB-25G1	3.0	2500	5.0	230V/1PH/25A	GP	\$9,146.15
4230VB-20G1	4.0	2000	5.0	230V/1PH/25A	GP	\$9,364.48
4230VB-30G1	4.0	3000	7.5	230V/1PH/33A	GP	\$11,048.08

HOT2GO SH SERIES

GAS POWERED, DIESEL HEATED

The SH Series is a portable high power washer with a compact design, ideal for use where electric power is not available. Commercial duty engines provide power to the triplex, ceramic plunger, direct-drive pumps to give you the right cleaning power where you need it.

Requires Group 24 550CCA battery, not included.



SH40004HH

***Adjustable thermostat
up to 250°F wet steam!***

**Large 8 gallon
diesel tank to
supply diesel
burner.**

STANDARD FEATURES

- Rugged Powder Coated Steel frame with balanced lifting point
- Integrated handles and 4 large tires for easy portability
- Stainless Steel insulated coil enclosure
- Integrated gun/ wand holder and hose storage hooks
- Pressure relief valve, Safety bust disk included for operator safety
- Dimensions: 44"L x 28"W x 45"H

STANDARD ACCESSORIES

- 50' high pressure hose
- Gun and wand assembly
- QC spray nozzles

OPTIONAL ACCESSORIES

- Downstream soap injection with QC soap nozzle (AC340) List: \$115.02
- Hour meter (AM512) List: \$149.54

PORTABLE DIRECT DRIVE MODELS

Part#	GPM	PSI	CC	Engine	Pump	List
SH27003VH	2.5	2700	205	Vanguard E/S	AR	\$7,562.82
SH35003VH	3.0	3500	305	Vanguard	AR	\$8,022.92
SH40004HH	3.5	4000	389	GX390 Honda E/S	AR	\$9,518.23

HOT SHOT SERIES

GAS ENGINE DIRECT DRIVE



4012-10C



4012-17G

GAS ENGINE V-BELT DRIVE

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/ lifting hook & 13" flat free tires & threaded axles
- 4-wheel dimensions: 39"L x 31"W x 49"H
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Thermo-sensor (prevents over heating in bypass mode)

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

4 WHEEL PORTABLE DIRECT DRIVE GAS ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-10A	4.0	4000	GX390 Honda	AR	\$9,153.72
4012-10C	4.0	4000	GX390 Honda	CAT	\$10,037.47
4012-10G	4.0	4000	GX390 Honda	GP	\$9,471.58
4012-42HV	4.0	4200	GX390 Honda	Viper	\$9,452.81
4012-42KV	4.0	4200	CH440 Kohler	Viper	\$8,375.87

4 WHEEL PORTABLE V-BELT DRIVE GAS ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-17C	4.0	4000	GX390 Honda	CAT	\$11,533.37
4012-17G	4.0	4000	GX390 Honda	HP	\$10,878.14

HOT SHOT SERIES



4012-15G

DIESEL ENGINE DIRECT DRIVE

AVAILABLE OPTIONS

ATK005 Adjustable Thermostat.
List: \$99.66

BRK100 Brake Kit. List: \$84.97

HRK415 Hose Reel Kit, 150' x 3/8" max.
w/no add'l hose. List: \$366.68

AR, CAT, GP and Viper gear drive pumps available - consult factory.

4 WHEEL PORTABLE DIRECT DRIVE DIESEL ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-15G	4.0	3200	KD440ES Kohler	GP	\$14,161.72

4 WHEEL PORTABLE V-BELT DRIVE DIESEL ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012-16G	4.0	3200	KD440ES Kohler	GP	\$15,504.06

PRO-SUPER SKID SERIES



8012PRO-35HG

STANDARD FEATURES


- Rugged powder coated steel, low-profile frame w/ fork lift channels
- 48" L x 43" W x 48" H frame dimensions offer versatile installation
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- On board 12 gallon poly diesel & gas (excludes GX390 models) fuel tanks w/ fuel filters - Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Reliable Honda & Vanguard gasoline Commercial/Industrial electric start engines
- Includes 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, CAT and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve

NOTE: 12V units include 20 amp charging system. 115V units include 2900 watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

PRO-SUPER SKID GAS ENGINE V-BELT DRIVE 12 VOLT MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
4012PRO-10G	4.0	3500	GX390 Honda	HP	\$10,893.99
6012PRO-20G	5.5	3500	GX630 Honda	HP	\$13,328.00
6012PRO-20G-V	5.5	3500	18 HP Vanguard	HP	\$12,190.54
6012PRO-10G	5.5	4000	GX630 Honda	GP	\$14,242.75
7012PRO-40HA	7.0	4000	GX690 Honda	AR	\$15,394.98
8012PRO-35HG	8.0	3500	GX690 Honda	GP	\$15,392.71

PRO-SUPER SKID SERIES



6115PRO-10G

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

PKW003-C Wheel Kit.
List: \$1,165.58

ESK016 Exhaust Stack Kit,
Fits 16" Coil. List \$77.15

FTK001 Float Tank Kit w/ High
Pressure Chemical Metering Valve.
List: \$647.51

CCK015 California compliant Carbon
Canister Kit for 12 gallon fuel tank.
List: \$194.44


PRO-SUPER SKID W/ 115 VOLT, 2900 WATT, 20 AMP GENERATOR

Part#	GPM	PSI	Model/Brand	Pump	List
6115PRO-20G	5.5	3500	GX630 Honda	HP	\$14,795.00
6115PRO-10G	5.5	4000	GX690 Honda	GP	\$15,922.24
8115PRO-30HG	8.0	3000	GX690 Honda	GP	\$17,047.21

HOT2GO SK SERIES

The SK Series is a truly versatile machine. It can be trailer or truck mounted to work for you, right where you need it.

Requires Group 24 550 CCA battery, not included.



SH30005VH

STANDARD FEATURES

- Commercial/ Industrial, electric start gasoline engines
- Rugged powder coated steel frame with balanced lifting point
- Triplex, ceramic plunger direct or belt drive pumps
- Adjustable thermostat up to 250°F
- High capacity ½" SCH 80 steel coil
- Stainless Steel insulated coil wrap
- 2 Large 8 gallon gas and diesel tanks (on belt drive models) for long run times without refueling
- Remote mounted unloader for easy maintenance
- External bypass loop keeps pump running cool
- Pressure relief valve, Safety bust disk included for operator safety
- 50 State CARB compliant
- Dimensions: 43"L x 27"W x 45"H

STANDARD ACCESORIES

- 50' high pressure hose
- Gun and wand assembly
- QC spray nozzles

OPTIONAL ACCESORIES

- Downstream soap injection with QC soap nozzle (AC340) List: \$115.02
- Hour meter (AM512) List: \$149.54
- 200 gallon Transport trailer with reels, 200 gallon tank skid with reels, Tow & Stow™ tank skid transporter (See page 54 for additional details and pricing)

GAS POWERED DIRECT DRIVE 12V SKID MODEL

Part#	GPM	PSI	CC	Engine	Pump	List
SK40004HH*	3.5	4000	389	GX390 Honda	AR	\$9,755.81


*SK40004HH has a 1.6 gallon gasoline tank mounted on the engine and dual 8 gallon diesel fuel tanks.

GAS POWERED BELT DRIVE 12V SKID MODELS

Part#	GPM	PSI	CC	Engine	Pump	List
SK30005VH	5.0	3000	479	Vanguard	AR	\$10,655.90
SK40005VH	4.8	4000	570	Vanguard	AR	\$12,049.59

PRO-SUPER SKID SERIES

DIESEL ENGINE / DIESEL BURNER



6115PRO-40KLDG

STANDARD FEATURES

- Rugged powder coated steel, low-profile frame w/ fork lift channels
- Frame Dimensions: 53"L x 51"W x 52"H All models except 4012PRO-32KLDG / 48" L x 43" W x 48" H Model 4012PRO-32KLDG Only
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- Dual 12 gallon poly diesel fuel tanks with fuel filters
- Reliable Kohler & Kubota Diesel Commercial/Industrial electric start engines
- Includes 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, CAT and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve

NOTE: 12V units include 45 amp charging system (except 4012PRO-32KLDG which includes 20 amp charging system). 115V units include 2900 watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

PRO-SUPER SKID DIESEL ENGINE V-BELT DRIVE 12 VOLT MODELS

Part#	GPM	PSI	Model/Brand	Pump	List
6012PRO-40KLDG	5.5	4000	KDW1003 Kohler	GP	\$27,017.36
8012PRO-35KLDG	8.0	3500	KDW1003 Kohler	GP	\$27,430.98
8012PRO-40KLDG	8.0	4000	KDW1003 Kohler	HP	\$27,430.98

PRO-SUPER SKID W/ 115 VOLT, 2900 WATT, 20 AMP GENERATOR

Part#	GPM	PSI	Model/Brand	Pump	List
6115PRO-40KLDG	5.5	4000	KDW1003 Kohler	GP	\$28,713.90

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

PKW003-C Wheel Kit. List: \$1,165.58

ESK016 Exhaust Stack Kit, Fits 16" Coil. List \$77.15

FTK001 Float Tank Kit w/ High Pressure Chemical Metering Valve. List: \$647.51

HN SERIES

NEW



HN20004E2G-PP


 ETL Listed
 Certified to UL 1776
 Certified to
 CAN / CSA B140.11

STANDARD FEATURES

- Clean and efficient heating system
- NEMA4 water tight electrical box
- By-Pass-Cool system protects pump from overheating if left on after use
- 24 volt automatic ignition system on low emission natural gas burner
- Durable frame construction
- Best in class accessibility
- Dual rated for 208v or 230v - 1ph, 20 amp
- V-Belt drive with EZ align pump rail
- General Pump
- Heavy duty industrial motor with standard thermal overload protection
- Adjustable temperature up to 250°F
- Burst disc technology for operator safety
- Rustproof float tank to regulate incoming water ensuring consistent system performance
- Remote ready: Choose an on/off timer remote option or a full function remote option for complete control from the wash – Add R on part number, consult factory Example: HN20004E2G-PPR
- Diesel fired and LP models available, consult factory

STANDARD ACCESSORIES:

- Gun/wand assembly
- 50' high pressure hose
- Full pressure chemical injection, precision stainless steel metering valve
- 3 color-coded QC spray nozzles (15", 25", 40")

STATIONARY LP/NG GAS FIRED V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	List
HN20004E2G-PP	4.0	2000	5.0	230V/1PH/20A	GP	\$9,058.97
HN30004E2G-PP	4.0	3000	8.0	230V/1PH/37A	GP	\$10,568.80

HOT SHOT TOW-PRO TRAILERS

READY TO WORK!



**TRS/4012-40HG
AHS290
988VR-100**

**SELF-CONTAINED, NO OUTSIDE
POWER SOURCE NEEDED**

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack, w/ wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HOT SHOT FEATURES

- Rugged powder coated steel burner frame
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/ fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/ marine battery box.

GAS ENGINE 12V DIRECT DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TRS/4012-40HA	4.0	4000	GX390 Honda	AR	\$19,455.09
TRS/4012-40HC	4.0	4000	GX390 Honda	CAT	\$19,765.31
TRS/4012-40HG	4.0	4000	GX390 Honda	GP	\$19,217.60

HOT SHOT TOW-PRO TRAILERS



TRS-4012-40HG

AVAILABLE OPTIONS

KCT025 25 gallon Chemical Tank.
List: \$239.97

TLK100 Trailer Leveling Kit.
List: \$219.69

KTF200 Float valve kit. List: \$174.39

KAV001-I Air blowout valve/winterizing kit. List: \$34.24

LWS100 Low water shut-down.
List: \$333.78

ATK005 Adjustable Thermostat.
List: \$99.66

TRL-BRK Electric brakes installed.
List: consult factory

TRL-BBAK Electric brakes & breakaway installed. List: consult factory

P9000S: Wheel/Tire fits all Tow-Pro Trailers. List: \$337.81

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	List
AHS235	4000	3/8" X 100'	Black W/Qc's	\$199.09
AHS240	4000	3/8" X 150'	Black W/Qc's	\$361.53
AHS245	4000	3/8" X 200'	Black W/Qc's	\$475.16
AHS285	4000	3/8" X 100'	Gray W/Qc's	\$228.18
AHS290	4000	3/8" X 150'	Gray W/Qc's	\$429.53
AHS295	4000	3/8" X 200'	Gray W/Qc's	\$563.79
AHS335	6000	3/8" X 100'	Black W/Qc's	\$288.94
988VR-100	400	3/4" X 100'	Black HD Garden Hose	\$190.03

Add Trailer Model and Options to Calculate Complete Trailer Cost

PRO-SUPER SKID TOW-PRO TRAILERS



TR6012PRO-35HG

**SELF-CONTAINED, NO OUTSIDE
POWER SOURCE NEEDED**

GAS ENGINE 12V V-BELT DRIVE TRAILER MODELS

(Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TR6012PRO-35HG	5.5	3500	GX630 Honda	HP	\$23,735.64
TR7012PRO-40HA	7.0	4000	GX690 Honda	AR	\$24,825.38
TR8012PRO-35HG	8.0	3500	GX690 Honda	GP	\$25,186.73

TRAILER FEATURES

- 2- 250' high pressure hose reels
- Chemical resistant coating
- 200 gallon water tank & Poly tool box
- Lights, jack, w/ wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 63"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

PRO-SUPER SKID FEATURES

- Rugged powder coated steel, low-profile frame w/ fork lift channels
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- On board 12 gallon poly diesel & gas (excludes GX390 models) fuel tanks w/ fuel filters - Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Reliable Honda & Vanguard gasoline Commercial/Industrial electric start engines
- Includes full size 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, Cat and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve

NOTE: 12V units include 20 amp charging system. 115V units include 2900 watt generator.

PRO-SUPER SKID TOW-PRO TRAILERS

READY TO WORK!



TR6012PRO-35HG

AVAILABLE OPTIONS

ESK016 Exhaust Stack Kit, Fits 16" Coil. List \$77.15

KTF200 Float valve kit. List: \$174.39

KAV001-I Air blowout valve/winterizing kit. List: \$34.24

LWS100 Low water shut-down. List: \$333.78

TRL-BRK Electric brakes installed. List: consult factory

TRL-BBAK Electric brakes & breakaway installed. List: consult factory

TLK100 Trailer Leveling Kit. List: \$219.69

P9000S: Wheel/Tire fits all Tow-Pro Trailers. List: \$337.81

CCK015 California compliant Carbon Canister Kit for 12 gallon fuel tank. List: \$194.44

GAS ENGINE 115V V-BELT DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	List
TR6115PRO-35HG	5.5	3500	GX630 Honda	HP	\$25,050.37
TR6115PRO-40HG	5.5	4000	GX690 Honda	GP	\$26,212.84
TR8115PRO-30HG	8.0	3000	GX690 Honda	GP	\$26,577.60

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	List
AHS235	4000	3/8" X 100'	Black W/Qc's	\$199.09
AHS240	4000	3/8" X 150'	Black W/Qc's	\$361.53
AHS245	4000	3/8" X 200'	Black W/Qc's	\$475.16
AHS285	4000	3/8" X 100'	Gray W/Qc's	\$228.18
AHS290	4000	3/8" X 150'	Gray W/Qc's	\$429.53
AHS295	4000	3/8" X 200'	Gray W/Qc's	\$563.79
AHS335	6000	3/8" X 100'	Black W/Qc's	\$288.94
988VR-100	400	3/4" X 100'	Black HD Garden Hose	\$190.03

Add Trailer Model and Options to Calculate Complete Trailer Cost

HOT2GO TRAILERS AND WATER TANK PACKAGES

Choose the tank configuration that best suits your needs.

All systems include the following features:

- Hot/Cold/Steam power washer with all features of SK Series washers
 - 200 gallon capacity tank with inlet water filter strainer to protect pump from debris
 - Stainless steel inlet & high pressure hose reels, includes 50' high pressure & 100' inlet hose
- NOTE: For detailed machine specs and features refer to page 38 for SK Series additional info.

Single axle trailer:

- 3700 # rated torsion axles for smooth ride
- Flip up locking wheeled jack
- Heavy duty steel fenders and recessed lights

SINGLE AXLE TRAILER MODELS

Part#	GPM	PSI	CC	Engine	List
T185SKH/SK40004HH	3.5	4000	389	GX390 Honda	\$17,363.03
T185SKH/SK30005VH	5.0	3000	479	Vanguard	\$18,263.11
T185SKH/SK40005VH	4.8	4000	570	Vanguard	\$19,656.80



**T185SKH
SK30005VH**

Machine shown with optional black frame.



**T185TWH
SK30005VH**

Easily mounts into your truck or existing flatbed trailer with 4 bolts.

TANK SKID MODELS

Part#	GPM	PSI	CC	Engine	List
T185TWH/SK40004HH	3.5	4000	389	GX390 Honda	\$13,878.81
T185TWH/SK30005VH	5.0	3000	479	Vanguard	\$14,778.90
T185TWH/SK40005VH	4.8	4000	570	Vanguard	\$16,172.58

Ideal for schools, malls, shopping centers, hospitals and other large facilities.

- Flip up handle automatically locks the wheels for safe and compact storage
- Pivoting front axle allows for easy maneuverability
- No weight on the tongue allows it to be pulled with a Utility Vehicle
- Transporter is intended to be used and stored on site, not for public roads.

TOW & STOW™ WASH CART MODELS

Part#	GPM	PSI	CC	Engine	List
TSKDT/T185TWH/ SK40004HH	3.5	4000	389	GX390 Honda	\$17,943.74
TSKDT/T185TWH/ SK30005VH	5.0	3000	479	Vanguard	\$18,843.82
TSKDT/T185TWH/ SK40005VH	4.8	4000	570	Vanguard	\$20,237.51



**TSKDT
T185TWH
SK40005VH**

HOT LINK HOT WATER GENERATOR



CPHL5DC

STANDARD FEATURES

- Use with your cold water pressure washer
- 100 – 4350 psi
- 1-5 gpm
- Includes 48" jumper hose
- 3 gallon diesel fuel tank
- Adjustable temp up to 200°F
- Stainless steel insulated coil enclosure
- Redundant safety features include flow switch, pressure relief valve, and burst disc
- Compact Dimensions:
29"L x 22"W x 22"H

2 MODELS AVAILABLE

- 12v DC for remote use, hook to the battery on your pressure washer (requires 14 amp charging system)
- 115v includes 35' GFCI cord with plug. Plugs into any standard 15 amp outlet or 2000 watt generator

OPTIONAL ACCESSORIES

- Hot water rated, high pressure hose
- AHC25 4 wheel kit with handle for easy portability

Convert your existing cold water pressure washer into a hot water pressure washer. Do you already own a cold water pressure washer but wish it had hot water? Attach a Hot Link to your existing cold water pressure washer and you have the power of hot water to quickly melt away grease and grime. The Hot Link System allows you the flexibility of using hot water on those stubborn jobs such as grease, gum, or graffiti that require the impact of hot water to get the job done right. It will save you money by getting the job done faster, and you do not have to buy a new pressure washer if you already have a cold water system. Its compact size allows for easy storage when not in use and takes up little room on your truck or trailer. You can choose from two diesel heated models.

HOT LINK HOT WATER GENERATOR

Part#	Voltage/Fuel	GPM	PSI	List
CPHL5DC	12 VDC Diesel	3.5	4350	\$3,484.22
CPHL5E1	115 VAC Diesel	5.0	4350	\$3,484.22

HOT SHOT SERIES



HBS12V40



HBS12V60



HBS115-80

HOT BOX STATIONARY MODELS

Part#	Voltage/Fuel	GPM	PSI	Dimensions	List
HBS12V40	12 VDC Diesel	4.0	4000	28"L x 18"W x 41"H	\$4,185.10
HBS12V60	12 VDC Diesel	6.0	4000	28"L x 18"W x 46"H	\$4,744.17
HBS12V80	12 VDC Diesel	8.0	4000	32"L x 21"W x 49"H	\$5,683.92
HBS115-30	115 VAC Diesel	3.0	4000	28"L x 18"W x 36"H	\$4,022.60
HBS115-40	115 VAC Diesel	4.0	4000	28"L x 18"W x 41"H	\$4,147.60
HBS115-60	115 VAC Diesel	6.0	4000	28"L x 18"W x 46"H	\$4,715.77
HBS115-80	115 VAC Diesel	8.0	4000	32"L x 21"W x 49"H	\$5,621.60

*Auto Ignition

STANDARD FEATURES

- Rugged powder coated steel frame
- Super efficient schedule 80 coil
- Stainless steel coil wrap
- Vertical diesel models include 8 gallon poly diesel fuel tank with fuel filter; horizontal models include 12 gallon poly diesel fuel tank with fuel filter
- Reliable Beckett burners
- LP models include regulator
- Adjustable thermostat temperature control
- Safety pressure relief valve
- 35' cord with GFCI on 115 & 120 volt models
- 13" flat free tires on 4 wheel models

HYDRO VACUUM® WASTEWATER & FLOOD RECOVERY VACUUMS

The RGV Gas Vac is an engine powered, water recovery system with pump out. It can be used with either one or two separate pickup devices and is ideal for facilities maintenance contractors who need to collect wash water or for restoration contractors who need to pick up water after a fire or flood.

The unique polyethylene separation tanks are non-corrosive, weigh significantly less than 50 gallon steel drums, and have access to the inside for periodic cleaning & maintenance with a quick lift-off lid. Open the large 1½" valve to purge sludge/solids that settle at the bottom. Each separation tank has an automatic transfer system which pumps the water out to your bulk tank, landscape, or sanitary sewer where permitted, no heavy tipping to dump your tanks.

(For use with cold water or hot water up to 200°F)

READY TO WORK!



Transfer pump plug



Air throttle valve

RGV40: GAS ENGINE DRIVE VACUUM RECOVERY SYSTEM

PART#	DESCRIPTION	WT	LIST
RGV40V12*	25 gpm,425 CFM, 14"Hg, 190" Lift, 627cc Vanguard Elec. Start	535	\$15,504.21
RGV40H12*	25 gpm,425 CFM, 14"Hg, 190" Lift, GX630 Honda Elec. Start	535	\$16,068.00



Using vacuum tools such as a vacuum arch ATP40 or a Twister Vacuum ANTV5 will increase your efficiency

Features

- Vacuum and pump out simultaneously and automatically, no loss of suction or lost time dumping tanks
- 12v Transfer pumps require no outside power, completely self contained
- Recovers up to 25gpm, use up to 350' total hose length – Use with one or two pickup devices
- Air throttling system allows you to independently control the suction for precise control over pickup devices when using varying lengths of hose
- 2 qty. 26 gallon lightweight non-corrosive polyethylene hexagonal separation tanks w/ 1.5" sludge/solids drain & removable Stainless Steel lids
- Easy 1 plug connection for transfer pump power and high water level shutdown
- Debris filters protect pumps and blower motor
- Large 8 gallon fuel tank integrated into frame base while keeping a small footprint
- Requires 2" diameter vacuum hose (350' max.) and 2" diameter discharge hose (100' max.)
- Optional: your choice of vacuum berms, recovery surface cleaners, vacuum accessories, see pages 70, 74 & 75
- Main Unit Dimensions & Weight: 44"L x 26"W x 34" H, 425 lbs., Vacuum Tanks: 25"L x 20" W x 36"H, 54 lbs. each

*NOTE: Max hose length 350', vacuum & discharge hose not included, see Vacuum Options & Accessories Pages 74 & 75, 650cca 24 Group Battery required (not included).



RGV GAS ENGINE VACUUM RECOVERY OPTION

PART#	DESCRIPTION	WT	LIST
ATP36	Solids/Sand Separation Tank	62	\$1,071.20



ATP36

For additional vacuum accessories, see page 74 in the Parts & Accessories catalog.



Serving Your Pressure Washer Needs Coast to Coast

Your Pressure-Pro, Inc. Distributor

R.J. SAYERS DISTRIBUTING, LLC

21020 CAMBODIA AVE

FARMINGTON, MN 55024

651-460-6101 / 800-456-9840 / rjsayers@frontiernet.net



7300 Commercial Circle, Fort Pierce, Florida 34951

Phone: 772-461-4486 | Fax: 888-871-0365

Email: Sales@Pressure-Pro.com



Pressure-Pro.com



[PressurePro](https://www.facebook.com/PressurePro)



[@Pressure-Pro](https://twitter.com/Pressure-Pro)



[Pressure-Pro Pressure Washers](https://www.youtube.com/Pressure-Pro)