

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.
Contact Person:	Sam Fahey
Street Address:	333 2nd Street NE
P.O. Box:	
City, State, Zip:	Hopkins, MN 55343
Phone #:	952-938-5451
Toll Free #:	800-229-5451
Fax #:	800-229-5451
Email Address:	Samf@abmequip.com
Website:	www.abmequip.com www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** **LIFTMORE L SERIES**

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>L-8</u> 4500 Ft Lt Moment rating. Capacity 800 lbs at all load radius. Boom telescopes manually from 3 ft to 5 ft. 25 ft of 3/16" galvanized aircraft cable. 12.5 ft long pendant control. 25 ft battery wire, around wire and 150 amp circuit breaker.	\$	2,966.00
2.2	<u>L-8S</u> Pedestal is eliminated and base plate added for mounting on service body compartment top.	\$	2,923.00
2.3	<u>L-21</u> 6000 ft lb moment rating. Capacity 2000 lbs at 3 ft. Boom telescopes manually from 3 ft to 5 ft. Includes 25 ft of 3/16" galvanized aircraft cable. Includes traveling block. 12.5 ft remote pendant control. 25 ft of battery power cable. 3 ft battery ground cable and 150 amp circuit breaker.	\$	3,608.00
2.4	<u>L-21-7 ATB</u> Includes Anti Two-Block, needed when used in construction as per 1926.1441(d)(2) & 1926.1416(d)(3) boom telescopes to 7'	\$	4,161.00
2.5	<u>L-21S-7 ATB</u> Same as L-21-7 ATB except pedestal is eliminated & base plate added for mounting on service body compartment top. (boom does not fold for travel)	\$	4,124.00
2.6	<u>OPTION</u> Remove Anti Two-Block on L-21S-7 or L-21-7 Only DEDUCT	\$	331.00
2.7	<u>L-21W-7 ATB</u> Same as L-21-7ATB but has 62' of 1/4" cable and includes Anti Two-Block, needed when crane is used in construction as per 1926.1441(d)(2) & 1926.1416(d)(3)	\$	4,966.00
2.8	<u>L-21WS-7 ATB</u> Same as L-21W-7 ATB except pedestal is eliminated and base plate added for mounting on service body compartment top. (Boom does not fold for travel)	\$	4,925.00
2.9	For crane uninstalled DEDUCT	\$	(275.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile \$2.75/Mile

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0	CRANE/MAKE	Liftmoore 2000
	Warranty	One Year
	% Discount	0
	Discount Percent	0
	Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 OPTIONS (If not included in list)

2.1	6,000 ft-lbs moment rating. Maximum capacity 2,000 lbs at 3 ft load radius. Planetary gear winch with 2.4 HP permanent magnet motor: 2,000 lb single line capacity. On/off 12 volt electric control system. Remote pendant control 12 ft (removable). Galvanized aircraft cable 1/4" x 62 ft w/swivel hook (7,000 lbs breaking strength). Down haul pickle weight. Manual rotation 360 degree - tapered roller bearings for ease of movement with manual band brake to control swing. Boom elevation - manual with five positions. Boom extension - manual from 5.5 ft to 9 ft. NOTE: ATB NOT OFFERED ON THIS MODEL. Mounting plate is 15" square with a 12" square hole pattern.	\$	4,755.00
2.2	For crane uninstalled	DEDUCT	\$ 275.00

3.0 DELIVERY CHARGES

DELIVERY STARTING POINT - City, State, Zip
Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

% Discount	0
Price List Date and Number	N/A

5.0 INSTALLATION- PER HOUR (HOURLY SHOP RATE)

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
P.O. Box:		
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** LIFTMOORE 206REL

Warranty One Year

Percentage Discount to be applied to Price List	% Discount
Discount Percent	<u>0</u>
Date & Price List I.D. Number	<u>3/15/20 Dealer PL</u>

2.0 **OPTIONS (If not included in list)**

2.1	<u>206 REL VH ATB</u> 6,500 ft lbs moment rating. 2,000 lbs capacity at a 3.25 ft load radius. Efficient planetary gear winch with permanent magnet motor. Includes 35 ft of 3/16" galvanized aircraft cable. Lower pedestal height standard at 22.75" - can be variable height. Can be easily adapted to either flat bed or utility body corner mount. Power rotation and boom elevation. Includes anti two-block.	\$	8,919.00
2.2	<u>206 RELS ATB</u> Includes ATB, pedestal is eliminated and base plate added for mounting on service body compartment top.	\$	8,713.00
2.3	<u>206RELS ATB SP</u> - Pedestal is eliminated and a 15" x 15" base plate is added with a 12" x 12" bolt pattern	\$	8,713.00
2.4	<u>206REL W VH ATB</u> Includes ATB, larger 2.7 HP, 2,000 lbs., single line capacity winch 62 ft of 1/4" wire rope w/ swivel hook (7,000 lbs capacity breaking strength) Travel block replaced with down haul picke weight	\$	9,604.00
2.5	<u>206REL WS ATB</u> Includes ATB, same as 206REL W except pedestal is eliminated and base plate added for mounting on service body compartment top.	\$	9,400.00
2.6	<u>OPTION</u> Remove ATB on 206REL or RELS	DEDUCT	\$ (331.00)
2.7	For crane uninstalled	DEDUCT	\$ (275.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile \$2.75/Mile

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	<u>0</u>
Price List Date and Number	<u>N/A</u>

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.
Contact Person:	Sam Fahey
Street Address:	333 2nd Street NE
P.O. Box:	
City, State, Zip:	Hopkins, MN 55343
Phone #:	952-938-5451
Toll Free #:	800-229-5451
Fax #:	800-229-5451
Email Address:	Samf@abmequip.com
Website:	www.abmequip.com www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** LIFTMOORE LA6K AND LA10K

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>LA6K EX-11 ATB</u> 6,600 ft lbs moment rating. 2000 lbs capacity at a 3.3 ft radius. Efficient planetary gear winch with permanent magnet motor. Includes 40 ft of 7/32" galvanized aircraft cable. Continuous and unlimited power rotation, rotates on a ball bearing slewing ring, driven by a low speed high torque hydraulic motor. Power boom extension from 5.5 to 8.5 ft with a manual pull out to 11.5 ft. Hydraulic elevated boom to 70 degrees. Load sensor is standard. 18 ft long wired pendant control. 25 ft of battery power cable, 3 ft battery ground wire, 150 amp circuit breaker. Master disconnect switch. Anti two-block is included.	\$	11,081.00
2.2	<u>LA10K EX-11 ATB</u> Same as above but with 10,000 ft lbs moment rating. Power extension from 5.5 ft to 8.5 ft, manual to 11.5 ft.	\$	12,963.00
2.3	For crane uninstalled DEDUCT	\$	(275.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.
Contact Person:	Sam Fahey
Street Address:	333 2nd Street NE
City, State, Zip:	Hopkins, MN 55343
Phone #:	952-938-5451
Toll Free #:	800-229-5451
Fax #:	800-229-5451
Email Address:	Samf@abmequip.com
Website:	www.abmequip.com www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** **LIFTMOORE 2700AR-14**

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>2700AR-14</u> 8,100 ft lb moment rating. 12 VDC planetary gear winch. 62 ft of 1/4" galvanized aircraft cable. Pendant control is 3 ft longer than the extended boom. 25 ft of battery power cable, 3 ft battery ground wire, circuit breaker and master cutoff switch included. Max capacity 2700 lbs at 3 ft. Unlimited power rotation is standard. Efficient 2.7 HP planetary gear winch. Power up/down boom with counter balance valve. Anti two-block is standard. Emergency stop on pendant control is standard. Boom cylinder elevated by electric-hydraulic pump. Boom length is 6 ft to 14 ft in two stages, manually extended.	\$	9,915.00
2.2	For crane uninstalled	DEDUCT \$	(400.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.
Contact Person:	Sam Fahey
Street Address:	333 2nd Street NE
P.O. Box:	
City, State, Zip:	Hopkins, MN 55343
Phone #:	952-938-5451
Toll Free #:	800-229-5451
Fax #:	800-229-5451
Email Address:	Samf@abmequip.com
Website:	www.abmequip.com www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0	CRANE/MAKE	Liftmoore 2010
	Warranty	One Year
	Percentage Discount to be applied to Price List	% Discount
	Discount Percent	0
	Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 OPTIONS (If not included in list)

2.1	<u>2010 REL-15</u> - 10,000 ft/lbs moment rating. Maximum capacity 2,000 lbs at 5 ft load radius. Planetary gear winch with 2.4 HP permanent magnet motor - Mounted on boom , On/off 12 volt electric control system. Remote pendant control 18 ft (removable) with E-stop & audible signal function. Galvanized aircraft cable 1/4" x 50 ft (7,000 lbs breaking strength). Down haul weight with ball bearing swivel hook - single part line application only. Ball bearing allows hook to swivel under load. Power rotation - unlimited. Boom elevation - Full power (-5 deg. to 75 deg.). Boom extension - manual 7 ft - 15ft in two sections. Counter balance (holding) valve integrated in cylinder. Overload protection system. ATB system. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Mounting plate is 14" square with a 12" square bolt pattern. Ground cable 1/0 x 5 ft. bottom of base plate to ground post of auxiliary battery or appropriate proximity to chassis frame. Digital readout voltmeter / ammeter for monitoring DC supply to the crane.	\$	10,178.00
2.2	<u>2010 REE-15</u> - Includes all features of 2010 REL-15 and adds power boom extension 7 ft to 11 ft with manual extension 11 ft to 15 ft.	\$	12,105.00
2.3	<u>2010 REE-15 WP</u> - same as 2010 REE-15 but adds wireless proportional control in lieu of wired remote, WIFI connectivity and diagnostics included	\$	13,469.00
2.4	For crane uninstalled	DEDUCT	\$ (400.00)

3.0 DELIVERY CHARGES

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

% Discount	0
Price List Date and Number	N/A

5.0 INSTALLATION- PER HOUR (HOURLY SHOP RATE)

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
P.O. Box:		
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 3200

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>3200REE-15</u> 10,000 FT LBS moment rating. Capacity 3200 lbs at 3 ft 2.4 HP planetary gear winch. All powered functions are 12 VDC. Includes 62 ft of 1/4" galvanized aircraft cable and traveling block. Pendant control is 18 ft long. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Emergency stop on pendant control. Power rotation and power boom elevation and power boom extension from 7 ft to 11 ft with manual extension from 11 ft to 15 ft. Includes anti two-block.	\$ 12,168.00
2.2	For crane uninstalled DEDUCT	\$ (475.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip
Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$ 115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$ 115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$ 115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 3612

Warranty One Year

Percentage Discount to be applied to Price List	% Discount
Discount Percent	<u>0</u>
Date & Price List I.D. Number	<u>3/15/20 Dealer PL</u>

2.0 **OPTIONS (If not included in list)**

2.1	<u>3612REL-15</u> 12,000 ft lb moment rating. Capacity 3600 lbs at 3.3 ft. Planetary gear winch with 2.4 HP permanent magnet motor. Includes 62 ft of 1/4" galvanized aircraft cable. Traveling block. 18 ft long pendant control. Load limiting sensor. Anti two-block is standard. 25 ft of battery power cable. 3 ft battery ground wire. 150 amp circuit breaker. Master disconnect switch. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. New Feature: Emergency stop on pendant control is now standard. Power rotation and power boom elevation and power boom extension from 7 ft to 11 ft with manual extension from 11 ft to 15 ft.	\$ 10,241.00
2.2	<u>3612 REE-15</u> - Includes all features of 3612REL-15 and adds power boom extension 7 ft to 11 ft with manual extension to 15 ft	\$ 12,169.00
2.3	<u>3612REE-15 WP</u> Includes all features of 3612 REE-15 but also wireless proportional control instead of wired remote control, digital voltmeter/ammeter, capable of Wi-Fi diagnostics through 26684 tool.	\$ 13,533.00
2.4	<u>3612X9-15</u> Power rotation and power boom elevation, power extension from 9 ft to 15 ft.	\$ 12,558.00
2.5	<u>3612X9-15 WP</u> Includes all features of 3612X9-15 but also wireless proportional control instead of wired remote control, digital voltmeter/ammeter, capable of Wi-Fi diagnostics through 26684 tool.	\$ 13,430.00
2.6	For crane uninstalled DEDUCT	\$ (400.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile \$2.75/Mile

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount 0

Price List Date and Number N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$ 115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$ 115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$ 115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
P.O. Box:		
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** **Liftmoore 4000X**

Warranty **One Year**

Percentage Discount to be applied to Price List % Discount
 Discount Percent **0**
 Date & Price List I.D. Number **3/15/20 Dealer PL**

2.0 **OPTIONS (If not included in list)**

2.1	4000X-16 16,000 ft lb moment rating. Capacity 4000 lbs at 4 ft. 12 VDC planetary gear winch. All powered functions are 12 VDC 75 ft of 1/4" galvanized aircraft cable. Traveling block. 25 ft long pendant control. 25 ft of battery power cable. 3 ft battery ground wire. 150 amp circuit breaker. Master disconnect switch. Load limiting sensor. Anti two-block is included. Meets requirements of 29 CFR 1910.18, ANSI B30.5, SAEJ1063. Emergency stop on pendant control. Power rotation and power boom elevation and power boom extension from 8 ft to 12 ft with manual extension from 12 ft to 16 ft. Digital readout voltmeter/ammeter for monitoring DC supply to crane.	\$	14,630.00
2.2	4000X-16 WP Includes all features of 4000X-16 but also wireless proportional control instead of wired remote control, digital voltmeter/ammeter, capable of Wi-Fi diagnostics through 26684 tool.	\$	15,994.00
2.3	4000X-20 Same as 4000X-16 except boom extends 10 ft to 16 ft hydraulically with a 4 ft manual extension to 20 ft.	\$	14,979.00
2.4	4000X-20 WP Includes all features of 4000X-20 but also wireless proportional control instead of wired remote control, digital voltmeter/ammeter, capable of Wi-Fi diagnostics through 26684 tool.	\$	16,344.00
2.5	For crane uninstalled	\$	(400.00)
	DEDUCT		

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount **0**

Price List Date and Number **N/A**

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 5000WX

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>5000X-20</u> 25,000 ft lb moment rating. Capacity 5000 lbs at 5 ft load radius. 12 VDC planetary gear drive electric winch. Continuous, unlimited power rotation. Power boom elevation. Pendant control 25 ft long. 25 ft of battery power cable and 3 ft of battery ground wire. 150 amp circuit breaker and master disconnect included. Includes 80 ft of 5/16" galvanized aircraft cable. Traveling block with roller bearing swivel safety hook. Anti two-block is included. Load sensor is included. Drum to wire rope ratio meets ANSI requirements. Crane meets OSHA 29 CFR 1910.180 and ANSI B30.5. Tested with strain gauges as required by SAE J1063. NEW FEATURE: Emergency stop on pendant control is now standard. Power telescoping boom from 10 ft to 15 ft with manually extendable section from 15 ft to 20 ft.	\$	18,952.00
2.2	<u>5000X-20 WP</u> Includes all features of 5000X-20 but also wireless proportional control instead of wired remote control, digital voltmeter/ammeter, capable of Wi-Fi diagnostics through 26684 tool.	\$	20,227.00
2.3	<u>5000W-12-20</u> Power extension from 12 ft to 20 ft.	\$	19,117.00
2.4	<u>5000X-12-20 WP</u> Includes all features of 5000X-12-20 but also wireless proportional control instead of wired remote control, digital voltmeter/ammeter, capable of Wi-Fi diagnostics through 26684 tool.	\$	20,472.00
2.5	For crane uninstalled DEDUCT	\$	(400.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount **0**

Price List Date and Number **N/A**

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0	CRANE/MAKE	Liftmoore 6036WD and 6036DX
		Warranty One Year
	Percentage Discount to be applied to Price List	% Discount
	Discount Percent	0
	Date & Price List I.D. Number	3/15/20 Dealer PL
2.0	OPTIONS (If not included in list)	
2.1	6036X-20 36,000 ft lb moment rating. Capacity 6,000 lbs at 6 ft load radius. Includes continuous and unlimited power rotation, power extension and 10 ft to 16 ft. Load sensor and anti two-block included. Remote pendant control 25 ft long. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Efficient planetary gear driven winch with series motor. Emergency stop on pendant control. Powered extension from 10 ft to 16 ft. Manual pullout section of 4 ft for total extension of 20 ft.	\$ 20,010.00
2.2	6036X-20 WP Includes all features of 6036X-20 but also wireless proportional control instead of wired remote control, digital voltmeter/ammeter, capable of Wi-Fi diagnostics through 26684 tool.	\$ 21,375.00
2.3	For crane uninstalled REDUCTION	\$ (525.00)
3.0	DELIVERY CHARGES	
	DELIVERY STARTING POINT - City, State, Zip	
	Hopkins, MN 55343	
	Price per loaded mile	\$2.75/Mile
4.0	DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES	
	% Discount	0
	Price List Date and Number	N/A
5.0	INSTALLATION- PER HOUR (HOURLY SHOP RATE)	
5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$ 115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$ 115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$ 115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 1032XP

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>1032XP-15</u> 10,000 ft lbs moment rating. 3200 lbs maximum lifting capacity at 3 ft load radius. 62 ft of 1/4 in galvanized aircraft cable. Rotation limited to 365 degrees. Pump, reservoir and hoses not included. Pump should supply 6 GPM at 2500 PSI. Anti two-block is standard feature. Load sensor is standard feature. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Emergency stop. Power hoist, power boom elevation, power rotation, power boom extension. Boom length telescopes under power from 7 ft to 11 ft and manually from 11 ft to 15 ft. Wireless proportional control is standard.	\$	16,503.00
2.2	For wired remote pendant control in lieu of wireless	DEDUCT	\$ (700.00)
2.3	For crane uninstalled	DEDUCT	\$ (860.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.
Contact Person:	Sam Fahey
Street Address:	333 2nd Street NE
P.O. Box:	
City, State, Zip:	Hopkins, MN 55343
Phone #:	952-938-5451
Toll Free #:	800-229-5451
Fax #:	800-229-5451
Email Address:	Samf@abmequip.com
Website:	www.abmequip.com www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 1640XP

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>1640XP-16</u> 16,000 ft lbs moment rating. 4000 lbs maximum lifting capacity at 4 ft load radius. 70 ft of 1/4" galvanized aircraft cable. Rotation limited to 365 degrees. Pump, reservoir and hoses not included. Pump should supply 6 GPM at 2500 PSI. Battery wire, fuses and electrical cut off switch included. Anti two-block included. Load sensor is included. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Emergency stop. Power hoist, power boom elevation, power rotation, power boom extension. Boom length telescopes under power from 8 ft to 12 ft and manually from 12 ft to 16 ft. Wireless proportional control is standard.	\$	18,327.00
2.2	1640XP-20 Same as 1640XP-16 except boom extends 10 to 16 ft hydraulically with a 4 ft manual extension to 20 ft.	\$	18,652.00
2.3	For wired remote pendant controls in lieu of wireless	DEDUCT	\$ (700.00)
2.4	For crane uninstalled	DEDUCT	\$ (860.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip
Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** **Liftmoore 2550XP**

Warranty **One Year**

Percentage Discount to be applied to Price List % Discount
Discount Percent **0**

Date & Price List I.D. Number **3/15/20 Dealer PL**

2.0 **OPTIONS (If not included in list)**

2.1	<u>2550XP-20</u> 25,000 ft lb moment rating. Capacity 5,000 lbs at 5 ft load radius. Hydraulically powered rotation, winch, boom elevation. Continuous, unlimited rotation. Includes 80 ft of 5/16" galvanized aircraft cable. Traveling block with swivel safety hook. Anti two-block is included. Load sensor is included. Drum to wire rope ratio meets ANSI requirements. Pump, reservoir and hoses not included. Pump should supply 6 GPM at 2750 PSI. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Emergency stop. Power boom elevation, power rotation and power boom extension from 10 ft to 16 ft. 4 ft manual boom extension from 16 ft to 20 ft. Wireless proportional control is standard.	\$	20,228.00
2.2	For wired remote pendant controls in lieu of wireless <u>ONLY 2250XP-20</u> DEDUCT	\$	(700.00)
2.3	For crane uninstalled DEDUCT	\$	(860.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip
Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount **0**

Price List Date and Number **N/A**

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 3660XP

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>3660XP-20</u> 36,000 ft lb moment rating. Capacity 6,000 lbs at 6 ft load radius. Hydraulically powered rotation, winch, boom elevation and boom extension. Continuous, unlimited rotation. Includes 95 ft of 3/8" galvanized aircraft cable. Includes traveling block with swivel safety hook. Anti two-block is included. Load sensor is included. Drum to wire rope ratio meets ANSI requirements. Pump, reservoir and hoses not included. Pump should supply 6 GPM at 2750 PSI. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Emergency stop on pendant control. Power boom from 10 ft to 16 ft with manual extension from 16 ft to 20 ft. Wireless proportional controls is standard.	\$	21,624.00
2.2	For crane uninstalled	DEDUCT	\$ (1,010.00)
2.3	For wired remote pendant controls in lieu of wireless	DEDUCT	\$ (860.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.
Contact Person:	Sam Fahey
Street Address:	333 2nd Street NE
P.O. Box:	
City, State, Zip:	Hopkins, MN 55343
Phone #:	952-938-5451
Toll Free #:	800-229-5451
Fax #:	800-229-5451
Email Address:	Samf@abmequip.com
Website:	www.abmequip.com www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 4064XP

Warranty **One Year**

Percentage Discount to be applied to Price List % Discount
 Discount Percent **0**
 Date & Price List I.D. Number **3/15/20 Dealer PL**

2.0 **OPTIONS (If not included in list)**

2.1	<u>4064DXP-22</u> 40,000 ft lb moment rating. Capacity 6400 lbs at 6.2 ft load radius. Hydraulically powered rotation, winch, boom elevation and boom extension from 10 to 22 ft. Continuous, unlimited rotation. High speed planetary gear winch. External rotation gear with bronze alloy worm gearbox. Includes 95 ft of 3/8" galvanized aircraft cable. Includes traveling block with swivel safety hook. Anti two-block is included. Pump, reservoir & hose not included. Pump should supply 8 GPM at 2750 PSI. Meets requirements of 29 CFR 1910.180, ANSI B30.5 and SAE J1063. Emergency stop. Wireless proportional control is standard	\$	22,746.00
2.2	<u>4064DXP-30</u> Includes power boom extension from 15 ft to 30 ft. with 115 ft of cable	\$	24,702.00
2.3	For crane uninstalled	DEDUCT	\$ (1,010.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip
 Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount **0**
 Price List Date and Number **N/A**

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** **Liftmoore 5080XP**

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>5080XP-20</u> 50,000 ft lb moment rating. Capacity 8000 lbs at 6.25 ft load radius. Hydraulically powered rotation, winch, boom elevation and boom extension. Continuous, unlimited rotation. Includes 95 ft of 3/8" galvanized aircraft cable. Includes traveling block with swivel safety hook. Anti two-block included. Load sensor is included. Drum to wire rope ratio meets ANSI requirements. Pump, reservoir and hoses not included. Pump should supply 6 gpm at 2750 PSI. Meets requirements of 29 CFR 1910.180, ANSI B30.5 and SAE H1063. Emergency stop. Wireless proportional control is standard.	\$ 24,602.00
2.2	For wired proportional controls in lieu of wireless DEDUCT	\$ (860.00)
2.3	For crane uninstalled DEDUCT	\$ (1,010.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip
Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$ 115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$ 115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$ 115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 **CRANE/MAKE** Liftmoore 60100DXP

Warranty **One Year**

Percentage Discount to be applied to Price List	% Discount
Discount Percent	0
Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 **OPTIONS (If not included in list)**

2.1	<u>60100DXP-24</u> Includes power boom extension from 11 ft to 24 ft. 60,000 ft lb moment rating. Capacity 10,000 lbs at 6 ft load radius. Hydraulically powered rotation, winch, boom elevation and boom extension. Continuous, unlimited rotation. Includes 135 ft of 7/16" galvanized aircraft cable. Includes traveling block with ball bearing, swivel safety hook. Anti two-block included. Load sensor is included. Drum to wire rope ratio meets ANSI requirements. Pump, reservoir and hoses not included. Pump should supply 8 GPM at 2750 PSI. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Emergency stop. Wireless proportional control is standard.	\$	27,519.00
2.2	<u>60100DXP-30</u> Includes power boom extension from 15 ft to 30 ft.	\$	29,512.00
2.3	For crane uninstalled	DEDUCT	\$ (1,010.00)

3.0 **DELIVERY CHARGES**

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile **\$2.75/Mile**

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount	0
Price List Date and Number	N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$	115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$	115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$	115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.	
Contact Person:	Sam Fahey	
Street Address:	333 2nd Street NE	
City, State, Zip:	Hopkins, MN 55343	
Phone #:	952-938-5451	
Toll Free #:	800-229-5451	
Fax #:	800-229-5451	
Email Address:	Samf@abmequip.com	
Website:	www.abmequip.com	www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0	CRANE/MAKE	Liftmoore 72100DXP
	Warranty	One Year
	Percentage Discount to be applied to Price List	% Discount
	Discount Percent	0
	Date & Price List I.D. Number	3/15/20 Dealer PL

2.0 OPTIONS (If not included in list)

2.1	<u>72100DXP-24</u> Includes power boom extension from 11 ft to 24 ft. 72,000 ft lb moment rating. Capacity 10,000 lbs at 7.2 ft load radius. Proportional hydraulic control. Hydraulically powered rotation, winch, boom elevation and boom extension. Continuous, unlimited rotation. FM Radio remote control. Includes 100 ft of 7/16" galvanized aircraft cable. Includes traveling block with ball bearing swivel safety hook. Anti two-block included. Load sensor is included. Drum to wire rope ratio meets ANSI requirements. Pump, reservoir and hoses not included. Pump should supply 8 GPM at 2750 PSI. Meets requirements of 29 CFR 1910.180, ANSI B30.5, SAE J1063. Emergency stop on pendant control. Wireless proportional control is standard.	\$ 33,915.00
2.2	<u>72100DXP-30</u> Includes power boom extension from 15 ft to 30 ft.	\$ 36,125.00
2.3	For crane uninstalled	DEDUCT \$ (1,200.00)

3.0 DELIVERY CHARGES

DELIVERY STARTING POINT - City, State, Zip

Hopkins, MN 55343

Price per loaded mile \$2.75/Mile

4.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

% Discount	0
Price List Date and Number	N/A

5.0 INSTALLATION- PER HOUR (HOURLY SHOP RATE)

5.1	HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR	\$ 115.00
5.2	HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC	\$ 115.00
5.3	HOURLY RATE FOR MECHANICAL REPAIRS	\$ 115.00

CRANES

Discount Off List

Vendor Name:	ABM Equipment & Supply, LLC.
Contact Person:	Sam Fahey
Street Address:	333 2nd Street NE
P.O. Box:	
City, State, Zip:	Hopkins, MN 55343
Phone #:	952-938-5451
Toll Free #:	800-229-5451
Fax #:	800-229-5451
Email Address:	Samf@abmequip.com
Website:	www.abmequip.com www.Liftmoore.com

PRICING METHOD 2 - PERCENTAGE DISCOUNT OFF LIST

1.0 CRANE/MAKE	Liftmoore Options
	Warranty One Year
	Percentage Discount to be applied to Price List % Discount
	Discount Percent 0
	Date & Price List I.D. Number 3/15/20 Dealer PL

2.0 OPTIONS (If not included in list)

2.1	Boom rest (specify crane model)	\$	242.00
2.2	12K pedestal for flat bed mounting	\$	494.00
2.3	16K pedestal for flat bed mounting	\$	549.00
2.4	25K pedestal and 36K pedestal for flat bed mounting	\$	588.00
2.5	40K pedestal for flatbed mounting	\$	595.00
2.6	50K pedestal for flatbed mounting	\$	735.00
2.7	72K pedestal for flatbed mounting	\$	780.00
2.8	MOUNTING PLATES: Mounting plates are for welding onto the truck body. They are fabricated to fit under the crane matching the bolt pattern and cutouts needed.		
*	Installation of crane pedestal and required modification of body understructure and bracing to chassis frame will be billed on a time and material basis		
2.8.1	0.5" x 12" x 12" drilled for L-Series	\$	76.00
2.8.2	0.5" x 15" x 15" for 208, 2000A, 2700, 3200 & 1032	\$	86.00
2.8.3	0.75" x 15" x 15" for 4000 & 1650	\$	97.00
2.8.4	0.75" x 16.75" x 16.75" for 5000, 2550, 6036 & 3660	\$	121.00
2.8.5	0.75" x 17.75" x 17.75" for 4064	\$	140.00
2.8.6	1" x 16.75" x 16.75" for 5080	\$	148.00
2.8.7	1.75" x 21" x 21" for 60100 and 72100	\$	315.00
2.9	Add leaf springs to crane side of chassis at rear 16,000 ft lb crane and under	\$	798.00
2.9.1	Add leaf spring to crane side of chassis at rear above 16,000 ft lb crane	\$	1,375.00
2.10	MANUAL OUTRIGGERS		
2.10.1	(OR-78PBS) Manual out both sides, drop down/crank down outriggers for 78" wide body	\$	1,152.00
2.10.2	(OR-94PBS) Manual out both sides, drop down/crank down outriggers for 94" wide body	\$	1,196.00
2.11	OUTRIGGERS - Manual In/Out & Hydraulic Up/Down Operation - Both Sides Extend		
	These outriggers are offered with manual pull out and Hydraulic Up/Down jacks. The outrigger package includes: Diverter Valve for selecting either outrigger or crane operation, Lever Directional Control Valve. With hoses and fittings for cylinder to control valve only.		
2.11.1	Outrigger, 25K (36" curb/ 12" street)	\$	5,227.00
2.11.2	Outrigger, 25K (24" both sides)	\$	5,227.00
2.11.3	Outrigger, 40K (36" curb/ 12" street)	\$	5,668.00
2.11.4	Outrigger, 50K (36" curb/ 12" street)	\$	5,923.00
2.11.5	Outrigger, 50K (24" both sides)	\$	6,008.00
2.11.6	Outrigger, 25K (36" curb/ 12" street)	\$	6,343.00
2.12	OUTRIGGERS - Hydraulic In/Out and Hydraulic Up/Down Operation - Both Sides Extend		

CRANES

2.12.1	These outriggers are offered with power in/out extension and Power Up/Down Jacks. The outrigger package includes: Diverter Valve for selecting either outrigger or crane operation, Lever Directional Control Valve. <u>With Hoses and fittings for cvlinder to control vavle only.</u>	
2.12.1	Outrigger 40K (36" curb / 12" Street)	\$ 7,393.00
2.12.2	Outrigger 40K (20" both sides)	\$ 7,399.00
2.12.3	Outrigger 50K (36" curb / 12" Street)	\$ 7,836.00
2.12.4	Outrigger 50K (20" both sides)	\$ 7,861.00
2.12.5	Outrigger 72K (36" curb / 12" Street)	\$ 8,178.00
2.12.6	Outrigger 72K (20 both sides)	\$ 8,263.00
2.13	Hydraulic In/Out and Hydraulic Up/Down Operation - Extends Curb side only, Street side Fixed	
2.13.1	39278 Outrigger 25K	\$ 6,424.00
2.13.2	39281 Outrigger 40K	\$ 6,988.00
2.13.3	39219 Outrigger 40K NOTE: Internal hoses for the down cylinders	\$ 7,646.00
2.13.4	39402 Outrigger 72K NOTE: Internal hoses for the down cylinders	\$ 8,602.00
2.14	OUTRIGGERS, HYDRAULIC (FOR ELECTRIC CRANES)	
2.14.1	Pump Kit: Kit includes electric hydraulic pump, starter solenoid and control switch for hydraulic operation outriggers when no other hydraulic system is available. Most commonly used with a 12 V DC powered crane.	\$ 861.00
2.15	WIRELESS CONTROL SYSTEM FOR ELECTRIC AND HYDRAULIC CRANES WITH ON/OFF CONTROLS	
2.15.1	Mega FM wireless radio system added to a new crane at time of order includes standard control pendant. (LA, 2010, 206REL, 206RELS, 2700, 3200, 3612, 4000, 5000 and 6036 series cranes).	\$ 1,364.00
2.16	HYDRUALICS AND CONTROL PACKAGES	
	PTO/PUMPS	
2.16.1	PTO Hotshift PTO, direct mount single section pump automatic transmission	\$ 3,655.00
2.16.2	Airshift-PTO Airshift PTO, direct mount single section pump manual transmission	\$ 4,115.00
2.17	HYDRAULIC TANK AND HOSES	
2.17.1	20 Gallon hyrdraulic tank with sight gauge, filters, shut off valves and aircraft grade oil	\$ 1,639.00
2.17.2	Hydraulic hose kit from PTO/pump to reservoir to crane	\$ 1,276.00
2.17.3	Hydraulic hose kit from crane to outriggers	\$ 441.00
2.17.4	Manual selector valve for outrigger/crane operation	\$ 465.00
2.18	WORKBENCH BUMPER WITH OUTRIGGERS AND ACCESSORIES	
2.18.1	Workbench / bumper with thru-storage compartment and vise socket (specify C5 or S5 crane mount)	\$ 3,255.00
2.18.2	Workbench bumper as listed above with manual out/crank down outriggers (specify CS or SS crane mount)	\$ 5,325.00
2.18.3	Workbench bumper as listed above with manual out/hydraulic down outriggers (specify CS or SS crane mount)	\$ 7,336.00
2.18.4	Workbench bumper as listed above with hydraulic out/hydraulic down outriggers (specify CS or SS crane mount)	\$ 8,954.00
2.18.5	Vise mounting for workbench/bumper	\$ 158.00
2.18.6	Grab rail and slide out step for workbench / bumper	\$ 513.00
2.19	CRANE DIAGNOSTIC WI-FI TOOL PART # 26683	\$ 581.00

3.0 **DELIVERY CHARGES**
DELIVERY STARTING POINT - City, State, Zip
Hopkins, MN 55343

Price per loaded mile \$2.75/Mile

4.0 **DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES**

% Discount 0

Price List Date and Number N/A

5.0 **INSTALLATION- PER HOUR (HOURLY SHOP RATE)**

5.1 **HOURLY RATE FOR EQUIPMENT INSPECTION AND REPAIR**

\$ 115.00

5.2 **HOURLY RATE FOR INITIAL INSPECTION / DIAGNOSTIC**

\$ 115.00

5.3 **HOURLY RATE FOR MECHANICAL REPAIRS**

\$ 115.00