

**STATE OF MINNESOTA
PRICING PAGE
Crane Installed on Cab & Chassis**

Price quote for:

Vendor Name: **Truck Utilities Inc**
 Contact Person: **Paul Warner**
 Street Address: **2370 English Street**
 P.O. Box:
 City, State, Zip **St Paul, MN, 55109**
 Phone #: **651-393-2274**
 Toll Free #: **800-869-1075**
 Fax #: **651-484-0076**
 Email Address: paulw@truckutilities.com

Spec #	Information Requested	Answer
1.0	MAKE AND MODEL	Venturo CT2003FB
	Required Frame RBM, SM & PSI of steel	NA
	Lift Capacity at 5' to 9' from centerline of rotation state distance & lift capacity	3' - 2,000 lbs / 5' - 1,000 lbs
	Each extension type, horizontal reach from centerline of rotation and maximum capacity at that length	
	Main Boom	3' - 2,000 lbs
	First Extension	5' - 1,000 lbs
	Second Extension	NA
	Third Extension	NA
	Fourth Extension	NA
	Fifth Extension	NA
	Sixth Extension	NA
	Seventh Extension	NA
	Crane weight	195
	Total vertical reach	7' - 1,000 lbs
	Horizontal hook approach from centerline of rotation	NA
	Vertical hook approach from mounting surface	NA
	Total horizontal reach	5'
	Below chassis frame reach	NA
	Boom stowed height from mounting surface	6.5'
	Crane mounting space requirement	10'x10'

STATE OF MINNESOTA PRICING PAGE

Spec #	Information Requested	Answer
	Distance from back of cab to crane clearance	NA
	Distance from crane to front of body clearance	NA
	Crane rotation & rotation working area	360 degrees / 360 degrees
	Rotation system brake	8 position base lock
	Rotation system Drive	manual
	Rotational torque in ft-lb's	NA
	Outrigger description, width & design	Stiff leg outrigger recommended
	Outrigger hydraulic description (independent down, stroke length, etc.	NA
	Outrigger pad size & type	NA
	Throttle control, if any	NA
	Hydraulic pump type, GPM, PSI	NA
	Hydraulic oil reservoir size/description	NA
	Is Hydraulic reservoir heated	NA
	Hydraulic fluid type	NA
	control locations & Description	Tethered - on/off
	Control valve type	NA
	Wireless remote included	None
	Number of wireless remote functions	NA
	Boom Cylinder description	None
	Crane rating	1,500 lbs
	Country of origin for crane	USA
	Warranty	1 yr
	BASE UNIT PRICE:	\$3,267.00

STATE OF MINNESOTA
PRICING PAGE
Crane Installed on Cab & Chassis

VENDOR: Truck Utilities Inc

MAKE/MODEL Venturo CT2003FB

Spec #	Description	Qty	Price	Subtotal
1.0	<u>BASE UNIT PRICE:</u>		\$ 3,267.00	\$ -
1.1	<u>Installation of Crane</u>		\$ 824.00	\$ -
2.0	<u>CRANE EXTENSION OPTIONS</u>			
2.1	one manual (standard, included in price of base crane)		\$ -	\$ -
3.0	<u>OUTRIGGER OPTIONS</u>			
3.1	Stiff leg, bumper height, Non crane bodies		\$ 432.00	\$ -
3.2	Rear manual drop down		\$ 401.00	\$ -
3.3	Rear manual out, crank down		\$ 3,259.00	\$ -
3.4	side bracket type single jackleg for utility body		\$ 545.00	\$ -
4.0	<u>REMOTE CONTROLS</u>			
4.1	ON/OFF tethered (standard, included in price of base crane)		\$ -	\$ -
5.0	<u>ATTACHMENTS</u>			
5.1				\$ -
6.0	<u>OTHER OPTIONS</u>			
6.1	Installation kit - electric - designed for telescopic crane body		\$ 406.00	\$ -
6.2	Additional deep cycle 12 volt battery		\$ 262.00	\$ -
6.3	Reinforce platform or pick-up for crane		\$ 3,259.00	\$ -
6.4	Reinforce service body compartment for crane		\$ 4,284.00	\$ -
7.0	<u>CUSTOM WORK</u>			
7.1	Labor charges per hour for modifications to chassis		\$ 115.00	\$ -
8.0	<u>WARRANTY DETAILS: MONTHS, YEARS, HOURS, ETC.</u>			
	<u>EXTENDED WARRANTY OPTIONS</u>			
8.1			\$ -	\$ -
9.0	<u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u>			
9.1			\$ -	\$ -
10.	<u>DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES - (See Special Terms and Conditions)</u>		% Discount 0.00%	
	Price List Date and Number			
11.0	<u>DELIVERY CHARGES</u>			
	<u>DELIVERY STARTING POINT - City, State, Zip</u>			
	<u>St Paul, MN, 55109</u>			
	Price per loaded mile		\$ 3.00	\$ -
12.0	<u>INSTALLATION- PER HOUR (HOURLY SHOP RATE)</u>		\$ 115.00	\$ -
12.1	<u>EQUIPMENT INSPECTION AND REPAIR</u>		\$ 115.00	\$ -
12.2	<u>HOURLY RATE FOR INITIAL INSPECTION/DIAGNOSTIC</u>		\$ 115.00	\$ -
12.3	<u>HOURLY RATE FOR MECHANICAL REPAIRS</u>		\$ 115.00	\$ -

**STATE OF MINNESOTA
PRICING PAGE
Crane Installed on Cab & Chassis**

Price quote for:

Vendor Name: **Truck Utilities Inc**
 Contact Person: **Paul Warner**
 Street Address: **2370 English Street**
 P.O. Box:
 City, State, Zip **St Paul, MN, 55109**
 Phone #: **651-393-2274**
 Toll Free #: **800-869-1075**
 Fax #: **651-484-0076**
 Email Address: paulw@truckutilities.com

Spec #	Information Requested	Answer
1.0	MAKE AND MODEL	Venturo CT2004FB
	Required Frame RBM, SM & PSI of steel	NA
	Lift Capacity at 5' to 9' from centerline of rotation state distance & lift capacity	4' - 1,500 lbs / 7' - 700 lbs
	Each extension type, horizontal reach from centerline of rotation and maximum capacity at that length	
	Main Boom	4' - 1,500 lbs
	First Extension	7' - 700 lbs
	Second Extension	NA
	Third Extension	NA
	Fourth Extension	NA
	Fifth Extension	NA
	Sixth Extension	NA
	Seventh Extension	NA
	Crane weight	200
	Total vertical reach	8' - 700 lbs
	Horizontal hook approach from centerline of rotation	NA
	Vertical hook approach from mounting surface	NA
	Total horizontal reach	7'
	Below chassis frame reach	NA
	Boom stowed height from mounting surface	6.5'
	Crane mounting space requirement	10'x10'

STATE OF MINNESOTA PRICING PAGE

Spec #	Information Requested	Answer
	Distance from back of cab to crane clearance	NA
	Distance from crane to front of body clearance	NA
	Crane rotation & rotation working area	360 degrees / 360 degrees
	Rotation system brake	8 position base lock
	Rotation system Drive	manual
	Rotational torque in ft-lb's	NA
	Outrigger description, width & design	Stiff leg outrigger recommended
	Outrigger hydraulic description (independent down, stroke length, etc.	NA
	Outrigger pad size & type	NA
	Throttle control, if any	NA
	Hydraulic pump type, GPM, PSI	NA
	Hydraulic oil reservoir size/description	NA
	Is Hydraulic reservoir heated	NA
	Hydraulic fluid type	NA
	control locations & Description	Tethered - on/off
	Control valve type	NA
	Wireless remote included	None
	Number of wireless remote functions	NA
	Boom Cylinder description	None
	Crane rating	1,500 lbs
	Country of origin for crane	USA
	Warranty	1 yr
	BASE UNIT PRICE:	\$3,388.00

PRICING PAGE
Crane Installed on Cab & Chassis

VENDOR: Truck Utilities Inc

MAKE/MODEL Venturo CT2004FB

Spec #	Description	Qty	Price	Subtotal
1.0	<u>BASE UNIT PRICE:</u>		\$ 3,388.00	\$ -
1.1	<u>Installation of Crane</u>		\$ 824.00	\$ -
2.0	<u>CRANE EXTENSION OPTIONS</u>			
2.1	one manual (standard, included in price of base crane)		\$ -	\$ -
3.0	<u>OUTRIGGER OPTIONS</u>			
3.1	Stiff leg, bumper height, Non crane bodies		\$ 432.00	\$ -
3.2	Rear manual drop down		\$ 401.00	\$ -
3.3	Rear manual out, crank down		\$ 3,259.00	\$ -
3.4	side bracket type single jackleg for utility body		\$ 545.00	\$ -
4.0	<u>REMOTE CONTROLS</u>			
4.1	ON/OFF tethered (standard, included in price of base crane)		\$ -	\$ -
5.0	<u>ATTACHMENTS</u>			
5.1				\$ -
6.0	<u>OTHER OPTIONS</u>			
6.1	Installation kit - electric - designed for telescopic crane body		\$ 406.00	\$ -
6.2	Additional deep cycle 12 volt battery		\$ 262.00	\$ -
6.3	Reinforce platform or pick-up for crane		\$ 3,259.00	\$ -
6.4	Reinforce service body compartment for crane		\$ 4,284.00	\$ -
7.0	<u>CUSTOM WORK</u>			
7.1	Labor charges per hour for modifications to chassis		\$ 115.00	\$ -
8.0	<u>WARRANTY DETAILS: MONTHS, YEARS, HOURS, ETC.</u> <u>EXTENDED WARRANTY OPTIONS</u> (Specify years, miles or hours extended term covers.)			
8.1			\$ -	\$ -
9.0	<u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u>			
9.1			\$ -	\$ -
10.	<u>DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES - (See Special Terms and Conditions)</u>		% Discount 0.00%	
	Price List Date and Number			
11.0	<u>DELIVERY CHARGES</u> <u>DELIVERY STARTING POINT - City, State, Zip</u> <u>St Paul, MN, 55109</u>			
	Price per loaded mile		\$ 3.00	\$ -
12.0	<u>INSTALLATION- PER HOUR (HOURLY SHOP RATE)</u>		\$ 115.00	\$ -
12.1	<u>EQUIPMENT INSPECTION AND REPAIR</u>		\$ 115.00	\$ -
12.2	<u>HOURLY RATE FOR INITIAL INSPECTION/DIAGNOSTIC</u>		\$ 115.00	\$ -
12.3	<u>HOURLY RATE FOR MECHANICAL REPAIRS</u>		\$ 115.00	\$ -
	Total Unit Cost:			\$ -

**STATE OF MINNESOTA
PRICING PAGE
Crane Installed on Cab & Chassis**

Price quote for:

Contract end date April 30, 2020

Vendor Name: **Truck Utilities Inc**
 Contact Person: **Paul Warner**
 Street Address: **2370 English Street**
 P.O. Box:
 City, State, Zip **St Paul, MN, 55109**
 Phone #: **651-393-2274**
 Toll Free #: **800-869-1075**
 Fax #: **651-484-0076**
 Email Address: paulw@truckutilities.com

Spec #	Information Requested	Answer
1.0	MAKE AND MODEL	Venturo CT2005
	Required Frame RBM, SM & PSI of steel	NA
	Lift Capacity at 5' to 9' from centerline of rotation state distance & lift capacity	5' - 1,200 lbs / 9' - 500 lbs
	Each extension type, horizontal reach from centerline of rotation and maximum capacity at that length	
	Main Boom	5' - 1,200 lbs
	First Extension	9' - 500 lbs
	Second Extension	NA
	Third Extension	NA
	Fourth Extension	NA
	Fifth Extension	NA
	Sixth Extension	NA
	Seventh Extension	NA
	Crane weight	205 lbs
	Total vertical reach	9' - 500 lbs
	Horizontal hook approach from centerline of rotation	NA
	Vertical hook approach from mounting surface	NA
	Total horizontal reach	9'
	Below chassis frame reach	NA
	Boom stowed height from mounting surface	6.5'
	Crane mounting space requirement	10'x10'

STATE OF MINNESOTA PRICING PAGE

Spec #	Information Requested	Answer
	Distance from back of cab to crane clearance	NA
	Distance from crane to front of body clearance	NA
	Crane rotation & rotation working area	360 degrees / 360 degrees
	Rotation system brake	8 position base lock
	Rotation system Drive	manual
	Rotational torque in ft-lb's	NA
	Outrigger description, width & design	Stiff leg outrigger recommended
	Outrigger hydraulic description (independent down, stroke length, etc.	NA
	Outrigger pad size & type	NA
	Throttle control, if any	NA
	Hydraulic pump type, GPM, PSI	NA
	Hydraulic oil reservoir size/description	NA
	Is Hydraulic reservoir heated	NA
	Hydraulic fluid type	NA
	control locations & Description	Tethered - on/off
	Control valve type	NA
	Wireless remote included	None
	Number of wireless remote functions	NA
	Boom Cylinder description	None
	Crane rating	1200 lbs
	Country of origin for crane	USA
	Warranty	1 yr
	BASE UNIT PRICE:	\$3,543.00

Crane Installed on Cab & Chassis

VENDOR: Truck Utilities Inc

MAKE/MODEL Venturo CT2005

Spec #	Description	Qty	Price	Subtotal
1.0	<u>BASE UNIT PRICE:</u>		\$ 3,543.00	\$ -
1.1	<u>Installation of Crane</u>		\$ 824.00	\$ -
2.0	<u>CRANE EXTENSION OPTIONS</u>			
2.1	one manual (standard, included in price of base crane)		\$ -	\$ -
3.0	<u>OUTRIGGER OPTIONS</u>			
3.1	Stiff leg, bumper height, Non crane bodies		\$ 432.00	\$ -
3.2	Rear manual drop down		\$ 401.00	\$ -
3.3	Rear manual out, crank down		\$ 3,259.00	\$ -
3.4	side bracket type single jackleg for utility body		\$ 545.00	\$ -
4.0	<u>REMOTE CONTROLS</u>			
4.1	ON/OFF tethered (standard, included in price of base crane)		\$ -	\$ -
5.0	<u>ATTACHMENTS</u>			
5.1				\$ -
6.0	<u>OTHER OPTIONS</u>			
6.1	Installation kit - electric - designed for telescopic crane body		\$ 406.00	\$ -
6.2	Additional deep cycle 12 volt battery		\$ 262.00	\$ -
6.3	Reinforce platform or pick-up for crane		\$ 3,259.00	\$ -
6.4	Reinforce service body compartment for crane		\$ 4,284.00	\$ -
7.0	<u>CUSTOM WORK</u>			
7.1	Labor charges per hour for modifications to chassis		\$ 115.00	\$ -

Spec #	Description	Qty	Price	Subtotal
8.0	WARRANTY DETAILS: MONTHS, YEARS, HOURS, ETC. EXTENDED WARRANTY OPTIONS			
8.1			\$ -	\$ -
9.0	VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM			
9.1			\$ -	\$ -
10.	DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES - (See Special Terms and Conditions)		% Discount 0.00%	
	Price List Date and Number			
11.0	<u>DELIVERY CHARGES</u> <u>NO FLAT RATE ALLOWED</u>			
	St Paul, MN, 55109			
	Price per loaded mile		\$ 3.00	\$ -
12.0	INSTALLATION- PER HOUR (HOURLY SHOP RATE)		\$ 115.00	\$ -
12.1	EQUIPMENT INSPECTION AND REPAIR		\$ 115.00	\$ -
12.2	HOURLY RATE FOR INITIAL INSPECTION/DIAGNOSTIC		\$ 115.00	\$ -
12.3	HOURLY RATE FOR MECHANICAL REPAIRS		\$ 115.00	\$ -
	Total Unit Cost:			\$ -