

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC30MR-5
	Operating Weight	6,505 - 6,836 lb
	Engine Make & Model	Komatsu 3D88E-7
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	24.4 HP (Net)
	Number of speeds	2
	Max travel speed, MPH	2.85 MPH
	Drawbar pull, lbs.	7495 LBF
	Shoe width, in.	12"
	# of rollers on lower track	4
	Ground pressure, PSI	3.87 PSI
	Ground clearance, in.	1'0"
	Overall width of excavator	5'1"
	Main pump(s) total flow, GPM	18.3 GPM
	Swing speed, RPM	N/A
	Boom length, ft-in	7'2"
	Arm length, ft-in	4'6"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	9'1"
	Reach at ground line, ft-in	16'7"
	Dump height, ft-in	11'0"
	Lift over end, 10', lbs.	3186-lb
	Lift over end, max reach, lbs.	1929-lb
	Lift over side, 10', lbs.	794-lb
	Lift over side max reach, lbs.	452-lb
	Bucket breakout force, normal lb-ft.	6632 LBF
	Tail swing radius, ft-in.	2'7"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$35,088</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Cab	\$6,271.00
		\$
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21		
4.22		
4.23		
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	Road liner shoes 12"	\$1,978.00
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41		
4.42		
		\$
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51		
4.52		
4.53		
4.54		
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	30" HD Werk Brau Bucket	\$2,000
4.62	36" HD Werk Brau Bucket	\$2,310
4.63	Manual Pin-Grabber Coupler	\$2,290
4.64	24" HD Werk Brau Bucket	\$1,650
4.65		
4.66		
4.67		
4.68		
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	N/A
	Monthly Rental Rate:	N/A
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	Interest rate applicable for the interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	DELIVERY STARTING POINT - City, State, Zip code	Nearest RMS Location
	PRICE PER LOADED MILE	\$6.10
	MINIMUM DELIVERY CHARGE (if applicable)	\$ 250.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
4.11	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$1,768
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$ 185.00 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$ 74.00 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$ 50.00 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
-------------	-----------------------	--------

**3.1**

**Make & Model**

Operating Weight	Komatsu PC35MR-5
Engine Make & Model	7,993 - 8,324 lb
Tier (Interim 4 or Final)?	Komatsu 3D88E-7
HP at rated RPM (specify net or gross)	Tier 4 Final
Number of speeds	24.4 HP (Net)
Max travel speed, MPH	2
Drawbar pull, lbs.	2.85 MPH
Shoe width, in.	7495 LBF
# of rollers on lower track	12"
Ground pressure, PSI	4
Ground clearance, in.	5.2 PSI
Overall width of excavator	1'0"
Main pump(s) total flow, GPM	5'1"
Swing speed, RPM	18.3 GPM
Boom length, ft-in	N/A
Arm length, ft-in	8'4"
Arm breakout force, Normal, lb-ft	5'8"
Max dig depth, ft-in	
Reach at ground line, ft-in	11'4"
Dump height, ft-in	18'6"
Lift over end, 10', lbs.	12'5"
Lift over end, max reach, lbs.	3064-lb
Lift over side, 10', lbs.	1587-lb
Lift over side max reach, lbs.	1268-lb
Bucket breakout force, normal lb-ft.	584-lb
Tail swing radius, ft-in.	6722 LBF
Does excavator include bucket?	2'7"
If so, description	No
Warranty	N/A
	1-Year / Unlimited Hour

<b>Base Price</b>	<b>\$43,712</b>
-------------------	-----------------

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b> Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Cab	\$7,140.00
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b> Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many	
4.21		
4.22		
4.23		
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b> Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	Road liner tracks, 12"	\$2,672
4.32	Double grouser steel tacks, 12"	\$571.00
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Proportional Joysticks (In lieu of foot controls)	\$726.00
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51		
4.52		
4.53		
4.54		
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	30" HD Werk Brau Bucket	\$2,000
4.62	36" HD Werk Brau Bucket	\$2,310
4.63	Manual Pin-Grabber Coupler	\$2,290
4.64	24" HD Werk Brau Bucket	\$1,650
4.65		
4.66		
4.67		
4.68		
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b> See Solicitation Special Terms and Conditions. <b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	N/A
	Monthly Rental Rate:	N/A
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	Interest rate applicable for the interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b> Nearest RMS Location	
	<b>PRICE PER LOADED MILE</b>	\$6.10
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b> \$	250.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
4.11	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$1,768
<b>4.11</b>	<b>HOURLY SHOP RATE</b> (Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS</b> (1 of each included at no cost, per specs) <b>ADDITIONAL SERVICE MANUAL</b>	
	Digital \$	185.00
	Paper	N/A
	<b>ADDITIONAL PARTS MANUAL</b>	
	Digital \$	74.00
	Paper	N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	
	Digital \$	50.00
	Paper	N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b> (See Special Terms and Conditions)	0%

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
-------------	-----------------------	--------

**3.1**

**Make & Model**

Operating Weight	Komatsu PC45MR-5
Engine Make & Model	10,737 - 11,001 lb
Tier (Interim 4 or Final)?	Komatsu 4D88E-7
HP at rated RPM (specify net or gross)	Tier 4 Final
Number of speeds	38 HP (net)
Max travel speed, MPH	2
Drawbar pull, lbs.	2.9 MPH
Shoe width, in.	9436 LBF
# of rollers on lower track	16"
Ground pressure, PSI	4
Ground clearance, in.	3.98 PSI
Overall width of excavator	11"
Main pump(s) total flow, GPM	6'5"
Swing speed, RPM	40.1 GPM
Boom length, ft-in	9 RPM
Arm length, ft-in	8'8"
Arm breakout force, Normal, lb-ft	5'7"
Max dig depth, ft-in	
Reach at ground line, ft-in	11'11"
Dump height, ft-in	19'10"
Lift over end, 10', lbs.	13'2"
Lift over end, max reach, lbs.	5060-lb
Lift over side, 10', lbs.	2115-lb
Lift over side max reach, lbs.	2090-lb
Bucket breakout force, normal lb-ft.	910-lb
Tail swing radius, ft-in.	7621 LBF
Does excavator include bucket?	3'5"
If so, description	No
Warranty	N/A
	1-Year / Unlimited Hour

<b>Base Price</b>	<b>\$51,132</b>
-------------------	-----------------

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b> Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Cab	\$6,815.00
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b> Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many	
4.21	4 Way Power angle blade	\$7,618.00
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b> Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	Road liner shoes 16"	\$2,170
4.32	Triple grouser steel track 16"	\$663.00
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Proportional Joysticks (in Lieu of foot controls)	\$994.00
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51		
4.52		
4.53		
4.54		
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	30" HD Werk Brau Bucket	\$2,000
4.62	36" HD Werk Brau Bucket	\$2,310
4.63	Manual Pin-Grabber Coupler	\$2,290
4.64	24" HD Werk Brau Bucket	\$1,650
4.65		
4.66		
4.67		
4.68		
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b> See Solicitation Special Terms and Conditions. DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	N/A
	Monthly Rental Rate:	N/A
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	<b>e applicable for the</b>	
	<b>il interest rate here:</b>	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	\$6.10
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 250.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
4.11	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$1,768
<b>4.11</b>	<b>HOURLY SHOP RATE</b> (Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b> <b>ADDITIONAL SERVICE MANUAL</b>	
	Digital	\$ 185.00
	Paper	N/A
	<b>ADDITIONAL PARTS MANUAL</b>	
	Digital	\$ 74.00
	Paper	N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	
	Digital	\$ 50.00
	Paper	N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b> (See Special Terms and Conditions)	0%

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
-------------	-----------------------	--------

**3.1**

**Make & Model**

Operating Weight	Komatsu PC55MR-5
Engine Make & Model	11,354 - 11,618 lb
Tier (Interim 4 or Final)?	Komatsu 4D88E-7
HP at rated RPM (specify net or gross)	Tier 4 Final
Number of speeds	38 HP (net)
Max travel speed, MPH	2
Drawbar pull, lbs.	2.9 MPH
Shoe width, in.	9436 LBF
# of rollers on lower track	16"
Ground pressure, PSI	4
Ground clearance, in.	3.98 PSI
Overall width of excavator	11"
Main pump(s) total flow, GPM	6'5"
Swing speed, RPM	40.1 GPM
Boom length, ft-in	9 RPM
Arm length, ft-in	9'6"
Arm breakout force, Normal, lb-ft	5'5"
Max dig depth, ft-in	
Reach at ground line, ft-in	12'4"
Dump height, ft-in	20'5"
Lift over end, 10', lbs.	13'9"
Lift over end, max reach, lbs.	5045-lb
Lift over side, 10', lbs.	2115-lb
Lift over side max reach, lbs.	2290-lb
Bucket breakout force, normal lb-ft.	980-lb
Tail swing radius, ft-in.	8768 LBF
Does excavator include bucket?	3'5"
If so, description	No
Warranty	N/A
	1-Year / Unlimited Hour

<b>Base Price</b>	<b>\$61,322</b>
-------------------	-----------------

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b> Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Cab	\$7,710.00
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b> Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many	
4.21		
4.22		
4.23		
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b> Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	Road liner shoes 16"	\$2,419.00
4.32	Triple Grouser steel track 16"	\$663.00
4.33	4 way power angle blade	\$7,618
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Proportional Joysticks (In Lieu of foot controls)	\$1,005.00
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51		
4.52		
4.53		
4.54		
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	Manual coupler	\$1,925
4.62	12" HD Bucket	\$1,350
4.63	24" HD Bucket	\$1,510
4.64	36" HD Bucket	\$2,310
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b> See Solicitation Special Terms and Conditions. <b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$ 1,085.00
	Monthly Rental Rate:	\$ 3,250.00
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
<b>e applicable for the</b>		
<b>il interest rate here:</b>		3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	\$6.10
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 250.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
4.11	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$1,768
<b>4.11</b>	<b>HOURLY SHOP RATE</b> (Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS</b> (1 of each included at no cost, per specs) <b>ADDITIONAL SERVICE MANUAL</b>	
	Digital	\$ 185.00
	Paper	N/A
<b>ADDITIONAL PARTS MANUAL</b>		
	Digital	\$ 74.00
	Paper	N/A
<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>		
	Digital	\$ 50.00
	Paper	N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b> (See Special Terms and Conditions)	0%

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
-------------	-----------------------	--------

**3.1**

**Make & Model**

Operating Weight	Komatsu PC78US-10
Engine Make & Model	17,747 lb
Tier (Interim 4 or Final)?	Komatsu SAA4D95LE-6
HP at rated RPM (specify net or gross)	Tier 4 Final
Number of speeds	65.5 HP (Net)
Max travel speed, MPH	2
Drawbar pull, lbs.	3.1 MPH
Shoe width, in.	15489 LBF
# of rollers on lower track	18"
Ground pressure, PSI	5
Ground clearance, in.	5.06 PSI
Overall width of excavator	1'4"
Main pump(s) total flow, GPM	7'8"
Swing speed, RPM	33 GPM
Boom length, ft-in	10 RPM
Arm length, ft-in	12'2"
Arm breakout force, Normal, lb-ft	7'5"
Max dig depth, ft-in	
Reach at ground line, ft-in	15'3"
Dump height, ft-in	22'8"
Lift over end, 10', lbs.	18'3"
Lift over end, max reach, lbs.	7750-lb
Lift over side, 10', lbs.	3870-lb
Lift over side max reach, lbs.	5420-lb
Bucket breakout force, normal lb-ft.	2240-lb
Tail swing radius, ft-in.	13781 LBF
Does excavator include bucket?	4'10"
If so, description	No
Warranty	N/A
	1-Year / Unlimited Hour

<b>Base Price</b>	<b>\$93,694</b>
-------------------	-----------------

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11		\$
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21		
4.22		
4.23		
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	Road liner tracks 18"	\$3,739.00
4.32	Rubber tracks 18"	\$3,773.00
4.33	Triple Grouser steel tracks 23.6"	\$1,053.00
4.34	Extra wide blade 8'1"	\$1,252.00
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41		
4.42		\$
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51		
4.52		
4.53		
4.54		
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	Hydraulic Quick Coupler	\$5,800
4.62	36" HD Werk Brau Bucket	\$2,310
4.63	Manual Pin-Grabber Coupler	\$2,290
4.64	30" HD Werk Brau Bucket	\$2,000
4.65		
4.66		
4.67		
4.68		
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	N/A
	Monthly Rental Rate:	N/A
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	Interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	DELIVERY STARTING POINT - City, State, Zip code	Nearest RMS Location
	PRICE PER LOADED MILE	\$7.40
	MINIMUM DELIVERY CHARGE (if applicable)	\$ 275.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
4.11	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$1,787
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$ 185.00
		Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$ 74.00
		Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$ 50.00
		Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
-------------	-----------------------	--------

**3.1**

**Make & Model**

Operating Weight	Komatsu PC88MR-10
Engine Make & Model	18,739 - 19,290 lb
Tier (Interim 4 or Final)?	Komatsu SAA4D95LE-6
HP at rated RPM (specify net or gross)	Tier 4 Final
Number of speeds	65.5 HP (Net)
Max travel speed, MPH	2
Drawbar pull, lbs.	3.1 MPH
Shoe width, in.	15040 LBF
# of rollers on lower track	18"
Ground pressure, PSI	5
Ground clearance, in.	5.54 PSI
Overall width of excavator	1'4"
Main pump(s) total flow, GPM	7'8"
Swing speed, RPM	33 GPM
Boom length, ft-in	10 RPM
Arm length, ft-in	11'2"
Arm breakout force, Normal, lb-ft	6'11"
Max dig depth, ft-in	
Reach at ground line, ft-in	15'0"
Dump height, ft-in	24'1"
Lift over end, 10', lbs.	15'8"
Lift over end, max reach, lbs.	9330-lb
Lift over side, 10', lbs.	4700-lb
Lift over side max reach, lbs.	5300-lb
Bucket breakout force, normal lb-ft.	1990-lb
Tail swing radius, ft-in.	13781 LBF
Does excavator include bucket?	4'10"
If so, description	No
Warranty	N/A
	1-Year / Unlimited Hour

<b>Base Price</b>	<b>\$100,780</b>
-------------------	------------------

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11		
		\$
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21		
4.22		
4.23		
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	Road liner shoes 18"	\$3,716.00
4.32	Rubber shoes 18"	\$3,751.00
4.33	Triple grouser 23.6"	\$1,067.00
4.34	Extra wide 8'1" blade	\$1,300.00
4.35	Power Angle 4-way blade, 7'6"	\$10,123
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41		
4.42		\$
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51		
4.52		
4.53		
4.54		
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	30" HD Werk Brau Bucket	\$2,000
4.62	36" HD Werk Brau Bucket	\$2,310
4.63	Manual Pin-Grabber Coupler	\$2,290
4.64	Hyd Quick Coupler	\$5,800
4.65		
4.66		
4.67		
4.68		
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$ 1,510.00
	Monthly Rental Rate:	\$ 4,500.00
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	Interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	DELIVERY STARTING POINT - City, State, Zip code	Nearest RMS Location
	PRICE PER LOADED MILE	\$7.40
	MINIMUM DELIVERY CHARGE (if applicable)	\$ 275.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
4.11	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$1,794
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$ 185.00 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$ 74.00 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$ 50.00 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

**EXCAVATORS**  
**FIXED PRICING**  
**(BASE UNIT INFORMATION)**  
**SPECIFICATION 3.0**

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC138USLC-11
	Operating Weight	34,563 - 37,547 lb
	Engine Make & Model	Komatsu SAA4D95LE-7
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	97.2 HP (Net)
	Number of speeds	2
	Max travel speed, MPH	3.2 MPH
	Drawbar pull, lbs.	27,560 lbf
	Shoe width, in.	24"
	# of rollers on lower track	8
	Ground pressure, PSI	6.57 PSI
	Ground clearance, in.	1'4"
	Overall width of excavator	8'2"
	Main pump(s) total flow, GPM	64 GPM
	Swing speed, RPM	11.0 RPM
	Boom length, ft-in	15'1"
	Arm length, ft-in	8'2"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	18'
	Reach at ground line, ft-in	26'10"
	Dump height, ft-in	22'5"
	Lift over end, 10', lbs.	14,850-lb
	Lift over end, max reach, lbs.	4,880-lb
	Lift over side, 10', lbs.	13,920-lb
	Lift over side max reach, lbs.	4,300-lb
	Bucket breakout force, normal lb-ft.	20,952 LBF
	Tail swing radius, ft-in.	6'6"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$134,490</b>

**EXHIBIT A**  
**EXCAVATORS**  
**OPTIONS - FIXED PRICING**  
**SPECIFICATION 4.0**

Spec No.	Description	Price
<b>4.1</b>	<b><u>OPERATOR ENVIRONMENT OPTIONS</u></b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Sunvisor	\$1,063.00
		\$
<b>4.2</b>	<b><u>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</u></b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	Front Guard, level 1, EC Regulation	\$1,564.00
4.22	Front Guard, Level 2, EC Regulation	\$3,362.00
4.23	Cab top Guard, Level 2, HD	\$1,531.00
<b>4.3</b>	<b><u>UNDERCARRIAGE OPTIONS</u></b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	20" Rubber Roadliner Pads	\$6,813.00
4.32	28" Triple Grouser	\$1,708.00
4.33	Dozer Blade assembly, 8'6" wide, w/ welded cutting edge	\$10,210.00
<b>4.4</b>	<b><u>HYDRAULICS OPTIONS</u></b>	
4.41	Hydraulic control unit (+1 attach hyd with low back pressure)	\$4,058.00
4.42	Proportional Joysticks	\$1,734.00
		\$
<b>4.5</b>	<b><u>BOOM AND ARM OPTIONS</u></b>	
4.51	15'1" Mono boom w/ low back pressure +1 att piping	\$3,666
4.52	8'2" Arm assembly w/ low back pressure +1 att pricing	\$1,423
4.53	9'10" Arm assembly	\$1,020
4.54	9'10" Arm assembly w/ low back pressure +1 att piping	\$2,156
<b>4.6</b>	<b><u>BUCKET/COUPLERS/TOOL OPTIONS</u></b>	
4.61	3-Piece Bundle - JRB Coupler, 36" Bucket, Thumb	\$15,524
4.62	3-Piece Bundle - JRB Coupler, 42" Bucket, Thumb	<b>Price Corrected to 15,649</b>
4.63	2-Piece Budle - 36" Bucket & Thumb	\$9,741
4.64	2-Piece Bundle - 42" Bucket & Thumb	\$9,864
4.65	36" Bucket Hensley dig bucket	\$3,420
4.66	42" Bucket Hensley dig bucket	\$3,680
4.67	Smart-Loc Coupler w/ hyd kit	\$5,446
4.68	Powerlatch Coupler w/ hyd kit	\$5,706
<b>4.7</b>	<b><u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u></b>	
	See Solicitation Special Terms and Conditions.	
	<b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	N/A
<b>4.8</b>	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$ 2,255.00
	Monthly Rental Rate:	\$ 6,750.00
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after
	<b>e applicable for the</b>	
	<b>l interest rate here:</b>	3% over prime
<b>4.9</b>	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	7.25 (not including fuel)
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 300.00
<b>4.10</b>	<b><u>EXTENDED WARRANTY OPTIONS</u></b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$2,992
<b>4.11</b>	<b><u>HOURLY SHOP RATE</u></b>	

(Installation services may be requested on an "as needed" basis)

\$141

**4.12 PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)**  
**ADDITIONAL SERVICE MANUAL**

Digital	\$	185.00
Paper		N/A

**ADDITIONAL PARTS MANUAL**

Digital	\$	74.00
Paper		N/A

**PRICE FOR ADDITIONAL OPERATIONS MANUAL**

Digital	\$	50.00
Paper		N/A

**4.13 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES**  
 (See Special Terms and Conditions)

0%

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
-------------	-----------------------	--------

**3.1**

**Make & Model**

Operating Weight	Komatsu PC170LC-11
Engine Make & Model	38,720 - 43,115 lb
Tier (Interim 4 or Final)?	Komatsu SAA4D107E-3
HP at rated RPM (specify net or gross)	Tier 4 Final
Number of speeds	121 HP (Net)
Max travel speed, MPH	2
Drawbar pull, lbs.	3.4 MPH
Shoe width, in.	35,164 LBF
# of rollers on lower track	24"
Ground pressure, PSI	7
Ground clearance, in.	5.51 PSI
Overall width of excavator	1'5"
Main pump(s) total flow, GPM	8'6"
Swing speed, RPM	78.7 GPM
Boom length, ft-in	12.0 RPM
Arm length, ft-in	16'11"
Arm breakout force, Normal, lb-ft	8'7"
Max dig depth, ft-in	
Reach at ground line, ft-in	19'7"
Dump height, ft-in	28'10"
Lift over end, 10', lbs.	20'11"
Lift over end, max reach, lbs.	15,650-lb
Lift over side, 10', lbs.	7,930-lb
Lift over side max reach, lbs.	15,650-lb
Bucket breakout force, normal lb-ft.	5,290-lb
Tail swing radius, ft-in.	27,651 LBF
Does excavator include bucket?	8'4"
If so, description	No
Warranty	N/A
	1-Year / Unlimtied Hour

<b>Base Price</b>	<b>\$150,367.00</b>
-------------------	---------------------

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b> Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Rain visor	\$237
4.12	Sun visor	\$677
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b> Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	OPG Level 2 Front Guard	\$1,986
4.22	OPG Level 2 Top Guard	\$1,807
4.23	3.24 Ton Counterweight (Heavy-Duty)	\$2,099
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b> Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	28" Triple Grouser tracks	\$244
4.32	31.5" Triple Grouser tracks	\$506
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Hydraulic control unit	\$6,264
4.42	Proportional joysticks	\$2,440
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51	16'11" Boom Assembly +1 Att Piping	\$757
4.52	8'7" Arm Assembly +1 Att Piping	\$914
4.53	9'6" Arm Assembly	\$596
4.54	9'6" Arm Assembly +1 Att Pricing	\$1,823
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	3-Piece Bundle - JRB Coupler, 36" Bucket, Thumb	\$15,925
4.62	3-Piece Bundle - JRB Coupler, 42" Bucket, Thumb	\$16,078
4.63	36" Bucket Hensley dig bucket	\$3,590
4.64	42" Bucket Hensley dig bucket	\$4,680
4.65	Smart-Loc Coupler w/ hyd kit	\$6,205
4.66	Powerlatch Coupler w/ hyd kit	\$7,563
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b> See Solicitation Special Terms and Conditions. <b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$2,255
	Monthly Rental Rate:	\$6,750
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	<b>If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:</b>	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	\$7.70
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 300.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$3,249
<b>4.11</b>	<b>HOURLY SHOP RATE</b> (Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS</b> (1 of each included at no cost, per specs)	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$185 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$74 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$50 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b> (See Special Terms and Conditions)	0%

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC210LC-11
	Operating Weight	51,397 - 53,882 lb
	Engine Make & Model	Komatsu SAA6D107E-3
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	165 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	3.4 MPH
	Drawbar pull, lbs.	45,349 lb
	Shoe width, in.	28"
	# of rollers on lower track	9
	Ground pressure, PSI	5.9 PSI
	Ground clearance, in.	1'5"
	Overall width of excavator	10'1"
	Main pump(s) total flow, GPM	125.5 GPM
	Swing speed, RPM	12.4 RPM
	Boom length, ft-in	18'8"
	Arm length, ft-in	9'7"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	21'9"
	Reach at ground line, ft-in	31'10"
	Dump height, ft-in	23'4"
	Lift over end, 10', lbs.	16,500-lb
	Lift over end, max reach, lbs.	10,500-lb
	Lift over side, 10', lbs.	16,500-lb
	Lift over side max reach, lbs.	8,250-lb
	Bucket breakout force, normal lb-ft.	33,497 LBF
	Tail swing radius, ft-in.	9'11"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$177,589</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Rain visor	\$227
4.12	Sun visor	\$633
4.13	Pressurized cab filtration system (Syklone)	\$5,575
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	Lower front window guard	\$946
4.22	OPG Level 1 Front Guard	\$2,845
4.23	OPG Level 2 Front Guard	\$1,975
4.24	OPG Level 2 Top Guard	\$1,795
4.25	Engine pre-cleaner, Syklone optimax 2-stage	\$579
4.26	Additional front working lights, 2 cab roof	\$191
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	Full length track roller guards	\$2,985
4.32	31.5" Triple Grouser tracks	\$279
4.33	31.5" Single Grouser tracks	\$3,963
4.34	Revolving frame undercover, Heavy-Duty	\$448
4.35	Revolving frame undercover, Super-Duty	\$2,744
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Hydraulic Control Unit	\$5,842
4.42	Proportional Joystick Control	\$1,560
4.43	Straight Travel Pedal	\$1,099
4.44		\$
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51	18'8" HD Boom Assembly +1 att piping	\$1,890
4.52	9'7" HD Arm Assembly +1 att piping	\$1,482
4.53	11'6" Std Arm Assembly	\$4,912
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	3-Piece Bundle - JRB Coupler, 42" Bucket, Thumb	\$21,166
4.62	3-Piece Bundle - JRB Coupler, 48" Bucket, Thumb	\$21,443
4.63	2-Piece Bundle - 42" Bucket, Thumb	\$12,773
4.64	2-Piece Bundle - 48" Bucket, Thumb	\$13,050
4.65	42" Bucket Hensley dig bucket	\$4,690
4.66	48" Bucket Hensley dig bucket	\$5,690
4.67	Smart-Loc Coupler w/ hyd kit	\$6,084
4.68	Powerfatch Coupler w/ hyd kit	\$6,618
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$2,310
	Monthly Rental Rate:	\$6,900
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months, 90% after 6 months
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	DELIVERY STARTING POINT - City, State, Zip code	Nearest RMS Location
	PRICE PER LOADED MILE	\$8.10
	MINIMUM DELIVERY CHARGE (if applicable)	\$ 325.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$4,424
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$ 141.00
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$185 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$74 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$50 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu HB215LC-3
	Operating Weight	51,127 - 51,745 lb
	Engine Make & Model	Komatsu SAA4D107E-3
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	148 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	3.4 MPH
	Drawbar pull, lbs.	43,349-lb
	Shoe width, in.	31.5"
	# of rollers on lower track	9
	Ground pressure, PSI	5.99 PSI
	Ground clearance, in.	1'5"
	Overall width of excavator	10'1"
	Main pump(s) total flow, GPM	119 GPM
	Swing speed, RPM	12.4 RPM
	Boom length, ft-in	18'8"
	Arm length, ft-in	9'7"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	21'9"
	Reach at ground line, ft-in	32'5"
	Dump height, ft-in	23'4"
	Lift over end, 10', lbs.	28,320-lb
	Lift over end, max reach, lbs.	8,700-lb
	Lift over side, 10', lbs.	28,320-lb
	Lift over side max reach, lbs.	7930-lb
	Bucket breakout force, normal lb-ft.	33,497 LBF
	Tail swing radius, ft-in.	9'11"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$171,761</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Rain Visor	\$213
4.12	Sun Visor	\$593
4.13		
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	Additional front working light	\$178
4.22	OPG Level 1 Front Guard	\$2,666
4.23	OPG Level 2 Front Guard	\$1,850
4.24	OPG Level 2 Top Guard	\$1,682
4.25	Lower front window guard	\$887
4.26		
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31		
4.32		
4.33		
4.34		
4.35		
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41		
4.42		
4.43		
4.44		\$
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51		
4.52		
4.53		\$
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	42" Hensley dig bucket	\$4,690
4.62	48" Hensley dig bucket	\$5,690
4.63		
4.64		
4.65		
4.66		
4.67		
4.68		
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	N/A
	Monthly Rental Rate:	N/A
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months, 90% after 6 months
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	DELIVERY STARTING POINT - City, State, Zip code	Nearest RMS Location
	PRICE PER LOADED MILE	\$8.10
	MINIMUM DELIVERY CHARGE (if applicable)	\$ 325.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$5,162
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$ 141.00
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$185 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$74 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$50 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC238USLC-11
	Operating Weight	54,230 - 55,660 lb
	Engine Make & Model	Komatsu SAA6D107E-3
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	165 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	3.4 MPH
	Drawbar pull, lbs.	45,410 LBF
	Shoe width, in.	28"
	# of rollers on lower track	9
	Ground pressure, PSI	6.42 PSI
	Ground clearance, in.	1'5"
	Overall width of excavator	10'2"
	Main pump(s) total flow, GPM	125.5 GPM
	Swing speed, RPM	11 RPM
	Boom length, ft-in	18'8"
	Arm length, ft-in	9'6"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	21'9"
	Reach at ground line, ft-in	32.5"
	Dump height, ft-in	25'8"
	Lift over end, 10', lbs.	15,870-lb
	Lift over end, max reach, lbs.	10,470-lb
	Lift over side, 10', lbs.	15,870-lb
	Lift over side max reach, lbs.	7,820-lb
	Bucket breakout force, normal lb-ft.	33,497 LBF
	Tail swing radius, ft-in.	5'11"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$186,303</b>

Spec No.	Description	Price
<b>4.1</b>	<b><u>OPERATOR ENVIRONMENT OPTIONS</u></b> Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Sun visor	\$825
4.12	Rain visor	\$220
<b>4.2</b>	<b><u>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</u></b> Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	OPG Level 1 Front Guard	\$1,214
4.22	OPG Level 2 Front Guard	\$2,609
4.23	OPG Level 2 Top Guard	\$1,188
<b>4.3</b>	<b><u>UNDERCARRIAGE OPTIONS</u></b> Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	31.5" Triple Grouser tracks	\$1,925
4.32	24" Roadlinder Rubber pads	\$12,077
<b>4.4</b>	<b><u>HYDRAULICS OPTIONS</u></b>	
4.41	Hydraulic control unit	\$4,663
4.42	Proportional joysticks	\$1,310
<b>4.5</b>	<b><u>BOOM AND ARM OPTIONS</u></b>	
4.51	18'8" HD Mono Boom +1 att piping	\$1,222
4.52	9'6" Arm Assembly +1 att piping	\$3,218
<b>4.6</b>	<b><u>BUCKET/COUPLERS/TOOL OPTIONS</u></b>	
4.61	3-Piece Bundle - JRB Coupler, 42" Bucket, Thumb	\$15,218
4.62	3-Piece Bundle - JRB Coupler, 48" Bucket, Thumb	\$15,411
4.63	2-Piece Bundle - 42" Bucket, Thumb	\$9,142
4.64	2-Piece Bundle - 48" Bucket, Thumb	\$9,336
4.65	42" Bucket Hensley dig bucket	\$4,690
4.66	48" Bucket Hensley dig bucket	\$6,160
4.67	Smart-Loc Coupler w/ Hyd Kit	\$5,856
4.68	Powerlatch Coupler w/ Hyd Kit	\$6,256
<b>4.7</b>	<b><u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u></b> See Solicitation Special Terms and Conditions. DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b><u>NEW EQUIPMENT RENTAL PROGRAM</u></b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$2,865
	Monthly Rental Rate:	\$8,590
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	<b>If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:</b>	3% over prime
<b>4.9</b>	<b><u>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</u></b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	\$8.10
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 325.00
<b>4.10</b>	<b><u>EXTENDED WARRANTY OPTIONS</u></b> Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$5,488
<b>4.11</b>	<b><u>HOURLY SHOP RATE</u></b> (Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b><u>PRICE FOR ADDITIONAL MANUALS</u></b> (1 of each included at no cost, per specs) <b>ADDITIONAL SERVICE MANUAL</b>	
	Digital	\$185
	Paper	N/A
	<b>ADDITIONAL PARTS MANUAL</b>	
	Digital	\$74
	Paper	N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	
	Digital	\$50
	Paper	N/A
<b>4.13</b>	<b><u>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</u></b> (See Special Terms and Conditions)	0%

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC240LC-11
	Operating Weight	55,763 - 56,360 lb
	Engine Make & Model	Komatsu SAA6D107E-3
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	177 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	3.4 MPH
	Drawbar pull, lbs.	45,349 lb
	Shoe width, in.	31.5"
	# of rollers on lower track	10
	Ground pressure, PSI	5.51 PSI
	Ground clearance, in.	1'5"
	Overall width of excavator	10'9"
	Main pump(s) total flow, GPM	125.5 GPM
	Swing speed, RPM	11.7 RPM
	Boom length, ft-in	19'2"
	Arm length, ft-in	10'
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	22'8"
	Reach at ground line, ft-in	33'5"
	Dump height, ft-in	23'1"
	Lift over end, 10', lbs.	17,300-lb
	Lift over end, max reach, lbs.	12,100-lb
	Lift over side, 10', lbs.	17,300-lb
	Lift over side max reach, lbs.	8,900-lb
	Bucket breakout force, normal lb-ft.	38,667 LBF
	Tail swing radius, ft-in.	9'11"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$223,613</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Sun Visor	\$662
4.12	Rain Visor	\$236
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	Lower front window guard	\$1,096
4.22	OPG Level 1 Front Guard	\$3,287
4.23	OPG Level 2 Front Guard	\$2,280
4.24	OPG Level 2 Top Guard	\$2,073
4.25	Additional front working light, 2 cab roof mounted	\$185
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	31.5" Single Grouser Shoes	\$4,194
4.32	28" Triple Grouser Shoes	\$315
4.33	Revolving frame undercover, Heavy-Duty	\$433
4.34	Revolving frame undercover, Super-Duty	\$2,768
4.35	Full length track roller guards	\$
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Hydraulic Control Unit	\$6,669
4.42	Proportional Joystick Control	\$1,826
4.43	Straight Travel Pedal	\$1,100
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51	19'2" HD Boom Assembly +1 att piping	\$2,654
4.52	10'0" HD Arm Assembly +1 att piping	\$3,856
4.53	11'6" standard Arm Assembly	\$869
4.54	11'6" HD Arm Assembly +1 att piping	\$3,659
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	3-Piece Bundle - JRB Coupler, 48" Bucket, Thumb	\$23,535
4.62	3-Piece Bundle - JRB Coupler, 54" Bucket, Thumb	\$23,764
4.63	2-Piece Bundle - 48" Bucket, Thumb	\$14,050
4.64	2-Piece Bundle - 54" Bucket, Thumb	\$14,279
4.65	48" Bucket Hensley dig bucket	\$6,320
4.66	54" Bucket Hensley dig bucket	\$7,120
4.67	Smart-Loc Coupler w/ hyd kit	\$7,884
4.68	Powerlatch Coupler w/ hyd kit	\$9,533
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	<b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$ 2,980.00
	Monthly Rental Rate:	\$ 8,930.00
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	\$8.25
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 350.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$5,455
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$ 141.00
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$185 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$74 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$50 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC290LC-11
	Operating Weight	70,702 - 72,091 lb
	Engine Make & Model	Komatsu SAA6D107E-3
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	196 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	3.4 MPH
	Drawbar pull, lbs.	56,000-lb
	Shoe width, in.	31.5"
	# of rollers on lower track	8
	Ground pressure, PSI	6.63 PSI
	Ground clearance, in.	1'7"
	Overall width of excavator	11'1"
	Main pump(s) total flow, GPM	126.5 GPM
	Swing speed, RPM	10.5 RPM
	Boom length, ft-in	20'2"
	Arm length, ft-in	10'6"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	22'8"
	Reach at ground line, ft-in	35'2"
	Dump height, ft-in	24'2"
	Lift over end, 10', lbs.	16,200-lb
	Lift over end, max reach, lbs.	12,200-lb
	Lift over side, 10', lbs.	16,200-lb
	Lift over side max reach, lbs.	9,700-lb
	Bucket breakout force, normal lb-ft.	44,512 LBF
	Tail swing radius, ft-in.	12'1"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited hour
	<b>Base Price</b>	<b>\$239,902</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Rain Visor	\$201
4.12	Sun Visor	\$557
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	Lower front window guard	\$1,028
4.22	OPG Level 1 Front Guard	\$3,092
4.23	OPG Level 2 Front Guard	\$2,144
4.24	OPG Level 2 Top Guard	\$1,953
4.25	Additional Front working light	\$152
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	31.5" Single Grouser tracks	\$6,875
4.32	28" Triple Grouser tracks	(\$366)
4.33	33.5" Triple Grouser tracks	\$331
4.34	Revolving frame undercover, Heavy-Duty	\$567
4.35	Revolving frame undercover, Super-Duty	\$2,967
4.36	Full length track roller guards	\$3,338
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Hydraulic Control Unit	\$6,425
4.42	High Pressure In-Line Filters	\$4,673
4.43	Proportional Joysticks	\$1,764
4.44	Straight Travel Pedal	\$1,047
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51	20'2" Boom Assembly +1 att piping	\$2,687
4.52	10'6" Arm Assembly +1 att piping	\$3,215
4.53	11'6" Arm Assembly	\$3,445
4.54	11'6" Arm Assembly + 1 att piping	\$7,372
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	48" Empire Flat Bottom - Round corner	\$9,310
4.62	54" Raveling Flat Bottom - Square corner	\$9,820
4.63	Smart-Loc Coupler w/ Hyd Kit	\$7,995
4.64	Powerlatch Coupler w/ Hyd Kit	\$9,667
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$3,705
	Monthly Rental Rate:	\$11,100
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	DELIVERY STARTING POINT - City, State, Zip code	Nearest RMS Location
	PRICE PER LOADED MILE	\$8.25
	MINIMUM DELIVERY CHARGE (if applicable)	\$ 350.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$5,787
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$185 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$74 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$50 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC360LC-11
	Operating Weight	78,645 - 80,547 lb
	Engine Make & Model	Komatsu SAA6D114E-6
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	257 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	3.4 MPH
	Drawbar pull, lbs.	65,191 LBF
	Shoe width, in.	31'5"
	# of rollers on lower track	8
	Ground pressure, PSI	7.44 PSI
	Ground clearance, in.	1'8"
	Overall width of excavator	11'3"
	Main pump(s) total flow, GPM	141.3 GPM
	Swing speed, RPM	9.5 RPM
	Boom length, ft-in	21'3"
	Arm length, ft-in	10'5"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	24'3"
	Reach at ground line, ft-in	36'5"
	Dump height, ft-in	23'4"
	Lift over end, 10', lbs.	30,200-lb
	Lift over end, max reach, lbs.	18,800-lb
	Lift over side, 10', lbs.	30,200-lb
	Lift over side max reach, lbs.	12,600-lb
	Bucket breakout force, normal lb-ft.	51,256 LBF
	Tail swing radius, ft-in.	11'4"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$294,172</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Rain Visor	\$284
4.12	Sun Visor	\$735
4.13	Pressurized cab filtration system, Syklone	\$5,606
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	OPG Level 1 Front Guard	\$3,412
4.22	OPG Level 2 Front Guard	\$2,366
4.23	OPG Level 2 Top Guard	\$2,139
4.24	Additional front working lights, 2 cab roof mounted	\$186
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	31.5" Single Grouser tracks	\$6,850
4.32	33.5" Triple Grouser tracks	\$1,928
4.33	28" Triple Grouser tracks	(\$424)
4.34	Revolving frame undercover, Heavy-Duty	\$2,031
4.35	Revolving frame undercover, Super-Duty	\$3,310
4.36	Full length track roller guards	\$3,874
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Hydraulic Control Unit	\$7,620
4.42	High pressure In-Line Filters	\$4,633
4.43	Proportional Joysticks	\$1,686
4.44	Straight Travel Pedal	\$1,121
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51	21'3" HD Boom Assembly +1 att piping	\$2,844
4.52	10'5" Standard Arm Assembly +1 att piping	\$1,938
4.53	13'2" Standard Arm Assembly	\$2,894
4.54	13'2" Standard Arm Assembly +1 piping	\$5,250
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	3-Piece Bundle - JRB Coupler, 48" Bucket, thumb	\$28,602
4.62	3-Piece Bundle - JRB Coupler, 54" Bucket, thumb	\$29,074
4.63	48" Empire Flat-Bottom Round-Corner Bucket	\$11,210
4.64	54" Hensley Dig Bucket	\$11,350
4.65	60" Empire Flat-Bottom Round Corner Bucket	\$11,640
4.66	Smart-Loc Coupler w/ Hyd Kit	\$9,026
4.67	Powerlatch Coupler w/ Hyd Kit	\$9,328
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	DEDUCT cost per Used Hour from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$ 4,235.00
	Monthly Rental Rate:	\$ 12,700.00
	Percent (%) of Rental Fee applied to purchase price:	100%
	100% within 6 months / 90% after 6 months	
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	DELIVERY STARTING POINT - City, State, Zip code	Nearest RMS Location
	PRICE PER LOADED MILE	\$8.45
	MINIMUM DELIVERY CHARGE (if applicable)	\$ 350.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$5,925
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$ 141.00
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$185 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$74 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$50 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu HB365LC-3
	Operating Weight	81,791 - 85,495 lb
	Engine Make & Model	Komatsu SAA6D114E-6
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	269 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	3.4 MPH
	Drawbar pull, lbs.	65,191-lb
	Shoe width, in.	33.5"
	# of rollers on lower track	8
	Ground pressure, PSI	7.35 PSI
	Ground clearance, in.	1'8"
	Overall width of excavator	11'3"
	Main pump(s) total flow, GPM	141.3 GPM
	Swing speed, RPM	9.5 RPM
	Boom length, ft-in	21'3"
	Arm length, ft-in	10'5"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	24'3"
	Reach at ground line, ft-in	36'5"
	Dump height, ft-in	23'4"
	Lift over end, 10', lbs.	35,700-lb
	Lift over end, max reach, lbs.	16,200-lb
	Lift over side, 10', lbs.	32,300-lb
	Lift over side max reach, lbs.	11,900-lb
	Bucket breakout force, normal lb-ft.	51,256 LBF
	Tail swing radius, ft-in.	11'4"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$304,329</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b> Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Rain Visor	\$276
4.12	Sun Visor	\$717
4.13	Komvision	\$2,691
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b> Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	Additional front working lights, 2 mounted on cab	\$182
4.22	OPG Level 1 Front Guard	\$3,329
4.23	OPG Level 2 Front Guard	\$2,308
4.24	OPG Level 2 Top Guard	\$2,103
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b> Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	33.5" triple grouser tracks	\$1,881
4.32	28" triple grouser tracks	\$414
4.33	Revolving frame undercover, Heavy-Duty	\$1,982
4.34		
4.35		
4.36		
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41		
4.42		
4.43		
4.44		
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51	13'2" Standard Arm Assembly	\$2,822
4.52		
4.53		
4.54		
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	48" Empire Flat-Bottom Round-Corner Bucket	\$11,210
4.62	54" Hensley Dig Bucket	\$11,350
4.63	60" Empire Flat-Bottom Round Corner Bucket	\$11,640
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b> See Solicitation Special Terms and Conditions. <b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	N/A
	Monthly Rental Rate:	N/A
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	<b>If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:</b>	3% over prime
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	\$8.45
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 350.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b> Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$6,270
<b>4.11</b>	<b>HOURLY SHOP RATE</b> (Installation services may be requested on an "as needed" basis)	\$ 141.00
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS</b> (1 of each included at no cost, per specs) <b>ADDITIONAL SERVICE MANUAL</b>	
	Digital	\$185
	Paper	N/A
	<b>ADDITIONAL PARTS MANUAL</b>	
	Digital	\$74
	Paper	N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	
	Digital	\$50
	Paper	N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b> (See Special Terms and Conditions)	0%

Vendor Name:	<b>Road Machinery &amp; Supplies Co.</b>
Contact Person:	<b>Tom Nickell</b>
Street Address:	<b>5633 West Highway 13</b>
P.O. Box:	
City, State, Zip:	<b>Savage, MN, 55378</b>
Phone #:	<b>952-895-9595</b>
Toll Free #:	<b>(800) 888-9515</b>
Email Address:	<a href="mailto:tnickell@rmseq.com">tnickell@rmseq.com</a>
Website:	<a href="http://www.rmsequipment.com">www.rmsequipment.com</a>

Spec Number	Information Requested	Answer
<b>3.1</b>	<b>Make &amp; Model</b>	Komatsu PC390LC-11
	Operating Weight	87,867 - 90,441 lb
	Engine Make & Model	Komatsu SAA6D114E-6
	Tier (Interim 4 or Final)?	Tier 4 Final
	HP at rated RPM (specify net or gross)	257 HP (Net)
	Number of speeds	3
	Max travel speed, MPH	2.7 MPH
	Drawbar pull, lbs.	73,880 LBF
	Shoe width, in.	31.5"
	# of rollers on lower track	8
	Ground pressure, PSI	7.63 PSI
	Ground clearance, in.	1'10"
	Overall width of excavator	11'11"
	Main pump(s) total flow, GPM	141.3 GPM
	Swing speed, RPM	9.5 RPM
	Boom length, ft-in	21'3"
	Arm length, ft-in	10'5"
	Arm breakout force, Normal, lb-ft	
	Max dig depth, ft-in	23'10"
	Reach at ground line, ft-in	36'5"
	Dump height, ft-in	23'6"
	Lift over end, 10', lbs.	31,250-lb
	Lift over end, max reach, lbs.	19,700-lb
	Lift over side, 10', lbs.	31,250-lb
	Lift over side max reach, lbs.	14,950-lb
	Bucket breakout force, normal lb-ft.	51,256 LBF
	Tail swing radius, ft-in.	11'4"
	Does excavator include bucket?	No
	If so, description	N/A
	Warranty	1-Year / Unlimited Hour
	<b>Base Price</b>	<b>\$302,143</b>

Spec No.	Description	Price
<b>4.1</b>	<b>OPERATOR ENVIRONMENT OPTIONS</b>	
	Use this section to list operator options such as AC, fire extinguishers, etc. Add as many extra lines as you need.	
4.11	Sun Visor	\$707
4.12	Rain Visor	\$272
4.13	Pressurized cab filtration system, SY-Klone	\$5,389
<b>4.2</b>	<b>EXCAVATOR EXTERIOR AND POWERTRAIN OPTIONS</b>	
	Use this section to list items such as vandal proof cover, air filter, pre-cleaners, work lights, etc. Add as many extra lines as you need.	
4.21	OPG Level 1 Front Guard	\$3,281
4.22	OPG Level 2 Front Guard	\$2,275
4.23	OPG Level 2 Top Guard	\$2,072
4.24	Additional front working lights, 2 cab roof mounted	\$179
<b>4.3</b>	<b>UNDERCARRIAGE OPTIONS</b>	
	Use this section for wider track, plow blade, etc. Add as many extra lines as you need.	
4.31	35.5" Triple Grouser tracks	\$1,243
4.32	28" Triple Grouser tracks	\$410
4.33	Revolving frame undercover, Heavy-Duty	\$1,797
4.34	Revolving frame undercover, Super-Duty	\$2,947
4.35	Full length track roller guards	\$3,725
<b>4.4</b>	<b>HYDRAULICS OPTIONS</b>	
4.41	Hydraulic Control Unit	\$7,325
4.42	High Pressure In-Line Filters	\$4,455
4.43	Proportional Joysticks	\$1,497
4.44	Straight Travel Pedal	\$1,077
<b>4.5</b>	<b>BOOM AND ARM OPTIONS</b>	
4.51	21'3" HD Boom Assembly +1 att piping	\$2,733
4.52	10'5" Standard Arm Assembly +1 att piping	\$1,862
4.53	13'2" Standard Arm Assembly	\$2,781
4.54	13'2" Standard Arm Assembly +1 att piping	\$4,874
<b>4.6</b>	<b>BUCKET/COUPLERS/TOOL OPTIONS</b>	
4.61	3-Piece Bundle - JRB Coupler, 48" Bucket, Thumb	\$27,628
4.62	3-Piece Bundle - JRB Coupler, 54" Bucket, Thumb	\$28,084
4.63	48" Empire Flat-Bottom Round-Corner Bucket	\$11,210
4.64	54" Hensley Dig Bucket	\$11,350
4.65	60" Empire Flat-Bottom Round Corner Bucket	\$11,640
4.66	Smart-Loc Coupler w/ Hyd Kit	\$8,878
4.67	Powerlatch Coupler w/ Hyd Kit	\$9,011
<b>4.7</b>	<b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b>	
	See Solicitation Special Terms and Conditions.	
	<b>DEDUCT</b> cost per <b>Used Hour</b> from the original Contract Price	N/A
<b>4.8</b>	<b>NEW EQUIPMENT RENTAL PROGRAM</b>	
	If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.	
	Hourly Rental Rate:	N/A
	Weekly Rental Rate:	\$4,835
	Monthly Rental Rate:	\$14,500
	Percent (%) of Rental Fee applied to purchase price:	100%
		100% within 6 months / 90% after 6 months
	<b>If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here:</b>	
<b>4.9</b>	<b>DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS</b>	
	<b>DELIVERY STARTING POINT - City, State, Zip code</b>	Nearest RMS Location
	<b>PRICE PER LOADED MILE</b>	\$8.45
	<b>MINIMUM DELIVERY CHARGE (if applicable)</b>	\$ 350.00
<b>4.10</b>	<b>EXTENDED WARRANTY OPTIONS</b>	
	Use this section to offer performance/warranty options. Add as many extra lines as you need. (Specify years, miles or hours extended term covers.)	
	Powertrain Plus Hydraulics 3-Year / 5000 Hour	\$6,329
<b>4.11</b>	<b>HOURLY SHOP RATE</b>	
	(Installation services may be requested on an "as needed" basis)	\$141
<b>4.12</b>	<b>PRICE FOR ADDITIONAL MANUALS (1 of each included at no cost, per specs)</b>	
	<b>ADDITIONAL SERVICE MANUAL</b>	Digital \$185 Paper N/A
	<b>ADDITIONAL PARTS MANUAL</b>	Digital \$74 Paper N/A
	<b>PRICE FOR ADDITIONAL OPERATIONS MANUAL</b>	Digital \$50 Paper N/A
<b>4.13</b>	<b>DISCOUNT OFF LIST PRICE FOR RELATED PARTS &amp; ACCESSORIES</b>	0%
	(See Special Terms and Conditions)	