

**EXHIBIT D: LIFTS; SELF-PROPELLED, MATERIAL HANDLING, ETC.
DISCOUNT OFF LIST
SPECIFICATION 3.0**

Vendor Name:	Atlas Toyota Material Handling LLC dba Toyota Lift of Minnesota
Contact Person:	Jeff Eshelman
Street Address:	8601 Xylon Av
P.O. Box:	
City, State, Zip	Brooklyn, MN 55445
Phone #:	763-425-9066
Toll Free #:	800-523-0611
Email Address:	jeffe@toyotaequipment.com

SPEC. NUMBER	INFORMATION REQUESTED	ANSWER
3.1	MANUFACTURER	Sellick
3.2	DATE AND ID. OF PRICE LIST	7/17/2020
3.3	CATALOG SECTION TITLE (if applicable)	
3.4	PERCENTAGE DISCOUNT FROM PRICE LIST	5%
3.5	PRICE FOR MANUALS (One set of manuals included at no cost, per specs) PRICE FOR <u>ADDITIONAL</u> SERVICE MANUAL	Digital \$250 Paper N/A
	PRICE FOR <u>ADDITIONAL</u> PARTS MANUAL	Digital \$250 Paper N/A
	PRICE FOR <u>ADDITIONAL</u> OPERATIONS MANUAL	Digital \$150 Paper N/A
3.6	PRICE FOR SET OF FLUID AND AIR FILTERS (if applicable)	NA
3.7	STANDARD WARRANTY:	standard
3.8	PERFORMANCE/EXTENDED WARRANTY OPTIONS List performance/warranty options. Add additional lines if necessary. (Specify years, miles or hours extended term covers.) _____ \$ _____ \$	
3.9	INSTALLATION - PER HOUR (Hourly Shop Rate) Installation services may be requested on an "as needed" basis. (See Special Terms and Conditions)	\$144.00
3.10	NEW EQUIPMENT RENTAL PROGRAM If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. (See Solicitation Special Terms & Conditions.) Hourly Rental Rate: \$ Weekly Rental Rate: \$ Monthly Rental Rate: \$ Percent (%) of Rental Fee applied to purchase price: _____ %	

**EXHIBIT D: LIFTS; SELF-PROPELLED, MATERIAL HANDLING, ETC.
DISCOUNT OFF LIST
SPECIFICATION 3.0**

SPEC. NUMBER	INFORMATION REQUESTED	ANSWER
	If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____	n/a
3.11	<u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u> (See Special Terms and Conditions.) DEDUCT cost per Used Hour from the original Contract Price	<u>\$ n/a</u>
3.12	<u>DELIVERY STARTING POINT - Brooklyn park Mn 55445</u> (See Special Terms and Conditions - No flat rate allowed)	
	Price per loaded mile:	<u>\$5.50</u>
	List minimum delivery charge (if applicable):	<u>NA</u>

S Series Price List



SELICK

Rough Terrain Forklifts

Pricing effective: August 1, 2020

Payable in U.S Funds.

Part #272644-K



S Series Price List (U.S. Funds)

S Series Standard Features	3
S Series Chassis	4
S Series Essentials	5
S Series Options	6-7
Mast/Carriage (S60)	8
Mast/Carriage (S80)	9
Mast/Carriage (S100)	10
Mast/Carriage (S120)	11
Fork Positioning Carriage	12
Forks (Hook)	13
Forks (Shaft & Fork Positioning)	14
Attachments	15

***Prices are F.O.B. Harrow, Ontario — Payable in U.S. Funds.
Duty and Brokerage included.
Prices and specifications subject to change without notice.***

Abbreviations used in this document:

Symbol	Description
NC	No charge
i	ONE internal hydraulic supply
ii	TWO internal hydraulic supply
x	ONE external hydraulic supply
xx	TWO external hydraulic supply



S Series Standard Features

The S Series straight mast rough terrain forklift is packaged to optimize operator visibility, safety and comfort while maximizing machine performance. The drivetrain, a proven performer, will provide years of reliable service. All Sellick S Series forklifts are equipped with the standard equipment listed below.

Refer to the following pages for basic truck model order numbers and ordering information.

Rated capacity range	6,000 to 12,000 lb @ 24" load centre	
General	One-piece frame with 14 degree oscillating rear steer axle	
Engine	Ecomax T4 Tier 4, low noise, low emission, turbocharged, electronic, four-cylinder diesel engine, 74 hp. Includes dual element air filter, high air self cleaning pre-cleaner, fuel/water separator with hand primer, cold weather starting aid, engine temperature protection and vertical exhaust	
Transmission	JCB 4-speed (3-speed in S120) fully synchronized w/power reversing torque converter	
Optional	JCB 4-speed fully automatic powershift transmission (all models)	
Axles	Drive	JCB PD70 axle with torque proportioning differential and positive retraction brakes
	Steer - 2WD	JCB S55 axle with sealed tapered roller bearings
	Steer - 4WD	JCB SD55 outboard planetary axle with torque proportioning differential
Brakes	Service - Power assisted system with enclosed oil-immersed multi-plate disc service brakes. Parking Brake - Cable-operated, manually adjusted caliper with ergonomically-designed handle.	
Electrical	12 volt, 95 A alternator, 1000 CCA battery.	
Lighting	2 front and 2 rear LED work lights..	
Safety	Safety LED lighting includes brakes lights and amber warning light, safety decal package, horn, backup alarm, neutral safety start.	
Instruments	Full instrumentation includes LCD display. Gauges include: engine coolant temperature, voltmeter, fuel level, hour meter. Indicator lights include: low voltage, park brake, service brake pressure, transmission pressure, transmission temperature, preheat, air filter restriction, hydraulic filter and water in fuel	
Operator compartment	Fully isolated, rubber-mounted operator's compartment meets or exceeds ANSI B56.6 FOPS & ROPS standard. Fully-adjustable suspension seat with retractable seatbelt, tilt steering, cup holder, coat hook, sealed operator's manual storage and rear glass.	
Tire size & type	Drive (pneumatic)	15.5 x 25 - 12 ply
	Steer (pneumatic)	14 x 17.5 - 14 ply
Hydraulics	Hydraulic flow rate: 25 gpm @ 2200 rpm	
Steering	Load sense power steering with hydraulic pump assistance	
Warranty	One year/2000 hours	

Choose (1) from the following:

S60 Chassis					
(v)	Model #	Capacity	Description	Approx. Weight	List Price
	S60J4e-2	6,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 4 speed, Syncroshuttle	11,870 lbs / 5,384 kg*	\$46,035
	S60J4e-4	6,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 4 speed, Syncroshuttle	11,920 lbs / 5,407 kg*	\$54,543
	S60J4e-2PS	6,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	11,890 lbs / 5,393 kg*	\$50,423
	S60J4e-4PS	6,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	11,940 lbs / 5,416 kg*	\$58,925
S80 Chassis					
	S80J4e-2	8,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 4 speed, Syncroshuttle	13,100 lbs / 5,942 kg*	\$49,466
	S80J4e-4	8,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 4 speed, Syncroshuttle	13,150 lbs / 5,965 kg*	\$57,971
	S80J4e-2PS	8,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	13,120 lbs / 5,951 kg*	\$53,851
	S80J4e-4PS	8,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	13,170 lbs / 5,974 kg*	\$62,354
S100 Chassis					
	S100J4e-2	10,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 4 speed, Syncroshuttle	15,040 lbs / 6,822 kg*	\$55,178
	S100J4e-4	10,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 4 speed Syncroshuttle	15,090 lbs / 6,845 kg*	\$63,682
	S100J4e-2PS	10,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	15,150 lbs / 6,872 kg*	\$59,562
	S100J4e-4PS	10,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	15,200 lbs / 6,895 kg*	\$68,064
S120 Chassis					
	S120J4e-2	12,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 3 speed, Syncroshuttle	16,740 lbs / 7,593 kg*	\$59,133
	S120J4e-4	12,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 3 speed Syncroshuttle	16,790 lbs / 7,616 kg*	\$67,637
	S120J4e-2PS	12,000 lb	2WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	16,760 lbs / 7,602 kg*	\$63,517
	S120J4e-4PS	12,000 lb	4WD, 74 hp, Electronic T4 Final Diesel - 4 speed Powershift automatic	16,810 lbs / 7,625 kg*	\$72,020

*Approximate weight of chassis includes a standard operator's platform and standard tires. Any combinations outside of these essentials (see next page) affects approximate weight.

Choose (1) from the following:

Wheels & Tires				
(v)	Model #	Description	Additional Weight	List Price
	300-A001	Tires - Front: 15.5 x 25 12 ply Rear: 14 x 17.5 14 ply		\$4,454
	300-A003	Tires - Front: 15.5 x 25 L3 16 ply Rear: 14 x 17.5 Lifemaster 14 ply Non-directional L3		\$5,579
	300-A003F	Tires - Front: 15.5 x 25 L3 16 ply Rear: 14 x 17.5 Lifemaster 14 ply w/foam fill	1,790 lbs / 812 kg	\$9,511

Choose (1) from the following:

Hydraulic Supply Group			
(v)	Model #	Description	List Price
	300-B001	3 spool Valve Block (Standard)	\$1,513
	300-B002	4 Spool Valve Block (One auxiliary function)	\$2,119
	300-B003	5 Spool Valve Block (Two auxiliary function)	\$2,553

Choose (1) from the following:

Operator's Platform				
(v)	Model #	Description	Additional Weight	List Price
	370-C001	Standard Overhead Guard - FOPS & ROPS certified		\$12,928
	370-C002	Cab equipped with lockable doors, tinted safety glass windows, FOPS & ROPS certified (see Options for heating/cooling)	+250 lbs / 113 kg	\$19,217
	370-C003	Partial Cab includes front, top & rear glass with front wiper, FOPS & ROPS certified	+100 lbs / 45 kg	\$14,381
	300-C007	Low Profile Overhead Guard - 85", FOPS certified		\$12,928

Choose (1) from the following:

Climate Control			
(v)	Model #	Description	List Price
	370-CC001	Cab Heater Package (36,000 BTU)	\$1,229
	370-CC002	Air Conditioning & Heater Package (A/C - 28,500 BTU, Heater - 36,000 BTU)	\$5,615

Optional equipment:

Wheels & Tires			
(v)	Model #	Description	List Price
	300-WT001	UltraSeal Tire Sealant	\$489
	300-WT002	Extra Drive Tire & Rim Assembly	\$1,483
	300-WT003	Extra Steer Tire & Rim Assembly	\$933

Powertrain			
(v)	Model #	Description	List Price
	300-PT001	Block Heater	\$202
	370-PT002	Transmission Temperature Protection	\$271
	300-PT003	Brake Pedal Delclutch	\$318
	300-PT004	Lift Handle Declutch	\$385
	300-PT007	4th Gear Lockout	\$174

Electrical			
(v)	Model #	Description	List Price
	300-EL001	Strobe Light - Amber	\$303
	300-EL003	Auxiliary 12V Power Supply	\$219
	300-EL004	Turn Signals	\$333
	300-EL005	Mast Mounted LED Lights	\$393
	300-EL006	Guarded Fender Mounted Lights	\$358
	300-EL007	AM/FM Stereo with MP3 Input	\$755
	370-EL014	Battery Disconnect	\$563
	370-EL008	Seat Belt Interlock	\$310
	370-EL009	Operator's Presence Seat Switch	\$375

Hydraulic			
(v)	Model #	Description	List Price
	300-HD003	Mast Accumulator 6K/8K- 600 psi	\$961
	300-HD004	Mast Accumulator 10K/12K- 600 psi	\$961
	300-HD005	Mast Accumulator 6K/8K - 750 psi	\$961
	300-HD006	Mast Accumulator 10K/12K- 750 psi	\$961
	300-HD007	Mast Accumulator 6K/8K- 1,000 psi	\$961
	300-HD008	Mast Accumulator 10K/12K- 1,000 psi	\$961

Safety			
(√)	Model #	Description	List Price
	300-SF001	Fire Extinguisher ABC 2.5 lb	\$236
	300-SF002	Ansul Fire Suppression	\$8,030
	300-SF003	Slow Moving Vehicle Sign	\$79
	300-SF005	Vandalism Package	\$231

Operator Platform			
(√)	Model #	Description	List Price
	300-PL001	Lexan Roof Panel	\$694
	300-PL002	Cab Glass Guard - Top & Partial Front	\$867
	300-PL003	Outside Rearview Mirrors	\$379
	300-PL004	Inside Rearview Mirror	\$150
	300-PL005	Rear Wiper	\$410
	300-PL006	Air Suspension Seat	\$1,708

Bodywork			
(√)	Model #	Description	List Price
	300-BW002	Pintle Hitch	\$1,088
	300-BW007	Dunnage Rack	\$125

Paint			
(√)	Model #	Description	List Price
	300-CPXXX	Custom Paint - Paint code Required	\$1,757

Fluids			
(√)	Model #	Description	List Price
	300-FL001	Cold Weather Oil Package	\$1,352

Product Support			
(√)	Model #	Description	List Price
	370-PS001	Service Manuals and Schematics (Digital)	\$73
	370-PS002	Additional Parts Catalogue (Digital)	\$32
	370-PS003	Extra Operators Manual	\$37
	370-PS006	Filter Package (one full set)	\$379
	370-PS009	Factory PDI	\$291



Mast/Carriage (S60)

Standard mast: 12" underclearance and 6" sideshift

S60 2-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.F.H	Approx. Weight	Notes	List Price
	3.622-1.130	120"	91"	0	6,000 lbs	1,805 lbs / 819 kg		\$8,128
	3.622i-1.130	120"	91"	0	6,000 lbs	1,805 lbs / 819 kg	w/1 internal	\$8,976
	3.623-1.130	144"	104"	0	6,000 lbs	1,950 lbs / 885 kg		\$8,934
	3.623i-1.130	144"	104"	0	6,000 lbs	1,950 lbs / 885 kg	w/1 internal	\$9,784
	3.624-1.130	169"	118"	0	6,000 lbs	2,150 lbs / 975 kg		\$9,041
	3.624i-1.130	169"	118"	0	6,000 lbs	2,150 lbs / 975 kg	w/1 internal	\$9,891

S60 2-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.004XR	60" Shaft Carriage	640 lbs / 290 kg		\$2,421
	2.320XR	72" Shaft Carriage	710 lbs / 322 kg		\$3,113
	2.445XR	60" ITA Class III Hook	580 lbs / 263 kg		\$2,050
	2.448XR	72" ITA Class III Hook	660 lbs / 299 kg		\$2,329
	2.451XR	84" ITA Class III Hook	740 lbs / 336 kg		\$3,199

Standard mast: 12" underclearance and 6" sideshift

S60 3-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.F.H	Approx. Weight	Notes	List Price
	3.633-1.131	144"	79"	49"	6,000 lbs	2,360 lbs / 1,070 kg		\$11,639
	3.633i-1.131	144"	79"	49"	6,000 lbs	2,360 lbs / 1,070 kg	w/1 internal	\$12,489
	3.634-1.131	180"	91"	61"	6,000 lbs	2,675 lbs / 1,213 kg		\$12,273
	3.634i-1.131	180"	91"	61"	6,000 lbs	2,675 lbs / 1,213 kg	w/1 internal	\$13,123
	3.635-1.131	216"	104"	74"	5,400 lbs	2,880 lbs / 1,306 kg		\$13,095
	3.635i-1.131	216"	104"	74"	5,400 lbs	2,880 lbs / 1,306 kg	w/1 internal	\$13,945
	3.636-1.131	264"	121"	91"	4,500 lbs	3,245 lbs / 1,472 kg		\$13,924
	3.636i-1.131	264"	121"	91"	4,500 lbs	3,245 lbs / 1,472 kg	w/1 internal	\$14,773

S60 3-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.002XR	60" Shaft Carriage	680 lbs / 308 kg		\$2,421
	2.006XR	72" Shaft Carriage	750 lbs / 340 kg		\$3,113
	2.475XR	60" ITA Class III Hook	580 lbs / 263 kg		\$2,050
	2.478XR	72" ITA Class III Hook	660 lbs / 299 kg		\$2,329
	2.481XR	84" ITA Class III Hook	740 lbs / 336 kg		\$3,199
	2.482XR	48" 20/40° Rotating Shaft Carriage	1,090 lbs / 494 kg		\$5,860
	2.149XR	60" 15° Rotating Carriage	1,300 lbs / 590 kg		\$5,860

*See page 15 for loadbackrest and other attachments

**See page 12 for fork positioner information



Mast/Carriage (S80)

Standard mast: 12" underclearance and 6" sideshift

S80 2-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.FH	Approx. Weight	Notes	List Price
	3.822-1.130	120"	94"	0"	8,000 lbs	1,905 lbs / 864 kg		\$10,024
	3.822i-1.130	120"	94"	0"	8,000 lbs	1,905 lbs / 864 kg	w/ 1 internal	\$10,874
	3.823-1.130	144"	107"	0"	8,000 lbs	2,050 lbs / 930 kg		\$10,582
	3.823i-1.130	144"	107"	0"	8,000 lbs	2,050 lbs / 930 kg	w/ 1 internal	\$11,431
	3.824-1.130	169"	121"	0"	8,000 lbs	2,260 lbs / 1,025 kg		\$10,891
	3.824i-1.130	169"	121"	0"	8,000 lbs	2,260 lbs / 1,025 kg	w/ 1 internal	\$11,740
	3.825-1.130	192"	134"	0"	7,600 lbs	2,410 lbs / 1,093 kg		\$11,584
	3.825i-1.130	192"	134"	0"	7,600 lbs	2,410 lbs / 1,093 kg	w/ 1 internal	\$12,433

S80 2-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.003XR	60" Shaft Carriage	690 lbs / 313 kg		\$2,801
	2.007XR	72" Shaft Carriage	780 lbs / 354 kg		\$3,165
	2.175XR	84" Shaft Carriage	980 lbs / 445 kg		\$4,031
	2.505XR	60" ITA Class III Hook	580 lbs / 263 kg		\$2,050
	2.508XR	72" ITA Class III Hook	660 lbs / 299 kg		\$2,336
	2.511XR	84" ITA Class III Hook	740 lbs / 336 kg		\$3,290

Standard mast: 12" underclearance and 6" sideshift

S80 3-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.FH	Approx. Weight	Notes	List Price
	3.833-1.131	144"	82"	49"	8,000 lbs	2,460 lbs / 1,116 kg		\$14,599
	3.833i-1.131	144"	82"	49"	8,000 lbs	2,460 lbs / 1,116 kg	w/ 1 internal	\$15,448
	3.834-1.131	180"	94"	61"	8,000 lbs	2,775 lbs / 1,259 kg		\$15,925
	3.834i-1.131	180"	94"	61"	8,000 lbs	2,775 lbs / 1,259 kg	w/ 1 internal	\$16,774
	3.835-1.131	216"	107"	74"	7,000 lbs	2,980 lbs / 1,352 kg		\$16,747
	3.835i-1.131	216"	107"	74"	7,000 lbs	2,980 lbs / 1,352 kg	w/ 1 internal	\$17,597
	3.836-1.131	264"	124"	91"	5,700 lbs	3,345 lbs / 1,517 kg		\$17,895
	3.836i-1.131	264"	124"	91"	5,700 lbs	3,345 lbs / 1,517 kg	w/ 1 internal	\$18,745

S80 3-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.001XR	60" Shaft Carriage	790 lbs / 358 kg		\$2,801
	2.005XR	72" Shaft Carriage	900 lbs / 408 kg		\$3,165
	2.176XR	84" Shaft Carriage	1,080 lbs / 490 kg		\$4,031
	2.535XR	60" ITA Class III Hook	610 lbs / 277 kg		\$2,050
	2.538XR	72" ITA Class III Hook	690 lbs / 313 kg		\$2,336
	2.541XR	84" ITA Class III Hook	760 lbs / 345 kg		\$3,290

*See page 15 for loadbackrest and other attachments

**See page 12 for fork positioner information



Mast/Carriage (S100)

Standard mast: 12" underclearance and 6" sideshift

S100 2-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.FH	Approx. Weight	Notes	List Price
	3.122-1.130	120"	100"	0"	10,000 lbs	2,200 lbs / 998 kg		\$12,445
	3.122i-1.130	120"	100"	0"	10,000 lbs	2,200 lbs / 998 kg	w/1 internal	\$13,295
	3.123-1.130	144"	112"	0"	10,000 lbs	2,400 lbs / 1,089 kg		\$13,091
	3.123i-1.130	144"	112"	0"	10,000 lbs	2,400 lbs / 1,089 kg	w/1 internal	\$13,940
	3.124-1.130	168"	124"	0"	10,000 lbs	2,620 lbs / 1,188 kg		\$13,754
	3.124i-1.130	168"	124"	0"	10,000 lbs	2,620 lbs / 1,188 kg	w/1 internal	\$14,602
	3.125-1.130	192"	137"	0"	9,500 lbs	2,870 lbs / 1,302 kg		\$14,400
	3.125i-1.130	192"	137"	0"	9,500 lbs	2,870 lbs / 1,302 kg	w/1 internal	\$15,250
	3.127-1.130	216"	151"	0"	9,100 lbs	3,350 lbs / 1,520 kg		\$15,067
	3.127i-1.130	216"	151"	0"	9,100 lbs	3,350 lbs / 1,520 kg	w/1 internal	\$15,916

S100 2-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.330XR	72" Shaft Carriage	1,410 lbs / 640 kg		\$4,587
	2.331XR	84" Shaft Carriage	1,560 lbs / 708 kg		\$5,139
	2.880XR	72" ITA Class IV Hook	1,050 lbs / 476 kg		\$2,641
	2.885XR	84" ITA Class IV Hook	1,180 lbs / 535 kg		\$3,292

Standard mast: 12" underclearance and 6" sideshift

S100 3-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.FH	Approx. Weight	Notes	List Price
	3.133-1.132	144"	87"	48"	10,000 lbs	2,905 lbs / 1,318 kg		\$19,804
	3.133x-1.132	144"	87"	48"	10,000 lbs	2,905 lbs / 1,318 kg	w/1 external	\$22,119
	3.132-1.132	168"	96"	56"	10,000 lbs	3,125 lbs / 1,418 kg		\$21,324
	3.132x-1.132	168"	96"	56"	10,000 lbs	3,125 lbs / 1,418 kg	w/1 external	\$23,640
	3.131-1.132	192"	105"	66"	9,500 lbs	3,345 lbs / 1,517 kg		\$21,900
	3.131x-1.132	192"	105"	66"	9,500 lbs	3,345 lbs / 1,517 kg	w/1 external	\$24,215
	3.1314-1.132	216"	114"	75"	9,000 lbs			\$22,966
	3.1314x-1.132	216"	114"	75"	9,000 lbs		w/1 external	\$25,281
	3.136-1.132	264"	133"	94"	8,200 lbs	3,565 lbs / 1,617 kg		\$26,027
	3.136x-1.132	264"	133"	94"	8,200 lbs	3,565 lbs / 1,617 kg	w/1 external	\$28,343

S100 3-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.296XR	72" Shaft Carriage	1,420 lbs / 644 kg		\$4,587
	2.313XR	84" Shaft Carriage	1,570 lbs / 712 kg		\$5,139
	2.598XR	72" ITA Class IV Hook	1,060 lbs / 481 kg		\$2,641
	2.601XR	84" ITA Class IV Hook	1,190 lbs / 540 kg		\$3,292

*See page 15 for loadbackrest and other attachments

**See page 12 for fork positioner information



Mast/Carriage (S120)

Standard mast: 12" underclearance and 6" sideshift

S120 2-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.F.H	Approx. Weight	Notes	List Price
	3.222-1.130	120"	105"	0"	12,000 lbs	2,250 lbs / 1,021 lbs		\$13,793
	3.222i-1.130	120"	105"	0"	12,000 lbs	2,250 lbs / 1,021 lbs	w/ 1 internal	\$14,642
	3.223-1.130	144"	117"	0"	12,000 lbs	2,450 lbs / 1,111 lbs		\$14,521
	3.223i-1.130	144"	117"	0"	12,000 lbs	2,450 lbs / 1,111 lbs	w/ 1 internal	\$15,370
	3.224-1.130	168"	129"	0"	11,500 lbs	2,670 lbs / 1,211 lbs		\$15,270
	3.224i-1.130	168"	129"	0"	11,500 lbs	2,670 lbs / 1,211 lbs	w/ 1 internal	\$16,120
	3.225-1.130	192"	142"	0"	11,000 lbs	2,920 lbs / 1,324 lbs		\$16,008
	3.225i-1.130	192"	142"	0"	11,000 lbs	2,920 lbs / 1,324 lbs	w/ 1 internal	\$16,968
	3.227-1.130	216"	155"	0"	10,500 lbs	3,400 lbs / 1,542 lbs		\$16,756
	3.227i-1.130	216"	155"	0"	10,500 lbs	3,400 lbs / 1,542 lbs	w/ 1 internal	\$17,606

S120 2-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.335XR	72" Shaft Carriage	1,330 lbs / 603 kg		\$5,124
	2.936XR	72" ITA Class IV Hook	1,280 lbs / 581 kg		\$3,125
	2.941XR	84" ITA Class IV Hook	1,440 lbs / 653 kg		\$4,519

Standard mast: 12" underclearance and 6" sideshift

S120 3-stage SEE-THRU® roller masts								
(√)	Model #	Max. Fork Height	Lowered Height	Free Lift	Capacity to M.F.H	Approx. Weight	Notes	List Price
	3.233-1.132	144"	92"	48"	12,000 lbs	2,905 lbs / 1,318 kg		\$20,603
	3.233x-1.132	144"	92"	48"	12,000 lbs	2,905 lbs / 1,318 kg	w/ 1 external	\$22,918
	3.232-1.132	168"	100"	56"	11,500 lbs	3,125 lbs / 1,417 kg		\$21,527
	3.232x-1.132	168"	100"	56"	11,500 lbs	3,125 lbs / 1,417 kg	w/ 1 external	\$23,842
	3.231-1.132	192"	110"	66"	11,000 lbs	3,345 lbs / 1,517 kg		\$22,119
	3.231x-1.132	192"	110"	66"	11,000 lbs	3,345 lbs / 1,517 kg	w/ 1 external	\$24,435
	3.236-1.132	264"	138"	94"	8,900 lbs	3,565 lbs / 1,617 kg		\$27,433
	3.236x-1.132	264"	138"	94"	8,900 lbs	3,565 lbs / 1,617 kg	w/ 1 external	\$29,748

S120 3-stage carriage (w/6 rollers and 4 side-thrust rollers)					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	2.338XR	72" Shaft Carriage	1,340 lbs / 608 kg		\$5,124
	2.658XR	72" ITA Class IV Hook	1,290 lbs / 585 kg		\$3,125
	2.661XR	84" ITA Class IV Hook	1,450 lbs / 658 kg		\$4,519

*See page 15 for loadbackrest and other attachments

**See page 12 for fork positioner information

Fork Positioning Carriage (6,000 LB)									
(v)	Model #	Description	Overall Width (A)	Fork Spread -Min.(B)-	Fork Spread - Max.(C)-	Fork I.D -(D)-	Approx. Weight	Shaft - Fork Positioning Forks	List Price
	2.733-5FH	2 rail, 72" Carriage	72"	14.5"	70.5"	4.5"	760 lbs / 345 kg	5" Shaft Forks	\$6,977
	2.62-84FP-5FH	2 rail - 84" Carriage	84"	14.5"	82.5"	4.5"	840 lbs / 381 kg	5" Shaft Forks	\$7,797
	2.743-5FH	3 rail - 72" Carriage	72"	14.5"	70.5"	4.5"	770 lbs / 349 kg	5" Shaft Forks	\$6,976
	2.63-84FP-5FH	3 rail - 84" Carriage	84"	14.5"	82.5"	4.5"	850 lbs / 386 kg	5" Shaft Forks	\$7,797


Fork Positioning Carriage (8,000 LB)									
(v)	Model #	Description	Overall Width (A)	Fork Spread -Min.(B)-	Fork Spread - Max.(C)-	Fork I.D -(D)-	Approx. Weight	Shaft - Fork Positioning Forks	List Price
	2.753-5FH	2 rail - 72" Carriage	72"	14.5"	70.5"	4.5"	880 lbs / 399 kg	5" Shaft Forks	\$6,976
	2.82-84FP-5FH	2 rail - 84" Carriage	84"	14.5"	82.5"	4.5"	970 lbs / 440 kg	5" Shaft Forks	\$7,797
	2.763-5FH	3 rail - 72" Carriage	72"	14.5"	70.5"	4.5"	890 lbs / 404 kg	5" Shaft Forks	\$6,976
	2.83-84FP-5FH	3 rail - 84" Carriage	84"	14.5"	82.5"	4.5"	980 lbs / 445 kg	5" Shaft Forks	\$7,797

Fork Positioning Carriage (10,000 LB)									
(v)	Model #	Description	Overall Width (A)	Fork Spread -Min.(B)-	Fork Spread - Max.(C)-	Fork I.D -(D)-	Approx. Weight	Shaft - Fork Positioning Forks	List Price
	2.773-6FH	2 rail - 72" Carriage	72"	16.5"	70.5"	4.5"	920 lbs / 417 kg	6" Shaft Forks	\$8,799
	2.102-84FP-6FH	2 rail - 84" Carriage	84"	16.5"	82.5"	4.5"	1,020 lbs / 463 kg	6" Shaft Forks	\$9,826
	2.783-6FH	3 rail - 72" Carriage	72"	16.5"	70.5"	4.5"	930 lbs / 422 kg	6" Shaft Forks	\$8,799
	2.103-84FP-6FH	3 rail - 84" Carriage	84"	16.5"	82.5"	4.5"	1,030 lbs / 467 kg	6" Shaft Forks	\$9,826

Fork Positioning Carriage (12,000 LB)									
(v)	Model #	Description	Overall Width (A)	Fork Spread -Min.(B)-	Fork Spread - Max.(C)-	Fork I.D -(D)-	Approx. Weight	Shaft - Fork Positioning Forks	List Price
	2.793-6FH	2 rail - 72" Carriage	72"	16.5"	70.5"	4.5"	1,250 lbs / 567 kg	6" Shaft Forks	\$9,283
	2.122-84FP-6FH	2 rail - 84" Carriage	84"	16.5"	82.5"	4.5"	1,420 lbs / 644 kg	6" Shaft Forks	\$10,309
	2.803-6FH	3 rail - 72" Carriage	72"	16.5"	70.5"	4.5"	1,300 lbs / 590 kg	6" Shaft Forks	\$9,283
	2.123-84FP-6FH	3 rail - 84" Carriage	84"	16.5"	82.5"	4.5"	1,470 lbs / 667 kg	6" Shaft Forks	\$10,309

*See page 15 for loadbackrest and other attachments

Fork Size	Dim. B
5" Forks	14.5"
6" Forks	16.5"
7" Forks	18.5"
8" Forks	20.5"
10" Forks	24.5"



Hook Forks (pair - unless specified)				
(v)	Model #	Description	Approx. Weight	List Price
6,000 lb - 8,000 lb Capacity				
	42x1.75x5H-III	42" x 1 3/4" x 5" Class III Hook	260 lbs / 118 kg	\$955
	48x1.75x5H-III	48" x 1 3/4" x 5" Class III Hook	284 lbs / 129 kg	\$791
	60x1.75x5H-III	60" x 1 3/4" x 5" Class III Hook	340 lbs / 154 kg	\$991
	72x1.75x5H-III	72" x 1 3/4" x 5" Class III Hook	422 lbs / 191 kg	\$1,432
	84x1.75x5H-III	84" x 1 3/4" x 5" Class III Hook	482 lbs / 219 kg	\$1,552
8,000 lb - 10,000 lb Capacity				
	42x2x5H-III	42" x 2" x 5" Class III Hook	300 lbs / 136 kg	\$1,177
	48x2x5H-III	48" x 2" x 5" Class III Hook	340 lbs / 154 kg	\$940
	60x2x5H-III	60" x 2" x 5" Class III Hook	400 lbs / 181 kg	\$1,065
	72x2x5H-III	72" x 2" x 5" Class III Hook	460 lbs / 209 kg	\$1,502
	84x2x5H-III	84" x 2" x 5" Class III Hook	520 lbs / 236 kg	\$1,598
	48x1.75x7HT-III	48" x 1 3/4" x 7" Class III Hook (Full Taper & Polished)	420 lbs / 191 kg	\$1,922
	60x1.75x7HT-III	60" x 1 3/4" x 7" Class III Hook (Full Taper & Polished)	472 lbs / 214 kg	\$1,981
10,000 - 12,000 lb Capacity				
	48x2x6H-IV	48" x 2" x 6" Class IV Hook	470 lbs / 213 kg	\$1,511
	60x2x6H-IV	60" x 2" x 6" Class IV Hook	550 lbs / 249 kg	\$1,760
	72x2x6H-IV	72" x 2" x 6" Class IV Hook	630 lbs / 286 kg	\$1,981
	84x2x6H-IV	84" x 2" x 6" Class IV Hook	710 lbs / 322 kg	\$2,289
	96x2x6H-IV	96" x 2" x 6" Class IV Hook	790 lbs / 358 kg	\$2,872
	48x2x7HT-IV	48" x 2" x 7" Class IV Hook (Full Taper & Polished)	524 lbs / 238 kg	\$2,205
	60x2x7HT-IV	60" x 2" x 7" Class IV Hook (Full Taper & Polished)	582 lbs / 264 kg	\$2,476
	72x2x7HT-IV	72" x 2" x 7" Class IV Hook (Full Taper & Polished)	642 lbs / 291 kg	\$3,300



Forks (Shaft & Fork Positioning)

Shaft Forks (pair - unless specified)				
(v)	Model #	Description	Approx. Weight	List Price
6,000 lb - 8,000 lb Capacity				
	48x1.75x5-2.5-6F	48" x 1 3/4" x 5" Shaft	300 lbs / 136 kg	\$1,373
	60x1.75x5-2.5-6F	60" x 1 3/4" x 5" Shaft	340 lbs / 154 kg	\$1,511
	72x1.75x5-2.5-6F	72" x 1 3/4" x 5" Shaft	380 lbs / 172 kg	\$1,614
	60x1.75x5-1.88-6	60" x 1 3/4" x 5" Shaft (For Carriages 2.149)	340 lbs / 154 kg	\$1,477
	84x1.75x5-1.88-6	84" x 1 3/4" x 5" Shaft (Poultry - for Carriage 2.149)	410 lbs / 186 kg	\$1,823
8,000 lb - 10,000 lb Capacity				
	48x2x5-2.5-8	48" x 2" x 5" Shaft	340 lbs / 154 kg	\$1,361
	60x2x5-2.5-8	60" x 2" x 5" Shaft	400 lbs / 181 kg	\$1,610
	72x2x5-2.5-8	72" x 2" x 5" Shaft	460 lbs / 209 kg	\$1,935
	84x2x5-2.5-8	84" x 2" x 5" Shaft	520 lbs / 236 kg	\$2,039
10,000 lb - 12,000 lb Capacity				
	48x2x6-2.5-8	48" x 2" x 6" Shaft	420 lbs / 191 kg	\$1,173
	60x2x6-2.5-8	60" x 2" x 6" Shaft	500 lbs / 227 kg	\$1,473
	72x2x6-2.5-8	72" x 2" x 6" Shaft	580 lbs / 263 kg	\$1,764
	84x2x6-2.5-8	84" x 2" x 6" Shaft	660 lbs / 299 kg	\$1,993

Shaft Forks (for Fork Positioners)				
(v)	Model #	Description	Approx. Weight	List Price
6,000 lb - 8,000 lb Capacity				
	48x1.75x5-2.5-8FH	48" x 1.75" x 5" Shaft w/Fixed Heel	320 lbs / 145 kg	\$2,309
	60x1.75x5-2.5-8FH	60" x 1.75" x 5" Shaft w/Fixed Heel	360 lbs / 163 kg	\$2,488
	72x1.75x5-2.5-8FH	72" x 1.75" x 5" Shaft w/Fixed Heel	400 lbs / 181 kg	\$2,621
	48x1.75x6T-2.5-8FH	48" x 1.75" x 6" Shaft w/Fixed Heel (Full Taper & Polished)	340 lbs / 154 kg	\$2,538
8,000 lb - 10,000 lb Capacity				
	48x2x5-2.5-8FH	48" x 2" x 5" Shaft w/Fixed Heel	360 lbs / 163 kg	\$2,026
	60x2x5-2.5-8FH	60" x 2" x 5" Shaft w/Fixed Heel	420 lbs / 191 kg	\$2,289
	72x2x5-2.5-8FH	72" x 2" x 5" Shaft w/Fixed Heel	480 lbs / 218 kg	\$2,613
10,000 lb - 12,000 lb Capacity				
	48x2x6-2.5-8FH	48" x 2" x 6" Shaft w/Fixed Heel	440 lbs / 200 kg	\$2,205
	60x2x6-2.5-8FH	60" x 2" x 6" Shaft w/Fixed Heel	520 lbs / 236 kg	\$2,413
	72x2x6-2.5-8FH	72" x 2" x 6" Shaft w/Fixed Heel	600 lbs / 272 kg	\$2,538
	48x1.75x7T-2.5-8FH	48" x 1.75" x 7" Shaft w/Fixed Heel (Full Taper & Polished)	420 lbs / 191 kg	\$3,017
	48x1.75x8T-2.5-8FH	48" x 1.75" x 8" Shaft w/Fixed Heel (Full Taper & Polished)	460 lbs / 209 kg	\$5,150

Loadbackrest					
(√)	Model #	Description	Approx. Weight	Notes	List Price
	100-BR001	6K/8K - 60" Hook/Shaft Carriage	135 lbs / 61 kg		\$370
	100-BR002	6K/8K - 72" Hook/Shaft Carriage	155 lbs / 70 kg		\$417
	100-BR003	6K/8K - 84" Hook/Shaft Carriage	175 lbs / 79 kg		\$519
	100-BR005	6K/8K - 72" Fork Positioning Carriage	160 lbs / 73 kg		\$417
	100-BR006	6K/8K - 84" Fork Positioning Carriage	180 lbs / 82 kg		\$519
	100-BR007	10K/12K - 72" Hook/Shaft/Fork Positioning Carriage	210 lbs / 95 kg		\$556
	100-BR008	10K/12K - 84" Hook/Shaft/Fork Positioning Carriage	230 lbs / 104 kg		\$614

Snowblade Assembly						
*For a complete snowblade assembly: (1) Identify fork size (2) Select mount req'd (3) Choose snowblade						
	(√)	Model #	Description	Approx. Weight	Notes	List Price
<i>Snowblade</i>		100-AT001	Snowblade 100"	520 lbs / 236 kg		\$3,094
<i>Mount</i>		100SBM (Fork Size)	Fork Mount	300 lbs / 136 kg		\$1,083

Hydraulic Bucket Assembly (Fork Mounted)						
*For a complete bucket assembly: (1) Identify fork size (2) Select mount (3) Select bucket (4) Select hydraulic valve #300-B002						
**Ensure internal plumbing (i) is selected when choosing mast type (see pg. 8-11)						
	(√)	Model #	Description	Approx. Weight	Notes	List Price
<i>Bucket</i>		100-AT003	Bucket 1.2 cubic yd (0.92 m ³), 90" (229 cm) wide	725 lbs / 329 kg		\$4,672
<i>Mount</i>		100-BFM (Fork Size)	Fork Mount	300 lbs / 136 kg		\$1,083



Sellick Equipment Limited

P.O. Box 1000

Harrow, Ontario, Canada NOR 1G0

Telephone: 519-738-2255 • Fax: 519-738-3477

Email: sales@sellickequipment.com

Website: www.sellickequipment.com

JCB Teletruk Price List



 **SELICK**

Rough Terrain Forklifts

Pricing effective: August 1, 2020

Payable in U.S. Funds.

Part #272640-Q



TLT Price List (U.S Funds)

The variable reach capability of the Teletruk provides material handling versatility never before available. The Teletruk has three distinct model groups designed specifically for their designated markets.

TLT STANDARD FEATURES -	3
<u>TLT LOGISTICS</u>	
TLT25/27/30LPG	4-6
TLT35D	7-8
TLT35DHL	9-10
<u>TLT CONSTRUCTION</u>	
TLT35D/TLT35D4X4	11-13
TLT30G4X4	14-16
<u>TLT WASTEMASTER</u>	
TLT35D/TLT35D4X4	17-19

**Prices are F.O.B. Harrow, Ontario — Payable in American Funds.
Duty and Brokerage included.
Prices and specifications subject to change without notice.**



TLT Standard Features

Standard features include: Hydrostatic transmission, work lights, back-up alarm, amber beacon, ROPS/FOPS overhead guard structure, suspension seat w/seatbelt, sideshift and 48" forks.

LOGISTICS

Indoor or improved surface applications. Manufacturing and warehousing. Loading/unloading van trailers and containers. Single side loading/unloading of trucks and trailers.

Models:	TLT25G / TLT27G / TLT30G / TLT35D / TLT30DHL	
Capacity Range:	5,500 lbs to 7,700 lbs @24" Load Center	
Engine(s) - Tier 4:	LPG: Kubota WG2503 2.5L 62 HP	Diesel: Kohler KDI 2504 2.4 L 62 HP
Tires:	Pneumatic & solid pneumatic	
Drive:	Two-wheel drive	

CONSTRUCTION

Outdoor, soft gravel, snow and ice. Any application where conventional pneumatic forklifts struggle to be productive. Loading/unloading van trailers on outdoor ramps. Single side loading/unloading of trucks and trailers.

Models:	TLT35D / TLT35D4x4 / TLT30G4X4	
Capacity Range:	6,600 lbs to 7,700 lbs @ 24" Load Center	
Engine(s) - Tier 4:	Diesel: Kohler KDI 2504 2.4L 62 HP	LPG: Kubota WG2503 2.5L 62 HP
Tires:	Pneumatic traction, solid traction & solid pneumatic	
Drive:	Two-wheel with flow divider "diff-lock" & four-wheel drive	

WASTEMASTER

Indoor/outdoor severe service. Ideally suited for recycling industry. Models come equipped with: heavy duty body kit, wheel motor guards, roof guards, fire extinguisher, single carriage pin, in-cab temperature gauge and grease kit.

Models:	TLT35D / TLT35D4x4	
Capacity Range:	7,700 lbs @ 24" Load Center	
Engine(s) - Tier 4:	Kohler KDI 2504 2.4L 62 HP	
Tires:	Pneumatic traction, solid traction & solid pneumatic	
Drive:	Two-wheel with flow divider "diff-lock" & four-wheel drive	

Choose (1) from the following:

L P G P O W E R E D	PRIMARY BUILD (ONE REQUIRED)					
	(√)	Model #	Description	List Price/USD		
		1301	TLT25LPG, 5,500lbs capacity@24"LC ITA CLII carriage, 157" MFH, 94" Reach, Kubota LPG, 62 hp, Hydrostatic drive transmission, 2-wheel drive	\$48,525		
		1302	TLT27LPG, 5,940lbs capacity@24"LC Class II carriage, 157" MFH, 94" Reach, Kubota LPG, 62 hp, Hydrostatic drive transmission, 2-wheel drive	\$50,180		
		1303	TLT30LPG, 6,600lbs capacity@24"LC Class IIIA carriage, 157"MFH 94" Reach, Kubota LPG, 62hp, Hydrostatic drive transmission, 2-wheel drive	\$52,630		
	TIRES (ONE REQUIRED)					
	(√)	Model #	Description	TLT25G	TLT27G	TLT30G
				List Price/USD		
		250A001	7 x 12 front + 6 x 9 rear tires, semi solid	\$1,995	\$1,995	X
		250A010	27x10x12 front + 6.5 x 10 rear tires, traction, semi solid	\$2,990	\$2,990	\$2,990
	250A015	27x10x12 front + 23x9-10 rear tires, semi solid	X	X	\$3,285	
OPERATOR ENCLOSURE (ONE REQUIRED)						
(√)	Model #	Description	TLT25G	TLT27G	TLT30G	
			List Price/USD			
	250B402	Standard overhead guard with right hand mesh	\$250	\$250	\$250	
	250B409	Standard overhead guard with right hand & top glass	\$0	\$0	\$0	
	250B405	Standard partial cab with right hand side glass, front, rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380	\$1,380	\$1,380	
	250B450	Standard full cab includes heater, interior light, wash/wiper fitted to front/rear wind-shield	\$4,280	\$4,280	\$4,280	
HYDRAULIC VALVE/CONTROLS CIRCUIT (ONE REQUIRED)						
(√)	Model #	Description	TLT25G	TLT27G	TLT30G	
			List Price/USD			
	250C011	4 Function Control Valve - Standard Flow	\$2,860	\$2,860	\$2,860	
	250C012	5 Function Control Valve - Standard Flow	\$4,132	\$4,132	\$4,132	
	250C013	4 Function Control Valve - Extra Flow	\$3,680	\$3,680	\$3,680	
	250C014	5 Function Control Valve - Extra Flow	\$4,960	\$4,960	\$4,960	
TRANSMISSION (ONE REQUIRED)						
(√)	Model #	Description	TLT25G	TLT27G	TLT30G	
			List Price/USD			
	250D080	No creep software	\$0	\$0	\$0	

Choose (1) from the following:

FORKS (ONE REQUIRED)					
(v)	Model #	Description	TLT25G	TLT27G	TLT30G
			List Price/USD		
	250E000	No forks required	\$0	\$0	\$0
	250E002	42" Class II-A forks (price per pair)	\$340	\$340	X
	250E003	48" Class II-A forks (price per pair)	\$430	\$430	X
	250E020	42" Class III-A forks (price per pair)	X	X	\$810
	250E021	48" Class III-A forks (price per pair)	X	X	\$890
LANGUAGE PACK & DECALS (ONE REQUIRED)					
(v)	Model #	Description	TLT25G	TLT27G	TLT30G
			List Price/USD		
	250F504-SEL	Language Pack (language pack, operator handbook, labels and decals)	\$0	\$0	\$0
SEATS (ONE REQUIRED)					
(v)	Model #	Description	TLT25G	TLT27G	TLT30G
			List Price/USD		
	250G401	Standard suspension vinyl seat, hip restraint/seatbelt fitted	\$690	\$690	\$690
	250G402	Standard suspension fabric seat, hip restraint/seatbelt fitted	\$725	\$725	\$725
CAB/BODYWORK (OPTIONAL)					
(v)	Model #	Description	TLT25G	TLT27G	TLT30G
			List Price/USD		
	250H005-SEL-2	2.5 lb Fire extinguisher kit	\$250	\$250	\$250
	250H001	Bolt on industrial sideshift carriage - Class II ITA	\$0	\$0	X
	250H018	Heater (for partial cab)	\$780	\$780	\$780
	250H023	Load Guard - Low Height (30" from top of forks)	\$255	\$255	X
	250H024	Load Guard - Standard Height (49" from top of forks)	\$270	\$270	X
	250H030	Vinyl Side Door (for partial cab)	\$720	\$720	\$720
	250H036	Panoramic mirror	\$295	\$295	\$295
	250H043	Front Wheel Mud Flaps (front facing)	X	X	\$170
	250H044	Low height loadguard (36" high from top of forks)	X	X	\$480
	250H045	Standard height loadguard (49" high from top of forks)	X	X	\$510
	250H080	Integral sideshift carriage - Class III - 48"	X	X	\$450
	250H081	Bolt-on industrial sideshift carriage - 48"	X	X	\$0
	250H201	Front wheel protection kit (for 2 wheel drive models)	\$295	\$295	\$295
	250H561	No sideshift	\$0	\$0	\$0
	250H114	Single tilt carriage pin (for tough use attachment applications)	\$370	\$370	X
	250H014	Single tilt carriage pin (for tough use attachment applications)	X	X	\$510

Choose (1) from the following:

L P G P O W E R E D	HYDRAULICS (ONE REQUIRED W/QUICK DISCONNECT CARRIAGES)					
	(√)	Model #	Description	TLT25G	TLT27G	TLT30G
				List Price/USD		
		250J005	Quick release hydraulic couplings X1 service	\$410	\$410	\$410
		250J006	Quick release hydraulic couplings X2 service	\$800	\$800	\$800
		250J007	Quick release hydraulic couplings (for integral sideshift)	X	X	\$405
	ENGINE AND TRANSMISSION (OPTIONAL)					
	(√)	Model #	Description	TLT25G	TLT27G	TLT30G
				List Price/USD		
		250K019	LPG bottle coupling DIN	\$0	\$0	\$0
	250K060	Speed reduction kit (reduces travel speed 50%)	\$1,510	\$1,510	\$1,510	
ELECTRICAL (OPTIONAL)						
(√)	Model #	Description	TLT25G	TLT27G	TLT30G	
			List Price/USD			
	250L049	Low level strobe	\$0	\$0	\$0	
	250L410	Two speed face level fan	\$190	\$190	\$190	
	250L460	LED worklights 2 front /1 rear	\$720	\$720	\$720	
	250L463	2 additional worklights - low level mounted	\$720	\$720	\$720	
	250L488	In cab coolant temperature gauge	\$240	\$240	\$240	
ADDITIONAL OPTIONS						
(√)	Model #	Description	TLT25G	TLT27G	TLT30G	
			List Price/USD			
	SS1898	Flow divider - "Diff-lock"	X	X	\$2,086	
	SS1848	Load Motion Control - Boom stops at overload	\$2,445	\$2,445	\$2,445	

Choose (1) from the following:

DIESEL POWERED	PRIMARY BUILD (ONE REQUIRED)			
	(√)	Model #	Description	List Price/USD
		1304	TLT30DHL High lift boom - 16'10" lift & 10'10" reach 6,000 lbs capacity@24" LC, Kohler Tier 4 Final Diesel, 62 hp, Hydrostatic drive transmission, 2-wheel drive, ITA CLIII Carriage	\$55,715
	TIRES (ONE REQUIRED)			
	(√)	Model #	Description	List Price/USD
		250A015	27x10x12 front + 23x9x10 rear tires (PPS) semi solid	\$3,285
	OPERATOR ENCLOSURE (ONE REQUIRED)			
	(√)	Model #	Description	List Price/USD
		250B402	Standard overhead guard with right hand side mesh only (recommended for hot climates)	\$250
		250B407	Standard full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275
	250B409	Standard overhead guard includes side & top glass	\$0	
HYDRAULIC VALVE/CONTROLS CIRCUIT (ONE REQUIRED)				
(√)	Model #	Description	List Price/USD	
	250C041	4 Function Control Valve - Standard Flow	\$2,265	
	250C042	5 Function Control Valve - Standard Flow	\$3,855	
	250C043	4 Function Control Valve - Extra Flow	\$3,435	
	250C044	5 Function Control Valve - Extra Flow	\$4,635	
FORKS (ONE REQUIRED)				
(√)	Model #	Description	List Price/USD	
	250E080	No forks required	\$0	
	250E060	42" Class III-A forks to fit standard industrial carriage (price per pair)	\$810	
	250E061	48" Class III-A forks to fit standard industrial carriage (price per pair)	\$890	
LANGUAGE PACK & DECALS (ONE REQUIRED)				
(√)	Model #	Description	List Price/USD	
	250F414-SEL	Language Pack (language pack, operator handbook, labels and decals)	\$0	
SEATS (ONE REQUIRED)				
(√)	Model #	Description	List Price/USD	
	250G401	Standard suspension vinyl seat, hip restraint/seatbelt fitted	\$690	
	250G402	Standard suspension fabric seat, hip restraint/seatbelt fitted	\$725	

Choose (1) from the following:

D I E S E L P O W E R E D	CAB/BODYWORK (OPTIONAL)			
	(√)	Model #	Description	List Price/USD
		250H005SEL-2	2.5 lb Fire extinguisher kit	\$250
		250H036	Panoramic mirror	\$295
		250H044	Low height loadguard (36" high from top of forks)	\$480
		250H045	Standard height loadguard (49" high from top of forks)	\$510
		250H170	Integral sideshift carriage - Class III	\$1,935
		250H171	Bolt on sideshift carriage - Class III	\$1,680
		250H172	Quick disconnect sideshift carriage	\$2,710
		250H700	Air Conditioning (Full Cab option only)	\$6,395
HYDRAULICS (ONE REQUIRED W/QUICK DISCONNECT CARRIAGES)				
(√)	Model #	Description	List Price/USD	
	250J005	Quick release hydraulic couplings X1 service	\$410	
	250J006	Quick release hydraulic couplings X2 service	\$805	
	250J007	Quick release couplings for integral sideshift	\$410	
ENGINE AND TRANSMISSION (OPTIONAL)				
(√)	Model #	Description	List Price/USD	
	250K060	Speed reduction kit - reduces speed 50%	\$1,510	
	250K061	No creep software - Non-torque converter feel	\$0	
	250K400	Grid Heater (recommended for colder climates)	\$190	
ELECTRICAL (OPTIONAL)				
(√)	Model #	Description	List Price/USD	
	250L410	Two speed face level fan	\$190	
	250L049	Low level strobe warning light	\$0	
	250EL002-SEL	Auxiliary Power Supply	\$255	
	250EL003-SEL	Seatbelt with starter lockout	\$325	
	250L460	LED worklights	\$720	
	250L463	2 additional worklights - low level mounted	\$720	
	250L465	Full road lights	\$1,215	
ADDITIONAL OPTIONS				
(√)	Model #	Description	List Price/USD	
	250L430-SEL	Parts manual - TLT30DHL	\$150	
	SS1848	Load motion control - Boom stops at overload	\$2,445	
	SS1898	Flow divider - Diff-lock	\$2,086	

Choose (1) from the following:

D I E S E L P O W E R E D	PRIMARY BUILD (ONE REQUIRED)			
	(√)	Model #	Description	List Price/USD
		1305	TLT35D , 7,700 lbs capacity@24" LC 168" Lift, 95.6" Reach Kohler Tier 4 Final Diesel, 62 hp, Hydrostatic drive transmission, 2-wheel drive ITA CLIII Carriage	\$55,136
	TIRES (ONE REQUIRED)			
	(√)	Model #	Description	List Price/USD
		250A015	27x10x12 front + 23x9x10 rear tires (PPS) semi solid	\$3,285
	OPERATOR ENCLOSURE (ONE REQUIRED)			
	(√)	Model #	Description	List Price/USD
		250B402	Standard overhead guard with right hand side mesh	\$250
		250B405	Standard partial cab with right hand side glass, front, rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380
		250B407	Standard full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275
	HYDRAULIC VALVE/CONTROLS CIRCUIT (ONE REQUIRED)			
	(√)	Model #	Description	List Price/USD
		250C021	4 Function Control Valve - Standard Flow	\$3,680
		250C022	5 Function Control Valve - Standard Flow	\$3,855
		250C023	4 Function Control Valve - Extra Flow	\$3,440
		250C024	5 Function Control Valve - Extra Flow	\$4,635
	FORKS (ONE REQUIRED)			
(√)	Model #	Description	List Price/USD	
	250E040	42" Class III-A forks to fit standard industrial carriage (price per pair)	\$810	
	250E041	48" Class III-A forks to fit standard industrial carriage (price per pair)	\$890	
	250E050	No forks required - TLT35D	\$0	
LANGUAGE PACK & DECALS (ONE REQUIRED)				
(√)	Model #	Description	List Price/USD	
	250F414-SEL	Language Pack (language pack, operator handbook, labels and decals)	\$0	
SEATS (ONE REQUIRED)				
(√)	Model #	Description	List Price/USD	
	250G401	Standard suspension vinyl seat, hip restraint/seatbelt fitted	\$690	
	250G402	Standard suspension fabric seat, hip restrain/seatbelt fitted	\$725	

Choose (1) from the following:

D I E S E L P O W E R E D	CAB/BODYWORK (OPTIONAL)			
	(√)	Model #	Description	List Price/USD
		250H005-SEL-2	2.5 lb Fire extinguisher kit	\$250
		250H036	Panoramic mirror	\$295
		250H044	Low height loadguard (36" high from top of forks)	\$480
		250H045	Standard height loadguard (49" high from top of forks)	\$510
		250H070	Integral sideshift carriage - Class III	\$350
		250H071	Bolt on sideshift carriage - Class III	\$0
		250H072	Quick disconnect sideshift carriage - Class III (must order Class III-B forks)	\$1,421
		250H078	Loadchart - required when sideshift carriage is not ordered	\$0
		250H700	Air Conditioning (Full Cab option only)	\$6,395
		250H201	Front wheel motor protection	\$300
		250H432	Heater for Partial Cab	\$1,075
		250H434	Overhead Roof Guard	\$875
HYDRAULICS (ONE REQUIRED W/QUICK DISCONNECT CARRIAGES)				
(√)	Model #	Description	List Price/USD	
	250J005	Quick release hydraulic couplings X1 service	\$410	
	250J006	Quick release hydraulic couplings X2 service	\$805	
	250J007	Quick release hydraulic coupling for integral sideshift	\$410	
ENGINE AND TRANSMISSION (OPTIONAL)				
(√)	Model #	Description	List Price/USD	
	250K060	Speed reduction kit - reduces speed 50%	\$1,510	
	250K061	No creep software	\$0	
	250K400	Grid Heater (recommended for colder climates)	\$190	
ELECTRICAL (OPTIONAL)				
(√)	Model #	Description	List Price/USD	
	250L410	Two speed face level fan	\$190	
	250L049	Low level strobe warning light	\$0	
	250EL002-SEL	Auxiliary Power Supply	\$255	
	250EL003-SEL	Seatbelt with starter lockout	\$325	
ADDITIONAL OPTIONS				
(√)	Model #	Description	List Price/USD	
	250L430-SEL	Parts Manual - TLT35D / TLT35D4x4	\$147	
	250L460	LED worklights	\$710	
	250L463	2 additional worklights - low level mounted	\$710	
	250L465	Full road lighting (headlights, turn signals, brake lights)	\$1,215	
	SS1848	Load Motion Control	\$2,445	
	SS1898	Flow Divider - "Diff-lock"	\$2,086	

Choose (1) from the following:

D I E S E L P O W E R E D	PRIMARY BUILD (ONE REQUIRED)				
	(√)	Model #	Description	List Price/USD	
		1306	TLT35D , 7,700 lbs capacity@24" LC 168" Lift, 95.6" Reach Kohler Tier 4 Final Diesel, 62hp, Hydrostatic drive transmission, 2-wheel drive ITA CLIII Carriage	\$58,195	
		1307	TLT35D4X4 , 7,700 lbs capacity@24" LC 168" Lift, 96" Reach Kohler Tier 4 Final Diesel, 62hp, Hydrostatic drive transmission, 4-wheel drive ITA CLIII Carriage	\$63,485	
	TIRES (ONE REQUIRED)				
	(√)	Model #	Description	TLT35D	TLT35D4x4
				List Price/USD	
		250A015	27x10x12 front + 23x9x10 rear tires (PPS) semi solid	\$3,285	X
		250A016	27x10x12 front + 23x9x10 rear tires pneumatic crossply traction	\$3,525	X
		250A017	27x10x12 front + 23x9x10 rear tires pneumatic crossply traction with foam fill	\$4,530	X
	250A020	27x10x12 front + rear tires pneumatic crossply traction	X	\$4,220	
	250A021	27x10x12 front + rear pneumatic crossply traction with foam fill	X	\$5,970	
	250A051	Solid Traction Tires	X	\$6,080	
OPERATOR ENCLOSURE (ONE REQUIRED)					
(√)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250B402	Standard overhead guard with right hand side mesh	\$250	\$250	
	250B405	Standard partial cab with right hand side glass, front, rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380	\$1,380	
	250B406	Low partial cab with right hand side glass, front rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380	\$1,380	
	250B407	Standard full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275	\$4,275	
	250B408	Low full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275	\$4,275	
HYDRAULIC VALVE/CONTROLS CIRCUIT (ONE REQUIRED)					
(√)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250C021	4 Function Control Valve - Standard Flow	\$3,680	\$3,680	
	250C022	5 Function Control Valve - Standard Flow	\$3,855	\$3,855	
	250C023	4 Function Control Valve - Extra Flow	\$3,440	\$3,440	
	250C024	5 Function Control Valve - Extra Flow	\$4,635	\$4,635	
	250C061	Changezee Hydraulics - 4 Spool - Standard Flow	\$2,665	\$2,665	
	250C063	Changezee Hydraulics - 4 Spool - High Flow	\$3,440	\$3,440	
	250D080	No Creep Software	\$0	\$0	



JCB Teletruk - CONSTRUCTION- TLT35D/TLT35D4X4

Choose (1) from the following:

FORKS (ONE REQUIRED)				
(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250E000	No forks required - TLT35D 4x4	X	\$0
	250E031	42" Class III-B forks for all 4WD units (price per pair)	X	\$925
	250E032	48" Class III-B forks for all 4WD units (price per pair)	X	\$995
	250E040	42" Class III-A forks to fit standard industrial carriage (price per pair)	\$810	X
	250E041	48" Class III-A forks to fit standard industrial carriage (price per pair)	\$890	X
	250E046	42" Class III-B forks to fit quick disconnect carriage (price per pair)	\$925	X
	250E047	48" Class III-B forks to fit quick disconnect carriage (price per pair)	\$995	X
	250E050	No forks required - TLT35D	\$0	X
	48X2X2H-IIIB	48" block forks (price per fork)	\$450	\$450
LANGUAGE PACK & DECALS (ONE REQUIRED)				
(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250F414-SEL	Language Pack (language pack, operator handbook, labels and decals)	\$0	\$0
SEATS (ONE REQUIRED)				
(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250G401	Standard suspension vinyl seat, hip restraint/seatbelt fitted	\$690	\$690
	250G402	Standard suspension fabric seat, hip restrain/seatbelt fitted	\$725	\$725
CAB/BODYWORK (OPTIONAL)				
(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250H005-SEL-2	2.5 lb Fire extinguisher kit	\$250	\$250
	250H008	Boom stop - must be ordered with quick disconnect carriage	\$140	X
	250H036	Panoramic mirror	\$295	\$295
	250H044	Low height loadguard (36" high from top of forks)	\$480	\$480
	250H045	Standard height loadguard (49" high from top of forks)	\$510	\$510
	250H046-SEL-6	Bucket - quick disconnect - 0.65 yd ³ (0.5 m ³) (for light duty applications only)	\$3,510	\$3,510
	250H050SEL-1	Bagezee - quick disconnect hopper bucket - 1.0 yd ³ (0.76 m ³)	\$5,700	\$5,700
	250H070	Integral sideshift carriage - Class III	\$350	X
	250H071	Bolt on sideshift carriage - Class III	\$0	X
	250H072	Quick disconnect sideshift carriage - Class III (must order Class III-B forks)	\$1,420	X
	250H078	Loadchart - required when sideshift carriage is not ordered	\$0	X
	250H110	Integral sideshift carriage - Class III	X	\$255
	250H111	Bolt on sideshift carriage - Class III	X	\$0
	250H112	Quick disconnect sideshift carriage - Class III (must order Class III-B forks)	X	\$1,030
	250H120	Loadchart - required when sideshift carriage is not ordered	X	\$0
	250H434	Overhead Roof Guard	\$875	\$875
	250H587	Changezee System - Integral s/s, fork frame and bucket	\$7,500	\$7,500
	250H700	Air Conditioning (Full Cab option only)	\$6,395	\$6,395



JCB Teletruk - CONSTRUCTION- TLT35D/TLT35D4X4

Choose (1) from the following:

D I E S E L P O W E R E D	HYDRAULICS (ONE REQUIRED W/QUICK DISCONNECT CARRIAGES)				
	(√)	Model #	Description	TLT35D	TLT35D4x4
				List Price/USD	
		250J005	Quick release hydraulic couplings X1 service	\$410	\$410
		250J006	Quick release hydraulic couplings X2 service	\$805	\$805
		250J007	Quick release hydraulic couplings for integral sideshift	\$410	\$410
	ENGINE AND TRANSMISSION (OPTIONAL)				
	(√)	Model #	Description	TLT35D	TLT35D4x4
				List Price/USD	
		250K011	Traction assist - Rear axle differential lock (4 x 4 Plus)	X	\$1,720
	250K060	Speed reduction kit - reduces speed by 50%	\$1,510	\$1,510	
	250K061	No creep software	\$0	\$0	
	250K400	Grid Heater (recommended for colder climates)	\$195	\$195	
ELECTRICAL (OPTIONAL)					
(√)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250L410	Two speed face level fan	\$190	\$190	
	250L425	Seat switch delay timer	\$0	\$0	
	250L460	LED worklights	\$720	\$720	
	250L463	Two additional worklights (low level mounted)	\$720	\$720	
	250L465	Full road lighting - Headlights, brake lights, turn signals	\$1,215	\$1,215	
	250L049	Low level strobe warning light	\$0	\$0	
	250EL001-SEL	Battery Blanket	\$95	\$95	
	250EL002-SEL	Auxiliary Power Supply	\$255	\$255	
	250EL003-SEL	Seatbelt with starter lockout	\$325	\$325	
	250PT003-SEL	Oil pan heater	\$225	\$225	
ADDITIONAL OPTIONS					
(√)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250L430-SEL	Parts Manual - TLT35D / TLT35D4x4	\$147	\$147	
	SS1848	Load Motion Control	\$2,445	\$2,445	
	SS1898	Flow Divider "Diff-lock"	\$2,086	X	
	1108	Universal skid steer coupler plate	\$2,140	\$2,140	

Choose (1) from the following:

L P G P O W E R E D	PRIMARY BUILD (ONE REQUIRED)			
	(v)	Model #	Description	List Price/ USD
		1323	TLT30G4X4, 6,600 lbs capacity@24" LC 156" Lift, 87" Reach Kubota LPG, 62hp, Hydrostatic drive transmission, 4-wheel drive ITA CLIII Carriage	\$57,415
	TIRES (ONE REQUIRED)			
	(v)	Model #	Description	List Price/ USD
		250A020	27x10x12 front + rear tires pneumatic crossply traction	\$4,220
		250A021	27x10x12 front + rear pneumatic crossply traction with foam fill	\$5,970
		250A051	Solid Traction Tires	\$6,080
	OPERATOR ENCLOSURE (ONE REQUIRED)			
	(v)	Model #	Description	List Price/ USD
	250B402	Standard overhead guard with right hand side mesh	\$250	
	250B405	Standard partial cab with right hand side glass, front, rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380	
	250B406	Low partial cab with right hand side glass, front rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380	
	250B407	Standard full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275	
	250B408	Low full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275	
HYDRAULIC VALVE/CONTROLS CIRCUIT (ONE REQUIRED)				
(v)	Model #	Description	List Price/ USD	
	250C111	4 Function Control Valve - Standard Flow	\$3,680	
	250C112	5 Function Control Valve - Standard Flow	\$3,855	
	250C113	4 Function Control Valve - Extra Flow	\$3,440	
	250C114	5 Function Control Valve - Extra Flow	\$4,635	
	250C151	Changezee Hydraulics - 4 Spool - Standard Flow	\$2,630	
	250C152	Changezee Hydraulics - 5 Spool - Standard Flow	\$3,795	
	250D080	No Creep Software	\$0	

Choose (1) from the following:

FORKS (ONE REQUIRED)			
(√)	Model #	Description	List Price/ USD
	250E000	No forks required - TLT35D 4x4	\$0
	250E031	42" Class III-B forks for all 4WD units (price per pair)	\$925
	250E032	48" Class III-B forks for all 4WD units (price per pair)	\$995
	250E040	42" Class III-A forks to fit standard industrial carriage (price per pair)	X
	250E041	48" Class III-A forks to fit standard industrial carriage (price per pair)	X
	250E046	42" Class III-B forks to fit quick disconnect carriage (price per pair)	X
	250E047	48" Class III-B forks to fit quick disconnect carriage (price per pair)	X
	250E050	No forks required - TLT30G4X4	X
	48X2X2H-IIIB	48" block forks (price per fork)	\$450
LANGUAGE PACK & DECALS (ONE REQUIRED)			
(√)	Model #	Description	List Price/ USD
	250F504-SEL	Language Pack (language pack, operator handbook, labels and decals)	\$0
SEATS (ONE REQUIRED)			
(√)	Model #	Description	List Price/ USD
	250G401	Standard suspension vinyl seat, hip restraint/seatbelt fitted	\$690
	250G402	Standard suspension fabric seat, hip restrain/seatbelt fitted	\$725
CAB/BODYWORK (OPTIONAL)			
(√)	Model #	Description	List Price/ USD
	250H005-SEL-2	2.5 lb Fire extinguisher kit	\$250
	250H008	Boom stop - must be ordered with quick disconnect carriage	X
	250H036	Panoramic mirror	\$295
	250H044	Low height loadguard (36" high from top of forks)	\$480
	250H045	Standard height loadguard (49" high from top of forks)	\$510
	250H046-SEL-6	Bucket - quick disconnect - 0.65 yd ³ (0.5 m ³) (for light duty applications only)	\$3,510
	250H050SEL-1	Bagezee - quick disconnect hopper bucket - 1.0 yd ³ (0.76 m ³)	\$5,700
	250H501	Bolt on sideshift carriage - Class III	\$0
	250H502	Quick disconnect sideshift carriage - Class III (must order Class III-B forks)	\$955
	250H434	Overhead Roof Guard	\$875
	250H587	Changezee System - Integral s/s, fork frame and bucket	\$7,500
	250H700	Air Conditioning (Full Cab option only)	\$6,395

Choose (1) from the following:

L P G P O W E R E D	HYDRAULICS (ONE REQUIRED W/QUICK DISCONNECT CARRIAGES)			
	(√)	Model #	Description	List Price/ USD
		250J005	Quick release hydraulic couplings X1 service	\$410
		250J006	Quick release hydraulic couplings X2 service	\$505
	ENGINE AND TRANSMISSION (OPTIONAL)			
	(√)	Model #	Description	List Price/ USD
		250K010	Traction assist - Rear axle differential lock (4 x 4 Plus)	\$1,720
		250K060	Speed reduction kit - reduces speed by 50%	\$1,510
	ELECTRICAL (OPTIONAL)			
	(√)	Model #	Description	List Price/ USD
	250L410	Two speed face level fan	\$190	
	250L425	Seat switch delay timer	\$0	
	250L460	LED worklights	\$720	
	250L463	Two additional worklights (low level mounted)	\$720	
	250L465	Full road lighting - Headlights, brake lights, turn signals	\$1,215	
	250L049	Low level strobe warning light	\$0	
	250EL001-SEL	Battery Blanket	\$95	
	250EL002-SEL	Auxiliary Power Supply	\$255	
	250EL003-SEL	Seatbelt with starter lockout	\$325	
	250PT003-SEL	Oil pan heater	\$225	
ADDITIONAL OPTIONS				
(√)	Model #	Description	List Price/ USD	
	SS1848	Load Motion Control	\$2,445	
	1108	Universal skid steer coupler plate	\$2,140	

Choose (1) from the following:

D I E S E L P O W E R E D	PRIMARY BUILD (ONE REQUIRED)				
	(v)	Model #	Description	List Price/USD	
		1308	TLT35D , 7,700 lbs capacity@24" LC 168" Lift, 95.6" Reach Kohler Tier 4 diesel, 2WD, heavy-duty body kit, BUA, temp gauge, diff-lock, wheel motor & roof guards, tire extinguisher, mirror	\$62,380	
		1309	TLT35D4X4 , 7,700 lbs capacity@24" LC 168" Lift, 96" Reach Kohler Tier 4 diesel, 4WD, heavy-duty body kit, BUA, temp gauge, wheel motor & roof guards, tire extinguisher, mirror	\$67,860	
	TIRES (ONE REQUIRED)				
	(v)	Model #	Description	TLT35D	TLT35D4x4
				List Price/USD	
		250A015	27x10x12 front + 23x9x10 rear tires (PPS) semi solid	\$3,285	X
		250A016	27x10x12 front + 23x9x10 rear tires pneumatic crossply traction	\$3,525	X
		250A017	27x10x12 front + 23x9x10 rear tires pneumatic crossply traction with foam fill	\$4,530	X
	250A020	27x10x12 front + rear tires pneumatic crossply traction	X	\$4,220	
	250A021	27x10x12 front + rear pneumatic crossply traction with foam fill	X	\$5,970	
	250A051	Solid Traction Tires	\$6,080	\$6,080	
OPERATOR ENCLOSURE (ONE REQUIRED)					
(v)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250B402	Standard overhead guard with right hand side mesh	\$250	\$250	
	250B405	Standard partial cab with right hand side glass, front, rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380	\$1,380	
	250B406	Low partial cab with right hand side glass, front rear and top glass, wipers fitted to front/rear *No door or heater fitted*	\$1,380	\$1,380	
	250B407	Standard full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275	\$4,275	
	250B408	Low full cab includes heater, interior light, wash/wiper fitted to front/rear windshield	\$4,275	\$4,275	
HYDRAULIC VALVE/CONTROLS CIRCUIT (ONE REQUIRED)					
(v)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250C021	4 Function Control Valve - Standard Flow	\$3,680	\$3,680	
	250C022	5 Function Control Valve - Standard Flow	\$3,855	\$3,855	
	250C023	4 Function Control Valve - Extra Flow	\$3,440	\$3,440	
	250C024	5 Function Control Valve - Extra Flow	\$4,635	\$4,635	
	250C061	Changezee Hydraulics - 4 spool - Standard Flow	\$2,665	\$2,665	
	250C063	Changezee Hydraulics - 4 spool - High Flow	\$3,440	\$3,440	
	250D080	No creep software	\$0	\$0	

Choose (1) from the following:

FORKS (ONE REQUIRED)

(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250E000	No forks required - TLT35D 4x4	X	\$0
	250E031	42" Class III-B forks for all 4WD units (price per pair)	X	\$925
	250E032	48" Class III-B forks for all 4WD units (price per pair)	X	\$995
	250E040	42" Class III-A forks to fit standard industrial carriage (price per pair)	\$810	X
	250E041	48" Class III-A forks to fit standard industrial carriage (price per pair)	\$890	X
	250E046	42" Class III-B forks to fit quick disconnect carriage (price per pair)	\$925	X
	250E047	48" Class III-B forks to fit quick disconnect carriage (price per pair)	\$995	X
	250E050	No forks required - TLT35D	\$0	X

LANGUAGE PACK & DECALS (ONE REQUIRED)

(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250F414-SEL	Language Pack (language pack, operator handbook, labels and decals)	\$0	\$0

SEATS (ONE REQUIRED)

(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250G401	Standard suspension vinyl seat, hip restraint/seatbelt fitted	\$690	\$690
	250G402	Standard suspension fabric seat, hip restrain/seatbelt fitted	\$725	\$725

CAB/BODYWORK (OPTIONAL)

(√)	Model #	Description	TLT35D	TLT35D4x4
			List Price/USD	
	250H005-SEL-2	2.5 lb Fire extinguisher kit	\$250	\$250
	250H008	Boom stop - must be ordered with quick disconnect carriage	\$140	X
	250H036	Panoramic mirror	\$295	\$295
	250H044	Low height loadguard (36" high from top of forks)	\$480	\$480
	250H045	Standard height loadguard (49" high from top of forks)	\$510	\$510
	250H046-SEL-6	Bucket - quick disconnect - 0.65 yd ³ (0.5 m ³) (for light duty applications only)	\$3,510	\$3,510
	250H050SEL-1	Bagezee - quick disconnect hopper bucket - 1.0 yd ³ (0.76 m ³)	\$5,700	\$5,700
	250H070	Integral sideshift carriage - Class III	\$350	X
	250H071	Bolt on sideshift carriage - Class III	\$0	X
	250H072	Quick disconnect sideshift carriage - Class III (must order Class III-B forks)	\$1,420	X
	250H078	Loadchart - required when sideshift carriage is not ordered	\$0	X
	250H110	Integral sideshift carriage - Class III	X	\$255
	250H111	Bolt on sideshift carriage - Class III	X	\$0
	250H112	Quick disconnect sideshift carriage - Class III (must order Class III-B forks)	X	\$1,030
	250H120	Loadchart - required when sideshift carriage is not ordered	X	\$0
	250H587	Changezee System - integral s/s, fork frame and bucket	\$7,500	\$7,500
	250H700	Air Conditioning (Full Cab option only)	\$6,395	\$6,395

DIESEL POWERED



JCB Teletruk - WASTEMASTER- TLT35D/TLT35D4X4

Choose (1) from the following:

D I E S E L P O W E R E D	HYDRAULICS (ONE REQUIRED W/QUICK DISCONNECT CARRIAGES)				
	(v)	Model #	Description	TLT35D	TLT35D4x4
				List Price/USD	
		250J005	Quick release hydraulic couplings X1 service	\$410	\$410
		250J006	Quick release hydraulic couplings X2 service	\$805	\$805
		250J007	Quick release hydraulic couplings for integral sideshift carriage	\$410	\$410
	ENGINE AND TRANSMISSION (OPTIONAL)				
	(v)	Model #	Description	TLT35D	TLT35D4x4
				List Price/USD	
		250K011	Flow divider - Rear axle differential lock (4 x 4 Plus)	X	\$1,720
	250K060	Speed reduction kit	\$1,510	\$1,510	
	250K400	Grid Heater (recommended for colder climates)	\$195	\$195	
	250K501	Wide core radiator	\$315	\$315	
ELECTRICAL (OPTIONAL)					
(v)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250L410	Two speed face level fan	\$190	\$190	
	250L049	Low level strobe warning light	\$0	\$0	
	250EL001-SEL	Battery Blanket	\$95	\$95	
	250EL002-SEL	Auxiliary Power Supply	\$255	\$255	
	250EL003-SEL	Seatbelt with starter lockout	\$325	\$325	
	250PT003-SEL	Oil pan heater	\$225	\$225	
	250L460	LED worklights	\$720	\$720	
	250L463	Two additional worklights (low level mounted)	\$720	\$720	
	250L465	Full road lighting - headlights, brake lights, turn signals	\$1,215	\$1,215	
ADDITIONAL OPTIONS					
(v)	Model #	Description	TLT35D	TLT35D4x4	
			List Price/USD		
	250L430-SEL	Parts Manual - TLT35D / TLT35D4x4	\$147	\$147	



Sellick Equipment Limited

2131 Roseborough Road, P.O. Box 1000

Harrow, Ontario, Canada NOR 1G0

Telephone: 519-738-2255 • Fax: 519-738-3477

Email: sales@sellickequipment.com

Website: www.sellickequipment.com