

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com

Version of Excel used: Office 16

3.1 4-WHEEL STREET SWEEPER

Manufacturer	Schwarze
Make / Model	A4 Storm
Type of Dump	Hydraulic
Height of Dump	67"
Type of Hopper	Carbon Steel
Size of Hopper	4.5 CY
Drive Engine HP	215hp
Drive Engine Type	Isuzu 4HK1-TC, Diesel
Engine: Tier 4 compliant? Yes or No	Yes, Tier 4F
Auxiliary Engine Type	Yanmar Tier IVF
Auxiliary Engine HP	74HP
Turning Radius	18' 6"
Fuel Tank Capacity (in gallons)	33 Gallon
Frame, Chassis	Ladder Channel, 44,000psi
Transmission Type	A465, 6 speed automatic
Rear Axle Rating	14,550lbs
Rear Suspension Rating	14,550lbs
Front Axle Rating	8440lbs
Front Suspension Rating	8440lbs
Brakes	Hydraulic with Vacuum booster
Steering	Integral Power Steering

(continued on next page)

Tires, Front	255/70 R 19.5
Tires, Rear	255/70 R 19.5
Are air conditioning/tinted windows included? (If no, list price)	Yes
Alternator (Amps)	110 amps
Battery CCA	2 at 750 CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Cab Mounted Strobe
LH Side Window Type	Power
RH Side Window Type	Power
Side Broom, type and diameter	Steel Digger Broom, 39 inches Diameter
Main Broom, type and diameter	Dual Chambered Sweeping Head, 80" Wide
Sweeper Path	80" Base, up to 120" with gutter brooms
Water Tank Type	Polyurethane
Water Tank Size	130 Gallons
Hopper Load Device	Blower Fan - Regenerative Air System
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
<hr/>	
Base Chassis (If applicable) Price: \$	57,874
Base Body (If applicable) Price: \$	88,092
Total Base Unit Price: \$	145,966

**STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS**

BASE UNIT
SPECIFICATION NO. 3.2

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: Titan Machinery Inc

MAKE AND MODEL OFFERED: Schwarze A4 Storm

Qty	Price	Subtotal
	\$ 145,966	\$ -

Unit Base Price:

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 287	\$ -
3.2.1.3	Three Camera System		\$ 583	\$ -
3.2.1.4	Air Filter Restriction Indicator - In-Cab		Standard	\$ -
3.2.1.5	12" Parabolic Mirror Set		\$ 363	\$ -
3.2.1.6	Chassis Hour Meter		\$ 345	\$ -
3.2.1.7	Load Weight Alarm and Indicator		\$ 372	\$ -
3.2.1.8	Adjustable Right Side Seat		\$ 4,915	\$ -
3.2.1.9	Dual Steering and Controls		\$ 6,474	\$ -
3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Sweeping Head Deluge		\$ 224	\$ -
3.2.2.2	Dual Gutter Brooms		Standard	\$ -
3.2.2.3	Dual Gutter Broom In-Cab Power Tilt		\$ 1,434	\$ -
3.2.2.4	Dual Gutter Broom Extension Override (GEO)		\$ 2,460	\$ -
3.2.2.5	Single Gutter Broom - in lue of dual		\$ (2,444)	\$ -
3.2.2.6	Power Tilt for Single Gutter Broom (req 3.2.2.5)		\$ 762	\$ -
3.2.2.7	Gutter Extension Override for Single Gutter Broom (req 3.2.2.5)		\$ 1,175	\$ -
3.2.2.8	Gutter Broom Poly Segments (each)		\$ 242	\$ -
3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Cummins QSF 2.8 74 HP Tier 4 Final Engine ILO Yanmar		No Charge	\$ -
3.2.3.2	Auxiliary Engine Air Filter Restriction Indicator		Standard	\$ -
3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Tire & Rim - 17,950 GVWR		\$ 954	\$ -
3.2.4.2	Wheel Cover		\$ 825	\$ -
3.2.5	LIGHTS/CAB EXTERIOR OPTIONS. Use this section to list offered lights and cab exterior options.			
3.2.5.1	Cab Mounted LED Strobe		\$ 466	\$ -
3.2.5.2	Cab Mounted LED Strobe with Guard		\$ 632	\$ -
3.2.5.3	Cab Mounted LED Bar light 18"		\$ 860	\$ -
3.2.5.4	Cab Mounted LED Bar light 18" with Guard		\$ 896	\$ -
3.2.5.5	Cab Mounted LED Bar Light 56"		\$ 1,232	\$ -
3.2.5.6	Dual Rear LED Strobes with Gurad		\$ 1,232	\$ -
3.2.5.7	Additional LED Floodlight(s) (each)		\$ 296	\$ -
3.2.5.8	Traffic Guide Arrow board		\$ 870	\$ -
3.2.5.9	Strobe, Rear w/ Guard LED		\$ 632	\$ -
3.2.6	HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options.			
3.2.6.1	Hopper Shroud and Sound Suppression		\$ 1,792	\$ -
3.2.6.2	6" Stainless Steel Hand Hose		\$ 1,044	\$ -
3.2.6.3	6" X 4' Hand Hose Extension		\$ 345	\$ -
3.2.6.4	Hopper Dump Assist Shaker		\$ 1,304	\$ -
3.2.6.5	Hopper Deluge		\$ 592	\$ -
3.2.6.6	Stainless Steel Hopper		\$ 6,940	\$ -
3.2.6.7	4" Stainless Steel Hopper Drain		\$ 870	\$ -
3.2.6.8	Stainless Steel Shroud and Suppression (req. 3.2.6.6)		\$ 2,877	\$ -
3.2.7	WATER SYSTEM OPTIONS: Use this section to offer water system options.			
3.2.7.1	Low Water Level Alarm & Indicator		Standard	\$ -
3.2.7.2	Front Bumper Spray Bar with 7 Nozzles		\$ 720	\$ -
3.2.7.3	Hopper Spray Bar with 4 Nozzles		\$ 565	\$ -
3.2.7.4	High Pressure Wash-down System		\$ 5,103	\$ -
3.2.7.5	Additional 67 Gallon Water Tank		\$ 788	\$ -

3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.

3.2.8.1	Leak Detection Kit		\$	390	\$	-
3.2.8.2	DC Backup Hydraulic System		\$	1,205	\$	-
3.2.8.3	84" Actuator Lift Bar Magnet		\$	1,685	\$	-
3.2.8.4	Additional Sweeper Manual		\$	112	\$	-
3.2.8.5	Low Hydraulic Level Alarm and Indicator			Standard	\$	-
3.2.8.6	Special Paint - Chassis		\$	2,505	\$	-
3.2.8.7	Special Paint - Sweeper		\$	982	\$	-
3.2.8.8	Customer Chassis Mounting Fee		\$	2,240	\$	-
3.2.8.9	2 Year/2400 Hour Silver Warranty for Sweeper body only		\$	1,150	\$	-
3.2.8.10	3 Year/3600 Hour Gold Warranty for Sweeper body only		\$	4,100	\$	-
3.2.8.11	4 Year/4800 Hour Platinum Warranty for Sweeper body only		\$	4,150	\$	-
3.2.8.12	5 Year/6000 Hour Diamond Warranty for Sweeper body only		\$	5,375	\$	-

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan Machinery CE Location Shakopee, MN 55379 Fargo, ND 54108 Crookston, MN 56716 Hermantown, MN 55811 Rogers, MN 55374 Marshall, MN 56258 Sioux Falls, SD 57104 La Crosse, WI 54601
---	--

PRICE PER LOADED MILE:	\$	4.50
MINIMUM DELIVERY CHARGE (if applicable)	\$	500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 13,000
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per Used Hour from the original Contract Price \$ 20

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

N/A % Discount

*Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number: N/A

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com

Version of Excel used: Office 16

3.1 4-WHEEL STREET SWEEPER

Manufacturer	Schwarze
Make / Model	M6SE Avalanche
Type of Dump	Variable High Dump
Height of Dump	11'6"
Type of Hopper	Carbon Steel
Size of Hopper	5.0 CY
Drive Engine HP	300 HP
Drive Engine Type	Cummings L9
Engine: Tier 4 compliant? Yes or No	Yes, Tier 4F
Auxiliary Engine Type	PTO
Auxiliary Engine HP	NA
Turning Radius	22'6"
Fuel Tank Capacity (in gallons)	56 gallon
Frame, Chassis	120,000psi
Transmission Type	Allison 3500 RDS
Rear Axle Rating	23,000lbs
Rear Suspension Rating	23,000lbs
Front Axle Rating	12,000lbs
Front Suspension Rating	12,000lbs
Brakes	Air
Steering	Integral Power Steering (Dual Steering Opt)

(continued on next page)

Tires, Front	11R 22.5
Tires, Rear	11R 22.5
Are air conditioning/tinted windows included? (If no, list price)	A/C = yes Tinted = no
Alternator (Amps)	160 AMP Chassis
Battery CCA	1350 CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Rear Alternating Flashers, Rear Strobe
LH Side Window Type	Power Window
RH Side Window Type	Power Window
Side Broom, type and diameter	Steel Digger Broom, 49 inches Diameter
Main Broom, type and diameter	Tube Type, 36" X 58"
Sweeper Path	58" Main Broom, up to 120" with Gutter Brooms
Water Tank Type	Polyurethane
Water Tank Size	350 Gallons
Hopper Load Device	Squeegee or Belt Conveyor
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
<hr/>	
Base Chassis (If applicable) Price: \$	106,840
Base Body (If applicable) Price: \$	174,103
Total Base Unit Price: \$	280,943

**STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS**

**BASE UNIT
SPECIFICATION NO. 3.2**

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: Titan Machinery Inc

MAKE AND MODEL OFFERED: Schwarze M6SE Avalanche

Qty	Price	Subtotal
	\$ 280,943	\$ -

Unit Base Price:

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 327	\$ -
3.2.1.3	Three Camera System		\$ 605	\$ -
3.2.1.4	Four Camera System - w/Split Screen Monitor		\$ 914	\$ -
3.2.1.5	In-Cab Auxiliary Engine Air Filter Restriction Indicator		Standard	\$ -
3.2.1.6	12" Parabolic Mirror Set		\$ 372	\$ -
3.2.1.8	Air Horn		\$ 1,783	\$ -
3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Main Broom, Tube, Standard		Standard	\$ -
3.2.2.2	Main Broom, Strip		\$ 510	\$ -
3.2.2.3	Main Broom, Wafer		\$ 395	\$ -
3.2.2.4	Main Broom, Wafer Poly/Steel		\$ 645	\$ -
3.2.2.5	Dual Gutter Brooms		Standard	\$ -
3.2.2.6	Dual Gutter Brooms Manual Tilt		Standard	\$ -
3.2.2.7	Dual Gutter Broom In-Cab Power Tilt		\$ 1,631	\$ -
3.2.2.8	Reversible Dual Brooms		\$ 842	\$ -
3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Hydraulic Filter Restriction Alarm and Indicator		\$ 215	\$ -
3.2.3.2	Hydraulic Pressure Gauge @ Valve Bank		\$ 162	\$ -
3.2.3.3	Hydraulic Pressure Gauge @ Valve Bank w/6" Hose		\$ 188	\$ -
3.2.3.4	Block Heater (for Standard Chassis)		\$ 399	\$ -
3.2.3.5	CNG Sweeper Option (Requires CNG Chassis Below 3.2.8.1)		\$ 55,977	\$ -
3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Tire & Rim		\$ 1,694	\$ -
3.2.4.2	Spare Rim		\$ 425	\$ -
3.2.5	LIGHTS/CAB EXTERIOR OPTIONS. Use this section to list offered lights and cab exterior options.			
3.2.5.1	Rear Strobe w/Guard LED		Standard	\$ -
3.2.5.2	Rear Strobe LED (each)		Standard	\$ -
3.2.5.3	Dual Rear LED Strobes		\$ 435	\$ -
3.2.5.4	Dual Rear LED Strobes with Guards		\$ 658	\$ -
3.2.5.5	LED Floodlight (each)		\$ 215	\$ -
3.2.5.6	Traffic Guide Split Arrow board LED		\$ 1,527	\$ -
3.2.5.7	Bar light LED Rear (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 798	\$ -
3.2.5.8	Bar light LED Rear with Guard (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 851	\$ -
3.2.5.9	Hopper Dump Light		\$ 380	\$ -
3.2.5.10	Cab Mounted LED Strobe		\$ 268	\$ -
3.2.5.11	Cab Mounted LED Strobe with Guard		\$ 367	\$ -
3.2.5.12	Cab Mounted LED Bar light		\$ 851	\$ -
3.2.5.13	Cab Mounted LED Bar light with Guard		\$ 910	\$ -
3.2.5.14	Cab Mounted Dual Mirror mounted Whelen Edge Strobes		\$ 2,078	\$ -
3.2.5.15	4 Surface mounted Strobes on Rear of Sweeper		\$ 327	\$ -
3.2.5.16	Flush Mounted Rear Strobe/Turn Signals		\$ 323	\$ -
3.2.6	HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options. 3.2.6.1 or 3.2.6.3 are standard, if both are wanted - choose additional from 3.2.6.4 & 3.2.6.5			
3.2.6.1	Squeegee Conveyor w/3/16" AR Floor Plate		Standard	\$ -
3.2.6.2	Squeegee Conveyor w/1/4" AR Floor Plate ILO 7.1		\$ 825	\$ -
3.2.6.3	Belt Conveyor ILO of Squeegee Conveyor		Standard	\$ -
3.2.6.4	Additional Squeegee Conveyor		\$ 17,135	\$ -
3.2.6.5	Additional Belt Conveyor		\$ 17,665	\$ -
3.2.6.6	Extra Capacity Flights		\$ 207	\$ -
3.2.6.7	Standard Hopper		Standard	\$ -
3.2.6.8	304 Series Stainless Steel Hopper **Lifetime Warranty**		\$ 7,481	\$ -
3.2.6.9	C12 Series Stainless Steel Hopper **Lifetime Warranty**		\$ 4,668	\$ -
3.2.6.10	Hopper Load Leveler		\$ 4,628	\$ -
3.2.6.11	Hopper Dump Assist Shaker		\$ 1,263	\$ -
3.2.6.12	Load Weight Alarm & Indicator		\$ 362	\$ -

3.2.7 WATER SYSTEM OPTIONS: Use this section to offer water system options.			
3.2.7.1	High Pressure Wash-down System with hose reel	\$	4,085
3.2.7.2	High Pressure Wash-down System	\$	2,903
3.2.7.3	Additional 350 Gallon Water Tank (Cabover Only)	\$	3,198
3.2.7.4	Water Fill Strainer	\$	435

3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.			
3.2.8.1	Auto Lube System Vogel Chassis and Sweeper	\$	9,076
3.2.8.2	Auto Lube System Vogel Sweeper Only	\$	8,772
3.2.8.3	Auto Lube Fill Kit (Pump & Grease)	\$	421
3.2.8.4	Auto Lube GL2 Sweeper/Chassis	\$	11,352
3.2.8.5	Auto Lube GL2 Sweeper Only	\$	10,000
3.2.8.6	Remote Grease Point, Conveyor/Main Boom	\$	698
3.2.8.7	Toolbox, Behind Cab (Cabover Only)	\$	1,066
3.2.8.8	Additional Sweeper Manual	\$	232
3.2.8.9	Leak Detection Kit	\$	389
3.2.8.10	DC Backup Hydraulic System	\$	878
3.2.8.11	Electronic Inclinometer Indicator/Alarm	\$	1,156
3.2.8.12	Special Paint - Sweeper	\$	1,017
3.2.8.13	Special Paint - Chassis	\$	3,853
3.2.8.14	Decal Kit	Standard	\$ -
3.2.8.15	Freightliner M2 33K Dual Steer (Air)	Standard	\$ -
3.2.8.16	CNG Chassis (requires 3.2.3.5) in LOE of Freightliner	\$	39,500
3.2.8.17	Customer Supplied Other Chassis Mounting Fee	\$	2,240
3.2.8.18	Customer Supplied International Mounting Fee	\$	4,480
3.2.8.19	Customer Supplied Autocar Chassis Mounting Fee	\$	3,585
3.2.8.20	90" Magnet Bar (for Freightliner Chassis)	\$	2,208
3.2.8.21	87" Self Dumping Magnet Bar (for Freightliner Chassis)	\$	4,659
3.2.8.22	2 Year/2400 Hour Silver Warranty for Sweeper body only	\$	2,626
3.2.8.23	3 Year/3600 Hour Gold Warranty for Sweeper body only	\$	6,525
3.2.8.24	4 Year/4800 Hour Platinum Warranty for Sweeper body only	\$	9,150
3.2.8.25	5 Year/6000 Hour Diamond Warranty for Sweeper body only	\$	11,545

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan Machinery CE Location Shakopee, MN 55379 Fargo, ND 54108 Crookston, MN 56716 Hermantown, MN 55811 Rogers, MN 55374 Marshall, MN 56258 Sioux Falls, SD 57104 La Crosse, WI 54601
---	---

PRICE PER LOADED MILE:	\$ 4.50
MINIMUM DELIVERY CHARGE (if applicable)	\$ 500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 13,500
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per Used Hour from the original Contract Price \$ 30

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES N/A % Discount

*Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number: N/A

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com

Version of Excel used: Office 16

3.1 4-WHEEL STREET SWEEPER

Manufacturer	Schwarze
Make / Model	M6TE Avalanche
Type of Dump	Variable High Dump
Height of Dump	11'6"
Type of Hopper	Carbon Steel
Size of Hopper	5.0 CY
Drive Engine HP	300 HP
Drive Engine Type	Cummings L9
Engine: Tier 4 compliant? Yes or No	Yes, Tier 4F
Auxiliary Engine Type	Yanmar Tier IVF
Auxiliary Engine HP	74HP
Turning Radius	22'6"
Fuel Tank Capacity (in gallons)	56 gallon
Frame, Chassis	120,000psi
Transmission Type	Allison 3500 RDS
Rear Axle Rating	23,000lbs
Rear Suspension Rating	23,000lbs
Front Axle Rating	12,000lbs
Front Suspension Rating	12,000lbs
Brakes	Air
Steering	Integral Power Steering (Dual Steering Opt)

(continued on next page)

Tires, Front	11R 22.5
Tires, Rear	11R 22.5
Are air conditioning/tinted windows included? (If no, list price)	A/C = yes Tinted = no
Alternator (Amps)	160 AMP Chassis
Battery CCA	1350 CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Rear Alternating Flashers, Rear Strobe
LH Side Window Type	Power Window
RH Side Window Type	Power Window
Side Broom, type and diameter	Steel Digger Broom, 49 inches Diameter
Main Broom, type and diameter	Tube Type, 36" X 58"
Sweeper Path	58" Main Broom, up to 120" with Gutter Brooms
Water Tank Type	Polyurethane
Water Tank Size	350 Gallons
Hopper Load Device	Squeegee or Belt Conveyor
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
<hr/>	
Base Chassis (If applicable) Price: \$	90,564
Base Body (If applicable) Price: \$	193,863
Total Base Unit Price: \$	284,427

**STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS**

**BASE UNIT
SPECIFICATION NO. 3.2**

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: ___Titan Machinery Inc_____

MAKE AND MODEL OFFERED: ___Schwarze M6TE Avalanche

Qty	Price	Subtotal
	\$ 284,427	\$ -

Unit Base Price:

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 313	\$ -
3.2.1.3	Three Camera System		\$ 583	\$ -
3.2.1.4	Four Camera System - w/Split Screen Monitor		\$ 945	\$ -
3.2.1.5	In-Cab Auxiliary Engine Air Filter Restriction Indicator		Standard	\$ -
3.2.1.6	12" Parabolic Mirror Set (All Truck Kits)		\$ 372	\$ -
3.2.1.7	Air Filter Restrict Ind Chassis (All Truck Kits)		Standard	\$ -
3.2.1.8	Air Horn (for Freightliner Chassis)		\$ 1,785	\$ -
3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Main Broom, Tube, Standard		Standard	\$ -
3.2.2.2	Main Broom, Strip		\$ 510	\$ -
3.2.2.3	Main Broom, Wafer		\$ 408	\$ -
3.2.2.4	Main Broom, Wafer Poly/Steel		\$ 668	\$ -
3.2.2.5	Dual Gutter Brooms		Standard	\$ -
3.2.2.6	Dual Gutter Brooms Manual Tilt		Standard	\$ -
3.2.2.7	Dual Gutter Broom In-Cab Power Tilt		\$ 1,685	\$ -
3.2.2.8	Reversible Dual Broom - per side		\$ 870	\$ -
3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Auxiliary Cummins Tier 4 Engine		Standard	\$ -
3.2.3.2	Hydraulic Filter Restriction Alarm and Indicator		\$ 215	\$ -
3.2.3.3	Hydraulic Pressure Gauge @ Valve Bank		\$ 162	\$ -
3.2.3.4	Hydraulic Pressure Gauge @ Valve Bank w/6" Hose		\$ 197	\$ -
3.2.3.5	Block Heater (for Freightliner Chassis)		\$ 398	\$ -
3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Rim - (for Freightliner Chassis)		\$ 426	\$ -
3.2.4.2	Spare Tire & Rim - (for Freightliner Chassis)		\$ 1,695	\$ -
3.2.5	LIGHTS/CAB EXTERIOR OPTIONS. Use this section to list offered lights and cab exterior options.			
3.2.5.1	Rear Strobe w/Guard LED		Standard	\$ -
3.2.5.2	Rear Strobe LED (each)		Standard	\$ -
3.2.5.3	Dual Rear LED Strobes		\$ 435	\$ -
3.2.5.4	Dual Rear LED Strobes with Guards		\$ 659	\$ -
3.2.5.5	LED Floodlight (each)		\$ 215	\$ -
3.2.5.6	Traffic Guide Split Arrow board LED		\$ 1,528	\$ -
3.2.5.7	Bar light LED Rear (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 797	\$ -
3.2.5.8	Bar light LED Rear with Guard (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 850	\$ -
3.2.5.9	Hopper Dump Light LED		\$ 380	\$ -
3.2.5.10	Cab Mounted LED Strobe		\$ 268	\$ -
3.2.5.11	Cab Mounted LED Strobe with Guard		\$ 380	\$ -
3.2.5.12	Cab Mounted LED Bar light		\$ 852	\$ -
3.2.5.13	Cab Mounted LED Bar light with Guard		\$ 910	\$ -
3.2.5.14	Cab Mounted Dual Mirror mounted Whelen Edge Strobes		\$ 2,016	\$ -
3.2.5.15	4 Surface mounted Strobes on Rear of Sweeper		\$ 327	\$ -
3.2.5.16	Flush Mounted Rear Strobe/Turn Signals		\$ 336	\$ -
3.2.6	HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options.			
	3.2.6.1 or 3.2.6.3 are standard, if both are wanted - choose additional from 3.2.6.4 & 3.2.6.5			
3.2.6.1	Squeegee Conveyor w/3/16" AR Floor Plate		Standard	\$ -
3.2.6.2	Squeegee Conveyor w/1/4" AR Floor Plate ILO 7.1		\$ 825	\$ -
3.2.6.3	Belt Conveyor ILO of Squeegee Conveyor		Standard	\$ -
3.2.6.4	Additional Squeegee Conveyor		\$ 17,665	\$ -
3.2.6.5	Additional Belt Conveyor		\$ 17,665	\$ -
3.2.6.6	Extra Capacity Flights		\$ 206	\$ -
3.2.6.7	Standard Hopper		Standard	\$ -
3.2.6.8	304 Series Stainless Steel Hopper ** Lifetime Warranty**		\$ 7,715	\$ -
3.2.6.9	C12 Series Stainless Steel Hopper ** Lifetime Warranty**		\$ 4,668	\$ -
3.2.6.10	Hopper Load Leveler		\$ 4,628	\$ -
3.2.6.11	Hopper Dump Assist Shaker		\$ 1,304	\$ -
3.2.6.12	Hopper Full Alarm & Indicator		\$ 363	\$ -

3.2.7 WATER SYSTEM OPTIONS: Use this section to offer water system options.			
3.2.7.1	High Pressure Wash-down System w/hose reel	\$	4,216 \$ -
3.2.7.2	High Pressure Wash-down System	\$	2,998 \$ -
3.2.7.3	Additional 350 Gallon Water Tank (Cabover Only)	\$	3,303 \$ -
3.2.7.4	Water Fill Strainer	\$	435 \$ -
3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.			
3.2.8.1	Auto Lube System Vogel Chassis and Sweeper	\$	9,359 \$ -
3.2.8.2	Auto Lube System Vogel Sweeper Only	\$	9,045 \$ -
3.2.8.3	Auto Lube Fill Kit (Pump & Grease)	\$	435 \$ -
3.2.8.4	Auto Lube GL2 Sweeper/Chassis	\$	11,706 \$ -
3.2.8.5	Auto Lube GL2 Sweeper Only	\$	10,313 \$ -
3.2.8.6	Remote Grease Point, Conveyor/Main Boom	\$	722 \$ -
3.2.8.7	Toolbox, Behind Cab (Cabover Only)	\$	1,066 \$ -
3.2.8.8	Additional Sweeper Manual	\$	233 \$ -
3.2.8.9	Leak Detection Kit	\$	389 \$ -
3.2.8.10	DC Backup Hydraulic System	\$	909 \$ -
3.2.8.11	Electronic Inclinometer Indicator/Alarm	\$	1,192 \$ -
3.2.8.12	Special Paint - Sweeper	\$	1,017 \$ -
3.2.8.13	Special Paint - Chassis	\$	3,853 \$ -
3.2.8.14	Decal Kit	Standard	\$ -
3.2.8.15	Freightliner M2 33K DS 2500 '19 (Air) Chassis	Standard	\$ -
3.2.8.16	Peterbilt 220 RHS 33K Chassis ILO Freightliner	\$	13,406 \$ -
3.2.8.17	Peterbilt 220 Dual Steer 33K Chassis ILO Freightliner	\$	31,355 \$ -
3.2.8.18	Customer Supplied Other Chassis Mounting Fee	\$	2,312 \$ -
3.2.8.19	Customer Supplied International Mounting Fee	\$	4,615 \$ -
3.2.8.20	Customer Supplied Autocar Chassis Mounting Fee	\$	3,692 \$ -
3.2.8.21	90" Magnet Bar (for Freightliner Chassis)	\$	2,208 \$ -
3.2.8.22	87" Self Dumping Magnet Bar (for Freightliner Chassis)	\$	4,659 \$ -
3.2.8.26	2 Year/2400 Hour Silver Warranty for Sweeper body only	\$	2,626 \$ -
3.2.8.27	3 Year/3600 Hour Gold Warranty for Sweeper body only	\$	6,525 \$ -
3.2.8.28	4 Year/4800 Hour Platinum Warranty for Sweeper body only	\$	9,150 \$ -
3.2.8.29	5 Year/6000 Hour Diamond Warranty for Sweeper body only	\$	11,545 \$ -

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS **NO FLAT RATE ALLOWED**

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan Machinery CE Location Shakopee, MN 55379 Fargo, ND 54108 Crookston, MN 56716 Hermantown, MN 55811 Rogers, MN 55374 Marshall, MN 56258 Sioux Falls, SD 57104 La Crosse, WI 54601
---	---

PRICE PER LOADED MILE:	\$ 4.50
MINIMUM DELIVERY CHARGE (if applicable)	\$ 500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 13,500
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per Used Hour from the original Contract Price \$ 30

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES N/A % Discount

*Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number: N/A

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com
<i>Version of Excel used: Office 16</i>	

3.1	<u>4-WHEEL STREET SWEEPER</u>	
Manufacturer		Schwarze
Make / Model		A7 Tornado
Type of Dump		Hydraulic
Height of Dump		36"
Type of Hopper		Carbon Steel
Size of Hopper		8.4 CY
Drive Engine HP		200 HP
Drive Engine Type		Cummins ISB 6.7 Litter
Engine: Tier 4 compliant? Yes or No		Yes, Tier 4F
Auxiliary Engine Type		John Deere Diesel
Auxiliary Engine HP		134 HP
Turning Radius		23'2"
Fuel Tank Capacity (in gallons)		56 gallon
Frame, Chassis		80,000psi
Transmission Type		Allison 2500
Rear Axle Rating		21,000lbs
Rear Suspension Rating		23,500lbs
Front Axle Rating		12,000lbs
Front Suspension Rating		12,000lbs
Brakes		Air
Steering		Integral Power Steering

(continued on next page)

Tires, Front	11R 22.5
Tires, Rear	11R 22.5
Are air conditioning/tinted windows included? (If no, list price)	A/C = yes Tinted = no
Alternator (Amps)	110AMP-Chassis, 65AMP Sweeper
Battery CCA	1100CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Rear Alternating Flashers, Rear Strobe
LH Side Window Type	Power Window
RH Side Window Type	Power Window
Side Broom, type and diameter	Steel Digger Broom, 44 inches Diameter
Main Broom, type and diameter	Dual Chambered Sweeping Head, 90" Wide
Sweeper Path	90" Base, up to 144" with gutter brooms
Water Tank Type	Polyurethane
Water Tank Size	250 Gallons
Hopper Load Device	Blower Fan - Regenerative Air System
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
Base Chassis (If applicable) Price:	\$ 85,503
Base Body (If applicable) Price:	\$ 142,441
Total Base Unit Price:	\$ 227,944

**STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS**

**BASE UNIT
SPECIFICATION NO. 3.2**

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: Titan Machinery Inc

MAKE AND MODEL OFFERED: Schwarze A7 Tornado

Qty	Price	Subtotal
	\$ 227,944	\$ -

Unit Base Price:

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 287	\$ -
3.2.1.3	Three Camera System		\$ 582	\$ -
3.2.1.4	Four Camera System - w/Split Screen Monitor		\$ 945	\$ -
3.2.1.5	In-Cab Auxiliary Engine Air Filter Restriction Indicator		Standard	\$ -
3.2.1.6	Hydraulic Filter Restriction Alarm and Indicator		\$ 296	\$ -
3.2.1.7	12" Parabolic Mirror Set (All Truck Kits)		\$ 372	\$ -
3.2.1.8	Air Filter Restrict Ind Chassis (All Truck Kits)		Standard	\$ -
3.2.1.9	Air Horn (for Options Freightliner Chassis)		\$ 170	\$ -
3.2.1.10	Air Horn (for Cabover Only)		\$ 755	\$ -
3.2.1.11	Transmission Temperature Gauge (Cabover Only)		\$ 878	\$ -

3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Sweeping Head with Rubber Blast Orifice		Standard	\$ -
3.2.2.2	Sweeper Head Deluge		\$ 372	\$ -
3.2.2.3	Dual Gutter Brooms		Standard	\$ -
3.2.2.4	Tilt Power Dual Gutter Brooms		\$ 7,100	\$ -
3.2.2.5	Dual Gutter Broom Extension Override (GEO)		\$ 2,460	\$ -
3.2.2.6	Single Gutter Broom with Power Tilt		\$ 4,278	\$ -
3.2.2.7	Single Gutter Broom Extension Override (GEO)		\$ 1,317	\$ -
3.2.2.8	Gutter Broom Poly Segments (each)		\$ 224	\$ -
3.2.2.9	Gutter Broom, In-Cab Down pressure System		\$ 2,536	\$ -
3.2.2.10	Variable Speed Gutter Broom(s)		Standard	\$ -
3.2.2.11	Standby, Full w/Throttle Ramp		Standard	\$ -
3.2.2.12	Side Blast Head		\$ 1,435	\$ -

3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Auxiliary John Deere 134 HP Tier 4 Engine		Standard	\$ -
3.2.3.2	Auxiliary Engine Block Heater		\$ 336	\$ -
3.2.3.3	Low Hydraulic Level Indicator		Standard	\$ -
3.2.3.4	Block Heater (for Freightliner Chassis)		\$ 354	\$ -
3.2.3.5	Block Heater (for IH Chassis)		\$ 354	\$ -
3.2.3.6	CNG Sweeper Option ILO Std (Requires CNG Chassis Below)		\$ (9,080)	\$ -

3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Tire & Rim - (for Freightliner Chassis)		\$ 1,425	\$ -
3.2.4.2	Spare Rim - (for Freightliner Chassis)		\$ 426	\$ -
3.2.4.3	Spare Tire & Rim - (for IH Chassis)		\$ 1,425	\$ -
3.2.4.4	Spare Rim - (for IH Chassis)		\$ 233	\$ -
3.2.4.5	Spare Tire & Rim - (for Autocar Chassis)		\$ 1,425	\$ -

3.2.5	LIGHTS/CAB EXTERIOR OPTIONS. Use this section to list offered lights and cab exterior options.			
3.2.5.1	Rear Strobe w/Guard LED		Standard	\$ -
3.2.5.2	Rear Strobe LED		Standard	\$ -
3.2.5.3	Dual Rear LED Strobes		\$ 466	\$ -
3.2.5.4	Dual Rear LED Strobes with Guards		\$ 668	\$ -
3.2.5.5	Traffic Guide Arrow board		\$ 788	\$ -
3.2.5.6	Traffic Guide Arrow board LED		\$ 1,075	\$ -
3.2.5.7	Bar light LED Rear (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 721	\$ -
3.2.5.8	Bar light LED Rear with Guard (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 852	\$ -
3.2.5.9	LED Floodlight (each)		\$ 296	\$ -
3.2.5.10	Cab Mounted LED Strobe (Cabover)		\$ 443	\$ -
3.2.5.11	Cab Mounted LED Strobe (Conventional)		\$ 443	\$ -
3.2.5.12	Cab Mounted LED Strobe with Guard (Cabover)		\$ 605	\$ -
3.2.5.13	Cab Mounted LED Strobe with Guard (Conventional)		\$ 605	\$ -
3.2.5.14	Cab Bar light LED (Conventional)		\$ 695	\$ -
3.2.5.15	Cab Bar light LED w/Guard (Conventional)		\$ 815	\$ -
3.2.5.16	Cab Bar light LED (Cabover)		\$ 695	\$ -
3.2.5.17	Cab Bar light LED w/Guard (Cabover)		\$ 815	\$ -

3.2.6 HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options.

	Standard	\$	
3.2.6.1 8.4 CuYd Hopper			-
3.2.6.2 Remote Drop Down Screens	\$ 1,860		-
3.2.6.3 Auto Drop Down Screens	\$ 1,330		-
3.2.6.4 6" Stainless Steel Hopper Drain	\$ 685		-
3.2.6.5 Dual 6" Stainless Steel Hopper Drain	\$ 1,380		-
3.2.6.6 Hopper Sound Suppression	\$ 753		-
3.2.6.7 Hopper Dump Assist Shaker	\$ 1,305		-
3.2.6.8 Auxiliary Hand Hose 8" Spring Boom	\$ 1,305		-
3.2.6.9 Auxiliary Hand Hose 8" Hydraulic Assist	\$ 2,688		-
3.2.6.10 Auxiliary Hand Hose 8" "Heavy Duty" Hydraulic Assist	\$ 3,575		-
3.2.6.11 Pendant Control for Power Boom	\$ 295		-
3.2.6.12 Hand Hose Extension 4' Long	\$ 345		-
3.2.6.13 Hand Hose Water Nozzle	\$ 268		-
3.2.6.14 Hopper Deluge, Conical Spray	\$ 1,035		-
3.2.6.15 Hopper Deluge, 4 Nozzle, Conical Spray	\$ 1,600		-
3.2.6.16 Load Weight Alarm & Indicator	Standard		-
3.2.6.17 Hopper Up Alarm & Indicator	Standard		-
3.2.6.18 Hopper Aux. Engine Screen Cover	Standard		-
3.2.6.19 Hopper Door Open Indicator	Standard		-
3.2.6.20 Rear Bumper - Stow & Go Tube Support	\$ 269		-
3.2.6.21 Hopper Dump Switches both sides	\$ 466		-
3.2.6.22 High Strength Stainless Steel Hopper **Lifetime Warranty**	\$ 6,145		-
3.2.6.23 High Strength Stainless Steel Hopper & Remote Drop Down Screens	\$ 6,774		-
3.2.6.24 304 Series Stainless Steel Hopper **Lifetime Warranty**	\$ 18,485		-
3.2.6.25 304 Series Stainless Steel Hopper & Remote Drop Down Screens	\$ 20,345		-

3.2.7 WATER SYSTEM OPTIONS: Use this section to offer water system options.

	Standard	\$	
3.2.7.1 250 Gallon Water Tank			-
3.2.7.2 Additional 350 Gallon Water Tank	\$ 3,599		-
3.2.7.3 Sight Gauge on Water Tank	\$ 215		-
3.2.7.4 Low Water Level Alarm & Indicator	Standard		-
3.2.7.5 Front Bumper Spray Bar	\$ 668		-
3.2.7.6 Hopper Spray Bar with 4 Nozzles	\$ 668		-
3.2.7.7 Hopper Spray Bar with 7 Nozzles	\$ 695		-
3.2.7.8 High Pressure Wash-down System	\$ 3,163		-
3.2.7.9 High Pressure Wash-down System, w/50' Hose reel	\$ 4,323		-
3.2.7.10 Pressure Side Water Injector	\$ 448		-
3.2.7.11 Additional 100 Gallon Rear Water Tank	\$ 3,226		-

3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.

		\$	
3.2.8.1 Additional Sweeper Manual		130	-
3.2.8.2 Auto Lube System Vogel- Chassis and Sweeper		6,950	-
3.2.8.3 Auto Lube System Vogel- Sweeper Only		3,669	-
3.2.8.4 Auto Lube NLG2 - Sweeper Only		5,210	-
3.2.8.5 10 Point Remote Grease Manifold		918	-
3.2.8.6 Smart Backup Alarm 97db-107db		178	-
3.2.8.7 Work Deck with Railing (not compatible with option 3.2.7.2)		1,487	-
3.2.8.8 Leak Detection Kit		389	-
3.2.8.9 Special Paint - Sweeper		1,016	-
3.2.8.10 Special Paint - Chassis		3,207	-
3.2.8.11 Freightliner M2 33K 184" 200HP DS 2500 Chassis	Standard		-
3.2.8.12 Freightliner M2 33K 164" 200 HP DS 2500 Chassis	Standard		-
3.2.8.13 CNG Chassis ILO Freightliner		78,265	-
3.2.8.14 Peterbilt 220 33K RH Steer 2019 Chassis ILO Freightliner		15,322	-
3.2.8.15 Peterbilt 220 33K Dual Steer 2019 Chassis ILO Freightliner		33,265	-
3.2.8.16 Customer Supplied Chassis Mounting Fee		2,240	-
3.2.8.17 90" Magnet Bar (for Freightliner Chassis)		1,998	-
3.2.8.18 87" Self Dumping Magnet Bar (for Freightliner Chassis)		4,660	-
3.2.8.23 90" Magnet Bar (for Cabover only)		1,999	-
3.2.8.24 87" Self Dumping Magnet Bar (for Kenworth/Peterbilt Chassis)		4,660	-
3.2.8.25 2 Year/2400 Hour Silver Warranty for Sweeper body only		2,072	-
3.2.8.26 3 Year/3600 Hour Gold Warranty for Sweeper body only		5,140	-
3.2.8.27 4 Year/4800 Hour Platinum Warranty for Sweeper body only		7,448	-
3.2.8.28 5 Year/6000 Hour Diamond Warranty for Sweeper body only		9,464	-

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan Machinery CE Location Shakopee, MN 55379 Fargo, ND 54108 Crookston, MN 56716 Hermantown, MN 55811 Rogers, MN 55374 Marshall, MN 56258 Sioux Falls, SD 57104 La Crosse, WI 54601
---	---

PRICE PER LOADED MILE:	\$ 4.50
MINIMUM DELIVERY CHARGE (if applicable)	\$ 500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 13,500
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per Used Hour from the original Contract Price	\$ 30
--	-------

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

N/A % Discount

*Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number:	N/A
-----------------------------	-----

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com

Version of Excel used: Office 16

3.1 4-WHEEL STREET SWEEPER

Manufacturer	Schwarze
Make / Model	A7 Zephyr
Type of Dump	Hydraulic
Height of Dump	40"
Type of Hopper	Carbon Steel
Size of Hopper	8.4 CY
Drive Engine HP	200 HP
Drive Engine Type	Cummins ISB 6.7 Litter
Engine: Tier 4 compliant? Yes or No	Yes, Tier 4F
Auxiliary Engine Type	John Deere Diesel
Auxiliary Engine HP	134 HP
Turning Radius	23'2"
Fuel Tank Capacity (in gallons)	56 gallon
Frame, Chassis	80,000psi
Transmission Type	Allison 2500
Rear Axle Rating	21,000lbs
Rear Suspension Rating	23,500lbs
Front Axle Rating	12,000lbs
Front Suspension Rating	12,000lbs
Brakes	Air
Steering	Integral Power Steering

(continued on next page)

Tires, Front	11R 22.5
Tires, Rear	11R 22.5
Are air conditioning/tinted windows included? (If no, list price)	A/C = yes Tinted = no
Alternator (Amps)	110AMP-Chassis, 65AMP Sweeper
Battery CCA	1100CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Rear Alternating Flashers, Rear Strobe
LH Side Window Type	Power Window
RH Side Window Type	Power Window
Side Broom, type and diameter	Steel Digger Broom, 44 inches Diameter
Main Broom, type and diameter	Dual Chambered Sweeping Head, 90" Wide
Sweeper Path	90" Base, up to 144" with gutter brooms
Water Tank Type	Polyurethane
Water Tank Size	250 Gallons
Hopper Load Device	Blower Fan - Regenerative Air System
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
<hr/>	
Base Chassis (If applicable) Price: \$	85,503
Base Body (If applicable) Price: \$	155,868
Total Base Unit Price: \$	241,371

**STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS**

BASE UNIT
SPECIFICATION NO. 3.2

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: Titan Machinery Inc

MAKE AND MODEL OFFERED: Schwarze A7 Zephyr

Qty	Price	Subtotal
Unit Base Price:	\$ 241,371	\$ -

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 287	\$ -
3.2.1.3	Three Camera System		\$ 583	\$ -
3.2.1.4	Four Camera System - w/Split Screen Monitor		\$ 945	\$ -
3.2.1.5	In-Cab Auxiliary Engine Air Filter Restriction Indicator		Standard	\$ -
3.2.1.6	Hydraulic Filter Restriction Alarm and Indicator		\$ 295	\$ -
3.2.1.7	12" Parabolic Mirror Set (All Truck Kits)		\$ 372	\$ -
3.2.1.8	Air Filter Restrict Ind Chassis (All Truck Kits)		Standard	\$ -
3.2.1.9	Air Horn (for Cabover Only)		\$ 788	\$ -
3.2.1.10	Transmission Temperature Gauge (Cabover Only)		\$ 879	\$ -
3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Sweeping Head with Rubber Blast Orifice		Standard	\$ -
3.2.2.2	Mechani-Pneumatic Broom Assist with Left Hand Side Blaster		Standard	\$ -
3.2.2.3	Dual Gutter Brooms		Standard	\$ -
3.2.2.4	Tilt Power Dual Gutter Brooms		\$ 6,885	\$ -
3.2.2.5	Dual Gutter Broom Extension Override (GEO)		\$ 2,460	\$ -
3.2.2.6	Single Gutter Broom with Power Tilt		\$ 4,149	\$ -
3.2.2.7	Single Gutter Broom Extension Override (GEO)		\$ 1,277	\$ -
3.2.2.8	Gutter Broom Poly Segments (each)		\$ 215	\$ -
3.2.2.9	Gutter Broom, In-Cab Down pressure System		\$ 2,460	\$ -
3.2.2.10	Standby, Full w/Throttle Ramp		Standard	\$ -
3.2.2.11	Variable Speed Gutter Broom(s)		Standard	\$ -
3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Auxiliary John Deere 134 HP Tier 4 Engine		Standard	\$ -
3.2.3.2	Auxiliary Engine Block Heater		\$ 336	\$ -
3.2.3.3	Low Hydraulic Level Indicator		Standard	\$ -
3.2.3.4	Block Heater - for Chassis		\$ 354	\$ -
3.2.3.5	Engine Remote Throttle (Not on Hand Hose)		\$ 336	\$ -
3.2.3.6	CNG Sweeper Option ILO Std (Requires CNG Chassis Below)		\$ (9,588)	\$ -
3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Tire & Rim		\$ 1,425	\$ -
3.2.4.2	Spare Rim - (for Freightliner Chassis)		\$ 426	\$ -
3.2.4.4	Spare Rim - (for IH Chassis)		\$ 233	\$ -
3.2.5	LIGHTS/CAB EXTERIOR OPTIONS. Use this section to list offered lights and cab exterior options.			
3.2.5.1	Rear Strobe w/Guard LED		Standard	\$ -
3.2.5.2	Rear Strobe LED		Standard	\$ -
3.2.5.3	Dual Rear LED Strobes		\$ 466	\$ -
3.2.5.4	Dual Rear LED Strobes with Guards		\$ 668	\$ -
3.2.5.5	Traffic Guide Arrow board		\$ 788	\$ -
3.2.5.6	Traffic Guide Arrow board LED		\$ 1,075	\$ -
3.2.5.7	Bar light LED Rear (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 722	\$ -
3.2.5.8	Bar light LED Rear with Guard (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 852	\$ -
3.2.5.9	LED Floodlight (each)		\$ 295	\$ -
3.2.5.10	Cab Mounted LED Strobe		\$ 466	\$ -
3.2.5.11	Cab Mounted LED Strobe with Guard		\$ 632	\$ -
3.2.5.12	Cab Bar light LED		\$ 722	\$ -
3.2.5.13	Cab Bar light LED w/Guard		\$ 851	\$ -

3.2.6 HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options.

3.2.6.1	8.4 CuYd Hopper	Standard	\$ -
3.2.6.2	Remote Drop Down Screens	\$ 4,019	\$ -
3.2.6.3	Auto Drop Down Screens	\$ 1,330	\$ -
3.2.6.4	6" Stainless Steel Hopper Drain	\$ 685	\$ -
3.2.6.5	Dual 6" Stainless Steel Hopper Drain	\$ 1,380	\$ -
3.2.6.6	Hopper Sound Suppression	\$ 753	\$ -
3.2.6.7	Hopper Dump Assist Shaker	\$ 1,304	\$ -
3.2.6.8	Auxiliary Hand Hose 8" Spring Boom	\$ 1,304	\$ -
3.2.6.9	Auxiliary Hand Hose 8" Hydraulic Assist	\$ 2,688	\$ -
3.2.6.10	Auxiliary Hand Hose 8" "Heavy Duty" Hydraulic Assist	\$ 3,575	\$ -
3.2.6.11	Pendant Control for Power Boom	\$ 295	\$ -
3.2.6.12	Hand Hose Extension 4' Long	\$ 345	\$ -
3.2.6.13	Hand Hose Water Nozzle	\$ 268	\$ -
3.2.6.14	Hopper Deluge, Conical Spray	\$ 1,035	\$ -
3.2.6.15	Hopper Deluge, 4 Nozzle, Conical Spray	\$ 1,600	\$ -
3.2.6.16	Load Weight Alarm & Indicator	Standard	\$ -
3.2.6.17	Hopper Up Alarm & Indicator	Standard	\$ -
3.2.6.18	Hopper Aux. Engine Screen Cover	Standard	\$ -
3.2.6.19	Hopper Door Open Indicator	Standard	\$ -
3.2.6.20	Hopper Dump Switches both sides	\$ 466	\$ -
3.2.6.21	High Strength Stainless Steel Hopper **Lifetime Warranty**	\$ 6,146	\$ -
3.2.6.22	Rear Bumper - Stow & Go Tube Support	\$ 269	\$ -
3.2.6.23	304 Series Stainless Steel Hopper **Lifetime Warranty**	\$ 18,485	\$ -
3.2.6.24	304 Series Stainless Steel Hopper & Remote Drop Down Screens	\$ 20,343	\$ -

3.2.7 WATER SYSTEM OPTIONS: Use this section to offer water system options.

3.2.7.1	250 Gallon Water Tank	Standard	\$ -
3.2.7.2	Additional 350 Gallon Water Tank	\$ 3,598	\$ -
3.2.7.3	Sight Gauge on Water Tank	\$ 215	\$ -
3.2.7.4	Low Water Level Alarm & Indicator	Standard	\$ -
3.2.7.5	Front Bumper Spray Bar	\$ 668	\$ -
3.2.7.6	Hopper Spray Bar with 4 Nozzles	\$ 668	\$ -
3.2.7.7	Hopper Spray Bar with 7 Nozzles	\$ 695	\$ -
3.2.7.8	High Pressure Wash-down System	\$ 3,163	\$ -
3.2.7.9	High Pressure Wash-down System, w/50' Hose reel	\$ 4,323	\$ -

3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.

3.2.8.1	Additional Sweeper Manual	\$ 130	\$ -
3.2.8.2	Auto Lube System Vogel- Chassis and Sweeper	\$ 6,948	\$ -
3.2.8.3	Auto Lube System Vogel- Sweeper Only	\$ 3,669	\$ -
3.2.8.4	Special Paint - Sweeper	\$ 1,016	\$ -
3.2.8.5	Special Paint - Chassis	\$ 3,207	\$ -
3.2.8.6	Freightliner M2 33K 184" 200HP DS 2500 Chassis	Standard	\$ -
3.2.8.7	Freightliner M2 33K 164" 200 HP DS 2500 Chassis	Standard	\$ -
3.2.8.8	CNG Chassis ILO Freightliner (requires 3.2.3.5 above)	\$ 78,265	\$ -
3.2.8.9	Peterbilt 220 33K RH Steer Chassis ILO Freightliner	\$ 15,322	\$ -
3.2.8.10	Peterbilt 220 33K Dual Steer Chassis ILO Freightliner	\$ 33,265	\$ -
3.2.8.11	Customer Supplied Chassis Mounting Fee	\$ 2,312	\$ -
3.2.8.12	90" Magnet Bar	\$ 1,998	\$ -
3.2.8.13	87" Self Dumping Magnet Bar	\$ 4,659	\$ -
3.2.8.14	2 Year/2400 Hour Silver Warranty for Sweeper body only	\$ 2,010	\$ -
3.2.8.15	3 Year/3600 Hour Gold Warranty for Sweeper body only	\$ 4,985	\$ -
3.2.8.16	4 Year/4800 Hour Platinum Warranty for Sweeper body only	\$ 7,225	\$ -
3.2.8.17	5 Year/6000 Hour Diamond Warranty for Sweeper body only	\$ 9,178	\$ -

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan Machinery CE Location Shakopee, MN 55379 Fargo, ND 54108 Crookston, MN 56716 Hermantown, MN 55811 Rogers, MN 55374 Marshall, MN 56258 Sioux Falls, SD 57104 La Crosse, WI 54601
---	---

PRICE PER LOADED MILE:	\$ 4.50
MINIMUM DELIVERY CHARGE (if applicable)	\$ 500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 13,500
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per **Used Hour** from the original Contract Price

\$ 30

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

N/A % Discount

***Note:** The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number:

N/A

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com

Version of Excel used: Office 16

3.1 4-WHEEL STREET SWEEPER

Manufacturer	Schwarze
Make / Model	A8 Twister
Type of Dump	Variable High Dump
Height of Dump	36" to 9'6"
Type of Hopper	Carbon Steel
Size of Hopper	5.83 CY
Drive Engine HP	200 HP
Drive Engine Type	Cummins ISB 6.7 Liter
Engine: Tier 4 compliant? Yes or No	Yes, Tier 4F
Auxiliary Engine Type	John Deere Diesel
Auxiliary Engine HP	134 HP
Turning Radius	23'2"
Fuel Tank Capacity (in gallons)	56 gallon
Frame, Chassis	80,000psi
Transmission Type	Allison 2500
Rear Axle Rating	21,000lbs
Rear Suspension Rating	23,500lbs
Front Axle Rating	12,000lbs
Front Suspension Rating	12,000lbs
Brakes	Air
Steering	Integral Power Steering

(continued on next page)

Tires, Front	11R 22.5
Tires, Rear	11R 22.5
Are air conditioning/tinted windows included? (If no, list price)	A/C = yes Tinted = no
Alternator (Amps)	110AMP-Chassis, 65AMP Sweeper
Battery CCA	1100CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Rear Alternating Flashers, Rear Strobe
LH Side Window Type	Power Window
RH Side Window Type	Power Window
Side Broom, type and diameter	Steel Digger Broom, 44 inches Diameter
Main Broom, type and diameter	Dual Chambered Sweeping Head, 90" Wide
Sweeper Path	90" Base, up to 144" with gutter brooms
Water Tank Type	Polyurethane
Water Tank Size	250 Gallons
Hopper Load Device	Blower Fan - Regenerative Air System
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
<hr/>	
Base Chassis (If applicable) Price: \$	85,503
Base Body (If applicable) Price: \$	195,050
Total Base Unit Price: \$	280,553

**STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS**

**BASE UNIT
SPECIFICATION NO. 3.2**

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: Titan Machinery Inc

MAKE AND MODEL OFFERED: Schwarze A8 Twister

Qty	Price	Subtotal
	\$ 280,553	\$ -

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 287	\$ -
3.2.1.3	Three Camera System		\$ 582	\$ -
3.2.1.4	Four Camera System - w/Split Screen Monitor		\$ 945	\$ -
3.2.1.5	In-Cab Auxiliary Engine Air Filter Restriction Indicator		Standard	\$ -
3.2.1.6	12" Parabolic Mirror Set (All Truck Kits)		\$ 372	\$ -
3.2.1.7	Air Filter Restrict Ind Chassis (All Truck Kits)		Standard	\$ -
3.2.1.8	Air Horn (for Options Freightliner Chassis)		\$ 170	\$ -
3.2.1.9	Air Horn (for Cabover Only)		\$ 788	\$ -
3.2.1.10	Transmission Temperature Gauge (Cabover Only)		\$ 878	\$ -
3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Sweeping Head with Rubber Blast Orifice		Standard	\$ -
3.2.2.2	Sweeper Head Deluge		\$ 372	\$ -
3.2.2.3	Dual Gutter Brooms		Standard	\$ -
3.2.2.4	Tilt Power Dual Gutter Brooms		\$ 6,886	\$ -
3.2.2.5	Dual Gutter Broom Extension Override (GEO)		\$ 2,460	\$ -
3.2.2.6	Single Gutter Broom with Power Tilt		\$ 4,148	\$ -
3.2.2.7	Single Gutter Broom Extension Override (GEO)		\$ 1,267	\$ -
3.2.2.8	Gutter Broom Poly Segments (each)		\$ 215	\$ -
3.2.2.9	Gutter Broom, In-Cab Down pressure System		\$ 2,460	\$ -
3.2.2.10	Standby, Full w/Throttle Ramp		Standard	\$ -
3.2.2.11	Variable Speed Gutter Brooms		Standard	\$ -
3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Auxiliary John Deere 134 HP Tier 4 Engine		Standard	\$ -
3.2.3.2	Auxiliary Engine Block Heater		\$ 336	\$ -
3.2.3.3	Hydraulic Filter Restriction Alarm and Indicator		\$ 295	\$ -
3.2.3.4	Block Heater on Conventional Cab		\$ 354	\$ -
3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Tire & Rim - all Chassis		\$ 1,425	\$ -
3.2.4.2	Spare Rim - (for Freightliner Chassis)		\$ 426	\$ -
3.2.5	LIGHTS/CAB EXTERIOR OPTIONS. Use this section to list offered lights and cab exterior options.			
3.2.5.1	Three Corner Strobe on Hopper		Standard	\$ -
3.2.5.2	LED Floodlight		\$ 295	\$ -
3.2.5.3	Bar light LED Rear (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 721	\$ -
3.2.5.4	Traffic Guide Arrow board LED		\$ 1,075	\$ -
3.2.5.5	Cab Mounted Strobe - LED		\$ 363	\$ -
3.2.5.6	Cab Mounted Twin Strobe - LED		\$ 712	\$ -
3.2.5.7	Cab Mounted LED Strobe		\$ 466	\$ -
3.2.5.8	Cab Mounted LED Strobe with Guard		\$ 632	\$ -
3.2.5.9	Cab Bar light LED		\$ 721	\$ -
3.2.5.10	Cab Bar light LED w/Guard		\$ 851	\$ -
3.2.6	HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options.			
	3.2.6.1 or 3.2.6.3 are standard, if both are wanted - choose additional from 3.2.6.4 & 3.2.6.5			
3.2.6.1	Stainless Steel Hopper **Lifetime Warranty**		Standard	\$ -
3.2.6.2	Auxiliary Hand Hose HD Power Boom		\$ 3,521	\$ -
3.2.6.3	Auxiliary Hand Hose 8" Power Boom		\$ 2,652	\$ -
3.2.6.4	Pendant Control for Power Boom		\$ 287	\$ -
3.2.6.5	Hand Hose Extension 4' Long		\$ 336	\$ -
3.2.6.6	Hopper Deluge, Conical Spray		\$ 851	\$ -
3.2.6.7	Hopper Vibrator		Standard	\$ -
3.2.6.8	6" Hopper Drain		\$ 851	\$ -
3.2.6.9	Hopper Screen Vibrator		\$ 860	\$ -

3.2.7 WATER SYSTEM OPTIONS: Use this section to offer water system options.

3.2.7.1	250 Gallon Water Tank	Standard	\$	-
3.2.7.2	Additional 350 Gallon Water Tank		\$	3,598
3.2.7.3	Sight Gauge on Water Tank		\$	215
3.2.7.4	Low Water Level Alarm & Indicator	Standard	\$	-
3.2.7.5	Front Bumper Spray Bar		\$	667
3.2.7.6	Hopper Spray Bar with 4 Nozzles		\$	667
3.2.7.7	Pressure Side Water Injector		\$	448
3.2.7.8	High Pressure Wash-down System		\$	3,163
3.2.7.9	High Pressure Wash-down System, w/50' Hose reel		\$	4,323

3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.

3.2.8.1	Additional Sweeper Manual		\$	130
3.2.8.2	Auto Lube System Vogel - Chassis and Sweeper		\$	6,737
3.2.8.3	Auto Lube System Vogel- Sweeper Only		\$	3,669
3.2.8.4	NGL2 Auto Lube System Vogel - Chassis and Sweeper		\$	5,564
3.2.8.5	NGL2 Auto Lube System Vogel - Sweeper Only		\$	3,467
3.2.8.6	Remote Grease Fittings - Fan	Standard	\$	-
3.2.8.7	Leak Detection Kit		\$	390
3.2.8.8	Special Paint - Sweeper		\$	990
3.2.8.9	Special Paint - Chassis		\$	3,113
3.2.8.10	Freightliner M2 33K 184" 200 HP 2500 Chassis	Standard	\$	-
3.2.8.11	Peterbilt 220 33K RH Steer Chassis ILO Freightliner		\$	15,322
3.2.8.12	Peterbilt 220 33K Dual Steer Chassis ILO Freightliner		\$	33,265
3.2.8.13	Customer Supplied Chassis Mounting Fee		\$	2,240
3.2.8.14	90" Magnet Bar		\$	1,998
3.2.8.15	87" Self Dumping Magnet Bar		\$	4,659
3.2.8.21	2 Year/2400 Hour Silver Warranty for Sweeper body only		\$	2,548
3.2.8.22	3 Year/3600 Hour Gold Warranty for Sweeper body only		\$	6,328
3.2.8.23	4 Year/4800 Hour Platinum Warranty for Sweeper body only		\$	8,876
3.2.8.24	5 Year/6000 Hour Diamond Warranty for Sweeper body only		\$	11,195

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan
	Machinery CE Location
	Shakopee, MN 55379
	Fargo, ND 54108
	Crookston, MN 56716
	Hermantown, MN 55811
	Rogers, MN 55374
	Marshall, MN 56258
Sioux Falls, SD 57104	
La Crosse, WI 54601	

PRICE PER LOADED MILE:	\$	4.50
MINIMUM DELIVERY CHARGE (if applicable)	\$	500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 14,000
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per Used Hour from the original Contract Price \$ 30

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

N/A % Discount

*Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number: N/A

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com

Version of Excel used: Office 16

3.1 4-WHEEL STREET SWEEPER

Manufacturer	Schwarze
Make / Model	A9 Monsoon
Type of Dump	Hydraulic
Height of Dump	36"
Type of Hopper	Carbon Steel
Size of Hopper	9.6 CY
Drive Engine HP	200 HP
Drive Engine Type	Cummins ISB 6.7 Liter
Engine: Tier 4 compliant? Yes or No	Yes, Tier 4F
Auxiliary Engine Type	John Deere Diesel
Auxiliary Engine HP	134 HP
Turning Radius	23'2"
Fuel Tank Capacity (in gallons)	56 gallon
Frame, Chassis	80,000psi
Transmission Type	Allison 2500
Rear Axle Rating	21,000lbs
Rear Suspension Rating	23,500lbs
Front Axle Rating	12,000lbs
Front Suspension Rating	12,000lbs
Brakes	Air
Steering	Integral Power Steering

(continued on next page)

Tires, Front	11R 22.5
Tires, Rear	11R 22.5
Are air conditioning/tinted windows included? (If no, list price)	A/C = yes Tinted = no
Alternator (Amps)	110AMP-Chassis, 65AMP Sweeper
Battery CCA	1100CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Rear Alternating Flashers, Rear Strobe
LH Side Window Type	Power Window
RH Side Window Type	Power Window
Side Broom, type and diameter	Steel Digger Broom, 44 inches Diameter
Main Broom, type and diameter	Dual Chambered Sweeping Head, 90" Wide
Sweeper Path	90" Base, up to 144" with gutter brooms
Water Tank Type	Polyurethane
Water Tank Size	250 Gallons
Hopper Load Device	Blower Fan - Regenerative Air System
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
<hr/>	
Base Chassis (If applicable) Price: \$	85,503
Base Body (If applicable) Price: \$	159,514
Total Base Unit Price: \$	245,017

STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS

BASE UNIT
SPECIFICATION NO. 3.2

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: ___Titan Machinery Inc_____

MAKE AND MODEL OFFERED: ___Schwarze A9 Monsoon

Qty	Price	Subtotal
Unit Base Price:	\$ 245,017	\$ -

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 287	\$ -
3.2.1.3	Three Camera System		\$ 582	\$ -
3.2.1.4	Four Camera System - w/Split Screen Monitor		\$ 945	\$ -
3.2.1.5	In-Cab Auxiliary Engine Air Filter Restriction Indicator		Standard	\$ -
3.2.1.6	In-Cab Chassis Air Filter Restriction Indicator		Standard	\$ -
3.2.1.7	12" Parabolic Mirror Set (All Truck Kits)		\$ 372	\$ -
3.2.1.8	Transmission Temperature Gauge (Cabover Only)		\$ 878	\$ -
3.2.1.9	Hour Meter Gauge (for Cabover Chassis)		\$ 797	\$ -
3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Sweeping Head with Rubber Blast Orifice		Standard	\$ -
3.2.2.2	Sweeper Head Deluge		\$ 372	\$ -
3.2.2.3	Dual Gutter Brooms		Standard	\$ -
3.2.2.4	Tilt Power Dual Gutter Brooms		\$ 6,886	\$ -
3.2.2.5	Dual Gutter Broom Extension Override (GEO)		\$ 2,460	\$ -
3.2.2.6	Single Gutter Broom with Power Tilt		\$ 4,148	\$ -
3.2.2.7	Single Gutter Broom Extension Override (GEO)		\$ 1,277	\$ -
3.2.2.8	Gutter Broom Poly Segments (each)		\$ 215	\$ -
3.2.2.9	Gutter Broom, In-Cab Down pressure System		\$ 2,460	\$ -
3.2.2.10	Side Blast Head		\$ 448	\$ -
3.2.2.11	Standby, Full w/Throttle Ramp		Standard	\$ -
3.2.2.12	Variable Speed Gutter Broom(s)		Standard	\$ -
3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Auxiliary John Deere 134 HP Tier 4 Engine		Standard	\$ -
3.2.3.2	Auxiliary Engine Block Heater		\$ 336	\$ -
3.2.3.3	Hydraulic Filter Restriction Alarm & Ind		\$ 296	\$ -
3.2.3.4	Block Heater for Conventional Chassis		\$ 354	\$ -
3.2.3.5	CNG Sweeper Option (Requires CNG Chassis Below)		\$ (13,790)	\$ -
3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Tire & Rim		\$ 1,425	\$ -
3.2.4.2	Spare Rim - (for Freightliner Chassis)		\$ 426	\$ -
3.2.5	LIGHTS/CAB EXTERIOR OPTIONS: Use this section to list offered lights and cab exterior options.			
3.2.5.1	Rear Strobe w/Guard LED		Standard	\$ -
3.2.5.2	Rear Strobe LED (each)		Standard	\$ -
3.2.5.3	Dual Rear LED Strobes		\$ 466	\$ -
3.2.5.4	Dual Rear LED Strobes with Guards		\$ 668	\$ -
3.2.5.5	Traffic Guide Arrow board		\$ 788	\$ -
3.2.5.6	Traffic Guide Arrow board LED		\$ 1,075	\$ -
3.2.5.7	Bar light LED Rear (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 851	\$ -
3.2.5.8	Bar light LED Rear with Guard (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 721	\$ -
3.2.5.9	LED Floodlight (each)		\$ 296	\$ -
3.2.5.10	Cab Mounted LED Strobe		\$ 466	\$ -
3.2.5.11	Cab Mounted LED Strobe with Guard		\$ 632	\$ -
3.2.5.12	Cab Bar light LED		\$ 721	\$ -
3.2.5.13	Cab Bar light LED w/Guard		\$ 851	\$ -

3.2.6 HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options.

3.2.6.1 or 3.2.6.3 are standard, if both are wanted - choose additional from 3.2.6.4 & 3.2.6.5

3.2.6.1	Hopper	Standard	\$ -
3.2.6.2	Remote Drop Down Screens	\$ 2,249	\$ -
3.2.6.3	Auto Drop Down Screens	\$ 1,331	\$ -
3.2.6.4	6" Stainless Steel Hopper Drain	\$ 685	\$ -
3.2.6.5	Hopper Sound Suppression	\$ 753	\$ -
3.2.6.6	Hopper Dump Assist Shaker	\$ 1,304	\$ -
3.2.6.7	Auxiliary Hand Hose 8" Spring Boom	\$ 1,304	\$ -
3.2.6.8	Auxiliary Hand Hose 8" Hydraulic Assist	\$ 2,688	\$ -
3.2.6.9	Auxiliary Hand Hose 8" "Heavy Duty" Hydraulic Assist	\$ 3,575	\$ -
3.2.6.10	Pendant Control for Power Boom	\$ 296	\$ -
3.2.6.11	Hand Hose Extension 4' Long	\$ 345	\$ -
3.2.6.12	Hand Hose Water Nozzle	\$ 269	\$ -
3.2.6.13	Hopper Deluge, Conical Spray	\$ 1,035	\$ -
3.2.6.14	Hopper Deluge, 4 Nozzle, Conical Spray	\$ 1,600	\$ -
3.2.6.15	Hopper Up Alarm & Indicator	Standard	\$ -
3.2.6.16	Hopper Aux. Engine Screen Cover	Standard	\$ -
3.2.6.17	Hopper Dump Switches Exterior Right Side Only (ILO Standard Left)	Standard	\$ -
3.2.6.18	Hopper Dump Switches Exterior Both Sides	\$ 466	\$ -
3.2.6.19	Pressure Side Water Injector	\$ 448	\$ -
3.2.6.20	High Strength Stainless Steel Hopper **Lifetime Warranty**	\$ 8,668	\$ -
3.2.6.21	304 Series Stainless Steel Hopper **Lifetime Warranty**	\$ 19,215	\$ -
3.2.6.22	304 Series Stainless Steel Hopper & Remote Drop Down Screens **Lifetime Warranty**	\$ 20,054	\$ -

3.2.7 WATER SYSTEM OPTIONS: Use this section to offer water system options.

3.2.7.1	250 Gallon Water Tank	Standard	\$ -
3.2.7.2	Additional 350 Gallon Water Tank	\$ 3,597	\$ -
3.2.7.3	Sight Gauge on Water Tank	\$ 215	\$ -
3.2.7.4	Low Water Level Alarm & Indicator	Standard	\$ -
3.2.7.5	Front Bumper Spray Bar	\$ 668	\$ -
3.2.7.6	Hopper Spray Bar add 4 Nozzles	\$ 668	\$ -
3.2.7.7	Hopper Spray Bar add 7 Nozzles	\$ 694	\$ -
3.2.7.8	High Pressure Wash-down System	\$ 3,163	\$ -
3.2.7.9	High Pressure Wash-down System, w/50' Hose reel	\$ 4,323	\$ -
3.2.7.10	Additional 100 Gallon Rear Water Tank	\$ 3,225	\$ -

3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.

3.2.8.1	Additional Sweeper Manual	Standard	\$ -
3.2.8.2	Auto Lube System Vogel - Chassis and Sweeper	\$ 6,948	\$ -
3.2.8.3	Auto Lube System Vogel- Sweeper Only	\$ 3,669	\$ -
3.2.8.4	NGL2 Auto Lube System Vogel - Sweeper Only	\$ 5,210	\$ -
3.2.8.5	10 Point Remote Grease Manifold	\$ 918	\$ -
3.2.8.6	Smart Backup Alarm 97db-107db	\$ 179	\$ -
3.2.8.7	Work Deck with Railing (not compatible with option 3.2.7.2)	\$ 1,487	\$ -
3.2.8.8	Leak Detection Kit	\$ 390	\$ -
3.2.8.9	Special Paint - Sweeper	\$ 1,017	\$ -
3.2.8.10	Special Paint - Chassis	\$ 3,208	\$ -
3.2.8.11	Freightliner M2 33K 184" 200HP DS Chassis	Standard	\$ -
3.2.8.12	Freightliner M2 33K 164" 200HP DS Chassis	Standard	\$ -
3.2.8.13	CNG Chassis ILO Freightliner (requires 3.2.3.5 above)	\$ 78,265	\$ -
3.2.8.14	Peterbilt 220 33K RH Steer 2019 Chassis ILO Freightliner	\$ 15,322	\$ -
3.2.8.15	Peterbilt 220 33K Dual Steer 2019 Chassis ILO Freightliner	\$ 33,265	\$ -
3.2.8.16	Customer Supplied Chassis Mounting Fee	\$ 2,240	\$ -
3.2.8.17	90" Magnet Bar	\$ 1,998	\$ -
3.2.8.18	87" Self Dumping Magnet Bar	\$ 4,659	\$ -
3.2.8.19	2 Year/2400 Hour Silver Warranty for Sweeper body only	\$ 2,100	\$ -
3.2.8.20	3 Year/3600 Hour Gold Warranty for Sweeper body only	\$ 5,236	\$ -
3.2.8.21	4 Year/4800 Hour Platinum Warranty for Sweeper body only	\$ 7,336	\$ -
3.2.8.22	5 Year/6000 Hour Diamond Warranty for Sweeper body only	\$ 9,402	\$ -

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan Machinery CE Location Shakopee, MN 55379 Fargo, ND 54108 Crookston, MN 56716 Hermantown, MN 55811 Rogers, MN 55374 Marshall, MN 56258 Sioux Falls, SD 57104 La Crosse, WI 54601
---	---

PRICE PER LOADED MILE: \$ 4.50
MINIMUM DELIVERY CHARGE (if applicable) \$ 500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 15,000
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per Used Hour from the original Contract Price	\$ 30
--	-------

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

N/A % Discount

*Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number:	N/A
-----------------------------	-----

STREET SWEEPER : 4-WHEEL SWEEPER UNITS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 3.1
SWIFT EVENT NO. XXXX

FILE NO. S843-12102018

Vendor Name:	Titan Machinery Inc.
Contact Person:	Andy Bethel
Street Address:	644 East Beaton Drive
PO Box:	
City, State, Zip	West Fargo, ND 58078
Phone #:	952-445-5400
Toll Free #:	800-795-9274
Fax #:	952-445-0365
Email Address:	andy.bethel@titanmachinery.com
Website:	www.titanmachinery.com

Version of Excel used: Office 16

3.1 4-WHEEL STREET SWEEPER

Manufacturer	Schwarze
Make / Model	Hypervac
Type of Dump	Hydraulic
Height of Dump	45"
Type of Hopper	Carbon Steel
Size of Hopper	7.8 CY
Drive Engine HP	220 HP
Drive Engine Type	Paccar
Engine: Tier 4 compliant? Yes or No	Yes, Tier 4F
Auxiliary Engine Type	John Deere Diesel
Auxiliary Engine HP	134HP
Turning Radius	23'2"
Fuel Tank Capacity (in gallons)	56 gallon
Frame, Chassis	120,000psi
Transmission Type	Allison 2500
Rear Axle Rating	21,000lbs
Rear Suspension Rating	23,500lbs
Front Axle Rating	12,000lbs
Front Suspension Rating	12,000lbs
Brakes	Air
Steering	Integral Power Steering

(continued on next page)

Tires, Front	11R 22.5
Tires, Rear	11R 22.5
Are air conditioning/tinted windows included? (If no, list price)	A/C = yes Tinted = no
Alternator (Amps)	110AMP-Chassis, 65AMP Sweeper
Battery CCA	1400CCA
Gauges	Full Gauge Package
Electrical Protection Type	Breakers
Lights other than operating lights	Rear Alternating Flashers, Rear Strobe
LH Side Window Type	Manual
RH Side Window Type	Manual
Side Broom, type and diameter	Steel Digger Broom, 39 inches Diameter
Main Broom, type and diameter	Vacuum Head, 96" Wide
Sweeper Path	96" Base, up to 134" with gutter brooms
Water Tank Type	Polyurethane
Water Tank Size	250 Gallons
Hopper Load Device	Blower Fan - Regenerative Air System
Warranty (Months, Years, Hours, Etc.)	1yr / 1200hrs - Sweeper
<hr/>	
Base Chassis (If applicable) Price: \$	89,599
Base Body (If applicable) Price: \$	193,962
Total Base Unit Price: \$	283,561

**STREET SWEEPER : 4-WHEEL SWEEPER OPTIONS
REQUIREMENTS**

**BASE UNIT
SPECIFICATION NO. 3.2**

SWIFT EVENT NO. XXXX

Note: Responder must provide a response to the lines highlighted in yellow below. If needed, upload catalogs on a separate attachment and submit with the response.

VENDOR NAME: ___Titan Machinery Inc_____

MAKE AND MODEL OFFERED: ___Schwarze Hypervac

Qty	Price	Subtotal
Unit Base Price:	\$ 283,561	\$ -

Spec No.	Description	Qty	Price	Subtotal
3.2.1	CAB ACCESSORIES/OPTIONS: Use this section to list operator station accessories/options.			
3.2.1.1	Single Camera System		Standard	\$ -
3.2.1.2	Dual Camera System		\$ 287	\$ -
3.2.1.3	Three Camera System		\$ 582	\$ -
3.2.1.4	Four Camera System		\$ 945	\$ -
3.2.1.5	Four Camera System W/Split Screen		\$ 2,173	\$ -
3.2.1.6	In-Cab Chassis Air Filter Restriction Indicator		Standard	\$ -
3.2.1.7	12" Parabolic Mirror Set (All Truck Kits)		\$ 372	\$ -
3.2.1.8	Air Filter Restrict Ind Chassis (All Truck Kits)		Standard	\$ -
3.2.1.9	Air Horn (for Cabover Chassis)		\$ 788	\$ -
3.2.1.10	Transmission Temp Gauge (Cabover Chassis)		\$ 878	\$ -
3.2.1.11	Hour Meter Gauge (for Kenworth/Peterbilt Chassis)		\$ 797	\$ -
3.2.1.12	In-Cab Chassis Air Filter Restriction Indicator		Standard	\$ -
3.2.2	SWEEPER OPTIONS: Use this section to list broom/sweeping options.			
3.2.2.1	Steel Bristles		Standard	\$ -
3.2.2.2	Poly/Wire Bristles ILO Steel Bristles		\$ 23	\$ -
3.2.2.3	All Ploy Bristles ILO Steel Bristles		\$ 23	\$ -
3.2.3	ENGINE/TRANSMISSION OPTIONS: Offer engine and powertrain options. Any engines that are Tier 4 compliant must be identified as a Tier 4 engine.			
3.2.3.1	Auxiliary John Deere 134 HP Tier 4 Engine		Standard	\$ -
3.2.3.2	Auxiliary Engine Block Heater		\$ 336	\$ -
3.2.3.3	Remote Engine Throttle		\$ 336	\$ -
3.2.4	TIRE/RIM OPTIONS: Use this section to list offered tire/rim options.			
3.2.4.1	Spare Tire & Rim		\$ 1,425	\$ -
3.2.5	LIGHTS/CAB EXTERIOR OPTIONS. Use this section to list offered lights and cab exterior options.			
3.2.5.1	Rear Strobe w/Guard LED		Standard	\$ -
3.2.5.2	Rear Strobe LED (each)		Standard	\$ -
3.2.5.3	Dual Rear LED Strobes		\$ 466	\$ -
3.2.5.4	Dual Rear LED Strobes with Guards		\$ 668	\$ -
3.2.5.5	Traffic Guide Arrow board LED		\$ 1,075	\$ -
3.2.5.6	Bar light LED Rear (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 721	\$ -
3.2.5.7	Bar light LED Rear with Guard (Bar light rear option is in Lieu of Standard rear Strobe)		\$ 851	\$ -
3.2.5.8	LED Floodlight (each)		\$ 296	\$ -
3.2.5.9	Cab Mounted LED Strobe		\$ 444	\$ -
3.2.5.11	Cab Mounted LED Strobe with Guard		\$ 605	\$ -
3.2.5.13	Cab Bar light LED		\$ 694	\$ -
3.2.5.14	Cab Bar light LED w/Guard		\$ 815	\$ -
3.2.6	HOPPER ACCESSORY OPTIONS: Use this section to offer hopper accessory options. 3.2.6.1 or 3.2.6.3 are standard, if both are wanted - choose additional from 3.2.6.4 & 3.2.6.5			
3.2.6.1	8.4 CuYd Hopper		Standard	\$ -
3.2.6.2	6" Hopper Drain		\$ 685	\$ -
3.2.6.3	Hopper Sound Suppression		\$ 753	\$ -
3.2.6.4	Hopper Dump Assist Shaker		\$ 1,304	\$ -
3.2.6.5	Auxiliary Hand Hose 8" Power Boom		\$ 2,688	\$ -
3.2.6.6	Auxiliary Hand Hose 8" "Heavy Duty" Hydraulic Assist		\$ 3,575	\$ -
3.2.6.7	Hand Hose Extension 4' Long		\$ 345	\$ -
3.2.6.8	Hopper Deluge, Conical Spray		\$ 1,035	\$ -
3.2.6.9	Hand Hose Water Nozzle		\$ 269	\$ -
3.2.6.10	Remote Drop Down Screen		\$ 2,150	\$ -
3.2.6.11	Rear Bumper - Stow & Go Tube Support		\$ 421	\$ -
3.2.6.12	Hopper Dump Switches Exterior Right Side		\$ 242	\$ -
3.2.6.13	Hopper Dump Switches Exterior Left Side		\$ 242	\$ -
3.2.7	WATER SYSTEM OPTIONS: Use this section to offer water system options.			
3.2.7.1	250 Gallon Water Tank		Standard	\$ -
3.2.7.2	High Pressure Wash-down Wand W/ Pump		\$ 3,163	\$ -
3.2.7.3	High Pressure Wash-down W/ 50' Hose Reel		\$ 4,323	\$ -
3.2.7.4	High Pressure Front Spray bar W/ 50' Hose Reel		\$ 9,404	\$ -
3.2.7.5	Low pressure Front Spray Bar		\$ 668	\$ -

3.2.8 OTHER OPTIONS: Use this section to offer other options, if applicable.

3.2.8.1	Additional Sweeper Manual		\$	135	\$	-
3.2.8.2	6 Point Remote Grease Manifold		\$	926	\$	-
3.2.8.3	Remove Fan Grease Fittings			Standard	\$	-
3.2.8.4	Special Paint - Sweeper		\$	1,032	\$	-
3.2.8.5	Special Paint - Chassis		\$	3,250	\$	-
3.2.8.6	Freightliner M2 33K 184" 200HP DS Chassis			Standard	\$	-
3.2.8.7	Peterbilt 220 33K 220HP RH Steer Chassis		\$	11,183	\$	-
3.2.8.8	Peterbilt 220 33K 220HP Dual Steer Chassis		\$	29,125	\$	-
3.2.8.9	Customer Supplied Chassis Mounting Fee		\$	2,240		
3.2.8.10	Magnet Bar - self dumping		\$	2,020	\$	-
3.2.8.11	2 Year/2400 Hour Silver Warranty for Sweeper body only		\$	2,486	\$	-
3.2.8.12	3 Year/3600 Hour Gold Warranty for Sweeper body only		\$	6,171	\$	-
3.2.8.13	4 Year/4800 Hour Platinum Warranty for Sweeper body only		\$	8,937	\$	-
3.2.8.14	5 Year/6000 Hour Diamond Warranty for Sweeper body only		\$	11,357	\$	-

Price: \$ -

3.2.9 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

NO FLAT RATE ALLOWED

DELIVERY STARTING POINT - City, State, Zip	Nearest Titan Machinery CE Location Shakopee, MN 55379 Fargo, ND 54108 Crookston, MN 56716 Hermantown, MN 55811 Rogers, MN 55374 Marshall, MN 56258 Sioux Falls, SD 57104 La Crosse, WI 54601
---	--

PRICE PER LOADED MILE:	\$	4.50
MINIMUM DELIVERY CHARGE (if applicable)	\$	500.00

3.2.10 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price.

Hourly Rental Rate:	N/A
Weekly Rental Rate:	N/A
Monthly Rental Rate:	\$ 15,000
Percent (%) of Rental Fee applied to purchase price:	80.0%

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

3.2.11 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

DEDUCT cost per Used Hour from the original Contract Price \$ 30

3.2.12 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES

N/A % Discount

*Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.

Price List Date and Number: N/A