

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
13.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, 3600-TOWGA Tow Behind Airport Broom
	Purpose and Intended Use (Area)	Airport Snow Removal
	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Additional Uses for Equipment (if any)	
	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Drive Engine Description	320 HP, electronic turbocharged diesel engine, T4F EPA emission certified
	Auxiliary Engine Description	n/a
	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
	Type of Drive Unit required for attachment	Truck
	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
	TOTAL PRICE:	\$ 190,177.88

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Broom Head Options:	
13.1	14 foot broom head in place of 12 foot	\$ 1,216.24
13.2	16 foot broom head in place of 12 foot	\$ 2,838.26
13.3	18 foot broom head in place of 12 foot	\$ 4,289.95
	Broom Engine Options:	
13.4	Broom engine oil pan heater, pad type	\$ 721.71
13.5	Broom engine block heater, immersion type	\$ 498.73
13.6	Battery trickle charger, 1.5 amp	\$ 577.49

13.7	Battery charger, 20 amp	\$	656.23
13.8	Battery heater, pad type	\$	1,086.71
13.90	Hydraulic oil tank heater, pad type	\$	605.48
13.10	Coolant filter	\$	429.19
13.11	Remote battery jump start lugs	\$	356.95
13.12	Fuel heater, pad type	\$	721.71
	Broom General Options:		
13.13	Broom head marker lights	\$	874.97
13.14	Broom speed tachometer	\$	769.98
13.15	Automatic brush pattern adjustment	\$	855.73
13.16	Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	\$	565.23
16.17	Broom hydrostatic pressure guage	\$	495.23
13.18	Vibrator	\$	2,548.13
13.19	Rear view camera system, color (Includes rear facing LED flood lights)	\$	2,082.43
13.20	Fully functional MDC controls in broom engine enclosure	\$	2,512.03
	Broom Hood Option:		
13.21	Snowshed hood for 12 foot broom head	\$	3,027.40
13.22	Snowshed hood for 14 foot broom head	\$	3,377.38
13.23	Snowshed hood for 16 foot broom head	\$	3,464.89
13.24	Snowshed hood for 18 foot broom head	\$	3,552.37
	Broom Wafer Options:		
13.25	All steel 8.5# wire wafers in place of all poly on 12 foot broom	\$	499.60
13.26	All steel 8.5# wire wafers in place of all poly on 14 foot broom	\$	564.35
13.27	All steel 8.5# wire wafers in place of all poly on 16 foot broom	\$	643.10
13.28	All steel 8.5# wire wafers in place of all poly on 18 foot broom	\$	721.85
13.29	5# poly. 8.5# wire, 50/50 wafers in place of all poly on 12 foot broom	\$	249.81
13.30	5# poly. 8.5# wire, 50/50 wafers in place of all poly on 14 foot broom	\$	285.67
13.31	5# poly. 8.5# wire, 50/50 wafers in place of all poly on 16 foot broom	\$	321.55
13.32	5# poly. 8.5# wire, 50/50 wafers in place of all poly on 18 foot broom	\$	360.92
	Broom Spare Parts:		
13.33	Spare set 12 foot cores	\$	4,794.83
13.34	Spare set 14 foot cores	\$	4,987.33
13.35	Spare set 16 foot cores	\$	5,108.08
13.36	Spare set 18 foot cores	\$	5,262.07
13.37	Set of four broom carts, non-adjustable	\$	1,133.96
13.38	Spare caster tire and wheel, nitrogen filled	\$	664.97
13.39	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$	880.21
13.40	Spare caster tire and wheel, foam filled	\$	507.48
13.41	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	708.73
	TOWGA Tow Airport Broom Options:		
13.42	Nose wheel front steer axle with pintle eye drawbar in place of pintle drawbar	\$	3,762.37
13.43	Fifth wheel type hitch, 2 inch kingpin with height adjustment in place of drawbar. Recepticle on tow chassis not included.	\$	1,445.45
13.44	Air brake system in place of electric brake system	\$	1,220.58
13.45	13,200 pound steering axle with air brakes, controlled by broom to chassis connection. Closed loop electronic controlled steering system with automatic drift control and provisions for centering and disengaging the axle steering system by the operator	\$	6,738.71
	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	8.16
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
13.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, 3600-TRT Tractor Mounted Airport Broom
	Purpose and Intended Use (Area)	Airport Snow Removal
	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Additional Uses for Equipment (if any)	
	Does Equipment have an Engine(s)?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
	Drive Engine Description	n/a
	Auxiliary Engine Description	n/a
	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Is the Equipment an Attachment?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Type of Drive Unit required for attachment	Tractor with minimum 120 HP PTO
	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
	TOTAL PRICE:	\$ 57,703.28

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Broom Head Options:	
13.1	14 foot broom head in place of 12 foot	\$ 1,277.41
13.2	16 foot broom head in place of 12 foot	\$ 2,981.00
	Broom General Options:	
13.3	Broom head marker lights	\$ 918.97
13.4	Vibrator	\$ 2,676.28
	Broom Hood Option:	
13.5	Snowshed hood for 12 foot broom head	\$ 3,179.65

13.6	Snowshed hood for 14 foot broom head	\$	3,547.23
13.7	Snowshed hood for 16 foot broom head	\$	3,639.14
Broom Wafer Options:			
13.8	All steel 8.5# wire wafers in place of all poly on 12 foot broom	\$	524.73
13.9	All steel 8.5# wire wafers in place of all poly on 14 foot broom	\$	592.74
13.10	All steel 8.5# wire wafers in place of all poly on 16 foot broom	\$	675.44
13.11	5# poly. 8.5# wire, 50/50 wafers in place of all poly on 12 foot broom	\$	262.36
13.12	5# poly. 8.5# wire, 50/50 wafers in place of all poly on 14 foot broom	\$	300.04
13.13	5# poly. 8.5# wire, 50/50 wafers in place of all poly on 16 foot broom	\$	337.72
Broom Spare Parts:			
13.14	Spare set 12 foot cores	\$	5,035.97
13.15	Spare set 14 foot cores	\$	5,238.15
13.16	Spare set 16 foot cores	\$	5,364.96
13.17	Set of four broom carts, non-adjustable	\$	1,190.99
13.18	Spare caster tire and wheel, nitrogen filled	\$	698.42
13.19	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$	924.49
13.20	Spare caster tire and wheel, foam filled	\$	533.00
13.21	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	744.37

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	4.08
Starting Point: City, State, Zip:			

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for:	13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT
------------------	---

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, M-B All Wheel Drive Kit
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
7.0	Drive Engine Description	n/a
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	International Truck chassis
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 133,088.66

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	All wheel drive option (only select one of 13.1, 13.2, 13.3)	
13.1	6x6 all wheel drive, 2 wheel steer kit in place of 4x4, 2 wheel steer kit; Add to base unit price:	\$ 18,258.16
	All wheel steer option	
13.2	price:	
13.3	price:	\$ 54,112.24
		\$ 103,376.53
13.4	Spare 445/65R22.5 chassis tire and aluminum wheel; Add to base unit price:	\$ 2,346.94

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	5.75
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, MB2 Heavy Duty Plow Chassis
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 435,208.82

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Chassis Power Package Option	
13.1	500 HP, electronic turbocharged diesel engine, T4F EPA emission certified in place of 380 HP T4F engine	\$ 10,228.47
	Chassis Options:	
13.2	Four wheel steering with 27,000 pound rear drive/steer axle	\$ 20,482.28
13.3	Engine oil pan heater, pad type	\$ 721.71
13.4	Engine block heater, immersion type	\$ 498.73
13.5	Battery trickle charger, 1.5 amp	\$ 577.49

13.6	Battery charger, 20 amp	\$	656.23
13.7	Battery heater, pad type	\$	1,065.02
13.8	Remote battery jump start lugs	\$	356.95
13.9	Remote air fill port	\$	214.27
13.10	Hydraulic oil tank heater, pad type	\$	605.48
13.11	Fuel heater, immersion tank type	\$	721.71
13.12	Coolant filter	\$	216.66
13.13	Eight inch reflective stripe	\$	853.09
13.14	Numbers and lettering on unit	\$	626.92
13.15	Rustproofing: under floor, fenders and battery box	\$	859.15
13.16	Rear mounted pintle hook	\$	236.24
13.17	Spare chassis tire and wheel	\$	2,495.41
13.18	Chassis Cab Options:		
13.19	Air Conditioning	\$	3,762.37
13.20	Deluge System (Requires side door wipers)	\$	2,138.27
13.21	Side door window wipers	\$	857.47
13.22	Heated option for side door window wipers	\$	378.68
13.23	Heated option for windshield wipers	\$	554.07
13.24	Radio, AM/FM with weather band and CD player	\$	647.48
13.25	lights)	\$	861.75
13.26	Golight Strkyer remote spot light on cab, (1)	\$	468.72
13.27	HID lights on cab light bar, flood, (2)	\$	1,828.69
13.28	HID lights on cab light bar, trapezoid, (2)	\$	1,701.26
13.29	HID lights on cab light bar, spot, (2)	\$	1,714.95
13.30	LED lights on cab light bar, flood, (2)	\$	1,076.68
13.31	LED lights on cab light bar, trapezoid, (2)	\$	1,008.75
13.32	LED lights on cab light bar, spot, (2)	\$	1,016.81
13.33	Rear facing LED flood lights, (2)	\$	380.66
13.34	Amber snow plow lights on cab light bar, (2)	\$	524.16
13.35	Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	\$	266.64
13.36	Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket	\$	324.91
	Reversible Plow Options:		
13.37	Flared end moldboard in place of straight end moldboard	\$	2,738.57
13.38	Plow trip moldboard	\$	2,197.82
13.39	Hands free hitch	\$	1,495.69
	Reversible Plow Width Options;		
13.40	16 foot plow in place of 14 foot plow	\$	1,326.78
13.41	18 foot plow in place of 14 foot plow	\$	1,946.75
13.42	20 foot plow in place of 14 foot plow	\$	2,566.72
13.43	22 foot plow in place of 14 foot plow	\$	3,186.69
13.44	24 foot plow in place of 14 foot plow	\$	3,806.66
	Plow cutting edges:		
13.45	Poly cutting edge in place of steel cutting edge, 14 foot	\$	1,347.65
13.46	Poly cutting edge in place of steel cutting edge, 16 foot	\$	1,458.99
13.47	Poly cutting edge in place of steel cutting edge, 18 foot	\$	1,570.34
13.48	Poly cutting edge in place of steel cutting edge, 20 foot	\$	1,680.26
13.49	Poly cutting edge in place of steel cutting edge, 22 foot	\$	1,791.62
13.50	Poly cutting edge in place of steel cutting edge, 24foot	\$	1,902.98
13.51	Kueper cutting edge in place of steel cutting edge, 14 foot	\$	3,216.69
13.52	Kueper cutting edge in place of steel cutting edge, 16 foot	\$	3,591.84
13.53	Kueper cutting edge in place of steel cutting edge, 18 foot	\$	3,965.80
13.54	Kueper cutting edge in place of steel cutting edge, 20 foot	\$	4,339.63
13.55	Kueper cutting edge in place of steel cutting edge, 22 foot	\$	4,713.58

13.56	Kueper cutting edge in place of steel cutting edge, 24 foot	\$	5,087.43
13.57	Carbide cutting edge in place of steel cutting edge, 14 foot	\$	1,601.28
13.58	Carbide cutting edge in place of steel cutting edge, 16 foot	\$	1,749.68
13.59	Carbide cutting edge in place of steel cutting edge, 18 foot	\$	1,917.25
13.60	Carbide cutting edge in place of steel cutting edge, 20 foot	\$	2,065.71
13.61	Carbide cutting edge in place of steel cutting edge, 22 foot	\$	2,215.62
13.62	Carbide cutting edge in place of steel cutting edge, 24 foot	\$	2,365.50
13.63	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 14 foot	\$	3,577.53
13.64	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 16 foot	\$	4,004.37
13.65	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 18 foot	\$	4,429.79
13.66	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 20 foot	\$	4,855.21
13.67	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 22 foot	\$	5,280.63
13.68	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 24 foot	\$	5,706.05
Plow Spare Parts			
13.69	Caster tire and wheel	\$	969.50
13.70	Caster tire, wheel, hub, bearings, axle and nuts	\$	1,181.92
13.71	Caster tire and wheel, foam filled	\$	1,046.98
13.72	Caster tire, wheel, hub, bearings, axle and nuts, foam filled	\$	1,259.62
P5000 Optional Reversible Plow:			
13.73	P3UB Underbody Scraper, 12 foot, 3 function, Steel cutting edge	\$	14,536.34

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	9.83
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, MB3 Front Mount Airport Plow and Chassis
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 455,727.19

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Chassis Power Package Option	
13.1	500 HP, electronic turbocharged diesel engine, T4F EPA emission certified in place of 380 HP T4F engine	\$ 10,766.81
	Chassis Options:	
13.2	Four wheel steering with 27,000 pound rear drive/steer axle	\$ 20,482.28
13.3	Engine oil pan heater, pad type	\$ 721.71
13.4	Engine block heater, immersion type	\$ 498.73
13.5	Battery trickle charger, 1.5 amp	\$ 577.49

13.6	Battery charger, 20 amp	\$	656.23
13.7	Battery heater, pad type	\$	1,065.02
13.8	Remote battery jump start lugs	\$	356.95
13.9	Remote air fill port	\$	214.27
13.10	Hydraulic oil tank heater, pad type	\$	605.48
13.11	Fuel heater, pad type	\$	721.71
13.12	Coolant filter	\$	216.66
13.13	Rear bumper chevron striping	\$	357.98
13.14	Eight inch reflective stripe	\$	853.09
13.15	Numbers and lettering on unit	\$	626.92
13.16	Rustproofing: under floor, fenders and battery box	\$	859.15
13.17	Rear mounted pintle hook	\$	236.24
13.18	Spare chassis tire and wheel	\$	2,495.41
	Chassis Cab Options:		
13.19	Air Conditioning	\$	3,762.37
13.20	Deluge System (Requires side door wipers)	\$	2,138.27
13.21	Side door window wipers	\$	857.47
13.22	Heated option for side door window wipers	\$	378.68
13.23	Heated option for windshield wipers	\$	554.07
13.24	Radio, AM/FM with weather band and CD player	\$	647.48
13.25	lights)	\$	2,082.43
13.26	Golight Strkyer remote spot light on cab, (1)	\$	861.75
13.27	HID lights on cab light bar, flood, (2)	\$	1,828.69
13.28	HID lights on cab light bar, trapezoid, (2)	\$	1,701.26
13.29	HID lights on cab light bar, spot, (2)	\$	1,714.95
13.30	LED lights on cab light bar, flood, (2)	\$	1,076.68
13.31	LED lights on cab light bar, trapezoid, (2)	\$	1,008.75
13.32	LED lights on cab light bar, spot, (2)	\$	1,016.81
13.33	Rear facing LED flood lights, (2)	\$	380.66
13.34	Amber snow plow lights on cab light bar, (2)	\$	524.16
13.35	Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	\$	266.64
13.36	Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket	\$	324.91
	Reversible Plow Options:		
13.37	Flared moldboard blade in place of straight moldboard blade	\$	2,738.57
13.38	Plow trip moldboard	\$	2,197.82
13.39	Hands free hitch	\$	1,495.69
	Reversible Plow Width Options;		
13.40	24 foot plow in place of 14 foot plow	\$	1,326.78
13.41	22 foot plow in place of 14 foot plow	\$	1,946.75
13.42	20 foot plow in place of 14 foot plow	\$	2,566.72
13.43	18 foot plow in place of 14 foot plow	\$	3,186.69
13.44	16 foot plow in place of 14 foot plow	\$	3,806.66
	Plow cutting edges		
13.45	Poly cutting edge in place of steel cutting edge, 14 foot	\$	1,347.65
13.46	Poly cutting edge in place of steel cutting edge, 16 foot	\$	1,458.99
13.47	Poly cutting edge in place of steel cutting edge, 18 foot	\$	1,570.34
13.48	Poly cutting edge in place of steel cutting edge, 20 foot	\$	1,680.26
13.49	Poly cutting edge in place of steel cutting edge, 22 foot	\$	1,791.62
13.50	Poly cutting edge in place of steel cutting edge, 24foot	\$	1,902.98
13.51	Kueper cutting edge in place of steel cutting edge, 14 foot	\$	3,216.69
13.52	Kueper cutting edge in place of steel cutting edge, 16 foot	\$	3,591.84
13.53	Kueper cutting edge in place of steel cutting edge, 18 foot	\$	3,965.80
13.54	Kueper cutting edge in place of steel cutting edge, 20 foot	\$	4,339.63

13.55	Kueper cutting edge in place of steel cutting edge, 22 foot	\$	4,713.58
13.56	Kueper cutting edge in place of steel cutting edge, 24 foot	\$	5,087.43
13.57	Carbide cutting edge in place of steel cutting edge, 14 foot	\$	1,617.45
13.58	Carbide cutting edge in place of steel cutting edge, 16 foot	\$	1,767.35
13.59	Carbide cutting edge in place of steel cutting edge, 18 foot	\$	1,917.25
13.60	Carbide cutting edge in place of steel cutting edge, 20 foot	\$	2,065.71
13.61	Carbide cutting edge in place of steel cutting edge, 22 foot	\$	2,215.62
13.62	Carbide cutting edge in place of steel cutting edge, 24 foot	\$	2,365.50
13.63	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 14 foot	\$	3,577.53
13.64	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 16 foot	\$	4,004.37
13.65	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 18 foot	\$	4,429.79
13.66	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 20 foot	\$	4,855.21
13.67	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 22 foot	\$	5,280.63
13.68	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 24 foot	\$	5,706.05
Plow Spare Parts			
13.69	Caster tire and wheel	\$	969.50
13.70	Caster tire, wheel, hub, bearings, axle and nuts	\$	1,181.92
13.71	Caster tire and wheel, foam filled	\$	1,046.98
13.72	Caster tire, wheel, hub, bearings, axle and nuts, foam filled	\$	1,259.62
P5000 Optional Reversible Plow			
13.103	P3UB Underbody Scraper, 12 foot, 3 function, Steel cutting edge	\$	14,536.34

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	9.83
Starting Point: City, State, Zip:			

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, MB4 Front Mount Airport Snow Blower and
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	500 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	755 HP, electronic turbocharged diesel engine, T4F EPA emission certified
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 698,562.76

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Chassis Options:	
13.1	Four wheel steering with 27,000 pound rear drive/steer axle	\$ 23,093.45
13.2	Engine oil pan heater, pad type	\$ 721.71
13.3	Engine block heater, immersion type	\$ 498.73
13.4	Battery trickle charger, 1.5 amp	\$ 577.49
13.5	Battery charger, 20 amp	\$ 656.23
13.6	Battery heater, pad type	\$ 1,065.02
13.7	Remote battery jump start lugs	\$ 356.95

13.8	Remote air fill port	\$	214.27
13.9	Hydraulic oil tank heater, pad type	\$	605.48
13.10	Fuel heater, immersion tank type	\$	721.71
13.11	Coolant filter	\$	218.85
13.12	Rear bumper chevron striping	\$	357.98
13.13	Eight inch reflective stripe	\$	853.09
13.14	Numbers and lettering on unit	\$	626.92
13.15	Rustproofing: under floor, fenders and battery box	\$	859.15
13.16	Rear mounted pintle hook	\$	236.24
13.17	Spare chassis tire and wheel	\$	2,495.41
	Chassis Cab Options:		
13.18	Air Conditioning	\$	3,762.37
13.19	Dual Core Heater	\$	2,375.90
13.20	Deluge System (Requires side door wipers)	\$	2,138.27
13.21	Side door window wipers	\$	857.47
13.22	Heated option for side door window wipers	\$	378.68
13.23	Heated option for windshield wipers	\$	554.07
13.24	Radio, AM/FM with weather band and CD player	\$	647.48
13.25	lights)	\$	2,082.43
13.26	Golight Strkyer remote spot light on cab, (1)	\$	861.75
13.27	HID lights on cab light bar, flood, (2)	\$	1,828.69
13.28	HID lights on cab light bar, trapezoid, (2)	\$	1,701.26
13.29	HID lights on cab light bar, spot, (2)	\$	1,714.95
13.30	LED lights on cab light bar, flood, (2)	\$	1,076.68
13.31	LED lights on cab light bar, trapezoid, (2)	\$	1,008.75
13.32	LED lights on cab light bar, spot, (2)	\$	1,016.81
13.33	Rear facing LED flood lights, (2)	\$	380.66
13.34	Amber snow plow lights on cab light bar, (2)	\$	524.16
13.35	Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	\$	266.64
13.36	Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket	\$	324.91
	Snow Blower Options:		
13.37	800 HP T4F Snowblower Engine in place of 755 HP T4F Snowblower engine	\$	5,929.73
13.38	500 HP T4F Snowblower Engine in place of 755 Hp T4F Snowblower Engine. Capacity up to 4000 tons per hour with a cast distance up to 100 feet.	\$	(47,987.88)
13.39	Loading chute with directional flipper control for dump truck or spot casting	\$	15,498.70
13.40	Poly cutting edge in place of steel cutting edge	\$	705.23
	Blower Engine Options:		
13.41	Blower engine oil pan heater, pad type	\$	721.71
13.42	Blower engine block heater, immersion type	\$	493.75
13.43	Hydraulic oil tank heater, pad type	\$	605.48
13.44	Coolant filter	\$	429.19
	Snow Blower Spare Parts:		
13.45	Steel cutting edge	\$	211.47
13.46	Poly cutting edge	\$	822.38
13.47	Carbide skid shoes (2)	\$	462.04
13.48	Pneumatic caster assembly	\$	888.29
13.49	Shear bolt kit (5 sets, 10 total)	\$	214.82

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	6.59
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, North Star™ Single Engine Snow Blower Chassis
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	500 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount

TOTAL PRICE: \$ 573,978.60

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Chassis Options	
13.1	Four wheel steering with 27,000 pound rear drive/steer axle	\$ 20,482.28
13.2	Engine oil pan heater, pad type	\$ 721.71
13.3	Engine block heater, immersion type	\$ 498.73
13.4	Battery trickle charger, 1.5 amp	\$ 577.49
13.5	Battery charger, 20 amp	\$ 656.23
13.6	Battery heater, pad type	\$ 1,065.02
13.7	Remote battery jump start lugs	\$ 356.95

13.8	Remote air fill port	\$	214.27
13.9	Hydraulic oil tank heater, pad type	\$	605.48
13.10	Fuel heater, immersion tank type	\$	721.71
13.11	Coolant filter	\$	218.85
13.12	Rear bumper chevron striping	\$	357.98
13.13	Eight inch reflective stripe	\$	853.09
13.14	Numbers and lettering on unit	\$	626.92
13.15	Rustproofing: under floor, fenders and battery box	\$	859.15
13.16	Rear mounted pintle hook	\$	236.24
13.17	Spare chassis tire and aluminum wheel	\$	2,495.41
	Chassis Cab Options:		
13.18	Air Conditioning	\$	3,762.37
13.19	Deluge System (Requires side door wipers, not included)	\$	2,138.27
13.20	Side door window wipers	\$	857.47
13.21	Heated option for side door window wipers	\$	378.68
13.22	Heated option for windshield wipers	\$	554.07
13.23	Radio, AM/FM with weather band and CD player	\$	647.48
13.24	lights)	\$	2,082.43
13.25	Golight Stryker remote spot light on cab, (1)	\$	861.75
13.26	HID lights on cab light bar, flood, (2)	\$	1,828.69
13.27	HID lights on cab light bar, trapezoid, (2)	\$	1,701.26
13.28	HID lights on cab light bar, spot, (2)	\$	1,714.95
13.29	LED lights on cab light bar, flood, (2)	\$	1,076.68
13.30	LED lights on cab light bar, trapezoid, (2)	\$	1,008.75
13.31	LED lights on cab light bar, spot, (2)	\$	1,016.81
13.32	Rear facing LED flood lights, (2)	\$	380.66
13.33	Amber snow plow lights, halogen, on cab light bar, (2)	\$	524.16
13.34	Amber snow plow lights, LED, on cab light bar, (2)	\$	692.16
13.35	Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	\$	266.64
13.36	Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket	\$	324.91
	Snow Blower Options:		
13.37	Optional deflector chute for cast control	\$	5,413.48
13.38	Loading chute with directional flipper control for dump truck or spot casting	\$	15,498.70
13.39	Poly impeller liner in place of steel liner	\$	748.12
13.40	Drift cutters	\$	542.64
13.41	Light mounted on loading chute	\$	549.84
13.42	Poly cutting edge in place of steel cutting edge	\$	705.23
13.43	Steel casters (set) assembly in place of pneumatic	\$	848.55
	Snow Blower Spare Parts:		
13.44	Steel cutting edge	\$	211.47
13.45	Poly cutting edge	\$	822.38
13.46	Rubber skid shoes (2)	\$	462.04
13.47	Shear bolt kit (5 sets, 10 total)	\$	214.82
13.48	Pneumatic caster tire and wheel, each	\$	888.29
13.49	Steel caster wheel assembly, each	\$	1,345.86
	Snow Broom Interchange Attachment Options:		
13.50	Broom head, 16 ft length	\$	64,042.13
13.51	Broom head, 18 ft length	\$	66,010.98
13.52	Broom head marker lights	\$	874.97
13.53	adjustment)	\$	565.23
13.54	Broom speed tachometer	\$	769.98
13.55	Broom Hydrostatic pressure gauge	\$	495.23

13.56	Auto stripper bar adjustment system (required: automatic brush patten adjustment)	\$	609.83
13.57	Snow shed hood / 16 ft length	\$	3,027.40
13.58	Snow shed hood / 18 ft length	\$	3,377.38
13.59	Broom head vibrator	\$	2,548.13
13.60	Poly/Wire alternating wafers ipo all poly wafers / 16 ft	\$	321.55
13.61	Poly/Wire alternating wafers ipo all poly wafers / 18 ft	\$	360.92
13.62	All 10 lb wire wafers ipo all polly wafers / 16 ft	\$	643.10
13.63	All 10 lb wire wafers ipo all poly wafers / 18 ft	\$	721.85
	Snow Broom Spare Parts Options		
13.64	Spare set of broom cores / 16 ft	\$	5,108.08
13.65	Spare set of broom cores / 18 ft	\$	5,262.07
13.66	Set of four broom carts, non-adjustable	\$	1,133.96
13.67	Set of two end plate jacks for core change	\$	524.98
13.68	Caster tire and wheel, nitrogen filled	\$	664.97
13.69	Caster tire, wheel, hub, bearings, & axle nuts, nitrogen filled	\$	880.21
13.70	Caster tire and wheel, foam filled	\$	507.48
13.71	Caster tire, wheel, hub, bearings, & axle nuts, foam filled	\$	708.73

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	5.75
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, P3UB Underbody Scraper
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes___ or No_x__
4.0	Is Equipment Multi-Seasonal?	Yes___ or No_x__
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes___ or No_x__
7.0	Drive Engine Description	n/a
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes___ or No_x__
10.0	Is the Equipment an Attachment?	Yes_x__ or No___
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
	TOTAL PRICE:	\$ 15,654.21

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	P3UB Underbody Scraper Option:	
13.1	Carbide cutting edge in place of steel cutting edge, 12 foot	\$ 868.72
13.2	Two function underbody scraper in place of 3 function	\$ (462.52)
	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$ 4.08
	Starting Point: City, State, Zip:	

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, P5000 Airport Reversible Plow
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes___ or No_x__
4.0	Is Equipment Multi-Seasonal?	Yes___ or No_x__
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes___ or No_x__
7.0	Drive Engine Description	n/a
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes___ or No_x__
10.0	Is the Equipment an Attachment?	Yes_x__ or No___
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
	TOTAL PRICE:	\$ 44,169.29

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Reversible Plow Options:	
13.1	Flared moldboard blade in place of straight moldboard blade	\$ 2,738.57
13.2	Plow trip moldboard (Only on DIN and Hands free hitch)	\$ 2,197.82
13.3	Hands free hitch	\$ 1,495.69
13.4	Husting hitch in place of DIN hitch	\$ (2,896.24)
13.5	J-hook hitch in place of DIN hitch	\$ (3,013.54)
13.6	Pin on hitch in place of DIN hitch	\$ (2,775.94)
	Reversible Plow Width Options;	
13.7	16 foot plow in place of 14 foot plow	\$ 1,326.78

13.8	18 foot plow in place of 14 foot plow	\$	1,946.75
13.9	20 foot plow in place of 14 foot plow	\$	2,566.72
13.10	22 foot plow in place of 14 foot plow	\$	3,186.69
13.11	24 foot plow in place of 14 foot plow	\$	3,806.66
	Plow cutting edges		
13.12	Poly cutting edge in place of steel cutting edge, 14 foot	\$	1,347.65
13.13	Poly cutting edge in place of steel cutting edge, 16 foot	\$	1,458.99
13.14	Poly cutting edge in place of steel cutting edge, 18 foot	\$	1,570.34
13.15	Poly cutting edge in place of steel cutting edge, 20 foot	\$	1,680.26
13.16	Poly cutting edge in place of steel cutting edge, 22 foot	\$	1,791.62
13.17	Poly cutting edge in place of steel cutting edge, 24foot	\$	1,902.98
13.18	Kueper cutting edge in place of steel cutting edge, 14 foot	\$	3,216.69
13.19	Kueper cutting edge in place of steel cutting edge, 16 foot	\$	3,591.84
13.20	Kueper cutting edge in place of steel cutting edge, 18 foot	\$	3,965.80
13.21	Kueper cutting edge in place of steel cutting edge, 20 foot	\$	4,339.63
13.22	Kueper cutting edge in place of steel cutting edge, 22 foot	\$	4,713.58
13.23	Kueper cutting edge in place of steel cutting edge, 24 foot	\$	5,087.43
13.24	Carbide cutting edge in place of steel cutting edge, 14 foot	\$	1,617.45
13.25	Carbide cutting edge in place of steel cutting edge, 16 foot	\$	1,767.35
13.26	Carbide cutting edge in place of steel cutting edge, 18 foot	\$	1,917.14
13.27	Carbide cutting edge in place of steel cutting edge, 20 foot	\$	2,065.71
13.28	Carbide cutting edge in place of steel cutting edge, 22 foot	\$	2,215.62
13.29	Carbide cutting edge in place of steel cutting edge, 24 foot	\$	2,365.50
13.30	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 14 foot	\$	3,577.53
13.31	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 16 foot	\$	4,004.37
13.32	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 18 foot	\$	4,429.79
13.33	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 20 foot	\$	4,855.21
13.34	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 22 foot	\$	5,280.63
13.35	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 24 foot	\$	5,706.05
	Plow Spare Parts		
13.36	Caster tire and wheel	\$	950.11
13.37	Caster tire, wheel, hub, bearings, axle and nuts	\$	1,158.28
13.38	Caster tire and wheel, foam filled	\$	1,026.04
13.39	Caster tire, wheel, hub, bearings, axle and nuts, foam filled	\$	1,234.43

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	4.08
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, P5500-C Airport Cupping Ramp Plow
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes___ or No_x__
4.0	Is Equipment Multi-Seasonal?	Yes___ or No_x__
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes___ or No_x__
7.0	Drive Engine Description	n/a
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes___ or No_x__
10.0	Is the Equipment an Attachment?	Yes_x__ or No___
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 79,075.10

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Reversible Plow Width Options:	
13.1	23 foot plow in place of 21 foot plow	\$ 3,296.22
13.2	25 foot plow in place of 21 foot plow	\$ 3,506.32
13.3	27 foot plow in place of 21 foot plow	\$ 4,332.50
13.4	29 foot plow in place of 21 foot plow	\$ 5,158.69
13.5	31 foot plow in place of 21 foot plow	\$ 6,811.06
13.6	33 foot plow in place of 21 foot plow	\$ 8,463.43
13.7	35 foot plow in place of 21 foot plow	\$ 10,115.80
	Plow cutting edges:	

13.8	Poly cutting edge in place of steel cutting edge, 21 foot	\$	1,274.55
13.9	Poly cutting edge in place of steel cutting edge, 23 foot	\$	1,395.94
13.10	Poly cutting edge in place of steel cutting edge, 25 foot	\$	1,517.33
13.11	Poly cutting edge in place of steel cutting edge, 27 foot	\$	1,638.71
13.12	Poly cutting edge in place of steel cutting edge, 29 foot	\$	1,760.10
13.13	Poly cutting edge in place of steel cutting edge, 31 foot	\$	1,881.48
13.14	Poly cutting edge in place of steel cutting edge, 33 foot	\$	2,002.87
13.15	Poly cutting edge in place of steel cutting edge, 35 foot	\$	2,124.25
13.16	Kueper cutting edge in place of steel cutting edge, 21 foot	\$	4,005.93
13.17	Kueper cutting edge in place of steel cutting edge, 23 foot	\$	5,363.91
13.18	Kueper cutting edge in place of steel cutting edge, 25 foot	\$	4,768.96
13.19	Kueper cutting edge in place of steel cutting edge, 27 foot	\$	5,150.47
13.20	Kueper cutting edge in place of steel cutting edge, 29 foot	\$	5,531.99
13.21	Kueper cutting edge in place of steel cutting edge, 31 foot	\$	5,913.50
13.22	Kueper cutting edge in place of steel cutting edge, 33 foot	\$	6,295.04
13.23	Kueper cutting edge in place of steel cutting edge, 35 foot	\$	6,676.54
13.24	Carbide cutting edge in place of steel cutting edge, 21 foot	\$	1,384.15
13.25	Carbide cutting edge in place of steel cutting edge, 23 foot	\$	1,515.96
13.26	Carbide cutting edge in place of steel cutting edge, 25 foot	\$	1,647.79
13.27	Carbide cutting edge in place of steel cutting edge, 27 foot	\$	1,779.61
13.28	Carbide cutting edge in place of steel cutting edge, 29 foot	\$	1,911.44
13.29	Carbide cutting edge in place of steel cutting edge, 31 foot	\$	2,043.25
13.30	Carbide cutting edge in place of steel cutting edge, 33 foot	\$	2,175.08
13.31	Carbide cutting edge in place of steel cutting edge, 35 foot	\$	2,306.91
13.32	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 21 foot	\$	4,547.28
13.33	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 23 foot	\$	5,956.82
13.34	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 25 foot	\$	5,413.43
13.35	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 27 foot	\$	5,846.50
13.36	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 29 foot	\$	6,279.57
13.37	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 31 foot	\$	6,712.64
13.38	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 33 foot	\$	7,145.74
13.39	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 35 foot	\$	7,578.80
	Plow Spare Parts:		
13.40	Caster tire and wheel, foam filled	\$	1,026.04
13.41	Caster tire, wheel, hub, bearings, axle and nuts, foam filled	\$	1,234.43

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	4.08
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for:	13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT
------------------	---

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, P8200 Airport Rollover Plow
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes___ or No_x__
4.0	Is Equipment Multi-Seasonal?	Yes___ or No_x__
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes___ or No_x__
7.0	Drive Engine Description	n/a
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes___ or No_x__
10.0	Is the Equipment an Attachment?	Yes_x__ or No___
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
	TOTAL PRICE:	\$ 45,313.68

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	P8200 Rollover Plow Option:	
13.1	Carbide cutting edge in place of steel cutting edge, 12 foot	\$ 1,737.44
	P8200 Rollover Plow Spare Parts:	
13.2	Steel cutting edges, (2)	\$ 793.89
13.3	Carbide cutting edge, (2)	\$ 2,418.11
	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$ 4.08
	Starting Point: City, State, Zip:	

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for:	13.0 NON-MNDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT
-------------------------	---

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
13.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, 4600 Pivot Lift Airport Broom Head and Engine
	Purpose and Intended Use (Area)	Airport Snow Removal
	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Additional Uses for Equipment (if any)	
	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Drive Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
	Auxiliary Engine Description	n/a
	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Is the Equipment an Attachment?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
	Type of Drive Unit required for attachment	Truck chassis
	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 210,962.49

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Broom Head Options:	
13.1	Vertical lift airport broom head in place of pivot lift head	\$ 16,616.22
13.2	16 foot broom head in place of 18 foot	\$ (1,870.22)
13.3	20 foot broom head in place of 18 foot	\$ 4,425.56
13.4	22 foot broom head in place of 18 foot	\$ 8,851.13

Amendment No. 1- Exhibit A

	Broom Engine Options:		
13.5	500 HP, electronic turbocharged Diesel engine, T4F EPA emission certified, 500 rpm broom with 4828 ft-lbs of available torque at the broom shaft at 5075 psi in place of 375 HP engine package	\$	17,867.12
13.6	Broom engine oil pan heater, pad type	\$	721.71
13.7	Broom engine block heater, immersion type	\$	498.73
13.8	Hydraulic oil tank heater, pad type	\$	605.48
13.9	Coolant filter	\$	429.19
	Broom General Options:		
13.10	Broom head marker lights	\$	874.97
13.11	Broom speed tachometer	\$	769.98
13.12	Automatic brush pattern adjustment	\$	855.73
13.13	Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	\$	565.23
13.14	Broom hydrostatic pressure guage	\$	495.23
13.15	Vibrator	\$	2,548.13
13.16	Auto stripper bar adjustment system (Required: automatic brush pattern adjustment)	\$	609.83
13.17	Rear view color camera system	\$	2,082.43
	Broom Hood Option (For Pivot Lift head only):		
13.18	Snowshed hood for 16 foot broom head	\$	3,027.40
13.19	Snowshed hood for 18 foot broom head	\$	3,377.38
13.20	Snowshed hood for 20 foot broom head	\$	3,464.89
13.21	Snowshed hood for 22 foot broom head	\$	3,552.37
	Broom Wafer Options:		
13.22	All steel 10# wire wafers in place of all poly on 16 foot broom	\$	643.10
13.23	All steel 10# wire wafers in place of all poly on 18 foot broom	\$	721.85
13.24	All steel 10# wire wafers in place of all poly on 20 foot broom	\$	826.85
13.25	All steel 10# wire wafers in place of all poly on 22 foot broom	\$	879.34
13.26	8# poly. 10# wire, 50/50 wafers in place of all poly on 16 foot broom	\$	321.55
13.27	8# poly. 10# wire, 50/50 wafers in place of all poly on 18 foot broom	\$	360.92
13.28	8# poly. 10# wire, 50/50 wafers in place of all poly on 20 foot broom	\$	416.92
13.29	8# poly. 10# wire, 50/50 wafers in place of all poly on 22 foot broom	\$	723.81
	Broom Spare Parts		
13.30	Spare set 16 foot cores	\$	5,108.08
13.31	Spare set 18 foot cores	\$	5,262.07
13.33	Spare set 20 foot cores	\$	5,615.56
13.34	Spare set 22 foot cores	\$	5,893.80
13.36	Set of four broom carts, non-adjustable	\$	1,133.96
13.37	End plate jack for use with core change (2)	\$	524.98
13.39	Spare caster tire and wheel, nitrogen filled	\$	664.97
13.40	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$	880.21
13.42	Spare caster tire and wheel, foam filled	\$	507.48
13.43	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	708.73
13.44	46" x 19.5" Poly Wafer, 8 lbs. 101-137212	\$	13.26
13.45	46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109	\$	23.10
13.46	19.5" Spacer Ring. 402-93914	\$	1.47
	Broom Options		
13.47	Dual side mounted air blowers, 23,000 CFM (not included in base unit)	\$	15,168.53

Amendment No. 1- Exhibit A

13.48	Delete engine package to purchase broom head only	\$	(120,197.98)
-------	---	----	--------------

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	4.08
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, 4600 CRDL Cradling Towed Airport Broom
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	Truck chassis
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 359,533.59

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Broom Head Options:	
13.1	20 foot broom head in place of 18 foot	\$ 4,425.56
13.2	22 foot broom head in place of 18 foot	\$ 8,851.13
	Broom Engine Power Package Options:	

Amendment No. 1- Exhibit A

13.3	500 HP, electronic turbocharged diesel engine, T4F EPA emission certified, 500 rpm broom with 4828 ft-lbs of available torque at the broom shaft at 5075 psi in place of 380 HP engine/hydraulics package	\$	17,867.12
Broom Engine Options:			
13.4	Broom engine oil pan heater, pad type	\$	721.71
13.5	Broom engine block heater, 1500 watt, immersion type	\$	498.73
13.6	Battery trickle charger, 1.5 amp	\$	577.49
13.7	Battery charger, 20 amp	\$	656.23
13.8	Battery heater, pad type	\$	1,086.71
13.90	Hydraulic oil tank heater, pad type	\$	605.48
13.10	Coolant filter	\$	429.19
13.11	Remote jump start battery lugs	\$	356.95
13.12	Fuel heater, immersion tank type	\$	721.71
Broom General Options:			
13.13	Broom head marker lights	\$	874.97
13.14	Broom speed tachometer	\$	769.98
13.15	Automatic brush pattern adjustment	\$	855.73
13.16	Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	\$	565.23
13.17	Broom hydrostatic pressure guage	\$	495.23
13.18	Vibrator	\$	2,548.13
13.19	Rear view camera system, color (Includes rear facing LED flood lights)	\$	2,082.43
13.20	Auto stripper bar adjustment system (Required: automatic brush pattern adjustment)	\$	609.83
Broom Hood Option (For Pivot Lift head only):			
13.21	Snowshed hood for 16 foot broom head	\$	3,027.40
13.22	Snowshed hood for 18 foot broom head	\$	3,377.38
13.23	Snowshed hood for 20 foot broom head	\$	3,464.89
13.24	Snowshed hood for 22 foot broom head	\$	3,552.37
Broom Wafer Options:			
13.25	All steel 10# wire wafers in place of all poly on 18 foot broom	\$	721.85
13.26	All steel 10# wire wafers in place of all poly on 20 foot broom	\$	826.85
13.27	All steel 10# wire wafers in place of all poly on 22 foot broom	\$	879.34
13.28	8# poly. 10# wire, 50/50 wafers in place of all poly on 18 foot broom	\$	360.92
13.29	8# poly. 10# wire, 50/50 wafers in place of all poly on 20 foot broom	\$	416.92
13.30	8# poly. 10# wire, 50/50 wafers in place of all poly on 22 foot broom	\$	439.67
Broom Spare Parts:			
13.31	Spare set 18 foot cores	\$	5,262.07
13.32	Spare set 20 foot cores	\$	5,615.56
13.33	Spare set 22 foot cores	\$	5,893.80
13.34	Set of four broom carts, non-adjustable	\$	1,133.96
13.35	End plate jack for use with core change (2)	\$	524.98
13.36	Spare caster tire and wheel, nitrogen filled	\$	664.97
13.37	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$	880.21
13.38	Spare caster tire and wheel, foam filled	\$	507.48
13.39	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	708.73
13.40	46" x 19.5" Poly Wafer, 8 lbs. 101-137212	\$	13.26
13.41	46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109	\$	23.10
13.42	19.5" Spacer Ring. 402-93914	\$	1.47

Amendment No. 1- Exhibit A

	Chassis Intergration of Towing Chassis:	
13.43	Stationary fifth wheel and mounting, 9,000 lb ballast, plow and broom controls, rear axle protector	\$ 48,994.78
	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$ 6.59
	Starting Point: City, State, Zip:	
	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for:	13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT
------------------	---

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, 4600 TTB Tracking Towed Airport Broom
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	Truck chassis
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 296,122.35

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Broom Head Options:	
13.1	18 foot broom head in place of 16 foot	\$ 3,073.71
13.2	20 foot broom head in place of 16 foot	\$ 4,425.56
13.3	22 foot broom head in place of 16 foot	\$ 8,851.13

	Broom Engine Power Package Options:	
13.4	500 HP, electronic turbocharged diesel engine, T4F emission certified, 500 rpm broom with 4828 ft-lbs of available torque at the broom shaft at 5075 psi in place of 380 HP engine/hydraulics package	\$ 17,867.12
	Broom Engine Options:	
13.5	Broom engine oil pan heater, pad type	\$ 721.71
13.6	Broom engine block heater, 1500 watt, immersion type	\$ 498.73
13.7	Battery trickle charger, 1.5 amp	\$ 685.98
13.8	Battery charger, 20 amp	\$ 656.23
13.9	Battery heater, pad type	\$ 1,086.71
13.10	Hydraulic oil tank heater, pad type	\$ 605.48
13.11	Coolant filter	\$ 429.19
13.12	Remote jump start battery lugs	\$ 356.95
13.13	Fuel heater, pad type	\$ 721.71
	Broom General Options:	
13.14	Broom head marker lights	\$ 874.97
13.15	Broom speed tachometer	\$ 769.98
13.16	Automatic brush pattern adjustment	\$ 855.73
13.17	Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	\$ 565.23
13.18	Broom hydrostatic pressure guage	\$ 495.23
13.19	Vibrator	\$ 2,548.13
13.20	Rear view camera system, color (Includes rear facing LED flood lights)	\$ 2,082.43
13.21	Auto stripper bar adjustment system (Required: automatic brush pattern adjustment)	\$ 609.83
	Broom Hood Option (For Pivot Lift head only):	
13.22	Snowshed hood for 16 foot broom head	\$ 3,027.40
13.23	Snowshed hood for 18 foot broom head	\$ 3,377.38
13.24	Snowshed hood for 20 foot broom head	\$ 3,464.89
13.25	Snowshed hood for 22 foot broom head	\$ 3,552.37
	Broom Wafer Options:	
13.26	All steel 10# wire wafers in place of all poly on 16 foot broom	\$ 643.10
13.27	All steel 10# wire wafers in place of all poly on 18 foot broom	\$ 721.85
13.28	All steel 10# wire wafers in place of all poly on 20 foot broom	\$ 826.85
13.29	All steel 10# wire wafers in place of all poly on 22 foot broom	\$ 879.34
13.30	8# poly. 10# wire, 50/50 wafers in place of all poly on 16 foot broom	\$ 321.55
13.31	8# poly. 10# wire, 50/50 wafers in place of all poly on 18 foot broom	\$ 360.92
13.32	8# poly. 10# wire, 50/50 wafers in place of all poly on 20 foot broom	\$ 416.92
13.33	8# poly. 10# wire, 50/50 wafers in place of all poly on 22 foot broom	\$ 439.67
	Broom Spare Parts	
13.34	Spare set 16 foot cores	\$ 5,108.08
13.35	Spare set 18 foot cores	\$ 5,262.07
13.36	Spare set 20 foot cores	\$ 5,615.56
13.37	Spare set 22 foot cores	\$ 6,123.05
13.38	Set of four broom carts, non-adjustable	\$ 1,133.96
13.39	End plate jack for use with core change (2)	\$ 524.98
13.40	Broom chassis axle tire and wheel, steering axle	\$ 811.70
13.41	Spare caster tire and wheel, nitrogen filled	\$ 664.97
13.42	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$ 880.21

Amendment No. 1- Exhibit A

13.43	Spare caster tire and wheel, foam filled	\$	507.48
13.44	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	708.73
13.45	46" x 19.5" Poly Wafer, 8 lbs. 101-137212	\$	13.26
13.46	46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109	\$	23.10
13.47	19.5" Spacer Ring. 402-93914	\$	1.47
TTB Tow Airport Broom hitch Option:			
13.48	Fifth wheel type hitch, 2 inch kingpin with height adjustment in place of drawbar. Recepticle on tow chassis not included.	\$	1,112.08
Chassis Intergration of Towing Chassis:			
13.49	Stationary fifth wheel and mounting, 9,000 lb ballast, plow and broom controls, rear axle protector	\$	48,994.78
13.50	Stationary fifth wheel and mounting, 15,000 lb ballast, plow and broom controls, rear axle protector	\$	52,623.98
Cost per loaded mile for delivery of Airport/Airfield Equipment		\$	6.59
Starting Point: City, State, Zip:			

Body Shop Rate	N/A
Mechanic Shop Rate	\$150/hr

Price quote for:	13.0 NON-MNDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT
------------------	---

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, 4600 TOWV Tow Behind Airport Broom
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	320 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	n/a
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	Truck chassis
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 258,614.31

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Broom Head Options:	
13.1	16 foot broom head in place of 14 foot	\$ 1,638.40
13.2	18 foot broom head in place of 14 foot	\$ 3,104.76
13.3	20 foot broom head in place of 14 foot	\$ 4,470.27
13.4	22 foot broom head in place of 14 foot	\$ 8,940.54

Amendment No. 1- Exhibit A

	Broom Engine Power Package Options:		
13.5	320 HP, electronic turbocharged diesel engine, 14F EPA emission certified, 521 rpm broom with 3320 ft-lbs of available torque at the broom shaft at 5075 psi in place of 2,656 ft-lbs torque package	\$	7,300.90
	Broom Engine Options:		
13.6	Broom engine oil pan heater, pad type	\$	729.00
13.7	Broom engine block heater, immersion type	\$	503.77
13.9	Battery trickle charger, 1.5 amp	\$	583.32
13.9	Battery charger, 20 amp	\$	663.50
13.10	Battery heater, pad type	\$	1,097.69
13.11	Hydraulic oil tank heater, pad type	\$	611.59
13.12	Coolant filter	\$	433.53
13.13	Ether start, broom engine, KBI Dieselmatic type, 320 HP only	\$	767.04
13.14	Remote battery jump start lugs	\$	356.95
13.15	Fuel heater, immersion tank type	\$	721.71
	Broom General Options:		
13.16	Broom head marker lights	\$	883.81
13.17	Broom speed tachometer	\$	777.76
13.18	Automatic brush pattern adjustment	\$	864.37
13.19	Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	\$	570.95
13.20	Broom hydrostatic pressure guage	\$	500.24
13.21	Vibrator	\$	2,573.87
13.22	Rear view camera system, color (Includes rear facing LED flood lights)	\$	2,103.46
13.23	Auto stripper bar adjustment system (Required: automatic brush pattern adjustment)	\$	609.83
13.24	Fully functional MDC controls in broom engine enclosure	\$	2,512.03
	Broom Hood Option:		
13.25	Snowshed hood for 14 foot broom head	\$	2,852.41
13.26	Snowshed hood for 16 foot broom head	\$	3,027.40
13.27	Snowshed hood for 18 foot broom head	\$	3,377.38
13.28	Snowshed hood for 20 foot broom head	\$	3,464.89
13.29	Snowshed hood for 22 foot broom head	\$	3,552.37
	Broom Wafer Options:		
13.30	All steel 10# wire wafers in place of all poly on 14 foot broom	\$	564.35
13.31	All steel 10# wire wafers in place of all poly on 16 foot broom	\$	643.10
13.32	All steel 10# wire wafers in place of all poly on 18 foot broom	\$	721.85
13.33	All steel 10# wire wafers in place of all poly on 20 foot broom	\$	826.85
13.34	All steel 10# wire wafers in place of all poly on 22 foot broom	\$	879.34
13.35	8# poly. 10# wire, 50/50 wafers in place of all poly on 14 foot broom	\$	301.86
13.36	8# poly. 10# wire, 50/50 wafers in place of all poly on 16 foot broom	\$	321.55
13.37	8# poly. 10# wire, 50/50 wafers in place of all poly on 18 foot broom	\$	360.92
13.38	8# poly. 10# wire, 50/50 wafers in place of all poly on 20 foot broom	\$	416.92
13.39	8# poly. 10# wire, 50/50 wafers in place of all poly on 22 foot broom	\$	439.67
	Broom Spare Parts Options:		
13.40	Spare set 14 foot cores	\$	4,987.33
13.41	Spare set 16 foot cores	\$	5,108.08
13.42	Spare set 18 foot cores	\$	5,262.07
13.43	Spare set 20 foot cores	\$	5,615.56
13.44	Spare set 22 foot cores	\$	5,893.80

Amendment No. 1- Exhibit A

13.45	Set of four broom carts, non-adjustable	\$	1,133.96
13.46	End plate jack for use with core change (2)	\$	524.98
13.47	Spare broom chassis axle tire and wheel	\$	811.70
13.48	Spare caster tire and wheel, nitrogen filled	\$	664.97
13.49	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$	880.21
13.50	Spare caster tire and wheel, foam filled	\$	507.48
13.51	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	708.73
13.52	46" x 19.5" Poly Wafer, 8 lbs. 101-137212	\$	13.26
13.53	46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109	\$	23.10
13.54	19.5" Spacer Ring. 402-93914	\$	1.47
	TOWV Tow Airport Broom Options:		
13.55	Nose wheel front steer axle with pintle eye drawbar in place of pintle drawbar	\$	2,608.56
13.56	Fifth wheel type hitch, 2 inch kingpin with height adjustment in place of drawbar. Recepticle on tow chassis not included.	\$	1,112.08
13.57	Air brake system in place of electric brake system	\$	1,220.58
13.58	18,000 pound steering axle with air brakes, controlled by broom to chassis connection. Closed loop electronic controlled steering system with automatic drift control and provisions for centering and disengaging the axle steering system by the operator	\$	9,684.07
	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	8.16
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for:	13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT
------------------	---

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, MB3 Front Mount Airport Broom and Chassis
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount
TOTAL PRICE:		\$ 595,923.69

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Chassis Power Package Option	
13.1	500 HP, electronic turbocharged diesel engine. T4F EPA emission certified engine in place of 380 HP T4F engine	\$ 10,766.81
	Chassis Options:	
13.2	Four wheel steering with 27,000 pound rear drive/steer axle	\$ 20,482.28
13.3	Engine oil pan heater, pad type	\$ 721.71
13.4	Engine block heater, immersion type	\$ 498.74

13.5	Battery trickle charger, 1.5 amp	\$	577.47
13.6	Battery charger, 20 amp	\$	656.22
13.7	Battery heater, pad type	\$	1,065.02
13.8	Remote battery jump start lugs	\$	356.95
13.9	Remote air fill port	\$	214.27
13.10	Hydraulic oil tank heater, pad type	\$	605.48
13.11	Fuel heater, immersion tank type	\$	721.71
13.12	Coolant filter	\$	216.66
13.13	Rear bumper chevron striping	\$	357.98
13.14	Eight inch reflective stripe	\$	853.09
13.15	Numbers and lettering on unit	\$	626.91
13.16	Rustproofing: under floor, fenders and battery box	\$	859.15
13.17	Rear mounted pintle hook	\$	236.23
13.18	Spare chassis tire and wheel	\$	2,495.41
	Chassis Cab Options:		
13.19	Air Conditioning (not available with Dual Core Heater)	\$	3,761.57
13.20	Dual Core Heater (not available with Air Conditioning)	\$	2,375.90
13.21	Deluge System (Requires side door wipers)	\$	2,138.27
13.22	Side door window wipers	\$	857.47
13.23	Heated option for side door window wipers	\$	378.68
13.24	Heated option for windshield wipers	\$	548.53
13.25	Radio, AM/FM with weather band and CD player	\$	647.48
13.26	Rear view camera system, color (Requires rear facing halogen flood	\$	2,082.43
13.27	Golight Strkyer remote spot light on cab, (1)	\$	853.14
13.28	HID lights on cab light bar, flood, (2)	\$	1,828.69
13.29	HID lights on cab light bar, trapezoid, (2)	\$	1,701.26
13.30	HID lights on cab light bar, spot, (2)	\$	1,714.95
13.31	LED lights on cab light bar, flood, (2)	\$	1,065.92
13.32	LED lights on cab light bar, trapezoid, (2)	\$	1,008.75
13.33	LED lights on cab light bar, spot, (2)	\$	1,006.64
13.34	Rear facing LED flood lights, (2)	\$	376.85
13.35	Amber snow plow lights on cab light bar, (2)	\$	518.92
13.36	Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	\$	263.97
13.37	Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket	\$	324.91
	Broom Head Options:		
13.38	Vertical lift airport broom head in place of pivot lift head	\$	16,616.22
13.39	18 foot broom head in place of 16 foot	\$	1,968.85
13.40	20 foot broom head in place of 16 foot	\$	4,425.56
13.41	22 foot broom head in place of 16 foot	\$	8,851.13
	Broom Engine Power Package Options:		
13.42	500 HP, electronic turbocharged diesel engine, T4F EPS emission certified, 500 rpm broom with 4828 ft-lbs of available torque at the broom shaft at 5075 psi in place of 380 HP T4F engine/hydraulics package	\$	17,867.12
	Broom Engine Options:		
13.43	Broom engine oil pan heater, pad type	\$	721.71
13.44	Broom engine block heater, immersion type	\$	493.75
13.45	Hydraulic oil tank heater, pad type	\$	605.48
13.46	Coolant filter	\$	429.19
	Broom General Options:		
13.47	Broom head marker lights	\$	866.22
13.48	Broom speed tachometer	\$	762.28
13.49	Automatic brush pattern adjustment	\$	847.16

Amendment No. 1- Exhibit A

13.50	Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	\$	565.23
13.51	Broom hydrostatic pressure guage	\$	495.23
13.52	Vibrator	\$	2,548.13
	Broom Hood Option (For Pivot Lift head only):		
13.53	Snowshed hood for 16 foot broom head	\$	3,027.40
13.54	Snowshed hood for 18 foot broom head	\$	3,377.38
13.55	Snowshed hood for 20 foot broom head	\$	3,464.89
13.56	Snowshed hood for 22 foot broom head	\$	3,552.37
	Broom Wafer Options:		
13.57	All steel 10# wire wafers in place of all poly on 16 foot broom	\$	643.10
13.58	All steel 10# wire wafers in place of all poly on 18 foot broom	\$	721.85
13.59	All steel 10# wire wafers in place of all poly on 20 foot broom	\$	826.85
13.60	All steel 10# wire wafers in place of all poly on 22 foot broom	\$	879.34
13.61	8# poly. 10# wire, 50/50 wafers in place of all poly on 16 foot broom	\$	321.55
13.62	8# poly. 10# wire, 50/50 wafers in place of all poly on 18 foot broom	\$	357.31
13.63	8# poly. 10# wire, 50/50 wafers in place of all poly on 20 foot broom	\$	416.92
13.64	8# poly. 10# wire, 50/50 wafers in place of all poly on 22 foot broom	\$	439.67
	Broom Spare Parts		
13.65	Spare set 16 foot cores	\$	5,108.08
13.66	Spare set 18 foot cores	\$	5,262.07
13.67	Spare set 20 foot cores	\$	5,615.56
13.68	Spare set 22 foot cores	\$	5,893.80
13.69	Set of four broom carts, non-adjustable	\$	1,122.62
13.70	End plate jack for use with core change (2)	\$	519.73
13.71	Spare caster tire and wheel, nitrogen filled	\$	664.97
13.72	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$	880.21
13.73	Spare caster tire and wheel, foam filled	\$	507.48
13.74	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	708.73
13.75	46" x 19.5" Poly Wafer, 8 lbs. 101-137212	\$	13.26
13.76	46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109	\$	23.10
13.77	19.5" Spacer Ring. 402-93914	\$	1.47
	P5000 Optional Reversible Plow		
13.78	M-B P5000 14 foot straight reversible plow, 50 inch high, DIN hitch, Steel cutting edge	\$	34,084.12

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	9.83
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for: **13.0 NON-MNDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT**

Vendor Name:	M-B Companies, Inc.
Contact Person:	Doug Blada
Street Address:	1200 Park Street
P.O. Box:	
City, State, Zip:	Chilton, WI 53014
Phone #:	920-898-1005
Toll Free #:	1-800-558-5801
Fax #:	920-849-2629
Email Address:	dblada@m-bco.com

Item #	Information Requested	Answer
1.0	Airport Airfield Maintenance Equipment Make & Model	M-B Companies, MB5 Mid-Mount Broom, Multi-Tasking Snow Removal Chassis
2.0	Purpose and Intended Use (Area)	Airport Snow Removal
3.0	Is Equipment Multi-functional?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
4.0	Is Equipment Multi-Seasonal?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
5.0	Additional Uses for Equipment (if any)	
6.0	Does Equipment have an Engine(s)?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
7.0	Drive Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
8.0	Auxiliary Engine Description	380 HP, electronic turbocharged diesel engine, T4F EPA emission certified
9.0	Does the Equipment have optional attachments?	Yes <input checked="" type="checkbox"/> or No <input type="checkbox"/>
10.0	Is the Equipment an Attachment?	Yes <input type="checkbox"/> or No <input checked="" type="checkbox"/>
11.0	Type of Drive Unit required for attachment	n/a
12.0	Warranty Information	1 year
	List Volume Discounts	3+ units, 5% discount

TOTAL PRICE: \$ 736,914.60

Spec #	Description	Answer
	AIRFIELD EQUIPMENT OPTIONS: Use this section to offer other options for airfield equipment listed above. Start option numbering with 13.1, 13.2, 13.3, etc., until you have listed all of the options	
	Chassis Power Package Option	

Amendment No. 1- Exhibit A

13.1	500 HP, electronic turbocharged diesel engine, T4F EPA emission certified in place of 380 HP T4F engine, includes an air intakes heater	\$	11,050.51
Chassis Options:			
13.2	Engine oil pan heater, pad type	\$	721.70
13.3	Engine block heater, immersion type	\$	498.73
13.4	Battery trickle charger, 1.5 amp	\$	577.48
13.5	Battery charger, 20 amp	\$	656.22
13.6	Battery heater, pad type	\$	1,065.01
13.7	Remote battery jump start lugs	\$	356.95
13.8	Remote air fill port	\$	214.27
13.9	Hydraulic oil tank heater, pad type	\$	605.47
13.10	Fuel heater, pad type	\$	721.70
13.11	Coolant filter	\$	216.65
13.12	Rear bumper chevron striping	\$	357.98
13.13	Eight inch reflective stripe	\$	853.09
13.14	Numbers and lettering on unit	\$	626.91
13.15	Rustproofing: under floor, fenders and battery box	\$	859.14
13.16	Rear mounted pintle hook	\$	236.23
13.17	Spare chassis tire and wheel	\$	2,495.41
Chassis Cab Options:			
13.18	Air Conditioning	\$	3,761.57
13.19	Deluge System (Requires side door wipers)	\$	2,138.26
13.20	Side door window wipers	\$	857.47
13.21	Heated option for side door window wipers	\$	378.68
13.22	Heated option for windshield wipers	\$	554.07
13.23	Radio, AM/FM with weather band and CD player	\$	647.48
13.24	Rear view camera system, color (Includes rear facing LED flood lights)	\$	2,082.43
13.25	Golight Stryker remote spot light on cab, (1)	\$	861.75
13.26	HID lights on cab light bar, flood, (2)	\$	1,828.69
13.27	HID lights on cab light bar, trapezoid, (2)	\$	1,701.26
13.28	HID lights on cab light bar, spot, (2)	\$	1,714.95
13.29	LED lights on cab light bar, flood, (2)	\$	1,076.68
13.30	LED lights on cab light bar, trapezoid, (2)	\$	1,008.75
13.31	LED lights on cab light bar, spot, (2)	\$	1,016.60
13.32	Rear facing LED flood lights, (2)	\$	380.66
13.33	Amber snow plow lights on cab light bar, (2)	\$	524.16
13.34	Fire extinguisher, 2A:10BC, 5 lb. with mounting bracket	\$	266.64
13.35	Fire extinguisher, 10A:40BC, 10 lb. with mounting bracket	\$	324.91
Reversible Plow Options:			
13.36	Flared moldboard blade in place of straight moldboard blade	\$	2,738.56
13.37	24 foot plow in place of 18 foot plow	\$	3,806.66
13.38	22 foot plow in place of 18 foot plow	\$	1,903.33
13.39	Plow trip moldboard	\$	2,197.82
13.40	Hands free hitch	\$	1,495.69
Plow cutting edges			
13.41	Poly cutting edge in place of steel cutting edge, 20 foot	\$	1,680.26
13.42	Poly cutting edge in place of steel cutting edge, 22 foot	\$	1,791.62
13.43	Poly cutting edge in place of steel cutting edge, 24foot	\$	1,902.96
13.44	Kueper cutting edge in place of steel cutting edge, 20 foot	\$	4,339.63

Amendment No. 1- Exhibit A

13.45	Kueper cutting edge in place of steel cutting edge, 22 foot	\$	4,713.58
13.46	Kueper cutting edge in place of steel cutting edge, 24 foot	\$	5,087.43
13.47	Carbide cutting edge in place of steel cutting edge, 20 foot	\$	2,065.71
13.48	Carbide cutting edge in place of steel cutting edge, 22 foot	\$	2,215.61
13.49	Carbide cutting edge in place of steel cutting edge, 24 foot	\$	2,365.50
13.50	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 20 foot	\$	4,855.21
13.51	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 22 foot	\$	5,280.63
13.52	Tungsten carbide inserted rubber (JOMA 6000) cutting edge in place of steel cutting edge, 24 foot	\$	5,706.05
Plow Spare Parts			
13.53	Caster tire and wheel	\$	969.48
13.54	Caster tire, wheel, hub, bearings, axle and nuts	\$	1,181.92
13.55	Caster tire and wheel, foam filled	\$	1,046.97
13.56	Caster tire, wheel, hub, bearings, axle and nuts, foam filled	\$	1,259.61
Broom Head Options:			
13.72	20 foot broom head in place of 18 foot	\$	4,425.56
13.73	22 foot broom head in place of 18 foot	\$	8,851.13
Broom Engine Power Package Options:			
13.74	500 HP, electronic turbocharged diesel engine, T4F EPA emission certified, 500 rpm broom with 4828 ft-lbs of available torque at the broom shaft at 5075 psi, 23,000 CFM @ 410 MPH air blower assembly in place of 380 hp aux engine in base unit	\$	17,867.12
Broom Engine Options:			
13.75	Broom engine oil pan heater, pad type	\$	714.49
13.76	Broom engine block heater, immersion type	\$	493.75
13.77	Hydraulic oil tank heater, pad type	\$	599.42
13.78	Coolant filter	\$	424.90
13.79	Fuel tank heater, pad type	\$	721.71
Broom General Options:			
13.80	Broom speed tachometer	\$	769.97
13.81	Ground speed control (Must include automatic brush pattern adjustment and broom speed tachometer)	\$	565.33
13.82	Broom hydrostatic pressure guage	\$	495.23
13.83	Auto stripper bar adjustment system (Required: automatic brush pattern adjustment)	\$	609.83
Broom Wafer Options:			
13.84	All steel 10# wire wafers in place of all poly on 18 foot broom	\$	721.85
13.85	All steel 10# wire wafers in place of all poly on 20 foot broom	\$	826.84
13.86	All steel 10# wire wafers in place of all poly on 22 foot broom	\$	879.33
13.87	8# poly. 10# wire, 50/50 wafers in place of all poly on 18 foot broom	\$	360.92
13.88	8# poly. 10# wire, 50/50 wafers in place of all poly on 20 foot broom	\$	416.92
13.89	8# poly. 10# wire, 50/50 wafers in place of all poly on 22 foot broom	\$	439.67
Broom Spare Parts			
13.90	Spare set 18 foot cores	\$	5,262.06

Amendment No. 1- Exhibit A

13.91	Spare set 20 foot cores	\$	5,615.56
13.92	Spare set 22 foot cores	\$	5,893.80
13.93	Set of four broom carts, non-adjustable	\$	1,133.95
13.94	End plate jack for use with core change (2)	\$	524.97
13.95	Spare caster tire and wheel, nitrogen filled	\$	664.97
13.96	Spare caster, tire, wheel, hub, bearings, axle and nuts, nitrogen filled	\$	880.21
13.97	Spare caster tire and wheel, foam filled	\$	507.48
13.98	Spare caster, tire, wheel, hub, bearings, axle and nuts, foam filled	\$	708.72
13.99	46" x 19.5" Poly Wafer, 8 lbs. 101-137212	\$	13.26
13.100	46" x 19.5" 13# Wire Wafer, 13lbs. 101-92109	\$	23.10
13.101	19.5" Spacer Ring. 402-93914	\$	1.47

	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$	14.75
	Starting Point: City, State, Zip:		

	Body Shop Rate	N/A
	Mechanic Shop Rate	\$150/hr

Price quote for:	13.0 NON-MnDOT PRICE SCHEDULE AIRPORT AIRFIELD MAINTENANCE EQUIPMENT	
Vendor Name:	M-B Companies, Inc.	
Contact Person:	Doug Blada	
Street Address:	1200 Park Street	
P.O. Box:		
City, State, Zip:	Chilton, WI 53014	
Phone #:	920-898-1005	
Toll Free #:	1-800-558-5801	
Fax #:	920-849-2629	
Email Address:	dblada@m-bco.com	
Item #	Information Requested	Answer
13.0	Airport Airfield Maintenance Equipment Make & Model	M-B Airport Deicer
	Purpose and Intended Use (Area)	Airport Snow Removal
	Is Equipment Multi-functional?	Yes___ or No_X_
	Is Equipment Multi-Seasonal?	Yes___ or No_X_
	Additional Uses for Equipment (if any)	
	Does Equipment have an Engine(s)?	Yes_X_ or No__
	Drive Engine Description	International A26, EPA 2107, Diesel
	Auxiliary Engine Description	None
	Does the Equipment have optional attachments?	Yes___ or No_X_
	Is the Equipment an Attachment?	Yes___ or No_X_
	Type of Drive Unit required for attachment	n/a
	Warranty Information	1 year
	List Volume Discounts	3+ units, up to 5% discount
	TOTAL PRICE:	\$
Spec #	Description	Answer
13.1	75 foot spray bar with 5000 gallon capacity tank	\$ 308,129.00
	Cost per loaded mile for delivery of Airport/Airfield Equipment	\$6.59
	Starting Point: City, State, Zip:	
	Body Shop Rate	n/a
	Mechanic Shop Rate	\$150/hr