

**STATE OF MINNESOTA  
PRICING Page  
% DISCOUNT**

TRAILERS: DUMP BODY, LOWBOYS, FLATBED, TAG, SLIDE AXLE, UTILITY, GOOSENECK, ENCLOSED, ETC.

<b>Vendor Name:</b>	<b>LANO EQUIPMENT INC, ANOKA</b>
<b>Contact Person:</b>	<b>SCOTT FAHEY</b>
<b>Street Address:</b>	<b>6140 HWY 10 NW</b>
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	<b>ANOKA, MN 55379</b>
<b>Phone #:</b>	<b>612-223-0510</b>
<b>Toll Free #:</b>	<b>800-448-5266</b>
<b>Fax #:</b>	<b>763-422-3949</b>
<b>Email Address:</b>	<a href="mailto:scott_f@lanoequip.com">scott_f@lanoequip.com</a>

**1.0 DATE AND ID OF PRICE LIST** **JAN 2019 EBY TRAILER PRICE GUIDE**

IF NOT PROPOSING ENTIRE CATALOG, PROVIDE SECTION TITLE(S), PAGE NUMBER(S), ETC.  
\*\*INSERT ADDITIONAL LINES IF NEEDED \*\*

PERCENTAGE DISCOUNT TO BE APPLIED TO ABOVE PRICE LIST **10%**

<b>2.0 Options</b>	
<b>2.1</b> PRICE FOR MN/DOT WIRING AND LIGHTING	<b>INCLUDED</b>
<b>2.2</b> Price for Long Stroke Brake chambers	<b>NA</b>
<b>2.3</b> Price for Hot Dipped Galvanizing	<b>NA</b>
Model	
Model	
Model	
Model	
<b>2.4</b>	

<b>3.0 Shop Labor Rate per Hour</b>	<b>\$125/HR</b>
<b>3.1</b> Rate for Inspection	<b>\$100 DOT INSTPECTION</b>
<b>3.2</b> Rate for Mechanical Work	<b>\$125/HR</b>

<b>4.0 DELIVERY</b>	
<b>See Special Terms and Conditions</b>	
<b>No Flat Rate Allowed</b>	
<b>4.1</b> Starting City State Zip	<b>BLUE BALL PA 17506</b>
<b>4.2</b> Price per loaded mile	<b>0.85</b>
<b>4.3</b> Minimum Delivery Charge (if Applicable)	<b>\$800</b>

<b>5.0 Warranty</b>	
<b>5.1</b> Warranty Details: Months, years, etc.	<b>1 YEAR</b>

**6.0 Discount off List Price for related parts and accessories** **0% Discount**



**ALUMINUM  
EQUIPMENT TRAILERS**


**PRICING**

**GUIDE  
2019**





# ALUMINUM EQUIPMENT TRAILERS



## CONTENTS

---

### General Information

- 2 General Information
- 2 Terms & Conditions
- 2 Order Entry Procedures
- 3 First Owner Registration Procedure
- 4 Warranty Information
- 6 EBY Contacts
- 7 Program Notes

### Low-Profile Bumper-Pull Flatbeds

- 8 10K Low-Profile Bumper-Pull
- 12 14K Low-Profile Bumper-Pull
- 16 23K Low-Profile Bumper-Pull

### Deck-Over Bumper-Pull Flatbeds

- 20 10K Deck-Over Bumper-Pull
- 24 14K Deck-Over Bumper-Pull
- 28 25K Deck-Over Bumper-Pull

### Gooseneck Flatbeds


- 32 15.9K Gooseneck
- 36 25K Gooseneck

### Car Trailers

- 40 7K Car Hauler

10K GVW

# LOW-PROFILE BUMPER-PULL



## STANDARD DIMENSIONS

AREA	DESCRIPTION	LP10K18	LP10K20
A	Full Deck Length	18'	20'
B	Deck Width	82"	82"
C	Deck Height	24-1/2"	24-1/2"
D	Overall Length	22' 10-3/4"	24' 10-3/4"
E	Overall Width	102"	102"
F	A-Frame Length	58-3/4"	58-3/4"
G	Flat Deck Length	15' 9"	17' 9"
H	Beaver Tail Length	27"	27"
I	Forward of Fender	94-1/2"	112-1/2"
J	Length of Fender	75"	75"
K	Behind Fender (flat)	19-1/2"	25-1/2"

# 10K GWW LOW-PROFILE BUMPER-PULL

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	18' Length × 82" Width	Est. Tare Wt.: 1,890 lbs.
	20' Length × 82" Width	Est. Tare Wt.: 2,070 lbs.
	Custom sizes available	

### RUNNING GEAR

Coupler	2-5/16" adjustable ball coupler, 8" channel. 15,000# rating	
GVWR	10,000#	
Axles	(2) 5,200# torsion ride, 102" wide, 36" spacing	
Brakes	Electric brakes on both axles	
Wheels	16" aluminum, 8-bolt	
Tires	235/80R16 load range E	
Landing Leg	8,000# top-wind jack with drop leg	

### DECK CONSTRUCTION

Deck Height	24-1/2"	
Frame	8" channel	
Floor	Extruded aluminum deck with 5-1/2" side rails, 27" beaver tail at rear with 4-1/2" drop; 82" between fenders	
Fenders	3/16" fabricated	

### ACCESSORIES

Stake Pockets & Rub Rail	Both sides	
Ramps	(2) Hinged rear ramps, 60" long × 16" wide, tube frame with angle cross-members, store in upright position, adjustable side to side to match track width	

### LIGHTS / ELECTRICAL SYSTEM

Lights	(1 Set) Oval stop/tail/turn lights, 1" round clearance and marker lights (All LED)	
Electrical	7-pin RV plug, break-away kit	

### MISCELLANEOUS

Tie-Downs	(4) D-ring tie downs, near (4) corners of the deck	
-----------	--	--

# 10K GVW LOW-PROFILE BUMPER-PULL

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	PRICE	UOM
LP10K18	18' x 82" Low-Profile 10K Bumper-Pull	<b>\$11,204</b> (Wt: 1,890 lbs.)	EA
LP10K20	20' x 82" Low-Profile 10K Bumper-Pull	<b>\$11,690</b> (Wt: 2,070 lbs.)	EA

DESCRIPTION	PRICE	UOM
<b>COUPLER</b>		
2-5/16" adjustable ball coupler	<b>STD</b>	
Lunette Ring	\$102	EA

<b>AXLES / BRAKES</b>		
(2) 5.2K Electric brakes	<b>STD</b>	
(2) 5.2K Electric/Hydraulic drum	\$2,251	PR
(2) 5.2K Electric/Hydraulic disc	\$2,879	PR

<b>WHEELS AND TIRES</b>		
(4) 235/80R16 LRE tires on aluminum wheels	<b>STD</b>	
(4) 235/85R16 LRG tires on aluminum wheels	\$1,228	SET
Spare mounting hardware only	\$97	EA
Spare tire cover	\$65	EA
Spare 235/80R16 LRE tire and steel wheel (includes mount)	\$269	EA
Spare 235/80R16 LRE tire and aluminum wheel (includes mount)	\$431	EA
Spare 235/80R16 LRG tire and steel wheel (includes mount)	\$575	EA
Spare 235/80R16 LRG tire and aluminum wheel (includes mount)	\$740	EA

<b>RAMPS / BEAVER TAIL</b>		
(2) 16"W x 60"L Stand-up adjustable ladder ramps	<b>STD</b>	
Delete Ramps	\$(485)	PR
Delete Beaver Tail	N/C	NC
Removable clip-on ramp	\$463	EA
36" Wide stand-up ramps	\$296	PR
Bi-Fold split ramps	\$915	PR

<b>LANDING LEG</b>		
8,000# Top-wind jack with removable foot	<b>STD</b>	
Electric jack (must include battery option)	\$808	PR

<b>FLOOR</b>		
Extruded aluminum plank	<b>STD</b>	


# 10K GVW LOW-PROFILE BUMPER-PULL

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	PRICE	UOM
<b>LIGHTS / ELECTRICAL</b>		
LED Stop/tail/turn lights, LED clearance lights	STD	
Additional clearance light	\$69	EA
Additional set of S/T/T	\$370	PR
Mid Span turn signals	\$370	PR
Loading light	\$485	EA
Tool box light	\$134	EA
Set of strobe lights	\$425	PR
Auxiliary Battery	\$507	EA
<b>TOOL BOXES</b>		
A-frame tool box (Not sealed box; allows for spare tire mount)	\$624	EA
24" × 16" × 16" Aluminum lid under body tool box	\$405	EA
24" × 16" × 16" Stainless steel lid under body tool box	\$485	EA
36" × 16" × 16" Aluminum lid under body tool box	\$485	EA
36" × 16" × 16" Stainless steel lid under body tool box	\$566	EA
<b>MISCELLANEOUS</b>		
Winch mounting bracket only	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	EA
Additional floor tie	\$103	EA
Stake pocket mount relocatable "D" ring	\$81	EA
Sliding winch track per foot	\$37	FT
Sliding winch with 4" strap	\$69	EA
45" Removable stone guard	\$576	EA
Pallet Fork Carriers	\$1,233	PR

14K GVW

# LOW-PROFILE BUMPER-PULL



## STANDARD DIMENSIONS

AREA	DESCRIPTION	LP14K18	LP14K20	LP14K25
A	Full Deck Length	18'	20'	24' 6"
B	Deck Width	82"	82"	82"
C	Deck Height	27-1/2"	27-1/2"	27-1/2"
D	Overall Length	22' 10-3/4"	24' 10-3/4"	29' 4-3/4"
E	Overall Width	102"	102"	102"
F	A-Frame Length	58-3/4"	58-3/4"	58-3/4"
G	Flat Deck Length	15' 9"	17' 9"	22' 3"
H	Beaver Tail Length	27"	27"	27"
I	Forward of Fender	94-1/2"	112-1/2"	153"
J	Length of Fender	75"	75"	75"
K	Behind Fender (flat)	19-1/2"	25-1/2"	39"

# 14K GVW LOW-PROFILE BUMPER-PULL

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	18' Length × 82" Width	Est. Tare Wt.: 2,217 lbs.
	20' Length × 82" Width	Est. Tare Wt.: 2,311 lbs.
	24'6" Length × 82" Width	Est. Tare Wt.: 2,511 lbs.
	Custom sizes available	

### RUNNING GEAR

Coupler	2-5/16" adjustable ball coupler, 10-3/8" channel. 15,000# rating	
GVWR	14,000#	
Axles	(2) 7,000# torsion ride, 102" wide, 36" spacing	
Brakes	Electric brakes on both axles	
Wheels	16" aluminum, 8-bolt	
Tires	235/80R16 load range E	
Landing Leg	12,000# side-wind jack with drop leg	

### DECK CONSTRUCTION

Deck Height	27-1/2"	
Frame	10-3/8" channel	
Floor	Extruded aluminum deck with 5-1/2" side rails, 27" beaver tail at rear with 4-1/2" drop; 82" between fenders	
Fenders	3/16" fabricated	

### ACCESSORIES

Stake Pockets & Rub Rail	Both sides	
Ramps	(2) Hinged rear ramps, 60" long × 16" wide, tube frame with angle cross-members, store in upright position, adjustable side to side to match track width	

### LIGHTS / ELECTRICAL SYSTEM

Lights	(1 Set) Oval stop/tail/turn lights, 1" round clearance and marker lights (All LED)	
Electrical	7-pin RV plug, break-away kit	

### MISCELLANEOUS

Tie-Downs	(4) Heavy D-ring tie downs, near (4) corners of the deck	
-----------	--	--

# 14K GWV LOW-PROFILE BUMPER-PULL

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	CUSTOM	VALUE	TRADESMAN	UOM
LP14K18	18' x 82" Low-Profile 14K Bumper-Pull	<b>\$12,748</b> (Wt: 2,217 lbs.)	<b>\$12,230</b> (Wt: 2,257 lbs.)	<b>\$13,402</b> (Wt: 2,400 lbs.)	EA
LP14K20	20' x 82" Low-Profile 14K Bumper-Pull	<b>\$13,208</b> (Wt: 2,311 lbs.)	<b>\$12,692</b> (Wt: 2,351 lbs.)	<b>\$13,878</b> (Wt: 2,494 lbs.)	EA
LP14K25	24'6" x 82" Low-Profile 14K Bumper-Pull	<b>\$14,280</b> (Wt: 2,511 lbs.)	<b>\$13,846</b> (Wt: 2,551 lbs.)	<b>\$15,032</b> (Wt: 2,694 lbs.)	EA

DESCRIPTION	CUSTOM	VALUE	TRADESMAN	UOM
<b>COUPLER</b>				
2-5/16" adjustable ball coupler	<b>STD</b>	<b>STD</b>	<b>STD</b>	
Lunette Ring	\$102	\$102	\$102	EA

<b>AXLES / BRAKES</b>				
(2) 7K Electric brakes	<b>STD</b>	<b>STD</b>	<b>STD</b>	
(2) 7K Electric/Hydraulic drum brakes	\$2,251	-	-	
(2) 7K Electric/Hydraulic disc brakes	\$2,879	-	-	
(2) 8K Electric brakes	\$1,427	-	-	
(2) 8K Electric/Hydraulic drum brakes	\$3,678	-	-	
(2) 8K Electric/Hydraulic disc	\$4,507	-	-	

<b>WHEELS AND TIRES</b>				
(4) 235/80R16 LRE tires on steel wheels	-	<b>STD</b>	-	
(4) 235/80R16 LRE tires on aluminum wheels	<b>STD</b>	\$492	<b>STD</b>	SET
(4) 235/85R16 LRG tires on aluminum wheels	\$1,228	-	-	SET
(4) 215/75 R17.5 LRH tires on steel wheels	\$1,481	-	-	SET
(4) 215/75 R17.5 LRH tires on Alcoa aluminum wheels	\$2,881	-	-	SET
Spare mounting hardware only	\$97	\$97	-	EA
Spare tire cover	\$65	\$65	-	EA
Spare 235/80R16 LRE tire and steel wheel (includes mount)	\$269	\$269	<b>STD</b>	EA
Spare 235/80R16 LRE tire and aluminum wheel (includes mount)	\$431	\$431	\$162	EA
Spare 235/80R16 LRG tire and steel wheel (includes mount)	\$575	-	-	EA
Spare 235/80R16 LRG tire and aluminum wheel (includes mount)	\$740	-	-	EA
Spare 215/75 R17.5 LRH tire and steel wheel (includes mount)	\$752	-	-	EA
Spare 215/75 R17.5 LRH tire and Alcoa wheel (includes mount)	\$1,025	-	-	EA

<b>FLOOR</b>				
Extruded aluminum plank	<b>STD</b>	<b>STD</b>	<b>STD</b>	


# 14K GVW LOW-PROFILE BUMPER-PULL

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	CUSTOM	VALUE	TRADESMAN	UOM
<b>RAMPS / BEAVER TAIL</b>				
(2) 16"W × 60"L Stand-up adjustable ladder ramps	STD	STD	STD	
Delete Ramps	\$(485)	–	–	PR
Delete Beaver Tail	N/C	–	–	NC
Removable clip-on ramp	\$463	\$463	–	EA
36" Wide stand-up ramps	\$296	\$296	–	PR
Bi-Fold split ramps	\$915	\$915	\$915	PR
<b>LIGHTS / ELECTRICAL</b>				
LED Stop/tail/turn lights, LED clearance lights	STD	STD	STD	
Additional clearance light	\$69	–	–	EA
Additional set of S/T/T	\$370	–	–	PR
Mid Span turn signals	\$370	–	–	PR
Loading light	\$485	\$485	\$485	EA
Tool box light	\$134	–	–	EA
Set of strobe lights	\$425	\$425	\$425	PR
Auxiliary Battery (Must choose tool box option)	\$507	\$507	\$507	EA
<b>TOOL BOXES</b>				
A-frame tool box (Not sealed box; allows for spare tire mount)	\$624	\$624	STD	EA
24" × 16" × 16" Aluminum lid under body tool box	\$405	\$405	\$405	EA
24" × 16" × 16" Stainless steel lid under body tool box	\$485	\$485	\$485	EA
36" × 16" × 16" Aluminum lid under body tool box	\$485	\$485	\$485	EA
36" × 16" × 16" Stainless steel lid under body tool box	\$566	\$566	\$566	EA
<b>MISCELLANEOUS</b>				
Winch mounting bracket only	\$253	\$253	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	–	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	–	\$2,674	EA
Additional floor tie	\$103	–	–	EA
Stake pocket mount relocatable "D" ring	\$81	\$81	\$81	EA
Sliding winch track per foot	\$37	\$37	\$37	FT
Sliding winch with 4" strap	\$69	\$69	\$69	EA
45" Removable stone guard	\$576	\$576	\$576	EA
Pallet Fork Carriers	\$1,233	–	\$1,233	PR

23K GVW

# LOW-PROFILE BUMPER-PULL



## STANDARD DIMENSIONS

AREA	DESCRIPTION	LP23K26
A	Full Deck Length	25' 9"
B	Deck Width	82"
C	Deck Height	33"
D	Overall Length	31'
E	Overall Width	102"
F	A-Frame Length	60"
G	Flat Deck Length	22' 6"
H	Beaver Tail Length	39"
I	Forward of Fender	134-1/2"
J	Length of Fender	83-3/8"
K	Behind Fender (flat)	52-5/16"

# 23K GVW LOW-PROFILE BUMPER-PULL

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	25'9" Length × 82" Width	Est. Tare Wt.: 4,880 lbs.
	(Length includes 3'3" beavertail)	
	Custom sizes available	

### RUNNING GEAR

Coupler	Adjustable 25K lunette ring
GVWR	23,000#
Axles	(2) 10,000# torsion ride on 42" spacing
Brakes	Electric brakes with break-away kit
Wheels	17.5" × 6.75" heavy-duty steel wheels, 8-lugs
Tires	235/75R17.5 load range H
Landing Leg	12K 2-speed dual drop-legs

### DECK CONSTRUCTION

Deck Height	33"
Frame	15-7/8" two-piece frame rails
Floor	1-1/2" extruded aluminum planks running front-to-back; wood nailers on outside of flat deck, support by 4" Z-shaped HD cross members 16" O.C.; extruded outside rails with integrated tie-down slots
Fenders	3/16" fabricated, 82" between fenders; mud flaps on rear

### ACCESSORIES

Ramps	60"L × 24"W with spring-assist fold-up; constructed of 5" aluminum channel and aluminum cleats
Beavertail	39" integrated wood running front-to-back at 14-degree angle

### LIGHTS / ELECTRICAL SYSTEM

Lights/Wiring	12 volt DOT approved LED with ATA color coded, sealed wiring harness; meets all US and Canadian regulations
Electrical	7-pin RV plug

### MISCELLANEOUS

Tie-Downs	(4) Heavy-duty extruded aluminum; adjustable
-----------	--

# 23K GVW LOW-PROFILE BUMPER-PULL

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	PRICE	UOM
LP23K26	25'9" x 82" Flatbed 23K Bumper-Pull	<b>\$28,538</b> (Wt: 4,880 lbs.)	EA

DESCRIPTION	PRICE	UOM
<b>COUPLER</b>		
Lunette Ring	STD	

<b>AXLES / BRAKES</b>		
(2) 10K Electric brakes	STD	
(2) 10K Electric/Hydraulic drum brakes	\$3,112	PR
(2) 10K Electric/Hydraulic disc brakes	\$3,355	PR

<b>WHEELS AND TIRES</b>		
(4) 215/75R17.5 LRH tires on steel wheels	STD	
(4) 215/75R17.5 LRH tires on Alcoa aluminum wheels	\$1,917	SET
Spare mounting hardware only	\$97	EA
Spare 215/75R17.5 LRH tire and steel wheel (includes mount)	\$752	EA

<b>RAMPS / BEAVER TAIL</b>		
(2) Stand-up ramps adjustable side-to-side	STD	
Delete Ramps	\$(538)	PR
Delete Beaver Tail	N/C	NC
(2) 50/50 ramps	\$1,885	SET
Wood inlay in lieu of aluminum cleats	\$431	SET

<b>LANDING LEG</b>		
(2) Single-speed drop-legs	STD	
Dual Electric/Hydraulic landing legs (requires battery option)	\$2,187	


<b>FLOOR</b>		
Wood nailers and extruded aluminum planks	STD	
All extruded aluminum planks (weight -250#)	\$456	EA
All wood (weight +385#)	\$456	EA

# 23K GVW LOW-PROFILE BUMPER-PULL

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	PRICE	UOM
<b>LIGHTS / ELECTRICAL</b>		
LED Stop/tail/turn lights, LED clearance lights	STD	
Additional clearance light	\$69	EA
Additional set of S/T/T	\$370	PR
Mid Span turn signals	\$370	PR
Loading light	\$485	EA
Tool box light	\$134	EA
Set of strobe lights	\$425	PR
Auxiliary Battery (mounted in box on tongue)	\$507	EA
<b>TOOL BOXES</b>		
A-frame tool box (Not sealed box; allows for spare tire mount)	STD	
24" × 16" × 16" Aluminum lid under body tool box	\$405	EA
24" × 16" × 16" Stainless steel lid under body tool box	\$485	EA
36" × 16" × 16" Aluminum lid under body tool box	\$485	EA
36" × 16" × 16" Stainless steel lid under body tool box	\$566	EA
<b>MISCELLANEOUS</b>		
Additional floor tie	\$103	EA
Winch mounting bracket only	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	EA
Stake pocket mount relocatable "D" ring	\$81	EA
Sliding winch track per foot	\$37	FT
Sliding winch with 4" strap	\$69	EA
(8) Removable tie plates	\$152	SET
Additional stake pocket	\$69	EA
Additional pipe spool	\$69	EA

# 10K GVW DECK-OVER BUMPER-PULL



## STANDARD DIMENSIONS

AREA	DESCRIPTION	D010K18	D010K20
A	Full Deck Length	18'	20'
B	Deck Width	97-3/4"	97-3/4"
C	Deck Height	34-1/2"	34-1/2"
D	Overall Length	22' 10-3/4"	24' 10-3/4"
E	Overall Width	102"	102"
F	A-Frame Length	58-3/4"	58-3/4"
G	Flat Deck Length	13' 9"	15' 9"
H	Beaver Tail Length	51"	51"

# 10K GVW DECK-OVER BUMPER-PULL

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	18' Length × 102" Width	Est. Tare Wt.: 2,050 lbs.
	20' Length × 102" Width	Est. Tare Wt.: 2,270 lbs.
	Custom sizes available	

### RUNNING GEAR

Coupler	2-5/16" adjustable ball coupler, 15,000# rating
GVWR	10,000#
Axles	(2) 5,200# torsion ride, 102" wide
Brakes	Electric brakes on both axles
Wheels	16" aluminum, 8-bolt
Tires	235/80R16 load range E
Landing Leg	8,000# top-wind jack with drop leg

### DECK CONSTRUCTION

Deck Height	34-1/2"
Frame	8" channel
Floor	Extruded aluminum deck with 5-1/2" side rails, 51" beaver tail at rear

### ACCESSORIES

Stake Pockets/Rub Rails	Both sides
Ramps	(2) Hinged rear ramps, 60" long × 16" wide, tube frame with angle cross-members, store in upright position, adjustable to match track width

### LIGHTS / ELECTRICAL SYSTEM

Lights	(1 Set) Oval stop/tail/turn lights, 1" round clearance and marker lights (All LED)
Electrical	7-pin RV plug, break-away kit

### MISCELLANEOUS

Tie-Downs	(4) D-ring tie downs, near (4) corners of the deck
-----------	--

# 10K GVW DECK-OVER BUMPER-PULL

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	PRICE	UOM
D010K18	18' x 102" Deck-Over 10K Bumper-Pull	<b>\$11,504</b> (Wt: 2,050 lbs.)	EA
D010K20	20' x 102" Deck-Over 10K Bumper-Pull	<b>\$11,989</b> (Wt: 2,270 lbs.)	EA

DESCRIPTION	PRICE	UOM
<b>COUPLER</b>		
2-5/16" adjustable ball coupler	<b>STD</b>	
Lunette Ring in lieu of ball coupler	\$102	EA

<b>AXLES / BRAKES</b>		
(2) 5.2K Electric brakes	<b>STD</b>	
(2) 5.2K Electric/Hydraulic drum in lieu of 5.2KE	\$2,251	PR
(2) 5.2K Electric/Hydraulic disc in lieu of 5.2KE	\$2,879	PR

<b>WHEELS AND TIRES</b>		
(4) 235/80R16 LRE tires on aluminum wheels	<b>STD</b>	
(4) 235/85R16 LRG tires on aluminum wheels	\$1,228	SET
Spare mounting hardware only	\$97	EA
Spare tire cover	\$65	EA
Spare 235/80R16 LRE tire and steel wheel (includes mount)	\$269	EA
Spare 235/80R16 LRE tire and aluminum wheel (includes mount)	\$431	EA
Spare 235/80R16 LRG tire and steel wheel (includes mount)	\$575	EA
Spare 235/80R16 LRG tire and aluminum wheel (includes mount)	\$740	EA

<b>FLOOR</b>		
Extruded aluminum plank	<b>STD</b>	


<b>RAMPS / BEAVER TAIL</b>		
(2) 16"W x 60"L Stand-up adjustable ladder ramps	<b>STD</b>	
Delete Ramps	\$(485)	PR
Delete Beaver Tail	N/C	NC
Removable clip-on ramp	\$463	EA
(2) 36" Wide stand-up ramps	\$296	PR
(2) 1/3 Fold-flat ramps	\$883	PR
(1) 1/3 Center fold-flat ramp center	\$862	EA
(2) 50/50 Fold-flat ramps	\$1,456	PR
Bi-Fold split ramps	\$915	PR

# 10K GWW DECK-OVER BUMPER-PULL

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	PRICE	UOM
<b>LANDING LEG</b>		
8,000# Top-wind jack with removable foot	STD	
Electric jack (must include battery option)	\$808	PR
<b>LIGHTS / ELECTRICAL</b>		
LED Stop/tail/turn lights, LED clearance lights	STD	
Additional clearance light	\$69	EA
Additional set of S/T/T	\$370	PR
Mid Span turn signals	\$370	PR
Loading light	\$485	EA
Tool box light	\$134	EA
Set of strobe lights	\$425	PR
Auxiliary Battery	\$507	EA
<b>TOOL BOXES</b>		
A-frame tool box (Not sealed box; allows for spare tire mount)	\$624	EA
24" x 16" x 16" Aluminum lid under body tool box	\$405	EA
24" x 16" x 16" Stainless steel lid under body tool box	\$485	EA
36" x 16" x 16" Aluminum lid under body tool box	\$485	EA
36" x 16" x 16" Stainless steel lid under body tool box	\$566	EA
<b>MISCELLANEOUS</b>		
Winch mounting bracket only	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	EA
Additional floor tie	\$103	EA
Stake pocket mount relocatable "D" ring	\$81	EA
Sliding winch track per foot	\$37	FT
Sliding winch with 4" strap	\$69	EA
45" Removable stone guard	\$576	EA

# 14K GVW DECK-OVER BUMPER-PULL



## STANDARD DIMENSIONS

AREA	DESCRIPTION	D014K18	D014K20	D014K25
A	Full Deck Length	18'	20'	24' 6"
B	Deck Width	97-3/4"	97-3/4"	97-3/4"
C	Deck Height	34-1/2"	34-1/2"	34-1/2"
D	Overall Length	22' 10-3/4"	24' 10-3/4"	29' 4-3/4"
E	Overall Width	102"	102"	102"
F	A-Frame Length	58-3/4"	58-3/4"	58-3/4"
G	Flat Deck Length	13'9"	15'9"	20'3"
H	Beaver Tail Length	51"	51"	51"

# 14K GWW DECK-OVER BUMPER-PULL

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	18' Length × 102" Width	Est. Tare Wt.: 2,427 lbs.
	20' Length × 102" Width	Est. Tare Wt.: 2,541 lbs.
	24'6" Length × 102" Width	Est. Tare Wt.: 2,771 lbs.
	Custom sizes available	

### RUNNING GEAR

Coupler	2-5/16" adjustable ball coupler, 8" channel. 15,000# rating	
GVWR	14,000#	
Axles	(2) 7,000# torsion ride, 102" wide	
Suspension	Rubber torsion	
Brakes	Electric brakes on both axles	
Wheels	16" aluminum, 8-bolt	
Tires	235/80R16 load range E	
Landing Leg	12,000# side-wind jack with drop leg	

### DECK CONSTRUCTION

Deck Height	34-1/2"	
Frame	10-3/8" channel	
Floor	Extruded aluminum deck with 5-1/2" side rails, 51" beaver tail at rear	

### ACCESSORIES

Stake Pockets/Rub Rails	Both sides	
Ramps	(2) Hinged rear ramps, 60" long × 16" wide, tube frame with angle cross-members, store in upright position, adjustable to match track width	

### LIGHTS / ELECTRICAL SYSTEM

Lights	(1 Set) Oval stop/tail/turn lights, 1" round clearance and marker lights (All LED)	
Electrical	7-pin RV plug, break-away kit	

### MISCELLANEOUS

Tie-Downs	(4) D-ring tie downs, near (4) corners of the deck	
-----------	--	--

# 14K GVW DECK-OVER BUMPER-PULL

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	CUSTOM	VALUE	TRADESMAN	UOM
D014K18	18' x 102" Deck-Over 14K Bumper-Pull	<b>\$12,923</b> (Wt: 2,427 lbs.)	<b>\$12,230</b> (Wt: 2,467 lbs.)	<b>\$13,752</b> (Wt: 2,610 lbs.)	EA
D014K20	20' x 102" Deck-Over 14K Bumper-Pull	<b>\$13,838</b> (Wt: 2,541 lbs.)	<b>\$12,692</b> (Wt: 2,581 lbs.)	<b>\$14,186</b> (Wt: 2,724 lbs.)	EA
D014K25	24'6" x 102" Deck-Over 14K Bumper-Pull	<b>\$14,808</b> (Wt: 2,771 lbs.)	<b>\$13,846</b> (Wt: 2,811 lbs.)	<b>\$15,340</b> (Wt: 2,954 lbs.)	EA

DESCRIPTION	CUSTOM	VALUE	TRADESMAN	UOM
<b>COUPLER</b>				
2-5/16" adjustable ball coupler	<b>STD</b>	<b>STD</b>	<b>STD</b>	
Lunette Ring	\$102	\$102	\$102	EA

<b>AXLES / BRAKES</b>				
(2) 7K Electric brakes	<b>STD</b>	<b>STD</b>	<b>STD</b>	
(2) 7K Electric/Hydraulic drum brakes	\$2,251	–	–	PR
(2) 7K Electric/Hydraulic disc brakes	\$2,879	–	–	PR
(2) 8K Electric brakes	\$1,427	–	–	PR
(2) 8K Electric/Hydraulic drum brakes	\$3,678	–	–	PR
(2) 8K Electric/Hydraulic disc	\$4,507	–	–	PR

<b>WHEELS AND TIRES</b>				
(4) 235/80R16 LRE tires on steel wheels	–	<b>STD</b>	–	
(4) 235/80R16 LRE tires on aluminum wheels	<b>STD</b>	\$492	<b>STD</b>	SET
(4) 235/85R16 LRG tires on aluminum wheels	\$1,228	–	–	SET
(4) 215/75 R17.5 LRH tires on steel wheels	\$1,481	–	–	SET
(4) 215/75 R17.5 LRH tires on Alcoa aluminum wheels	\$2,881	–	–	SET
Spare mounting hardware only	\$97	\$97	–	EA
Spare tire cover	\$65	\$65	–	EA
Spare 235/80R16 LRE tire and steel wheel (includes mount)	\$269	\$269	<b>STD</b>	EA
Spare 235/80R16 LRE tire and aluminum wheel (includes mount)	\$431	\$431	\$162	EA
Spare 235/80R16 LRG tire and steel wheel (includes mount)	\$575	–	–	EA
Spare 235/80R16 LRG tire and aluminum wheel (includes mount)	\$740	–	–	EA
Spare 215/75 R17.5 LRH tire and steel wheel (includes mount)	\$752	–	–	EA
Spare 215/75 R17.5 LRH tire and Alcoa wheel (includes mount)	\$1,025	–	–	EA


<b>FLOOR</b>				
Extruded aluminum plank	<b>STD</b>	<b>STD</b>	<b>STD</b>	

# 14K GVW DECK-OVER BUMPER-PULL

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	CUSTOM	VALUE	TRADESMAN	UOM
<b>RAMPS / BEAVER TAIL</b>				
(2) 16"W × 60"L Stand-up adjustable ladder ramps	STD	STD	–	
Delete Ramps	\$(485)	–	–	PR
Delete Beaver Tail	N/C	–	–	NC
Removable clip-on ramp	\$463	\$463	–	EA
(2) 36" Wide stand-up ramps	\$296	\$296	–	PR
(2) 1/3 Fold-flat ramps	\$883	–	STD	PR
(1) 1/3 Center fold-flat ramp center	\$862	–	\$862	EA
(2) 50/50 Fold-flat ramps	\$1,615	–	\$732	PR
Bi-Fold split ramps	\$915	\$915	\$32	PR
<b>LIGHTS / ELECTRICAL</b>				
LED Stop/tail/turn lights, LED clearance lights	STD	STD	STD	
Additional clearance light	\$69	–	–	EA
Additional set of S/T/T	\$370	–	–	PR
Mid Span turn signals	\$370	–	–	PR
Loading light	\$485	\$485	\$485	EA
Tool box light	\$134	–	–	EA
Set of strobe lights	\$425	\$425	\$425	PR
Auxiliary Battery (Must choose tool box option)	\$507	\$507	\$507	EA
<b>TOOL BOXES</b>				
A-frame tool box (Not sealed box; allows for spare tire mount)	\$624	\$624	STD	EA
24" × 16" × 16" Aluminum lid under body tool box	\$405	\$405	\$405	EA
24" × 16" × 16" Stainless steel lid under body tool box	\$485	\$485	\$485	EA
36" × 16" × 16" Aluminum lid under body tool box	\$485	\$485	\$485	EA
36" × 16" × 16" Stainless steel lid under body tool box	\$566	\$566	\$566	EA
<b>MISCELLANEOUS</b>				
Winch mounting bracket only	\$253	\$253	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	–	–	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	–	–	EA
Additional floor tie	\$103	–	–	EA
Stake pocket mount relocatable "D" ring	\$81	\$81	\$81	EA
Sliding winch track per foot	\$37	\$37	\$37	FT
Sliding winch with 4" strap	\$69	\$69	\$69	EA
45" Removable stone guard	\$576	\$576	\$576	EA

# 25K GVW DECK-OVER BUMPER-PULL



## STANDARD DIMENSIONS

AREA	DESCRIPTION	D025K25	D025K30	D025K35
A	Full Deck Length	25'	30'	35'
B	Deck Width	97-3/4"	97-3/4"	97-3/4"
C	Deck Height	35-5/8"	35-5/8"	35-5/8"
D	Overall Length	31' 4-3/4"	36' 4-3/4"	41' 4-3/4"
E	Overall Width	102"	102"	102"
F	A-Frame Length	76-1/2"	76-1/2"	76-1/2"
G	Flat Deck Length	20'	25'	30'
H	Beaver Tail Length	60"	60"	60"

# 25K GVW DECK-OVER BUMPER-PULL

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	25' Length × 102" Width	Est. Tare Wt.: 5,500 lbs.
	30' Length × 102" Width	Est. Tare Wt.: 5,970 lbs.
	35' Length × 102" Width	Est. Tare Wt.: 6,440 lbs.
	(Length includes 5' beavertail)	
Custom sizes available		

### RUNNING GEAR

Coupler	3" Adjustable lunette ring, 66K cap	
GVWR	25,000#	
Axles	(2) 10K with grease pack spindles; 42" spread	
Brakes	Electric brakes on both axles; electronic break-away kit	
Wheels	(8) 16" steel	
Tires	235/80R16 load range E, radial	
Landing Leg	(2) 12K drop-leg, side-wind, two-speed	
Suspension	Hutch, spring 9700 series	

### DECK CONSTRUCTION

Deck Height	35-5/8"	
Frame	19" tall, 2-piece extruded aluminum, pierced for cross members	
Floor	Extruded aluminum with grip-enhancing knurls, with (4) wood nailers	
Side Rail	5.75" extruded aluminum; full-length rub rail with stake pockets on 24" centers; pipe spools between each pocket	
Main Beams	19" tall, 2-piece extruded aluminum, pierced for cross members	
A-Frame	12" extruded aluminum	
Bulkhead	HD plate with integrated spare tire carrier	
Cross Members	4" Z-Shaped extruded aluminum on 16" centers	
Beavertail	Triangular extruded tubes with integrated foot grips	

### ACCESSORIES

Stake Pockets/Rub Rails	Both sides	
Ramps	(2) HD open frame 24"-wide x 5'-long, spring-assist with 3" × 3" angle cleats	
Safety Chains	3/8" Grade 70; extra-long to prevent binding on large dump truck rear hitch plates	
Beavertail	3" × 3" triangular extruded tubes with integrated foot grips	
Tool Box	(1) A-frame tool box with lockable cover	

### LIGHTS / ELECTRICAL SYSTEM

Lights	(4) Quadralight, stop/tail/turn/back up, LED	
Running Lights	All side marker and rear ID lights are LED style	
Wiring	A.T.A. color-coded wiring harness	

### MISCELLANEOUS

Tie-Downs	(8) Removable D-rings	
Conspicuity Tape	Meets all U.S. and Canadian regulations	

# 25K GVW DECK-OVER BUMPER-PULL

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	PRICE	UOM
D025K25	<b>25' × 102" Deck-Over 25K Bumper-Pull</b> (Length includes 5' beavertail)	<b>\$32,654</b> (Wt: 5,500 lbs.)	EA
D025K30	<b>30' × 102" Deck-Over 25K Bumper-Pull</b> (Length includes 5' beavertail)	<b>\$33,383</b> (Wt: 5,970 lbs.)	EA
D025K35	<b>35' × 102" Deck-Over 25K Bumper-Pull</b> (Length includes 5' beavertail)	<b>\$35,814</b> (Wt: 6,440 lbs.)	EA

DESCRIPTION	PRICE	UOM
<b>COUPLER</b>		

Lunette Ring	<b>STD</b>	
--------------	------------	--

### AXLES / BRAKES

(2) 10,000# Electric brakes	<b>STD</b>	
(2) 10,000# Electric/Hydraulic drum brakes	\$3,112	
(2) 10,000# Electric/Hydraulic disc brakes	\$3,355	
(2) 12,000# Electric brakes	\$759	
(2) 12,000# Electric/Hydraulic drum brakes	\$3,872	
(2) 12,000# Electric/Hydraulic disc brakes	\$4,114	
(2) 15,000# Electric/Hydraulic drum brakes	\$4,415	
Air Brakes (10K, 12K, and 15K axles only, truck supplied air)	\$4,577	

### SUSPENSION

Hutch spring leaf suspension	<b>STD</b>	
Air Ride – Ridewell with on-board compressor	\$6,192	
Air Ride – Ridewell, truck supplied air	\$4,415	

### WHEELS AND TIRES

(8) 235/80R16 LRE tires and steel wheels	<b>STD</b>	
(4) 235/80R16 LRE tires and aluminum outer wheels	\$700	SET
(8) 235/85R16 LRG tires and steel wheels	\$2,458	SET
(4) 235/85R16 LRG tires and steel wheels and (4) aluminum outer wheels	\$3,158	SET
(8) 215/75R17.5 LRH tires and steel wheels	\$3,868	SET
(4) 215/75R17.5 LRH tires and steel wheels and (4) aluminum outer wheels	\$5,376	SET
Spare mounting hardware only	\$97	EA
Spare 235/80R16 LRE tire and steel wheel (includes mount)	\$269	EA
Spare 215/75R17.5 LRH tire and steel wheel (includes mount)	\$752	EA

### LANDING GEAR


(2) Single-speed drop-legs	<b>STD</b>	
Dual Electric/Hydraulic landing legs (requires battery option)	\$2,187	

# 25K GVW DECK-OVER BUMPER-PULL

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	PRICE	UOM
<b>RAMPS / BEAVER TAIL</b>		
(2) Heavy-duty adjustable ramps	STD	
Delete Ramps	\$(538)	PR
Delete Beaver Tail	-	-
50/50 ramps	\$1,885	SET
Wood inlay in lieu of aluminum cleats	\$431	SET
<b>FLOOR</b>		
Wood nailers and extruded aluminum planks	STD	
All extruded aluminum planks (weight -250#)	\$456	EA
All wood (weight +385#)	\$456	EA
<b>LIGHTS / ELECTRICAL</b>		
LED Stop/tail/turn lights, LED clearance lights	STD	
Additional clearance light	\$69	EA
Additional set of S/T/T	\$370	PR
Mid Span turn signals	\$370	PR
Loading light	\$485	EA
Tool box light	\$134	EA
Set of strobe lights	\$425	PR
Auxiliary Battery (mounted in box on tongue)	\$507	EA
<b>TOOL BOXES</b>		
A-frame tool box (Not sealed box; allows for spare tire mount)	STD	
24" x 16" x 16" Aluminum lid under body tool box	\$405	EA
24" x 16" x 16" Stainless steel lid under body tool box	\$485	EA
36" x 16" x 16" Aluminum lid under body tool box	\$485	EA
36" x 16" x 16" Stainless steel lid under body tool box	\$566	EA
<b>MISCELLANEOUS</b>		
Additional floor tie	\$103	EA
Winch mounting bracket only	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	EA
Stake pocket mount relocatable "D" ring	\$81	EA
Sliding winch track per foot	\$37	FT
Sliding winch with 4" strap	\$69	EA
(8) Removable tie plates	\$152	SET
Additional stake pocket	\$69	EA
Additional pipe spool	\$69	EA

# 15.9K GVW GOOSENECK FLATBED



STANDARD DIMENSIONS		
AREA	DESCRIPTION	GN16K24
A	Full Deck Length	24' 6"
B	Deck Width	97-3/4"
C	Deck Height	34-1/2"
D	Overall Length	32' 4-1/2"
E	Overall Width	102"
F	Nose Length	94"
G	Flat Deck Length	20' 3"
H	Beaver Tail Length	51"

# 15.9K GVW GOOSENECK FLATBED

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	24'6" Length × 102" Width	Est. Tare Wt.: 3,360 lbs.
	(Length includes 4'3" beavertail)	
	Custom sizes available under 24'6"	

### RUNNING GEAR

Coupler	2-5/16" ball coupler, safety chains
GVWR	15,900 lbs.
Axles	(2) 7,000 lbs.
Suspension	Rubber torsion
Brakes	Electric both axles, electronic break-away kit
Wheels	(4) 16" steel, 8-bolt
Tires	(4) 235/80R16 load range E, Radial
Landing Gear	(2) 12,000# crank drop-leg

### DECK CONSTRUCTION

Deck Height	34-1/2"
Floor	Extruded aluminum deck boards
Side Rail	5-1/2" extruded aluminum side rails with 1-1/2" × 3-1/2" stake pockets and 3/8" × 3" rub rail along both sides
Main Beams	10-3/8" extruded aluminum
Neck	10-3/8" extruded aluminum with spare tire rack (spare tire and wheel optional)
Beavertail	51" long

### ACCESSORIES

Ramps	(2) 1/3 width fold-flat ramps
-------	-------------------------------

### LIGHTS / ELECTRICAL SYSTEM

Running Lights	All side marker and rear ID lights are LED style
Wiring	A.T.A. color coded wiring harness
Rear Lights	(2) Stop/tail/turn, LED

### MISCELLANEOUS

Tie-Downs	(4) Stake pocket relocatable D Rings
Conspicuity Tape	Meets all US and Canadian regulations

# 15.9K GVW GOOSENECK FLATBED

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	PRICE	UOM
GN16K24	24'6" x 102" Flatbed 15.9K Gooseneck	\$21,097 (Wt: 3,360 lbs.)	EA

DESCRIPTION	PRICE	UOM
<b>COUPLER</b>		
2-5/16" Adjustable ball coupler	STD	
King Pin insert in lieu of std ball coupler	\$145	EA

<b>AXLES / BRAKES</b>		
(2) 7K Electric brakes	STD	
(2) 7K Electric/Hydraulic drum brakes	\$2,251	PR
(2) 7K Electric/Hydraulic disc brakes	\$2,879	PR
(2) 8K Electric brakes	\$1,427	PR
(2) 8K Electric/Hydraulic drum brakes	\$3,678	PR
(2) 8K Electric/Hydraulic disc brakes	\$4,507	PR

<b>WHEELS AND TIRES</b>		
(4) 235/80R16 LRE tires on steel wheels	STD	
(4) 235/80R16 LRE tires on aluminum wheels	\$492	SET
(4) 235/85R16 LRG tires on steel wheels	\$1,228	SET
(4) 215/75R17.5 LRH tires on steel wheels	\$1,481	SET
(4) 215/75R17.5 LRH tires on Alcoa aluminum wheels	\$2,881	SET
Spare mounting hardware only	\$97	EA
Spare 235/80R16 LRE tire and steel wheel (includes mount)	\$269	EA
Spare 235/80R16 LRE tire and aluminum wheel (includes mount)	\$431	EA
Spare 235/80R16 LRG tire and steel wheel (includes mount)	\$575	EA
Spare 215/75R17.5 LRH tire and steel wheel (includes mount)	\$752	EA
Spare 215/75R17.5 LRH tire and Alcoa aluminum wheel (includes mount)	\$1,025	EA

<b>RAMPS / BEAVER TAIL</b>		
(2) 1/3 Fold-flat ramps	STD	
Delete Ramps	\$(883)	PR
Delete Beaver Tail	N/C	NC
(1) 1/3 Center fold-flat ramp center	\$864	EA
(2) 50/50 Fold-flat ramps	\$732	PR
Bi-Fold split ramps in lieu of (2) 1/3 FF ramps	\$32	PR


# 15.9K GVW GOOSENECK FLATBED

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	PRICE	UOM
<b>FLOOR</b>		
Extruded aluminum plank	STD	
<b>LIGHTS / ELECTRICAL</b>		
LED Stop/tail/turn lights, LED clearance lights	STD	
Additional clearance light	\$69	EA
Mid Span turn signals	\$370	PR
Loading light	\$485	EA
Tool box light	\$134	EA
Set of strobe lights	\$425	PR
Auxiliary Battery (mounted in box at nose)	\$507	EA
<b>TOOL BOXES</b>		
Built-in tool box between landing legs on front drop sheet	STD	
24" × 16" × 16" Aluminum lid under body tool box	\$405	EA
24" × 16" × 16" Stainless steel lid under body tool box	\$485	EA
36" × 16" × 16" Aluminum lid under body tool box	\$485	EA
36" × 16" × 16" Stainless steel lid under body tool box	\$566	EA
<b>MISCELLANEOUS</b>		
Winch mounting bracket only	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	EA
Stake pocket mount relocatable "D" ring	\$81	EA
Sliding winch track per foot	\$37	FT
Sliding winch with 4" strap	\$69	EA
Loadable Nose	\$2,423	

25K GVW

# GOOSENECK FLATBED



### STANDARD DIMENSIONS

AREA	DESCRIPTION	GN25K25	GN25K30	GN25K35
A	Full Deck Length	25'	30'	35'
B	Deck Width	97-3/4"	97-3/4"	97-3/4"
C	Deck Height	35-5/8"	35-5/8"	35-5/8"
D	Overall Length	34' 2-1/2"	39' 2-1/2"	44' 2-1/2"
E	Overall Width	102"	102"	102"
F	Nose Length	110-1/2"	110-1/2"	110-1/2"
G	Flat Deck Length	20'	25'	30'
H	Beaver Tail Length	60"	60"	60"

# 25K GVW GOOSENECK FLATBED

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	25' Length × 102" Width	Est. Tare Wt.: 5,865 lbs.
	30' Length × 102" Width	Est. Tare Wt.: 6,200 lbs.
	35' Length × 102" Width	Est. Tare Wt.: 6,750 lbs.
	(Length includes 5' beavertail)	

### RUNNING GEAR

Coupler	2-5/16" ball coupler, safety chains
GVWR	25,000 lbs.
Axles	(2) 10,000 lbs.
Suspension	Hutch leaf springs
Brakes	Electric brakes on both axles; electronic break-away kit
Wheels	(8) Steel
Tires	(8) 235/80R16 load range E, Radial
Landing Gear	Two leg, two-speed

### DECK CONSTRUCTION

Deck Height	35"
Floor	Extruded aluminum with grip-enhancing knurls
Side Rail	5-3/4" extruded aluminum side rails with full length integrated tie plate track. Full length rub rail with stake pockets on 24" centers, pipe spools between each pocket
Cross-members	4" Z-Shaped extruded aluminum on 16" centers
Main Beams	19" tall, 2-piece extruded aluminum, pierced for cross-members
Neck	12" extruded aluminum with spare tire rack (spare tires and wheels are optional)
Beavertail	Triangular extruded tubes with integrated foot grips

### ACCESSORIES

Ramps	(2) 50% width ramps with torsion spring assist; ramp treads are 3" extruded angles
-------	--

### LIGHTS / ELECTRICAL SYSTEM

Lights	All side marker and rear ID lights are LED style
Wiring	A.T.A. color-coded wiring harness
Rear Lights	(2) QuadraLights, stop/tail/turn/back up, LED

### MISCELLANEOUS

Tie Plate	(8) Removable tie plates
Conspicuity Tape	Meets all U.S. and Canadian regulations
Tool Box	(1) Aluminum box with hinged lid located between neck uprights

# 25K GVW GOOSENECK FLATBED

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	PRICE	UOM
GN25K25	25' x 102" Flatbed 25K Gooseneck (Length includes 5' beavertail)	\$33,423 (Wt: 5,865 lbs.)	EA
GN25K30	30' x 102" Flatbed 25K Gooseneck (Length includes 5' beavertail)	\$34,152 (Wt: 6,200 lbs.)	EA
GN25K35	35' x 102" Flatbed 25K Gooseneck (Length includes 5' beavertail)	\$36,583 (Wt: 6,750 lbs.)	EA

DESCRIPTION	PRICE	UOM
<b>COUPLER</b>		
2-5/16" adjustable ball coupler	STD	
King Pin insert in lieu of std ball coupler	\$145	EA

<b>AXLES / BRAKES</b>		
(2) 10,000# Electric brakes	STD	
(2) 10,000# Electric/Hydraulic drum brakes	\$3,112	
(2) 10,000# Electric/Hydraulic disc brakes	\$3,355	
(2) 12,000# Electric brakes	\$759	
(2) 12,000# Electric/Hydraulic drum brakes	\$3,872	
(2) 12,000# Electric/Hydraulic disc brakes	\$4,114	
(2) 15,000# Electric/Hydraulic drum brakes	\$4,415	
Air Brakes (10K, 12K, and 15K axles only, truck supplied air)	\$4,577	

<b>SUSPENSION</b>		
Hutch spring leaf suspension	STD	
Air Ride – Ridewell with on-board compressor	\$6,192	
Air Ride – Ridewell, truck supplied air	\$4,415	

<b>WHEELS AND TIRES</b>		
(8) 235/80R16 LRE tires and steel wheels	STD	
(4) 235/80R16 LRE tires and aluminum outer wheels	\$700	SET
(8) 235/85R16 LRG tires and steel wheels	\$2,458	SET
(4) 235/85R16 LRG tires and steel wheels and (4) aluminum outer wheels	\$3,158	SET
(8) 215/75R17.5 LRH tires and steel wheels	\$3,868	SET
(4) 215/75R17.5 LRH tires and steel wheels and (4) aluminum outer wheels	\$5,376	SET
Spare mounting hardware only	\$97	EA
Spare 235/80R16 LRE tire and steel wheel (includes mount)	\$269	EA
Spare 215/75R17.5 LRH tire and steel wheel (includes mount)	\$752	EA


<b>LANDING GEAR</b>		
(2) Jost aluminum housed 2-speed landing gear	STD	
Dual Electric/Hydraulic landing legs (requires battery option)	\$2,187	

# 25K GVW GOOSENECK FLATBED

## OPTIONS AND LIST PRICING (Cont.)

DESCRIPTION	PRICE	UOM
<b>RAMPS / BEAVER TAIL</b>		
50/50 fold-flat ramps	STD	
Delete Ramps	\$(969)	
Delete Beaver Tail (Not available on 35')	-	-
Pull-out ramps in lieu of (2) fold-flat ramps	\$538	SET
<b>FLOOR</b>		
Wood nailers and extruded aluminum planks	STD	
All extruded aluminum planks (weight -250#)	\$456	EA
All wood (weight +385#)	\$456	EA
<b>LIGHTS / ELECTRICAL</b>		
LED Stop/tail/turn lights, LED clearance lights	STD	
Additional clearance light	\$69	EA
Additional set of S/T/T	\$370	PR
Mid Span turn signals	\$370	PR
Loading light	\$485	EA
Tool box light	\$134	EA
Set of strobe lights	\$425	PR
Auxiliary Battery (mounted in box on tongue)	\$507	EA
<b>TOOL BOXES</b>		
Built-in tool box between landing legs on front drop sheet	STD	
24" x 16" x 16" Aluminum lid under body tool box	\$405	EA
24" x 16" x 16" Stainless steel lid under body tool box	\$485	EA
36" x 16" x 16" Aluminum lid under body tool box	\$485	EA
36" x 16" x 16" Stainless steel lid under body tool box	\$566	EA
<b>MISCELLANEOUS</b>		
Additional floor tie	\$103	EA
Winch mounting bracket only	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	EA
Stake pocket mount relocatable "D" ring	\$81	EA
Sliding winch track per foot	\$37	FT
Sliding winch with 4" strap	\$69	EA
(8) Removable tie plates	\$152	SET
Additional stake pocket	\$69	EA
Additional pipe spool	\$69	EA
Loadable Nose	\$2,423	

# 7K GVW CAR TRAILER



## STANDARD DIMENSIONS

AREA	DESCRIPTION	CR07K18	CR07K20
A	Full Deck Length	18'	20'
B	Deck Width	82"	82"
C	Deck Height	20-13/16"	20-13/16"
D	Overall Length	22' 9-3/4"	24' 9-3/4"
E	Overall Width	102"	102"
F	A-Frame Length	56-1/8"	56-1/8"
G	Flat Deck Length	14' 5"	16' 5"
H	Beaver Tail Length	43"	43"
I	Forward of Fender	94-1/2"	112-1/2"
J	Length of Fender	75"	75"
K	Behind Fender (flat)	3-1/2"	9-1/2"

# 7K GVW CAR TRAILER

## STANDARD SPECIFICATIONS

### DIMENSIONS

Available Sizes	18' Length × 82" Width	Est. Tare Wt.: 1,720 lbs.
	20' Length × 82" Width	Est. Tare Wt.: 1,760 lbs.
	Custom sizes available	

### RUNNING GEAR

Coupler	2-5/16" adjustable ball coupler, 12,500# rating
GVWR	7,000#
Axles	(2) 3,500# torsion ride, 102" wide
Brakes	Electric brakes on both axles
Wheels	15" aluminum, 6-bolt
Tires	205/75R15 load range C
Landing Leg	5,000# top-wind jack with drop leg

### DECK CONSTRUCTION

Deck Height	21"
Frame	6" channel
Floor	Extruded aluminum deck with 5-1/2" side rails, 43" beaver tail at rear with 2-1/2" drop
Fenders	Removable attached with thread in knobs

### ACCESSORIES

Stake Pockets/Rub Rails	(2) In front of fenders per side, (2) behind fenders per side
Ramps	(2) Removable rear ramps, 77" long × 16" wide, store under deck. Adjustable to match track width

### LIGHTS / ELECTRICAL SYSTEM

Lights	(1 Set) Oval stop/tail/turn lights, 1" round clearance and marker lights (All LED)
Electrical	7-pin RV plug, break-away kit

### MISCELLANEOUS

Tie-Downs	(4) D-ring tie downs, near (4) corners of the deck
-----------	--

# 7K GVW CAR TRAILER

## OPTIONS AND LIST PRICING

MODEL	DESCRIPTION	PRICE	UOM
CR07K18	18' x 82" Flatbed Car Hauler	\$8,885 (Wt: 1,720 lbs.)	EA
CR07K20	20' x 82" Flatbed Car Hauler	\$9,692 (Wt: 1,760 lbs.)	EA

DESCRIPTION	PRICE	UOM
-------------	-------	-----

### COUPLER

2-5/16" adjustable ball coupler	STD	
---------------------------------	-----	--

### AXLES / BRAKES

(2) 3.5K Electric brake axles	STD	
-------------------------------	-----	--

### WHEELS AND TIRES

(4) 205/75R15 LRC tires on aluminum wheels	STD	
Spare mounting hardware only	\$97	EA
Spare tire cover	\$65	EA
Spare 205/75R15 LRC tire and steel wheel (includes mount)	\$269	EA
Spare 205/75R15 LRC tire and aluminum wheel (includes mount)	\$431	EA

### RAMPS / BEAVER TAIL

(2) Slide-out ramps	STD	
Delete Ramps	\$(485)	PR
Delete Beaver Tail	N/C	NC
Additional clip-on ramp	\$463	EA
Bi-Fold split ramps	\$915	PR

### LANDING LEG

8,000# Top-wind jack with removable foot	STD	
Electric jack (must include battery option)	\$808	PR

### FLOOR

Extruded aluminum plank	STD	
-------------------------	-----	--

### LIGHTS / ELECTRICAL

LED Stop/tail/turn lights, LED clearance lights	STD	
Loading light	\$485	EA
Set of strobe lights	\$425	PR
Auxiliary Battery (Must choose tool box option)	\$507	EA

# 7K GVW CAR TRAILER

## OPTIONS AND LIST PRICING *(Cont.)*

DESCRIPTION	PRICE	UOM
<b>TOOL BOXES</b>		
A-frame tool box (Not sealed box; allows for spare tire mount)	\$624	EA
24" × 16" × 16" Aluminum lid under body tool box	\$405	EA
24" × 16" × 16" Stainless steel lid under body tool box	\$485	EA
36" × 16" × 16" Aluminum lid under body tool box	\$485	EA
36" × 16" × 16" Stainless steel lid under body tool box	\$566	EA
<b>FENDERS</b>		
Removable	<b>STD</b>	
Fold-down	\$312	PR
<b>MISCELLANEOUS</b>		
Winch mounting bracket only	\$253	EA
8,000# Winch with mount, 100' cable (Does not include battery)	\$1,520	EA
9,500# Winch with mount, 100' cable (Does not include battery)	\$2,674	EA
Additional floor tie	\$103	EA
Stake pocket mount relocatable "D" ring	\$81	EA
45" Removable stone guard	\$576	EA