

# TOWMASTER TRAILERS

## 2020 RETAIL PRICE LIST

### MINNESOTA STATE CONTRACT—ECO TAG LINE

Effective Date: 1/2020



**Drop-Deck**

**Drop-Deck Tilt**

**Hydraulic Dump**

**Deck-Over**

**Deck-Over Hydraulic Tail**

**Monroe Towmaster, LLC.**

61381 US Hwy 12  
Litchfield, MN 55355

Phone: **320-693-7900**

Toll Free: 800-462-4517

Fax: 320-693-7921

**Parts Department**

Phone: **320-593-4595**

Toll Free: 866-239-2221

Fax: 320-693-5703



[towmaster.com](http://towmaster.com)

This page left blank.

## Table of Contents

Warranty.....	4
Payload Ratings.....	5
Swing Clearance.....	6
Trailer Models.....	9
<b>Hydraulic Dump Models.....</b>	<b>TC-10HD   TC-12HD</b>
<b>Drop-Deck Models.....</b>	<b>TE-10D   TE-12D   TE-14D</b>
<b>Drop-Deck Tilt.....</b>	<b>TE-5SLT   TE-10SLT   TE-12SLT   TE-10DT   TE-12DT   TE-14DT</b>
<b>Deck-Over.....</b>	<b>TE-10   TE-12   TE-14</b>
<b>Deck-Over Hydraulic Tail.....</b>	<b>TE-20HT   TEG-20HT</b>
<b>Utility.....</b>	<b>TE-UT2   TE-UT5   T-UT2   T-UT5</b>
<b>Options.....</b>	<b>30</b>

## TOWMASTER WARRANTY SUMMARY

(FULL AND CURRENT TEXT AVAILABLE AT TOWMASTER.COM)

This warranty effective on trailers manufactured after 01/01/2009.

Monroe Towmaster, LLC. (herein referred to as Towmaster) offers this extensive warranty to the original purchaser of our trailers. Warranty starts from the date of sale as long we receive the filled-out warranty card. If we do not receive the warranty card, warranty starts from the ship date of the unit.

### LIMITED LIFETIME FRAME WARRANTY

On our premium trailers (T, TC series) Towmaster warranties the trailer main frame (frame, crossmembers, gussets, beavertail, and tongue or gooseneck) for the lifetime of the trailer to the original licensed owner to be free from defects in material and workmanship. This LIFETIME WARRANTY does not cover the hitch (ball, pintle, and gooseneck fifth wheel), tires, wheels, axles, suspension, hoists, ramps, lights, wiring, paint, wood, d-rings or any other features or options outside the scope of the trailer main frame weldment. Limited Lifetime is determined by the following criteria: The life expectancy of the trailer which is determined to be 10-YEARS on tag trailers 50,000 lb. capacity and lower, or 5-YEARS on king-pin trailers 50,000 lb. capacity and up, or 5-YEARS on dump trailers, to the original owner and is non-transferrable, limited to the first accident or overloading. This warranty also does not cover:

1. Products which have been operated in excess of rated capacities
2. Misuse, abuse or accidents
3. Vehicles which have been altered, modified or repaired in any manner not authorized by our company

### FIVE-YEAR LIMITED FRAME WARRANTY

Some economy models (TE series) carry a 5-YEAR Limited Frame Warranty with the same exclusions as stated above. Some economy models (TE series) carry our standard 1-YEAR Warranty stated below.

### AXLE / SUSPENSION WARRANTY

Each Dexter Torflex Axle carries a limited 10-YEAR WARRANTY on the suspension to be free from defect in material and workmanship. Warranty is limited to Dexter warranty policy. Other types or brands of suspensions may carry either a 5-YEAR or a 2-YEAR warranty by its manufacturer.

### PAINT WARRANTY

Towmaster warrants its paint and process against peeling or delamination of topcoat and/or other layers of paint, cracking due to failure of the product, and excessive hazing for a period of 3-YEARS from the date of manufacture. This warranty is limited to original paint from the factory and excludes paint that has been chipped, scuffed, scratched, or otherwise damaged in normal use, inclement weather, improper care, or paint on trailers that have been abused or in an accident. Towmaster's liability is limited to the repair of the affected area and covers labor and materials only, at an authorized repair service.

### FULL ONE-YEAR WARRANTY

Towmaster warranties each new product manufactured by us to be free from defects in material and workmanship for a period of one year from date of delivery to the original purchaser except as noted below.

This one-year warranty covers the entire trailer against material and workmanship except as noted:

1. New products which have been operated in excess of rated capacities
2. Misuse, abuse or accidents
3. Items that have been pinched (air or hydraulic hose)
4. Vehicles which have been altered, modified or repaired in any manner not authorized by our company
5. Second-hand or used vehicles
6. Wear items such as tires, battery, suspension, bearings, parking jacks
7. Products that have not been properly maintained (by the dealer or consumer)

In no way shall the manufacturer be held liable for consequential damages such as rentals of substitute vehicles, loss of profits, downtime, or other commercial losses. This warranty does not cover shipment of trailer or parts to dealer or manufacturer, or return shipment of trailer or parts to dealer or consumer from factory.

### TIRE / BATTERY WARRANTY

New vehicle tires are warranted by their respective manufacturers and are prorated. Battery is warranted by Towmaster and is prorated.

### TOWMASTER'S OBLIGATION

Our obligation under this warranty is to repair or replace, at no cost to the end user, any warrantable part proven defective within the time limit of this warranty at our factory or at an Authorized Towmaster Dealer. Towmaster will handle disposition of warranties on all other purchased components such as axles, suspensions, wheels, batteries, parking jacks and other purchased parts in conjunction with their respective manufacturers, and under the terms of their respective warranty policies.

We must receive immediate notification of a defect and no allowance will be made for repairs without our prior consent or approval. Manufacturer does not pre-authorize any dealership for warranty work. The dealer must call our warranty service department to receive an authorization number. If the work performed is not preauthorized with a claim number, it may be deemed void. Defective parts must be returned within twenty days of receipt of replacement parts or credit may not be given for the replacement parts and an invoice may be issued.

This warranty is in lieu of all other warranties, expressed or implied by law or otherwise, and there is no warranty of merchantability or fitness of purpose. Federal regulations require motor vehicle manufacturers to maintain a record of original owners of their equipment. Our warranty registration fulfills this requirement. Please make every effort to complete the warranty card document and send it in. This warranty written under the laws of Minnesota, USA and some provisions in this warranty may be adjusted according to your local state, province or country's laws. Complete warranty details and changes can be read on our web site, [www.towmaster.com](http://www.towmaster.com).

### CUSTOMER REGISTRATION REQUIRED

**Federal regulations require motor vehicle manufacturers to maintain a record of original owners of their equipment. Our warranty registration fulfills this requirement. Please make every effort to complete this document and send it in.**

Manufacturer reserves the right to modify, without notice, specific designs and specifications as deemed advisable on the trailers described herein without obligation in regards to trailers previously manufactured. The manufacturer also reserves the right to discontinue models without obligation in regards to trailers previously sold. Written warranty covers each trailer. No other warranty expressed or implied is made.

## GAWR, GVWR, and Payload Ratings

Towmaster determines the GAWR and GVWR ratings of its trailers using the following determinations:

### GAWR

GAWR is determined by using the weakest link between the axle capacity rating and the combined wheel and tire rating.

### GVWR

GVWR is determined by taking a fleet average weight, plus payload capacity rating (as determined by the manufacturer).

### Payload Capacity

Payload is determined by one of the following calculations:

If your state recognizes weight transfer to the tow vehicle transfer, then calculate payload with this formula:

$$\text{GVWR} - \text{Trailer Weight} = \text{Payload Capacity}$$

If your state ONLY recognizes GAWR or trailer capacity rating and does NOT recognize weight transfer to the tow vehicle to transfer load, then calculate using this formula:

$$\text{GAWR OR Trailer capacity} - \text{Trailer Weight} = \text{Payload Capacity}$$

Trailer weight can fluctuate depending upon dryness of the wood deck, options installed and deck length. The best way to get the actual weight of the trailer is to scale it. Our published weights and capacities are for reference only.


### Tire/Wheel Load Ratings

Tire Size	Load Range	Tire Ply	Tire/Wheel Capacity	PSI	MPH	(S)ingle (D)ual	Bolt Pattern	Approx. Tire Dia. (in.)
ST225/75Rx15	D	8	2540	65	65	S	6 on 5.5 in ø	28.3
ST225/75Rx15	D	8	2540	65	65	S	8 on 6.5 in ø	28.3
235/80Rx16	E	10	3520	80	55	S	8 on 6.5 in ø	30.8
235/85Rx16	E	10	3640	80	65	S	6 on 5.5 in ø	31.7
235/85Rx16	E	10	3640	80	65	S	8 on 6.5 in ø	31.7
235/85Rx16	E	10	3305	80	65	D	8 on 6.5 in ø	31.7
235/85Rx16	G	14	3750	110	65	S	Upgrade	31.7
235/85Rx16	G	14	3415	110	65	D	Upgrade	31.7
235/75Rx17.5	H	16	5675	125	62	D	8 on 275mm ø	30.9
215/75Rx17.5	H	16	4805	125	62	S	8 on 6.5 in ø	29.7
215/75Rx17.5	H	16	4540	125	62	D	8 on 275mm ø	29.7
235/75Rx22.5	H	16	5070	120	62	D	10 on 285.75mm ø	35.9
255/70Rx22.5	H	16	5070	120	62	D	10 on 285.75mm ø	36.1
275/75Rx22.5	H	16	6395	125	75	D	10 on 285.75mm ø	38.2

## Gooseneck Swing Clearance


### (A-Frame / Rigid Gooseneck / Hydraulic Tail)

These are the standard swing clearance dimensions on our goosenecks. Please specify swing clearance and truck height when ordering if you require a different clearance dimension.




### Detachable Gooseneck Swing Clearance

Use the chart below to determine the proper gooseneck length to fit your tractor. Detachable gooseneck trailers come in a variety of gooseneck length options. These dimensions will help determine the swing clearance needed. If you have any questions, please call the factory for clarification.




DIMENSION	DESCRIPTION
A=	Wheel Base
B=	Drive Axle Spacing
C=	Center of Forward Drive Axle, minus (-) 5 inches to outer edge of rear tire or mud flap



DIMENSION	DESCRIPTION	
A=	Wheel Base	
B=	Drive Axle Spacing	
C=	Center of Forward Drive Axle, plus (+) 8 inches to outer edge of rear tire or mud flap	
D=	Other Axle Spacing	
	Number of Axles	
Y	N	Lift Axle


## A-Frame Gooseneck Swing Clearance

These are the standard swing clearance dimensions on our goosenecks. Please specify swing clearance and truck height when ordering if you require a different clearance dimension.



### Gooseneck Swing Clearance

Use the reference below to determine the proper gooseneck fit. These measurements will help determine the swing clearance. If you have any questions, please call the factory for clarification.




DIMENSION	DESCRIPTION
A=	Hitch Center to Box Corner
B=	Ground to Top of Box
C=	Ground to Top of Hitch Ball

This page left blank.

Effective Date: 1/1/2019

Hydraulic Dump/  
**TC-10HD**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adj. height, bolt-on coupler
- 2-5/16" ball coupler
- RV plug
- Steel box w/hyd. pump
- Corded remote for hyd. Pump 25ft
- 8K bolt-on top-wind drop-leg jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

**FRAME / DECK**

- 82" box I.D., 11 ga. steel floor, 11 ga. sides, 24" tall sides
- 28.5" deck height (unloaded)
- 3"x5" tube main frame
- Stake pockets (4 per side)
- One-piece formed fender
- Scissor hoist, power-up, gravity-down

**RAMPS / TAIL**

- Double rear doors
- 6' ramps with storage

**AXLES / SUSPENSION**

- Spring suspension
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/80R16 load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Geaseable

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- Limited 5 Year Warranty\*
- 2 Year Suspension Warranty\*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black


\*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	13,560	3,560	10,000	82"	12'	<b>\$9,605</b>
14,000	13,720	3,720	10,000	82"	14'	<b>\$10,155</b>

Effective Date: 1/1/2019

Hydraulic Dump/  
**TC-12HD**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adj. height, bolt-on coupler
- 2-5/16" ball coupler
- RV plug
- Steel box w/hyd. pump
- Corded remote for hyd. Pump 25ft
- 8K bolt-on top-wind drop-leg jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

**FRAME / DECK**

- 82" box I.D., 11 ga. steel floor, 11 ga. sides, 24" tall sides
- 28.5" deck height (unloaded)
- 3"x5" tube main frame
- Stake pockets (4 per side)
- One-piece formed fender
- Scissor hoist, power-up, gravity-down

**RAMPS / TAIL**

- Double rear doors
- 6' ramps with storage

**AXLES / SUSPENSION**

- Spring suspension
- (2) 7,000 lb. axles (4 wheels)
- Tires - 235/80R16 load range E, 10-ply
- 16" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Geaseable

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- Limited 5 Year Warranty\*
- 2 Year Suspension Warranty\*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black


\*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	15,560	3,560	12,000	82"	12'	<b>\$9,605</b>
14,000	15,720	3,720	12,000	82"	14'	<b>\$10,155</b>

Effective Date: 1/1/2019

Hydraulic Dump/  
**T-5HD**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- 2-5/16" ball coupler adjustable
- RV plug
- Steel storage box with hydraulic pump
- Corded remote for hyd. pump
- 7K bolt-on top-wind parking jack
- Battery break-away kit w/tow charger & test light
- Safety chains w/hooks

**FRAME / DECK**

- 60" box I.D., 11 ga. steel floor and sides, 16" tall sides
- 25" deck height (unloaded)
- 4x6" tube main frame
- Stake pockets (3 per side)
- One-piece formed fender
- Single lift cylinder, power-up, power-down
- Tarp securement rod

**RAMPS / TAIL**

- Tri-swing gate

**AXLES / SUSPENSION**

- Spring suspension
- (1) 5,200 lb. axles (2 wheels)
- Tires - ST225/75R15 load range D, 8-ply
- 15" wheels, 8-bolt
- Electric brakes
- Forward self-adjusting brakes
- Greasable hubs

**LIGHTS / WIRING**

- LED lights
- Sealed modular wiring

**STANDARD FEATURES**

- Limited 1 Year Warranty\*
- Two-component polyurethane primer and paint
- Trailer color: Equipment Black

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
5,200	6,500	1,500	5,000	60"	8'	\$5,725
5,200	6,700	1,700	5,000	60"	10'	\$6,015

Effective Date: 1/1/2019

Drop-Deck/

**TE-10D**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 8K Drop Leg Bolt on
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

**FRAME / DECK**

- 82" I.D. 102" O.D.
- 25" deck height
- Treated pine decking
- 5" headboard
- 32" beavertail w/ 8 degree slope
- Rub rail stake pockets
- 6" channel main frame
- 3" channel crossmembers Gr.50 on 16" centers

**RAMPS / TAIL**

- 21"x5'-0" Ramps
- Load angle: 17°
- Solid-bar pinned ramp hold-ups

**AXLES / SUSPENSION**

- (2) 7,000 lb. Spring Axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Greaseable hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	12,820	2,820	10,000	82"	16'	\$5,965
14,000	13,000	3,000	10,000	82"	18'	\$6,245
14,000	13,180	3,180	10,000	82"	20'	\$6,525
14,000	13,360	3,360	10,000	82"	22'	\$6,945

Effective Date: 1/1/2019

Drop-Deck/

# TE-12D

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 8K Drop Leg Bolt on
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

### FRAME / DECK

- 82" I.D. 102" O.D.
- 25" deck height
- Treated pine decking
- 5" headboard
- 32" beavertail w/ 8 degree slope
- Rub rail stake pockets
- 6" channel main frame
- 3" channel crossmembers Gr.50 on 16" centers

### RAMPS / TAIL

- 21"x5'-0" Ramps
- Load angle: 17°
- Solid-bar pinned ramp hold-ups

### AXLES / SUSPENSION

- (2) 7,000 lb. Spring Axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Greaseable hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	14,820	2,820	12,000	82"	16'	\$5,965
14,000	15,000	3,000	12,000	82"	18'	\$6,245
14,000	15,180	3,180	12,000	82"	20'	\$6,525
14,000	15,360	3,360	12,000	82"	22'	\$6,945

Effective Date: 1/1/2019

Drop-Deck/

# TE-14D

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Drop Leg Bolt on
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

### FRAME / DECK

- 82" I.D. 102" O.D.
- 25" deck height
- Treated pine decking
- 5" headboard
- 32" beavertail w/ 8 degree slope
- Rub rail stake pockets
- 6" channel main frame
- 3" channel crossmembers Gr.50 on 16" centers

### RAMPS / TAIL

- 21"x5'-0" spring-assist ramps
- Load angle: 17°
- Solid-bar pinned ramp hold-ups

### AXLES / SUSPENSION

- (2) 7,000 lb. Spring Axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Greaseable hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	16,820	2,820	14,000	82"	16'	\$6,160
14,000	17,000	3,000	14,000	82"	18'	\$6,440
14,000	17,180	3,180	14,000	82"	20'	\$6,720
14,000	17,360	3,360	14,000	82"	22'	\$7,135

Effective Date: 1/1/2019

Drop-Deck Tilt/

Model:

**TE-5SLT**



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 8K drop leg jack
- Power-up and down (poly toolbox) (manual available)
- 2x8 Cylinder
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

**FRAME / DECK**

- 52" I.D., 81"O.D.
- 7 ga. Floor and sides
- 12" Sides
- Mesh traction strips
- D-Rings (4)

**RAMPS / TAIL**

- Load angle: 4.5°

**AXLES / SUSPENSION**

- Rotating axle
- (1) 7,000 lb. axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (2 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
7,000	7,565	1,565	6,000	52"	12'	<b>\$7,535</b>

Effective Date: 1/1/2019

Drop-Deck Tilt/

Model:

**TE-10SLT**



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Spring Foot
- Power Up and down hydraulic pump
- Poly Toolbox
- 2x8 Cylinder
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

**FRAME / DECK**

- 79.5" I.D., 102" O.D.
- 7 ga. Floor
- 1/4" Sides 18" Headboard
- Mesh traction strips
- D-Rings (4)

**RAMPS / TAIL**

- 5° beavertail
- Load angle: 4.5° - 9° (depending on deck length)

**AXLES / SUSPENSION**

- Spring suspension
- (2) 7,000 lb. axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	13,000	3,000	10,000	79.5"	14'	<b>\$9,490</b>
14,000	13,480	3,480	10,000	79.5"	16'	<b>\$9,770</b>
14,000	13,465	3,645	10,000	79.5"	18'	<b>\$10,050</b>
14,000	13,810	3,810	10,000	79.5"	20'	<b>\$10,470</b>

Effective Date: 1/1/2019

Drop-Deck Tilt/

Model:

**TE-12SLT**



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Spring Foot
- Power Up and down hydraulic pump
- Poly Toolbox
- 2x8 Cylinder
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

**FRAME / DECK**

- 79.5" I.D., 102" O.D.
- 7 ga. Floor
- 1/4" Sides 18" Headboard
- Mesh traction strips
- D-Rings (4)

**RAMPS / TAIL**

- 5° beavertail
- Load angle: 4.5° - 9° (depending on deck length)

**AXLES / SUSPENSION**

- Spring suspension
- (2) 7,000 lb. axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	15,000	3,000	12,000	79.5"	14'	<b>\$9,490</b>
14,000	15,480	3,480	12,000	79.5"	16'	<b>\$9,770</b>
14,000	15,465	3,645	12,000	79.5"	18'	<b>\$10,050</b>
14,000	15,810	3,810	12,000	79.5"	20'	<b>\$10,470</b>

Effective Date: 1/1/2019

Drop-Deck Tilt/

# TE-10DT

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Spring Foot
- Cushion Cylinder with locking tilt
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

### FRAME / DECK

- 82" I.D., 102" O.D.
- 3"x5" tube frame
- Treated Pine Decking
- 5" Headboard
- Rub Rail Stake Pockets

### RAMPS / TAIL

- 10° load angle

### AXLES / SUSPENSION

- Spring suspension
- (2) 7,000 lb. axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	13,100	3,100	10,000	82"	16'	\$7,885
14,000	13,320	3,320	10,000	82"	16'+2'	\$8,255
14,000	13,390	3,390	10,000	82"	16'+4'	\$8,645
14,000	13,480	3,480	10,000	82"	16'+6'	\$8,980
14,000	13,600	3,600	10,000	82"	16'+8'	\$9,435

Effective Date: 1/1/2019

Drop-Deck Tilt/

# TE-12DT

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Spring Foot
- Cushion Cylinder with locking tilt
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

### FRAME / DECK

- 82" I.D., 102" O.D.
- 3"x5" tube frame
- Treated Pine Decking
- 5" Headboard
- Rub Rail Stake Pockets

### RAMPS / TAIL

- 10° load angle

### AXLES / SUSPENSION

- Spring suspension
- (2) 7,000 lb. axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	15,100	3,100	12,000	82"	16'	\$7,885
14,000	15,320	3,320	12,000	82"	16'+2'	\$8,255
14,000	15,390	3,390	12,000	82"	16'+4'	\$8,645
14,000	15,480	3,480	12,000	82"	16'+6'	\$8,980
14,000	15,600	3,600	12,000	82"	16'+8'	\$9,435

Effective Date: 1/1/2019

Drop-Deck Tilt/

# TE-14DT

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Spring Foot
- Cushion Cylinder with locking tilt
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

### FRAME / DECK

- 82" I.D., 102" O.D.
- 3"x5" tube frame
- Treated Pine Decking
- 5" Headboard
- Rub Rail Stake Pockets

### RAMPS / TAIL

- 10° load angle

### AXLES / SUSPENSION

- Spring suspension
- (2) 8,000 lb. axles
- Tires – 215/75R 17.5H 16 ply
- 17.5" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- EZ Lube hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
16,000	17,100	3,100	14,000	82"	16'	\$10,160
16,000	17,320	3,320	14,000	82"	16'+2'	\$10,480
16,000	17,390	3,390	14,000	82"	16'+4'	\$10,875
16,000	17,480	3,480	14,000	82"	16'+6'	\$11,205
16,000	17,600	3,600	14,000	82"	16'+8'	\$11,660

Effective Date: 1/1/2019

Deck-Over/

**TE-10**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Bolt on Drop Leg Jack w/ Spring Foot
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

**FRAME / DECK**

- 102" wide
- 35" deck height
- Treated pine decking
- 4" headboard
- Rub rail stake pockets
- Steel A-frame toolbox
- 10" channel main frame
- 3" channel, Gr.50 cross members on 16" centers

**RAMPS / TAIL**

- 8' Slide Out Ramps
- Load angle: 17°

**AXLES / SUSPENSION**

- (2) 7,000 lb. Spring Axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Greaseable hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	13,826	3,826	10,000	102"	16'	\$7,055
14,000	14,050	4,050	10,000	102"	18'	\$7,335
14,000	14,236	4,236	10,000	102"	20'	\$7,615
14,000	14,504	4,504	10,000	102"	22'	\$7,895
14,000	14,691	4,691	10,000	102"	24'	\$8,170
14,000	14,941	4,941	10,000	102"	26'	\$8,450
14,000	15,160	5,160	10,000	102"	28'	\$8,765
14,000	15,359	5,359	10,000	102"	30'	\$9,045

Effective Date: 1/1/2019

Deck-Over/

**TE-12**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Bolt on Drop Leg Jack w/ Spring Foot
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

**FRAME / DECK**

- 102" wide
- 35" deck height
- Treated pine decking
- 4" headboard
- Rub rail stake pockets
- Steel A-frame toolbox
- 10" channel main frame
- 3" channel, Gr.50 crossmembers on 16" centers

**RAMPS / TAIL**

- 8' Slide Out Ramps
- Load angle: 17°

**AXLES / SUSPENSION**

- (2) 7,000 lb. Spring Axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Greaseable hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
14,000	15,826	3,826	12,000	102"	16'	\$7,055
14,000	16,050	4,050	12,000	102"	18'	\$7,335
14,000	16,236	4,236	12,000	102"	20'	\$7615
14,000	16,504	4,504	12,000	102"	22'	\$7,895
14,000	16,691	4,691	12,000	102"	24'	\$8,170
14,000	16,941	4,941	12,000	102"	26'	\$8,450
14,000	17,160	5,160	12,000	102"	28'	\$8,765
14,000	17,359	5,359	12,000	102"	30'	\$9,045

Effective Date: 1/1/2019

Deck-Over/

**TE-14**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- Adjustable height, interchangeable couplers
- 2-5/16" Coupler
- RV plug
- 12K Bolt on Drop Leg Jack w/ Spring Foot
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

**FRAME / DECK**

- 102" wide
- 35" deck height
- Treated pine decking
- 4" headboard
- Rub rail stake pockets
- Steel A-frame toolbox
- 10" channel main frame
- 3" channel, Gr.50 crossmembers on 16" centers

**RAMPS / TAIL**

- 8' Slide Out Ramps
- Load angle: 17°

**AXLES / SUSPENSION**

- (2) 8,000 lb. Spring Axles
- Tires – 215/75R 17.5 H 16 ply
- 17.5" wheels, 8-bolt (4 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Greaseable hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
16,000	17,826	3,826	14,000	102"	16'	<b>\$9,065</b>
16,000	18,050	4,050	14,000	102"	18'	<b>\$9,345</b>
16,000	18,236	4,236	14,000	102"	20'	<b>\$9,625</b>
16,000	18,504	4,504	14,000	102"	22'	<b>\$9,900</b>
16,000	18,691	4,691	14,000	102"	24'	<b>\$10,185</b>
16,000	18,941	4,941	14,000	102"	26'	<b>\$10,460</b>
16,000	19,160	5,160	14,000	102"	28'	<b>\$10,770</b>
16,000	19,359	5,359	14,000	102"	30'	<b>\$11,050</b>

Effective Date: 1/1/2019

Deck-Over Hydraulic

# TE-20HT

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- Adjustable height, 3" Pintle
- RV Plug
- 12K Spring Foot Jack
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks

### FRAME / DECK

- 102" deck width
- 33" deck height (pierced frame)
- Treated pine decking
- Rub rail and stake pockets
- Underbody toolbox with hydraulics
- 12"x19 lb I-beam

### RAMPS / TAIL

- 9ft Hydraulic Beavertail

### AXLES / SUSPENSION

- Slipper spring
- 10,000 axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (8 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Oil Bath Hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint


\*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	25,990	7,700	18,290	102"	18' Flat/10' Tail	<b>\$17,510</b>
20,000	25,990	7,950	18,090		20' Flat/10' Tail	<b>\$18,020</b>

Effective Date: 1/1/2019

Deck-Over Hydraulic  
**TEG-20HT**

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

**STANDARD FEATURES**

**HITCH / TONGUE**

- A-Frame gooseneck
- RV Plug
- Dual 12K Spring Foot Jacks
- Battery break-away kit w/tow charger and test light
- Safety chains w/hooks
- Toolbox in gooseneck frame

**FRAME / DECK**

- 102" deck width
- 34" deck height (pierced frame)
- Treated pine decking
- Rub rail and stake pockets
- Underbody toolbox with hydraulics
- 12"x19 lb I-beam
- Gooseneck step (one per side)

**RAMPS / TAIL**

- 9ft Hydraulic Beavertail

**AXLES / SUSPENSION**

- Slipper spring
- 10,000 axles
- Tires - 235/80R16, load range E, 10-ply
- 16" wheels, 8-bolt (8 Wheels)
- Electric brakes
- Forward self-adjusting brakes
- Oil Bath Hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
20,000	25,990	7,665	18,325	102"	18' Flat/10' Tail	<b>\$18,570</b>
20,000	25,990	8,200	17,790	102"	22' Flat/10' Tail	<b>\$18,990</b>
20,000	25,990	8,765	17,225	102"	26' Flat/10' Tail	<b>\$19,415</b>
20,000	25,990	9,265	16,725	102"	30' Flat/10' Tail	<b>\$19,815</b>

Effective Date: 1/1/2019

Utility/

# TE-UT2

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- 2" A-frame Coupler
- 4 Flat
- 1K Swivel
- Safety chains w/hooks

### FRAME / DECK

- 62" I.D., 77" I.D., 83" I.D.
- 20.5" deck height
- Treated pine decking
- 13" tall 14ga sides
- Tie down slots in sides
- 3" channel A-frame
- 2x2x3/16" angle crossmembers

### RAMPS / TAIL

- 4ft Mesh ramp

### AXLES / SUSPENSION

- (1) 3,500 lb. Spring Axle
- Tires – 205/75R 15 Load Range D
- 15" wheels, 6-bolt (2 Wheels)
- Greaseable hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
3,500	2,990	817	2,173	62"	8'	\$2,150
3,500	2,990	869	2,121	62"	10'	\$2,290
3,500	2,990	974	2,016	62"	12'	\$2,435
3,500	2,990	1,122	1,868	77"	10'	\$2,365
3,500	2,990	1,218	1,772	77"	12'	\$2,505
3,500	2,990	1,330	1,660	77"	14'	\$2,645
3,500	2,990	1,162	1,828	83"	10'	\$2,470
3,500	2,990	1,258	1,732	83"	12'	\$2,610
3,500	2,990	1,370	1,620	83"	14'	\$2,750

Effective Date: 1/1/2019

Utility/

# TE-UT5

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- 2-5/16" A-frame Coupler
- RV plug
- 2K A-Frame Jack
- Safety chains w/hooks
- Electric Brakes
- Battery Break away

### FRAME / DECK

- 83" I.D.
- 20.5" deck height
- Treated pine decking
- 13" tall 14ga. sides
- Tie down slots in rail
- 3" channel main A frame
- 2x2x3/16" angle crossmembers

### RAMPS / TAIL

- 4ft Mesh ramp

### AXLES / SUSPENSION

- (2) 3,500 lb. Spring Axle
- Tires – 205/75R 15 Load Range D
- 15" wheels, 6-bolt (4 Wheels)
- Greaseable hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
7,000	7,000	1,750	5,250	83"	14'	\$3,915
7,000	7,000	1,850	5,150	83"	16'	\$4,195
7,000	7,000	1,950	5,050	83"	18'	\$4,475

Effective Date: 1/1/2019

Utility/

# T-UT2

Model:



All dimensions are nominal. Illustration may be shown with optional equipment.

## STANDARD FEATURES

### HITCH / TONGUE

- 2" A-frame Coupler
- RV plug
- 2K A-Frame Jack
- Safety chains w/hooks

### FRAME / DECK

- 62" I.D., 77" I.D., 83" I.D.
- 22" deck height
- Treated pine decking
- 13" welded tie rail
- 4 tie down loops
- 4"x2" tube steel main frame
- 2x2x3/16" angle crossmembers

### RAMPS / TAIL

- 4ft Mesh ramp

### AXLES / SUSPENSION

- (1) 3,500 lb. Spring Axle
- Tires – 205/75R 15 Load Range D
- 15" wheels, 6-bolt (2 Wheels)
- Greaseable hubs

### LIGHTS / WIRING

- Rubber grommet mounted LED lights

### STANDARD FEATURES

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details


*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
3,500	2,990	729	2,261	62"	8'	\$2,110
3,500	2,990	911	2,079	62"	10'	\$2,390
3,500	2,990	1,092	1,898	62"	12'	\$2,675
3,500	2,990	1,306	1,684	62"	14'	\$2,960
3,500	2,990	951	2,039	77"	10'	\$2,675
3,500	2,990	1,142	1,848	77"	12'	\$2,815
3,500	2,990	1,332	1,658	77"	14'	\$3,095
3,500	2,990	1,200	1,790	83"	12'	\$2,955
3,500	2,990	1,380	1,520	83"	14'	\$3,095

Effective Date: 1/1/2019

Utility/

# T-UT5

**Model:**



All dimensions are nominal. Illustration may be shown with optional equipment.

### STANDARD FEATURES

**HITCH / TONGUE**

- 2-5/16" A-frame Coupler
- RV plug
- 2K A-Frame Jack
- Safety chains w/hooks
- Electric Brakes
- Battery Break away

**FRAME / DECK**

- 83" I.D.
- 22" deck height
- Treated pine decking
- 13" welded tie rail
- 4 tie down loops
- 4"x2" tube steel main frame
- 2x2x3/16" angle crossmembers

**RAMPS / TAIL**

- 4ft Mesh ramp

**AXLES / SUSPENSION**

- (2) 3,500 lb. Spring Axle
- Tires – 205/75R 15 Load Range D
- 15" wheels, 6-bolt (4 Wheels)
- Greaseable hubs

**LIGHTS / WIRING**

- Rubber grommet mounted LED lights

**STANDARD FEATURES**

- One-Year full Warranty\*
- 5-year Suspension Warranty\*
- Two-component PPG polyurethane primer and paint

\*See web site for warranty details

*Weights and capacities vary depending upon options. Published weights are reference only.						
GAWR (lbs)	GVWR (lbs)	WEIGHT (lbs)	CAPACITY (lbs)	DECK WIDTH (in)	DECK LENGTH (ft)	MSRP
7,000	7,000	1,543	5,457	83"	14'	\$4,365
7,000	7,000	1,640	5,360	83"	16'	\$4,645
7,000	7,000	1,737	5,263	83"	18'	\$4,930
7,000	7,000	1,834	5,166	83"	20'	\$5,350

This page left blank.



## TC-10HD, 12HD Options

<b>Economy HD Options</b>			
Description	10HD	12HD	MSRP
<b>TONGUE / HITCH</b>			
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•	\$950
3" pintle ring	•	•	N/C
6-pole round plug	•	•	N/C
12K bolt-on parking jack W/Spring foot	•	•	\$195
Hydraulic parking jack	•	•	\$806
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	\$1,575
<b>MAIN DECK</b>			
Roll tarp system - 12'	•	•	\$540
Roll tarp system - 14'	•	•	\$560
Increase side height 12" (per foot)	•	•	\$50
Increase side height 6" (per foot)	•	•	\$40
12" Solid Steel Side Extension (removeable/per foot)	•	•	\$50
24" Solid Steel Side Extension (removeable/per foot)	•	•	\$70
Tarp Securement Rod per foot	•	•	\$14
24" Mesh Steel Side Extension (removeable/per foot)	•	•	\$85
Two Way Double Doors	•	•	\$280
Add D-ring tie downs (each)	•	•	\$35
Additional stake pockets (each)	•	•	\$40
Board slots (bolt-on)	•	•	\$340
<b>SUSPENSION</b>			
Torsion axle upgrade (per axle)	•	•	\$170
Spare tire carrier	•	•	\$170
Spare tire and wheel, 235/80R E	•	•	\$295
235/80Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•	\$720
Spare tire and wheel, 235/85R G	•	•	\$450
<b>RAMPS</b>			
Mesh Ramp Upgrade	•	•	\$205
<b>OTHER</b>			
Special color (no metallic) – color match only	•	•	CALL
Gas Powered Hydraulics	•	•	\$3,777
2 chock blocks with holders, located on front of fender on curb side	•	•	\$232
Wireless remote for pump	•	•	\$400
On-board charger (110v plug-in)	•	•	\$135
Solar charger	•	•	\$395
Galvanizing	•	•	CALL
Color options: CAT Yellow, IH Red, Ford Blue, Tool Gray, JD Green, Kubota Orange, Forest Green	•	•	\$280
Rock Guard applied to A-Frame front, fenders, and light boxes, under paint (not polyurethane coat)	•	•	\$660



## TE-10D, 12D, 14D Options

<b>Drop-Deck Options</b>				
Description	10D	12D	14D	MSRP
<b>TONGUE / HITCH</b>				
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•	•	\$950
2-5/16" ball coupler	•	•	•	N/C
3" pintle ring	•	•	•	N/C
6-pole round plug	•	•	•	N/C
12K bolt-on side- Wind Spring Return Jack	•	•	•	\$195
Poly Toolbox	•	•	•	\$216
Steel Aframe Toolbox	•	•	•	\$275
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	\$1,575
<b>MAIN DECK</b>				
Pallet fork holders (N/A on 14 ft. deck)	•	•	•	\$398
9K electric winch with 95 ft. 5/16" cable, mounted on deck side of headboard (includes battery w/charger)	•	•	•	\$2,390
D-ring tie downs (each)	•	•	•	\$40
White oak wood deck (per linear foot)	•	•	•	\$20
Steel Tread Plate Decking Per Foot	•	•	•	\$55
<b>SUSPENSION</b>				
EZ Lube hubs	•	•	•	\$200
Spare tire mount bracket, mounted curb side in front of fender	•	•	•	\$170
Spare tire and wheel, ST235/80R 16	•	•	•	\$295
Spare tire and wheel, 235/85R16 G	•	•	•	\$450
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•	•	\$720
<b>RAMPS</b>				
Spring-assist ramp kit	•	•	•	\$85
Wood filled 5 ft. ramps	•	•	•	\$190
<b>OTHER</b>				
Special color (no metallic) – color match only – ramps painted to match	•	•	•	CALL
2 chock blocks with holders, located on rear of fender	•	•	•	\$232
Galvanizing	•	•	•	CALL
Trailer color options: Equipment Red, Equipment Green, Equipment Dark Green, Equipment Orange, Equipment Blue, Tool Gray, Equipment Yellow	•	•	•	\$160
Change ramp color to black	•	•	•	N/C



## TE-5SLT, 10SLT, 12SLT Options

<b>SLT Options</b>				
Description	5SLT	10SLT	12SLT	MSRP
<b>TONGUE / HITCH</b>				
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•			\$860
Hydraulic surge brakes with freebacking (check local D.O.T. laws)		•	•	\$950
2-5/16" ball coupler	•	•	•	N/C
3" pintle ring	•	•	•	N/C
12K Spring Foot Jack	•			\$195
Hydraulic tongue Jack (12K Jack Required)	•	•	•	\$806
6-pole round plug	•	•	•	N/C
<b>MAIN DECK</b>				
Spare Tire Mounting Bracket	•	•	•	\$170
D Rings	•	•	•	\$35
Manual Hand Pump in lieu of Power	•			-\$310
<b>SUSPENSION</b>				
Spare tire and wheel, 235/80R16 E	•	•	•	\$295
Spare tire and wheel, 235/85R16 G	•	•	•	\$450
<b>OTHER</b>				
Special color (no metallic) – color match only	•	•	•	CALL
2 chock blocks with holder, located on rear of fender	•	•	•	\$232
Galvanizing	•	•	•	CALL
Trailer color options: Equipment Red, Equipment Green, Equipment Dark Green, Equipment Orange, Equipment Blue, Tool Gray, Equipment Yellow	•	•	•	N/C



## TE-10DT, 12DT, 14DT Options

<b>Drop-Deck Tilt Options</b>				
Description	10DT	12DT	14DT	MSRP
<b>TONGUE / HITCH</b>				
Hydraulic surge brakes with freebacking (check local D.O.T. laws)	•	•		\$950
2-5/16" ball coupler	•	•	•	N/C
3" pintle ring	•	•	•	N/C
6-pole round plug	•	•	•	N/C
Hydraulic Jack ( <b>without</b> Power tilt upgrade)	•	•	•	\$1,995
Hydraulic Jack (with Power tilt upgrade)	•	•	•	\$806
25K 2-speed parking jack upgrade	•	•	•	\$345
Aframe Toolbox (14" Deep)	•	•	•	\$280
Poly Toolbox	•	•	•	\$216
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	\$1,575
<b>MAIN DECK</b>				
Pallet fork holders	•	•	•	\$400
9K electric winch with 60 ft. 3/8" cable, mounted on front side of headboard (includes battery w/charger)	•	•	•	\$2,390
White oak wood deck (per foot)	•	•	•	\$20
Steel Tread Plate Decking (per foot n/a galvanized)	•	•	•	\$55
D Rings Each	•	•	•	\$35
Stake Pocket D Rings each	•	•	•	\$50
84" Bed Width includes, 7K straight axles with 17.5 load range H tires and wheels	•	•		\$1,290
Hydraulic Power Tilt	•	•	•	\$1,390
Deck Over Upgrade, (Must upgrade to power tilt) Per foot	•	•	•	\$105
<b>SUSPENSION</b>				
Spare tire mount bracket (Stake Pocket Pin in)	•	•	•	\$170
Spare tire and wheel, 235/80R16 E	•	•		\$295
Spare tire and wheel, 235/80R16 G	•	•		\$450
235/85R16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•		\$720
Spare tire and wheel, 215/75R17.5			•	\$505
3rd 7,000lb Axle	•	•		\$1,430
<b>OTHER</b>				
Special color (no metallic) – color match only – ramps painted to match	•	•	•	CALL
2 chock blocks with holders, located on rear of fender	•	•	•	\$232
Galvanizing	•	•	•	CALL
Trailer color options: Equipment Red, Equipment Green, Equipment Dark Green, Equipment Orange, Equipment Blue, Tool Gray, Equipment Yellow	•	•	•	N/C



## TE-10, 12, 14 Options

<b>Deck-Over Options</b>				
Description	10	12	14	MSRP
<b>TONGUE / HITCH</b>				
2-5/16" ball coupler	•	•	•	N/C
3" Pintle	•	•	•	N/C
6-pole round plug	•	•	•	N/C
Hydraulic Surge Brakes	•	•		\$950
Gooseneck (2-5/16" coupler) – 84" swing clearance, 39" hitch height (call if varies), tool box with lid	•	•	•	\$1,575
25K 2-speed parking jack upgrade	•	•	•	\$345
Dual 12K parking jacks	•	•	•	\$380
<b>MAIN DECK</b>				
Oak Wood Decking (per foot)	•	•	•	\$20
5ft Beavertail with Fold Over Wedge Style Ramps	•	•	•	\$995
5ft Beavertail with 2 Spring Assist Stand up Ramps	•	•	•	\$850
Twin Jumbo Ramps (required to have fold over ramps)	•	•	•	\$940
5ft Wood Filled Beavertail With Stand up ramps	•	•	•	\$1,560
Hydraulic Beavertail 9ft long (28ft trailer and up)	•	•	•	\$3,305
D-Rings (each)	•	•	•	\$35
Stake Pocket D Rings	•	•	•	\$50
Steel Tread Plate Decking Per foot	•	•	•	\$65
<b>SUSPENSION</b>				
Spare tire mount bracket	•	•	•	\$170
Spare tire and wheel, 235/80R16 E	•	•		\$295
Spare tire and wheel, 235/80R16 G	•	•		\$450
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	•		\$720
Spare tire and wheel, 215/75R17.5			•	\$505
<b>OTHER</b>				
Special color (no metallic) – color match only – ramps painted to match	•	•	•	CALL
2 chock blocks and holder mounted curb side under deck ahead of wheels	•	•	•	\$232
Galvanizing	•	•	•	CALL
Trailer color options: Equipment Red, Equipment Green, Equipment Dark Green, Equipment Orange, Equipment Blue, Tool Gray, Equipment Yellow	•	•	•	\$160



## TE-20HT, TEG-20HT Options

<b>Deck-Over Options</b>		
Description		MSRP
<b>TONGUE / HITCH</b>		
3" Pintle	•	N/C
6-pole round plug	•	N/C
Dual Hydraulic Jacks	•	\$1,390
Single Hydraulic Jack	•	\$806
Gooseneck Rack 80"x68" wood with rubrail and stake pockets	•	\$925
<b>MAIN DECK</b>		
12K Axle Upgrade to a TE-24 (trailer will be subject to FET)	•	\$2,054
10K Disc Brakes	•	\$2,535
12K Disc Brakes	•	\$3,170
D-Rings (each)	•	\$35
Stake Pocket D Rings	•	\$50
Steel Tread Plate Decking Per foot	•	\$65
White Oak Decking Per Foot	•	\$20
Traction Strips on Hydraulic Beavertail (Two Strips 18" Wide)	•	\$280
UnderBody Toolbox 14"x16"x36"	•	\$475
<b>SUSPENSION</b>		
Spare tire mount bracket	•	\$170
Spare tire and wheel, 235/80R16 E	•	\$295
Spare tire and wheel, 235/80R16 G	•	\$450
235/85Rx16, load range "G", 14-ply upgrade (in lieu of "E", 10-ply)	•	\$1,440
Spare tire and wheel, 215/75R17.5	•	\$505
10K Super Singles Upgrade with 245/70R J Tires	•	\$1,295
<b>OTHER</b>		
Special color (no metallic) – color match only – ramps painted to match	•	CALL
Wireless Remote (2 Functions)	•	\$240
Solar Charger	•	\$395
2 chock blocks and holder mounted curb side under deck ahead of wheels	•	\$232
Galvanizing	•	CALL
Trailer color options: Equipment Red, Equipment Green, Equipment Dark Green, Equipment Orange, Equipment Blue, Tool Gray, Equipment Yellow	•	N/C



## T-UT2, T-UT5, TE-UT2, TE-UT5 Options

<b>Drop-Deck Utility Trailer</b>					
Description	T-UT2	T-UT5	TE-UT2	TE-UT5	MSRP
<b>TONGUE / HITCH</b>					
Hydraulic surge brakes with freebacking (check local D.O.T. laws) Single Axle	•		•		\$860
Hydraulic surge brakes with freebacking (check local D.O.T. laws) Tandem Axle		•		•	\$950
Adjustable Coupler	•	•	•	•	\$105
2-5/16" ball coupler (Requires Adjustable Coupler on single axle Models)	•		•		N/C
3" pintle ring (Requires Adjustable Coupler)	•	•	•	•	N/C
7 Pole RV plug	•	•	•	•	N/C
Aframe Toolbox	•	•	•	•	\$280
Poly Toolbox	•	•	•	•	\$216
<b>MAIN DECK</b>					
White oak wood deck (per foot)	•	•	•	•	\$20
Steel Tread Plate Decking (per foot n/a galvanized)	•	•	•	•	\$55
D Rings Each	•	•	•	•	\$25
ATV Side Mounted Ramps (not available on the 8ft or 10ft models)	•	•	•	•	\$315
Fold Down Mesh Side Ramp (62" Width, Curbside)	•	•	•	•	\$385
62" Bifold Rear Ramp Gate (Dual Spring Assist)	•	•	•	•	\$430
77" Bifold Rear Ramp Gate (Dual Spring Assist)	•	•	•	•	\$440
83" Bifold Rear Ramp Gate (Dual Spring Assist)	•	•	•	•	\$490
Spring Assist Rear Ramp (Single Spring)	•	•	•	•	\$85
Removable Side Rail Kit	•	•			\$205
<b>SUSPENSION</b>					
Torsion Axle Upgrade	•	•	•	•	\$170
3,500lb Braked Axle with Breakaway Kit (per Axle)	•		•		\$280
5,200lb Spring Axle (single Axle) (225/75R 15 tires)	•				\$540
5,200lb Spring Axle (tandem Axle) 9,990 GVWR (225/75R 15 tires)		•			\$695
Spare tire mount bracket	•	•	•	•	\$170
Spare tire and wheel, 205/75R 15	•	•	•	•	\$180
Spare tire and wheel, 225/75R 15	•	•	•	•	\$200
<b>OTHER</b>					
Special color (no metallic) – color match only – ramps painted to match	•	•	•	•	CALL
2 chock blocks with holders, located on rear of fender	•	•	•	•	\$232
Galvanizing	•	•	•	•	CALL
Trailer color options: Equipment Red, Equipment Green, Equipment Dark Green, Equipment Orange, Equipment Blue, Tool Gray, Equipment Yellow	•	•			N/C
Trailer color options: Equipment Red, Equipment Green, Equipment Dark Green, Equipment Orange, Equipment Blue, Tool Gray, Equipment Yellow			•	•	\$105

This page left blank.

This page left blank.

This page left blank.



## **Monroe Towmaster, LLC.**

**61381 US Hwy 12  
Litchfield, MN 55355**

**Phone: 320-693-7900**

Toll Free: 800-462-4517

Fax: 320-693-7921

•

### **Parts Department**

**Phone: 320-593-4595**

Toll Free: 866-239-2221

Fax: 320-693-5703

•

### **Shipping Department**

**Phone: 320-593-4554**

Toll Free: 800-642 0742

Fax: 320-693-2047

•

[towmaster.com](http://towmaster.com)