

Vendor Name:	Deere & Company
Contact Person:	Tamara Hebert
Street Address:	2000 John Deere Run
P.O. Box:	
City, State, Zip	Cary, NC 27513
Phone #:	
Toll Free #:	800-358-5010, opt. 2
Email Address:	GovContractSupport@JohnDeere.com

Spec. Number	Information Requested	Answer
3.1	MANUFACTURER	John Deere
3.2	DATE AND ID. OF PRICE LIST	20Nov2019; FR_Land_20191120.pdf
3.3	CATALOG SECTION TITLE	Frontier Landscaping
3.4	PERCENTAGE DISCOUNT FROM PRICE LIST	17%
3.5	DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES (See Special Terms and Conditions)	0% for incidental miscellaneous non-contract items; 17% for attachments/accessories on contract.
3.6	PRICE FOR MANUALS (1 operator's manual included at no cost, per specs) SERVICE MANUAL	Digital N/A Paper N/A
	PARTS MANUAL	Digital N/A Paper N/A
	PRICE FOR <u>ADDITIONAL</u> OPERATIONS MANUAL	Digital N/A Paper N/A
3.7	PRICE FOR SET OF FLUID AND AIR FILTERS	N/A
3.8	STANDARD WARRANTY:	12 months
3.9	<u>PERFORMANCE/EXTENDED WARRANTY OPTIONS</u> Offer performance/warranty options. (Add additional lines if necessary.) (Specify years, miles or hours extended term covers.) _____	No Bid No Bid
3.10	<u>INSTALLATION - PER HOUR</u> (Hourly Shop Rate) Installation services may be requested on an "as needed" basis. See Special Terms and Conditions	N/A
3.11	<u>NEW EQUIPMENT RENTAL PROGRAM</u> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions. Hourly Rental Rate: No Bid Weekly Rental Rate: No Bid Monthly Rental Rate: No Bid Percent (%) of Rental Fee applied to purchase price: N/A If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: ___N/A_____	
3.12	<u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u> (See Special Terms and Conditions.) DEDUCT cost per Used Hour from the original Contract Price	No Bid
3.13	<u>DELIVERY STARTING POINT -</u> City, State, Zip See Special Terms and Conditions - No flat rate allowed	Location of delivering John Deere dealer \$4 per loaded mile using Google Maps \$

FRONTIER PRODUCTS

Landscaping

PB1001 Integral One Bottom Turning Plow Equipment for Base Machine

Hitch:

Lift-type, Category I,
not iMatch Compatible
One, 14 In. (355.6 mm) Moldboard

Transport Length:
45 In. (1,143 mm)

Transport Width:
33 In. (838.2 mm)

Transport Height:
40.5 In. (1,028.7 mm)

Tractor Engine HP Range:
25 - 50 HP

Moldboard Dimensions:

14 In. (355.6 mm) (W) x
21 In. (533.4 mm) (L) x

16 In. (406.4 mm) (H)
Parking Stand Included

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3431XF		PB1001 Integral One Bottom Turning Plow <i>Order in multiples of two.</i>	873.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

904J		French OM & Decal Kit (PB10)	14.00
------	--	------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

	5TITE511154	Miscellaneous French Kit - Includes Operator's Manual, Parts Catalog and Safety Decals <i>PB1001 and PB1002</i>	16.80
--	-------------	--	-------

FRONTIER PRODUCTS

Landscaping

PB1001 Integral One Bottom Turning Plow

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PB1002 Integral Two Bottom Turning Plow Equipment for Base Machine

Hitch:
Lift-type, Category I,
not iMatch Compatible
Two, 14 In. (355.6 mm) Moldboards
Transport Length:
71 In. (1,803.4 mm)
Transport Width:
40 In. (1,016 mm)
Transport Height:
40.5 In. (1,028.7 mm)
Tractor Engine HP Range:

25 - 50 HP
Moldboard Dimensions:
14 In. (355.6 mm) (W) x
21 In. (533.4 mm) (L) x
16 In. (406.4 mm) (H)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3432XF		PB1002 Integral Two Bottom Turning Plow <i>Order in multiples of two.</i>	1,447.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

904J		French OM & Decal Kit (PB10)	14.00
------	--	------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

	5TITE511154	Miscellaneous French Kit - Includes Operator's Manual, Parts Catalog and Safety Decals <i>PB1001 and PB1002</i>	16.80
--	-------------	--	-------

FRONTIER PRODUCTS

Landscaping

PB1002 Integral Two Bottom Turning Plow

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB2048 Standard Duty Box Blade Equipment for Base Machine

3-Point Hitch:
 Category I
 iMatch Compatible: Yes
 Working Width: 48 In.
 Tractor HP: 17 to 45 HP
 Tailgate: Fixed
 Shipping Weight:
 758 lbs. - (Pair)
 Shanks: (4) Replaceable
 Shank Type:
 3-Position with Holes and 1/2 In. Pin
 Scarifier Points:
 Replaceable, Hardened Steel
 End Plate Thickness: 3/8 In.
 Moldboard Thickness: 3/16 In.

Moldboard Type: Formed Back
 Mast: Bolt-up with 1/4 In. Plates
 Duty: Standard Duty
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Assembly/Set up Time:
 30 Minutes (Approximate) - Per Pair
 Approximate Operating Weight: 355 lbs.
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1041XF		BB2048 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,066.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (BB20 and BB21 Series)	50.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5WS101371		French Operator's Manual and Decal Kit (BB20, BB21 and BB20L Series)	54.88

FRONTIER PRODUCTS

Landscaping

BB2048 Standard Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB2048L Limited Category I Standard Duty Box Blade
Equipment for Base Machine

<p>Capacity: 6.6 Cubic Foot Tractor HP (Maximum): 25 HP Cutting Edges: (2) 1/2 In. x 6 Reversible Scarifier Shanks: 3-Position with Holes Scarifier Shank Points: 3 Replaceable, Hardened Points Beam Size: 4 In. x 4 In. x 1/4 In. Beam Reinforcement: 3/8 In. x 1 In. Bar Inside Tube End Plate Thickness: 3/16 In. Working Width: 48 In. Height: 14 In. Depth: 17 In. Tailgate: Fixed</p>	<p>3-Point Hitch: Limited Category I (Aftermarket Category 0 Lift Pins Available) Mast Design: Bolt-up with 1/4 In. Plates Moldboard Thickness: 7 Gauge Assembly/Set-up Time: 30 Minutes (Approximate) Approximate Operating Weight: 275 lbs. Shipping Weight: 636 lbs. Packaged 2 per Pallet</p>
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1051XF		BB2048L Limited Category I Standard Duty Box Blade <i>Order in multiples of two.</i>	902.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (BB20 and BB21 Series)	50.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

		<p>Miscellaneous French Operator's Manual and Decal Kit (BB20, BB21 and BB20L Series)</p>	54.88
--	--	--	-------

FRONTIER PRODUCTS

Landscaping

BB2048L Limited Category I Standard Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB2060 Standard Duty Box Blade Equipment for Base Machine

3-Point Hitch:
 Category I
 iMatch Compatible: Yes
 Working Width: 60 In.
 Tractor HP: 19 to 55 HP
 Tailgate: Fixed
 Shipping Weight:
 918 lbs. - (Pair)
 Shanks: (4) Replaceable
 Shank Type:
 3-Position with Holes and 1/2 In. Pin
 Scarifier Points:
 Replaceable, Hardened Steel
 End Plate Thickness: 3/8 In.
 Moldboard Thickness: 3/16 In.

Moldboard Type: Formed Back
 Mast: Bolt-up with 1/4 In. Plates
 Duty: Standard Duty
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Assembly/Set-Up Time:
 30 Minutes (Approximate) - Per Pair
 Approximate Operating Weight: 425 lbs.
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1042XF		BB2060 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,164.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (BB20 and BB21 Series)	50.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

	5WS101371	Miscellaneous French Operator's Manual and Decal Kit (BB20, BB21 and BB20L Series)	54.88
--	-----------	--	-------

FRONTIER PRODUCTS

Landscaping

BB2060 Standard Duty Box Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB2065 Standard Duty Box Blade Equipment for Base Machine

3-Point Hitch:
 Category I
 IMatch Compatible: Yes
 Working Width: 66 In.
 Tractor HP: 23 to 55 HP
 Tailgate: Fixed
 Shipping Weight:
 988 lbs. - (Pair)
 Shanks: (4) Replaceable
 Shank Type:
 3-Position with Holes and 1/2 In. Pin
 Scarifier Points:
 Replaceable, Hardened Steel
 End Plate Thickness: 3/8 In.
 Moldboard Thickness: 3/16 In.

Moldboard Type: Formed Back
 Mast: Bolt-up with 1/4 In. Plates
 Duty: Standard Duty
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Assembly/Set up Time:
 30 Minutes (Approximate) - Per Pair
 Approximate Operating Weight: 460 lbs.
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1043XF		BB2065 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,270.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (BB20 and BB21 Series)	50.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous French Operator's Manual and Decal Kit (BB20, BB21 and BB20L Series)	54.88
--	--	--	-------

FRONTIER PRODUCTS

Landscaping

BB2065 Standard Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB2072 Standard Duty Box Blade Equipment for Base Machine

3-Point Hitch:
 Category I
 iMatch Compatible: Yes
 Working Width: 72 In.
 Tractor HP: 27 to 55 HP
 Tailgate: Fixed
 Shipping Weight:
 1056 lbs. - (Pair)
 Shanks: (5) Replaceable
 Shank Type:
 3-Position with Holes and 1/2 In. Pin
 Scarifier Points:
 Replaceable, Hardened Steel
 End Plate Thickness: 3/8 In.
 Moldboard Thickness: 3/16 In.

Moldboard Type: Formed Back
 Mast: Bolt-up with 1/4 In. Plates
 Duty: Standard Duty
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Assembly/Set up Time:
 30 Minutes (Approximate) - Per Pair
 Approximate Operating Weight: 494 lbs.
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1044XF		BB2072 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,345.00
--------	--	---	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (BB20 and BB21 Series)	50.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous French Operator's Manual and Decal Kit (BB20, BB21 and BB20L Series)	54.88
--	--	--	-------

FRONTIER PRODUCTS

Landscaping

BB2072 Standard Duty Box Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB2172 Medium Duty Box Blade Equipment for Base Machine

3-Point Hitch:
 Category I
 Working Width: 72 In.
 Height: 33-1/2 In.
 Depth: 31 In.
 Capacity:
 19 Cubic Foot
 Tractor HP: 70 HP Maximum
 Tailgate:
 Floating/Removable
 Shanks:
 (6) Replaceable
 Beam Size:
 4 In. x 4 In. x 1/4 In.
 Beam Reinforcement:
 1 In. x 3/8 In. Backing Strip
 End Plate Thickness:
 3/8 In. with a 3/8 In. x 3 In.
 Reinforced Bottom Edge

Moldboard Thickness: 3/16 In.
 Duty: Medium
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Assembly/Set-Up Time:
 15 Minutes (Approximate)
 Operating Weight:
 585 lbs. (Approximate)
 Shipping Weight:
 675 lbs. (Approximate)
 Packaged 1 Per Pallet
 Mast: Bolt-up with 3/8 In. Plates
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1061XF		BB2172 Medium Duty Box Blade	1,787.00
--------	--	------------------------------	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (BB20 and BB21 Series)	50.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

	5WS101371	Miscellaneous French Operator's Manual and Decal Kit (BB20, BB21 and BB20L Series)	54.88
--	-----------	--	-------

FRONTIER PRODUCTS

Landscaping

BB2172 Medium Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB2184 Medium Duty Box Blade Equipment for Base Machine

3-Point Hitch:
 Category I, iMatch Compatible
 (Quick-Attach System)
 Working Width: 84 In.
 Height: 33-1/2 In.
 Depth: 31 In.
 Capacity: 22.3 Cubic Foot
 Tractor HP (Maximum): 70 HP
 Tailgate:
 Floating/Removable
 Shanks: (7) Replaceable
 Beam Size: 4 In. x 4 In. x 1/4 In.
 Beam Reinforcement:
 1 In. x 3/8 In. Backing Strip
 End Plate Thickness:
 3/8 In. with a 3/8 In. x 3 In.
 Reinforced Bottom Edge
 Duty: Medium

Moldboard Thickness: 3/16 In.
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Assembly/Set-Up Time:
 15 Minutes (Approximate)
 Operating Weight:
 667 lbs. (Approximate)
 Shipping Weight:
 757 lbs. (Approximate)
 Packaged 1 Per Pallet
 Mast: Bolt-up with 3/8 In. Plates
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1062XF		BB2184 Medium Duty Box Blade	1,958.00
--------	--	------------------------------	----------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (BB20 and BB21 Series)	50.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5WS101371		French Operator's Manual and Decal Kit (BB20, BB21 and BB20L Series)	54.88
-----------	--	--	-------

FRONTIER PRODUCTS

Landscaping

BB2184 Medium Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4160 - 5 Ft. Hydraulic Scarifier Box Blade - Low Back
Equipment for Base Machine

Tailgate:
Hinged, Floating
Grading and Leveling:
Fine, Precision Grading and Leveling
Tractor Compatibility:
Category I iMatch Compatible
Beam Type:
Tubular Scarifier Beam
Scarifier Shanks:
Notched 3 Position
Points:
Heat Treated Points
Box Design: Low Back
Hydraulic Opening:
Hydraulically Operated Scarifier Bar
Hydraulic Kit:
Pin Kit And Hydraulic Hose Kit Included
Capacity (Cubic Foot):
21.8 Cubic Foot
Tractor HP: Up to 50 HP
Cutting Edges:
(2) 1/2 In. x 6 In. Reversible
Scarifier Shanks:
(6) Replaceable
Beam Size:
Main Beam - 4 In. x 4 In. x 1/4 In.
Shank Beam - 4 In. x 4 In. x 1/4 In.

Beam Reinforcement:
1/2 In. x 3/4 In. Bar
End Plate Thickness: 3/8 In.
Working Width: 60 In.
Height: 20 In.
Depth: 33 In.
Duty: Medium
Hitch Type:
Category I iMatch Compatible
Mast Design:
Welded 3/8 In. Plate
Assembly/Set-Up Time: 30 Minutes
Operating Weight: 725 lbs.
Shipping Weight: 765 lbs.
Shipping per Crate:
Packaged 1 Per Pallet
Warranty: 1 Year Warranty
Moldboard Thickness: 3/16 In.
Manufacturer Model: TB30-60H
Paint Color: Green

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1101XF		BB4160 - 5 Ft. Hydraulic Scarifier Box Blade - Low Back <i>Green only.</i>	3,229.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB4160 - 5 Ft. Hydraulic Scarifier Box Blade - Low Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4166 - 5 Ft. 6 In. Hydraulic Scarifier Box Blade - Low Back
Equipment for Base Machine

Tailgate:
Hinged, Floating
Grading and Leveling:
Fine, Precision Grading and Leveling
Tractor Compatibility:
Category I iMatch Compatible
Beam Type:
Tubular Scarifier Beam
Scarifier Shanks:
Notched 3 Position
Points:
Heat Treated Points
Box Design: Low Back
Hydraulic Opening:
Hydraulically Operated Scarifier Bar
Hydraulic Kit:
Pin Kit and Hydraulic Hose Kit Included
Capacity (Cubic Foot):
24 Cubic Foot
Tractor HP: Up to 50 HP
Cutting Edges:
(2) 1/2 In. x 6 In. Reversible
Scarifier Shanks:
(6) Replaceable
Beam Size:
Main Beam - 4 In. x 4 In. x 1/4 In.
Shank Beam - 4 In. x 4 In. x 1/4 In.

Beam Reinforcement:
1/2 In. x 3/4 In. Bar
End Plate Thickness: 3/8 In.
Working Width: 66 In.
Height: 20 In.
Depth: 33 In.
Duty: Medium
Hitch Type:
Category I iMatch Compatible
Mast Design:
Welded 3/8 In. Plate
Assembly/Set-Up Time: 30 Minutes
Operating Weight: 772 lbs.
Shipping Weight: 812 lbs.
Shipping per Crate:
Packaged 1 Per Pallet
Warranty: 1 Year Warranty
Moldboard Thickness: 3/16 In.
Manufacturer Model: TB30-66H
Paint Color: Green

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1102XF		BB4166 - 5 Ft. 6 In. Hydraulic Scarifier Box Blade - Low Back <i>Green only.</i>	3,337.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB4166 - 5 Ft. 6 In. Hydraulic Scarifier Box Blade - Low Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4172 - 6 Ft. Hydraulic Scarifier Box Blade - Low Back
Equipment for Base Machine

Tailgate:
Hinged, Floating
Grading and Leveling:
Fine, Precision Grading and Leveling
Tractor Compatibility:
Category I iMatch Compatible
Beam Type:
Tubular Scarifier Beam
Scarifier Shanks:
Notched 3 Position
Points:
Heat Treated Points
Box Design: Low Back
Hydraulic Opening:
Hydraulically Operated Scarifier Bar
Hydraulic Kit:
Pin Kit and Hydraulic Hose Kit Included
Capacity (Cubic Foot):
26.2 Cubic Foot
Tractor HP: Up to 50 HP
Cutting Edges:
(2) 1/2 In. x 6 In. Reversible
Scarifier Shanks:
(6) Replaceable
Beam Size:
Main Beam - 4 In. x 4 In. x 1/4 In.
Shank Beam - 4 In. x 4 In. x 1/4 In.

Beam Reinforcement:
1/2 In. x 3/4 In. Bar
End Plate Thickness: 3/8 In.
Working Width: 72 In.
Height: 20 In.
Depth: 33 In.
Duty: Medium
Hitch Type:
Category I iMatch Compatible
Mast Design:
Welded 3/8 In. Plate
Assembly/Set-Up Time: 30 Minutes
Operating Weight: 815 lbs.
Shipping Weight: 855 lbs.
Shipping per Crate:
Packaged 1 Per Pallet
Warranty: 1 Year Warranty
Moldboard Thickness: 3/16 In.
Manufacturer Model: TB30-72H
Paint Color: Green

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1103XF		BB4172 - 6 Ft. Hydraulic Scarifier Box Blade - Low Back <i>Green only.</i>	3,382.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB4172 - 6 Ft. Hydraulic Scarifier Box Blade - Low Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4178 - 6 Ft. 6 In. Hydraulic Scarifier Box Blade - Low Back Equipment for Base Machine

Tailgate:
 Hinged, Floating
 Grading and Leveling:
 Fine, Precision Grading and Leveling
 Tractor Compatibility:
 Category I and II, iMatch and
 Quick Coupler Compatible
 Beam Type:
 Tubular Scarifier Beam
 Scarifier Shanks:
 Notched 3 Position
 Points:
 Heat Treated Points
 Box Design: Low Back
 Hydraulic Opening:
 Hydraulically Operated Scarifier Bar
 Hydraulic Kit:
 Pin Kit and Hydraulic Hose Kit Included
 Capacity (Cubic Foot):
 28.3 Cubic Foot
 Tractor HP: Up to 90 HP
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Scarifier Shanks:
 (8) Replaceable
 Beam Size:
 Main Beam - 4 In. x 4 In. x 1/4 In.
 Shank Beam - 4 In. x 4 In. x 1/4 In.

Beam Reinforcement:
 1/2 In. x 3/4 In. Bar
 End Plate Thickness: 1/2 In.
 Working Width: 78 In.
 Height: 20 In.
 Depth: 33 In.
 Duty: Heavy
 Hitch Type:
 Category I and II, iMatch and
 Quick Coupler Compatible
 Mast Design:
 Welded 1/2 In. Plate
 Assembly/Set-Up Time: 30 Minutes
 Operating Weight: 1016 lbs.
 Shipping Weight: 1056 lbs.
 Shipping per Crate:
 Packaged 1 Per Pallet
 Warranty: 1 Year Warranty
 Moldboard Thickness: 1/4 In.
 Manufacturer Model: TB30-78H
 Paint Color:
 Construction Yellow (Optional Green)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1104XF	BB4178 - 6 Ft. 6 In. Hydraulic Scarifier Box Blade - Low Back	3,849.00
--------	---	----------

COLOR

1000	Green	In Base Price
1010	Construction Yellow	No Added Cost

FRONTIER PRODUCTS

Landscaping

BB4178 - 6 Ft. 6 In. Hydraulic Scarifier Box Blade - Low Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4184 - 7 Ft. Hydraulic Scarifier Box Blade - Low Back Equipment for Base Machine

Tailgate:
 Hinged, Floating
 Grading and Leveling:
 Fine, Precision Grading And Leveling
 Tractor Compatibility:
 Category I and II, iMatch and
 Quick Coupler Compatible
 Beam Type:
 Tubular Scarifier Beam
 Scarifier Shanks:
 Notched 3 Position
 Points:
 Heat Treated Points
 Box Design: Low Back
 Hydraulic Opening:
 Hydraulically Operated Scarifier Bar
 Hydraulic Kit:
 Pin Kit and Hydraulic Hose Kit Included
 Capacity (Cubic Foot):
 30.5 Cubic Foot
 Tractor HP: Up to 90 HP
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Scarifier Shanks:
 (8) Replaceable
 Beam Size:
 Main Beam - 4 In. x 4 In. x 1/4 In.
 Shank Beam - 4 In. x 4 In. x 1/4 In.

Beam Reinforcement:
 1/2 In. x 3/4 In. Bar
 End Plate Thickness: 1/2 In.
 Working Width: 84 In.
 Height: 20 In.
 Depth: 33 In.
 Duty: Heavy
 Hitch Type:
 Category I and II, iMatch and
 Quick Coupler Compatible
 Mast Design:
 Welded 1/2 In. Plate
 Assembly/Set-Up Time: 30 Minutes
 Operating Weight: 1052 lbs.
 Shipping Weight: 1092 lbs.
 Shipping per Crate:
 Packaged 1 Per Pallet
 Warranty: 1 Year Warranty
 Moldboard Thickness: 1/4 In.
 Manufacturer Model: TB30-84H
 Paint Color:
 Construction Yellow (Optional Green)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1105XF	BB4184 - 7 Ft. Hydraulic Scarifier Box Blade - Low Back	4,004.00
--------	---	----------

COLOR

1000	Green	In Base Price
1010	Construction Yellow	No Added Cost

FRONTIER PRODUCTS

Landscaping

BB4184 - 7 Ft. Hydraulic Scarifier Box Blade - Low Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4196 - 8 Ft. Hydraulic Scarifier Box Blade - Low Back Equipment for Base Machine

<p>Tailgate: Hinged, Floating Grading and Leveling: Fine, Precision Grading and Leveling Tractor Compatibility: Category I and II, iMatch and Quick Coupler Compatible Beam Type: Tubular Scarifier Beam Scarifier Shanks: Notched 3 Position Points: Heat Treated Points Box Design: Low Back Hydraulic Opening: Hydraulically Operated Scarifier Bar Hydraulic Kit: Pin Kit and Hydraulic Hose Kit Included Capacity (Cubic Foot): 34.9 Cubic Foot Tractor HP: Up to 90 HP Cutting Edges: (2) 1/2 In. x 6 In. Reversible Scarifier Shanks: (8) Replaceable Beam Size: Main Beam - 4 In. x 4 In. x 1/4 In. Shank Beam - 4 In. x 4 In. x 1/4 In.</p>	<p>Beam Reinforcement: 1/2 In. x 3/4 In. Bar End Plate Thickness: 1/2 In. Working Width: 96 In. Height: 20 In. Depth: 33 In. Duty: Heavy Hitch Type: Category I and II, iMatch and Quick Coupler Compatible Mast Design: Welded 1/2 In. Plate Assembly/Set-Up Time: 30 Minutes Operating Weight: 1146 lbs. Shipping Weight: 1186 lbs. Shipping per Crate: Packaged 1 Per Pallet Warranty: 1 Year Warranty Moldboard Thickness: 1/4 In. Manufacturer Model: TB30-96H Paint Color: Construction Yellow (Optional Green)</p>
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1106XF		BB4196 - 8 Ft. Hydraulic Scarifier Box Blade - Low Back	4,135.00
--------	--	---	----------

COLOR

1000		Green	In Base Price
1010		Construction Yellow	No Added Cost

FRONTIER PRODUCTS

Landscaping

BB4196 - 8 Ft. Hydraulic Scarifier Box Blade - Low Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4278H - 6 Ft. 6 In. Hydraulic Scarifier Box Blade - High Back Equipment for Base Machine

<p>Tailgate: Hinged, Floating Grading and Leveling: Fine, Precision Grading and Leveling Tractor Compatibility: Category I and II, iMatch and Quick Coupler Compatible Beam Type: Tubular Scarifier Beam Scarifier Shanks: Notched 3 Position Points: Heat Treated Points Box Design: High Back Hydraulic Opening: Hydraulically Operated Scarifier Bar Hydraulic Kit: Pin Kit and Hydraulic Hose Kit Included Capacity (Cubic Foot): 32 Cubic Foot Tractor HP: Up to 90 HP Cutting Edges: (2) 1/2 In. x 6 In. Reversible Scarifier Shanks: (8) Replaceable Beam Size: Main Beam - 5 In. x 5 In. x 1/4 In. Shank Beam - 5 In. x 5 In. x 1/4 In. Beam Reinforcement:</p>	<p>1/2 In. x 1 In. Bar End Plate Thickness: 1/2 In. Working Width: 78 In. Height: 20 In. Front, 26 In. Rear Depth: 33 In. Duty: Heavy Hitch Type: Category I and II, iMatch and Quick Coupler Compatible Mast Design: Welded 1/2 In. Plate Assembly/Set-Up Time: 30 Minutes Operating Weight: 1160 lbs. Shipping Weight: 1200 lbs. Shipping per Crate: Packaged 1 Per Pallet Warranty: 1 Year Warranty Moldboard Thickness: 1/4 In. Manufacturer Model: TB40-78H Paint Color: Construction Yellow (Optional Green)</p>
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1111XF	BB4278H - 6 Ft. 6 In. Hydraulic Scarifier Box Blade - High Back	4,092.00
--------	---	----------

COLOR

1000	Green	In Base Price
1010	Construction Yellow	No Added Cost

FRONTIER PRODUCTS

Landscaping

BB4278H - 6 Ft. 6 In. Hydraulic Scarifier Box Blade - High Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4284H - 7 Ft. Hydraulic Scarifier Box Blade - High Back Equipment for Base Machine

<p>Tailgate: Hinged, Floating Grading and Leveling: Fine, Precision Grading and Leveling Tractor Compatibility: Category I and II, iMatch and Quick Coupler Compatible Beam Type: Tubular Scarifier Beam Scarifier Shanks: Notched 3 Position Points: Heat Treated Points Box Design: High Back Hydraulic Opening: Hydraulically Operated Scarifier Bar Hydraulic Kit: Pin Kit and Hydraulic Hose Kit Included Capacity (Cubic Foot): 34.5 Cubic Foot Tractor HP: Up to 90 HP Cutting Edges: (2) 1/2 In. x 6 In. Reversible Scarifier Shanks: (8) Replaceable Beam Size: Main Beam - 5 In. x 5 In. x 1/4 In. Shank Beam - 5 In. x 5 In. x 1/4 In. Beam Reinforcement:</p>	<p>1/2 In. x 1 In. Bar End Plate Thickness: 1/2 In. Working Width: 84 In. Height: 20 In. Front, 26 In. Rear Depth: 33 In. Duty: Heavy Hitch Type: Category I and II, iMatch and Quick Coupler Compatible Mast Design: Welded 1/2 In. Plate Assembly/Set-Up Time: 30 Minutes Operating Weight: 1200 lbs. Shipping Weight: 1240 lbs. Shipping per Crate: Packaged 1 Per Pallet Warranty: 1 Year Warranty Moldboard Thickness: 1/4 In. Manufacturer Model: TB40-84H Paint Color: Construction Yellow (Optional Green)</p>
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1112XF	BB4284H - 7 Ft. Hydraulic Scarifier Box Blade - High Back	4,159.00
--------	---	----------

COLOR

1000	Green	In Base Price
1010	Construction Yellow	No Added Cost

FRONTIER PRODUCTS

Landscaping

BB4284H - 7 Ft. Hydraulic Scarifier Box Blade - High Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB4296H - 8 Ft. Hydraulic Scarifier Box Blade - High Back Equipment for Base Machine

<p>Tailgate: Hinged, Floating</p> <p>Grading and Leveling: Fine, Precision Grading and Leveling</p> <p>Tractor Compatibility: Category I and II, iMatch and Quick Coupler Compatible</p> <p>Beam Type: Tubular Scarifier Beam</p> <p>Scarifier Shanks: Notched 3 Position</p> <p>Points: Heat Treated Points</p> <p>Box Design: High Back</p> <p>Hydraulic Opening: Hydraulically Operated Scarifier Bar</p> <p>Hydraulic Kit: Pin Kit and Hydraulic Hose Kit Included</p> <p>Capacity (Cubic Foot): 39.4 Cubic Foot</p> <p>Tractor HP: Up to 90 HP</p> <p>Cutting Edges: (2) 1/2 In. x 6 In. Reversible</p> <p>Scarifier Shanks: (8) Replaceable</p> <p>Beam Size: Main Beam - 5 In. x 5 In. x 1/4 In. Shank Beam - 5 In. x 5 In. x 1/4 In.</p> <p>Beam Reinforcement:</p>	<p>1/2 In. x 1 In. Bar</p> <p>End Plate Thickness: 1/2 In.</p> <p>Working Width: 96 In.</p> <p>Height: 20 In. Front, 26 In. Rear</p> <p>Depth: 33 In.</p> <p>Duty: Heavy</p> <p>Hitch Type: Category I and II, iMatch and Quick Coupler Compatible</p> <p>Mast Design: Welded 1/2 In. Plate</p> <p>Assembly/Set-Up Time: 30 Minutes</p> <p>Operating Weight: 1310 lbs.</p> <p>Shipping Weight: 1350 lbs.</p> <p>Shipping per Crate: Packaged 1 Per Pallet</p> <p>Warranty: 1 Year Warranty</p> <p>Moldboard Thickness: 1/4 In.</p> <p>Manufacturer Model: TB4096H</p> <p>Paint Color: Construction Yellow (Optional Green)</p>
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1113XF	BB4296H - 8 Ft. Hydraulic Scarifier Box Blade - High Back	4,447.00
--------	---	----------

COLOR

1000	Green	In Base Price
1010	Construction Yellow	No Added Cost

FRONTIER PRODUCTS

Landscaping

BB4296H - 8 Ft. Hydraulic Scarifier Box Blade - High Back

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB3272 BOX BLADE W/SCARIFIER

Equipment for Base Machine

Tailgate:
 Hinged Tailgate
 Grading and Leveling:
 Fine, Precision Grading and Leveling
 Tractor Compatibility:
 Balanced Design
 Beam Type:
 Tubular Scarifier Beam
 Scarifier Shanks:
 Notched 3 Position
 Points:
 Heat Treated Points
 Box Design:
 High Capacity Box, No Gussets
 or Obstructions
 Hydraulic Opening: NA
 Hydraulic Kit: NA
 Capacity (Cubic Foot):
 21 Cubic Foot
 Tractor HP: 80 HP Maximum
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Scarifier Shanks:
 (7) Replaceable
 Beam Size:
 4 In. x 4 In. x 3/8 In.

Beam Reinforcement: Yes
 End Plate Thickness: 1/2 In.
 Working Width: 72 In.
 Height: 20 In.
 Depth: 26-1/2 In.
 Duty: Construction Grade
 Hitch Type:
 Category I and Category II
 Quick Hitch Compatible
 Mast Design: Welded
 Assembly/Set-Up Time: 15 Minutes
 Operating Weight: 790 lbs.
 Shipping Weight: 830 lbs.
 Shipping per Crate:
 Packaged 1 Per Pallet
 Warranty: 1 Year Warranty
 Moldboard Thickness: 1/4 In.
 Manufacturer Model: New
 Paint Color: Construction Yellow

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1081XF		BB3272 BOX BLADE W/SCARIFIER <i>Construction yellow.</i>	2,412.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB3272 BOX BLADE W/SCARIFIER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB3284 BOX BLADE W/SCARIFIER

Equipment for Base Machine

Tailgate:	Beam Reinforcement: Yes
Hinged Tailgate	End Plate Thickness: 1/2 In.
Grading and Leveling:	Working Width: 84 In.
Fine, Precision Grading and Leveling	Height: 20 In.
Tractor Compatibility:	Depth: 26-1/2 In.
Balanced Design	Duty: Construction Grade
Beam Type:	Hitch Type:
Tubular Scarifier Beam	Category I and Category II
Scarifier Shanks:	Quick Hitch Compatible
Notched 3 Position	Mast Design: Welded
Points:	Assembly/Set-Up Time: 15 Minutes
Heat Treated Points	Operating Weight: 885 lbs.
Box Design:	Shipping Weight: 925 lbs.
High Capacity Box, No Gussets	Shipping per Crate:
or Obstructions	Packaged 1 Per Pallet
Hydraulic Opening: NA	Warranty: 1 Year Warranty
Hydraulic Kit: NA	Moldboard Thickness: 1/4 In.
Capacity (Cubic Foot):	Manufacturer Model: New
24.50 Cubic Foot	Paint Color: Construction Yellow
Tractor HP: 80 HP Maximum	
Cutting Edges:	
(2) 1/2 In. x 6 In. Reversible	
Scarifier Shanks:	
(8) Replaceable	
Beam Size:	
4 In. x 4 In. x 3/8 In.	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1082XF		BB3284 BOX BLADE W/SCARIFIER <i>Construction yellow.</i>	2,646.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB3284 BOX BLADE W/SCARIFIER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB3296 BOX BLADE W/SCARIFIER

Equipment for Base Machine

Tailgate:
 Hinged Tailgate
 Grading and Leveling:
 Fine, Precision Grading and Leveling
 Tractor Compatibility:
 Balanced Design
 Beam Type:
 Tubular Scarifier Beam
 Scarifier Shanks:
 Notched 3 Position
 Points:
 Heat Treated Points
 Box Design:
 High Capacity Box, No Gussets
 or Obstructions
 Hydraulic Opening: NA
 Hydraulic Kit: NA
 Capacity (Cubic Foot):
 28 Cubic Foot
 Tractor HP: 80 HP Maximum
 Cutting Edges:
 (2) 1/2 In. x 6 In. Reversible
 Scarifier Shanks:
 (9) Replaceable
 Beam Size:
 4 In. x 4 In. x 3/8 In.

Beam Reinforcement: Yes
 End Plate Thickness: 1/2 In.
 Working Width: 96 In.
 Height: 20 In.
 Depth: 26-1/2 In.
 Duty: Construction Grade
 Hitch Type:
 Category I and Category II
 Quick Hitch Compatible
 Mast Design: Welded
 Assembly/Set-Up Time: 15 Minutes
 Operating Weight: 1010 lbs.
 Shipping Weight: 1050 lbs.
 Shipping per Crate:
 Packaged 1 Per Pallet
 Warranty: 1 Year Warranty
 Moldboard Thickness: 1/4 In.
 Manufacturer Model: New
 Paint Color: Construction Yellow

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1083XF		BB3296 BOX BLADE W/SCARIFIER <i>Construction yellow.</i>	2,927.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB3296 BOX BLADE W/SCARIFIER

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB5060 Standard Duty Box Blade Equipment for Base Machine

3-Point Hitch:
Category I
iMatch Compatible: Yes
Working Width: 61.5 In.
Tractor HP: 56 PTO HP max;
see compatibility charts for
specific model of tractors
Tailgate: Fixed
Shipping Weight:
894 lbs. - (Pair)
Shanks: (5) Replaceable
Shank Type:
3-Position with Holes and 1/2 In. Pin
Scarifier Points:
Hardened Steel
End Plate Thickness: 3/8 In.

Moldboard Thickness: 3/16 In.
Moldboard Type: Formed Back
Mast: Welded
Duty: Standard Duty
Cutting Edges:
(2) 3/8 In. x 6 In. Reversible
Assembly/Set-Up Time:
15 Minutes (Approximate) - Per Pair
Approximate Operating Weight: 418 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1641XF		BB5060 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,034.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB5060 Standard Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB5072 Standard Duty Box Blade
Equipment for Base Machine

3-Point Hitch:
Category I
iMatch Compatible: Yes
Working Width: 73.5 In.
Tractor HP: 56 PTO HP max;
see compatibility charts for
specific model of tractors
Tailgate: Fixed
Shipping Weight:
1,006 lbs. - (Pair)
Shanks: (6) Replaceable
Shank Type:
3-Position with Holes and 1/2 In. Pin
Scarifier Points:
Hardened Steel
End Plate Thickness: 3/8 In.

Moldboard Thickness: 3/16 In.
Moldboard Type: Formed Back
Mast: Welded
Duty: Standard Duty
Cutting Edges:
(2) 3/8 In. x 6 In. Reversible
Assembly/Set-Up Time:
15 Minutes (Approximate) - Per Pair
Approximate Operating Weight: 474 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1642XF		BB5072 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,196.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB5072 Standard Duty Box Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB5084 Standard Duty Box Blade
Equipment for Base Machine

3-Point Hitch:
Category I
iMatch Compatible: Yes
Working Width: 88.5 In.
Tractor HP: 56 PTO HP max;
see compatibility charts for
specific model of tractors
Tailgate: Fixed
Shipping Weight:
1,078 lbs. - (Pair)
Shanks: (6) Replaceable
Shank Type:
3-Position with Holes and 1/2 In. Pin
Scarifier Points:
Hardened Steel
End Plate Thickness: 3/8 In.

Moldboard Thickness: 3/16 In.
Moldboard Type: Formed Back
Mast: Welded
Duty: Standard Duty
Cutting Edges:
(2) 3/8 In. x 6 In. Reversible
Assembly/Set-Up Time:
15 Minutes (Approximate) - Per Pair
Approximate Operating Weight: 510 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1643XF		BB5084 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,367.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB5084 Standard Duty Box Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB5096 Standard Duty Box Blade Equipment for Base Machine

3-Point Hitch:
Category I
iMatch Compatible: Yes
Working Width: 97.5 In.
Tractor HP: 56 PTO HP max;
see compatibility charts for
specific model of tractors
Tailgate: Fixed
Shipping Weight:
1,262 lbs. - (Pair)
Shanks: (7) Replaceable
Shank Type:
3-Position with Holes and 1/2 In. Pin
Scarifier Points:
Hardened Steel
End Plate Thickness: 3/8 In.

Moldboard Thickness: 3/16 In.
Moldboard Type: Formed Back
Mast: Welded
Duty: Standard Duty
Cutting Edges:
(2) 3/8 In. x 6 In. Reversible
Assembly/Set-Up Time:
15 Minutes (Approximate) - Per Pair
Approximate Operating Weight: 602 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1644XF		BB5096 Standard Duty Box Blade <i>Order in multiples of two.</i>	1,530.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BB5096 Standard Duty Box Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB5048L Limited Category 1 Economy Duty Box Blade Equipment for Base Machine

3-Point Hitch:
Limited Category I
iMatch Compatible: Yes
Working Width: 50 In.
Tractor HP: 18 PTO HP max;
see compatibility charts for
specific model of tractors
Tailgate: Fixed
Shipping Weight:
778 lbs. - (Pair)
Shanks: (5) Replaceable
Shank Type:
3-Position with Holes and 1/2 In. Pin
Scarifier Points:
Hardened Steel
End Plate Thickness: 5/16 In.

Moldboard Thickness: 3/16 In.
Moldboard Type: Formed Back
Mast: Bolt On
Duty: Economy Duty
Cutting Edges:
(2) 3/8 In. x 6 In. Reversible
Assembly/Set-Up Time:
15 Minutes (Approximate) - Per Pair
Approximate Operating Weight: 360 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1741XF		BB5048L Limited Category 1 Economy Duty Box Blade <i>Order in multiples of two.</i>	876.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

BB5048L Limited Category 1 Economy Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BB5060L Limited Category 1 Economy Duty Box Blade
Equipment for Base Machine

3-Point Hitch:
Limited Category I
iMatch Compatible: Yes
Working Width: 62 In.
Tractor HP: 18 PTO HP max;
see compatibility charts for
specific model of tractors
Tailgate: Fixed
Shipping Weight:
868 lbs. - (Pair)
Shanks: (5) Replaceable
Shank Type:
3-Position with Holes and 1/2 In. Pin
Scarifier Points:
Hardened Steel
End Plate Thickness: 5/16 In.

Moldboard Thickness: 3/16 In.
Moldboard Type: Formed Back
Mast: Bolt On
Duty: Economy Duty
Cutting Edges:
(2) 3/8 In. x 6 In. Reversible
Assembly/Set-Up Time:
15 Minutes (Approximate) - Per Pair
Approximate Operating Weight: 405 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1742XF		BB5060L Limited Category 1 Economy Duty Box Blade <i>Order in multiples of two.</i>	964.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

BB5060L Limited Category 1 Economy Duty Box Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LL1160 - 5 Ft. Drawn Box Scraper Equipment for Base Machine

Working Width: 60 In.
Machine Width: 61 In.
Machine Length: 98 In.
Machine Height: 29.5 In.
Approximate Operating Weight: 612 lbs.
Tractor HP (Maximum): 20 to 50 HP
Tailgate: Fixed
Shanks: 6 (Replaceable)
End Plate Thickness: 3/8 In.
Single Hydraulic Cylinder:
3 In. Bore x 8 In. Stroke
Tires (2): Pneumatic
Wheels (2):
6 In. Wide x 10 In. Diameter

Cutting Edge:
5/8 In. Thick x 6 In. Tall
Safety Chains: Yes - Required
Color: Construction Yellow
Assembly/Set-Up Time:
15 Minutes (Approximate)
Duty: Standard Duty
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1471XF		LL1160 - 5 Ft. Drawn Box Scraper	4,482.00
--------	--	----------------------------------	----------

FRONTIER PRODUCTS

Landscaping

LL1160 - 5 Ft. Drawn Box Scraper

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LL1172 - 6 Ft. Drawn Box Scraper Equipment for Base Machine

Working Width: 72 In.
Machine Width: 73 In.
Machine Length: 98 In.
Machine Height: 29.5 In.
Approximate Operating Weight: 735 lbs.
Tractor HP (Maximum): 20 to 50 HP
Tailgate: Fixed
Shanks: 6 (Replaceable)
End Plate Thickness: 3/8 In.
Single Hydraulic Cylinder:
3 In. Bore x 8 In. Stroke
Tires (2): Pneumatic
Wheels (2):
6 In. Wide x 10 In. Diameter

Cutting Edge:
5/8 In. Thick x 6 In. Tall
Safety Chains: Yes - Required
Color: Construction Yellow
Assembly/Set-Up Time:
15 Minutes (Approximate)
Duty: Standard Duty
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1472XF		LL1172 - 6 Ft. Drawn Box Scraper	4,687.00
--------	--	----------------------------------	----------

FRONTIER PRODUCTS

Landscaping

LL1172 - 6 Ft. Drawn Box Scraper

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LL1208 - 8 Ft. Drawn Box Scraper Equipment for Base Machine

Working Width: 96 In.
 Machine Width: 96.3 In.
 Machine Length: 144 In.
 Machine Height: 36 In.
 Approximate Operating Weight: 1500 lbs.
 Tractor HP (Maximum): 35 to 100 HP
 Tailgate: Fixed
 Lift Axle: Standard Lift Rockshaft
 End Plate Thickness: 3/8 In.
 Hydraulic Lift Cylinder:
 3 In. Bore x 8 In. Stroke
 Tires (2): Pneumatic -9.5L15 Implement Tires
 Wheels (2):
 8 In. Wide x 15 In. Diameter

Cutting Edge:
 5/8 In. Thick x 6 In. Tall
 Safety Chains: Yes - Required
 Color: Construction Yellow
 Assembly/Set-Up Time:
 60 Minutes (Approximate)
 Duty: Standard Duty
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1541XF		LL1208 - 8 Ft. Drawn Box Scraper <i>Hydraulic tilt axle, 9.5L-15 wheels and tires, lift cylinder, hydraulic hoses, and SCV connectors are in base equipment.</i>	7,508.00
--------	--	---	----------

AXLE SETTING AND TREAD ADJUST

1060		Tilt Axle with Cylinder	No Added Cost
1065		Less Tilt Axle with Cylinder	-945.00

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5DDA00100		9.5L-15 Tires on 6-Bolt Rims (2)	948.24
5DDA00096		LL12 Series - Lift Cylinder Kit	685.11
5DDA00098		LL12 Series - Tilt Cylinder Kit	716.04
5DDA00097		LL12 Series - Turnbuckle	230.90
5DDA00094		Tilt Axle with Cylinder (LL1208 and LL1210)	1,754.02

FRONTIER PRODUCTS

Landscaping

LL1208 - 8 Ft. Drawn Box Scraper

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LL1210 - 10 Ft. Drawn Box Scraper Equipment for Base Machine

Working Width: 120 In.
 Machine Width: 120.3 In.
 Machine Length: 144 In.
 Machine Height: 36 In.
 Approximate Operating Weight: 1600 lbs.
 Tractor HP (Maximum): 35 to 125 HP
 Tailgate: Fixed
 Lift Axle: Standard Lift Rockshaft
 End Plate Thickness: 3/8 In.
 Hydraulic Lift Cylinder:
 3 In. Bore x 8 In. Stroke
 Tires (2): Pneumatic -9.5L15 Implement Tires
 Wheels (2):
 8 In. Wide x 15 In. Diameter

Cutting Edge:
 5/8 In. Thick x 6 In. Tall
 Safety Chains: Yes - Required
 Color: Construction Yellow
 Assembly/Set-Up Time:
 60 Minutes (Approximate)
 Duty: Standard Duty
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1542XF		LL1210 - 10 Ft. Drawn Box Scraper <i>Hydraulic tilt axle, 9.5L-15 wheels and tires, lift cylinder, hydraulic hoses, and SCV connectors are in base equipment.</i>	8,034.00
--------	--	--	----------

AXLE SETTING AND TREAD ADJUST

1060		Tilt Axle with Cylinder	No Added Cost
1065		Less Tilt Axle with Cylinder	-945.00

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5DDA00100		9.5L-15 Tires on 6-Bolt Rims (2)	948.24
5DDA00096		LL12 Series - Lift Cylinder Kit	685.11
5DDA00098		LL12 Series - Tilt Cylinder Kit	716.04
5DDA00097		LL12 Series - Turnbuckle	230.90
5DDA00094		Tilt Axle with Cylinder (LL1208 and LL1210)	1,754.02

FRONTIER PRODUCTS

Landscaping

LL1210 - 10 Ft. Drawn Box Scraper

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LL1212 - 12 Ft. Drawn Box Scraper Equipment for Base Machine

Working Width: 144 In.
 Machine Width: 143 In.
 Machine Length: 144 In.
 Machine Height: 36 In.
 Approximate Operating Weight: 1700 lbs.
 Tractor HP (Maximum): 35 to 125 HP
 Tailgate: Fixed
 Lift Axle: Standard Lift Rockshaft
 End Plate Thickness: 3/8 In.
 Hydraulic Lift Cylinder:
 3 In. Bore x 8 In. Stroke
 Tires (2): Pneumatic -9.5L15 Implement Tires
 Wheels (2):
 8 In. Wide x 15 In. Diameter

Cutting Edge:
 5/8 In. Thick x 6 In. Tall
 Safety Chains: Yes - Required
 Color: Construction Yellow
 Assembly/Set-Up Time:
 60 Minutes (Approximate)
 Duty: Standard Duty
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1543XF		LL1212 - 12 Ft. Drawn Box Scraper <i>Hydraulic tilt axle, 9.5L-15 wheels and tires, lift cylinder, hydraulic hoses, and SCV connectors are in base equipment.</i>	8,226.00
--------	--	--	----------

AXLE SETTING AND TREAD ADJUST

1060		Tilt Axle with Cylinder	No Added Cost
1065		Less Tilt Axle with Cylinder	-973.00

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5DDA00100		9.5L-15 Tires on 6-Bolt Rims (2)	948.24
5DDA00096		LL12 Series - Lift Cylinder Kit	685.11
5DDA00098		LL12 Series - Tilt Cylinder Kit	716.04
5DDA00097		LL12 Series - Turnbuckle	230.90
5DDA00095		Tilt Axle with Cylinder (LL1212)	1,801.42

FRONTIER PRODUCTS

Landscaping

LL1212 - 12 Ft. Drawn Box Scraper

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LL1372 - 6 Ft. Drawn Box Scraper Equipment for Base Machine

Working Width: 72 In.
 Machine Width: 74 In.
 Machine Length: 165 In.
 Machine Height: 49 In.
 Approximate Operating Weight: 1600 lbs.
 Tractor HP (Maximum): 35 to 100
 Tailgate: Fixed
 End Plate Thickness: 1/2 In.
 Dual Hydraulic Cylinders: 3 In. Bore x
 8 In. Stroke (1 Rear SCV Required)
 Tires (4): Pneumatic
 Wheels (4):
 6 In. Wide x 10 In. Diameter
 Cutting Edge:
 5/8 In. Thick x 6 In. Tall

Safety Chains: Yes - Required
 Color: Construction Yellow
 Assembly/Set-Up Time:
 30 Minutes (Approximate)
 Shipping Configuration:
 2 Pieces (Box Blade and Tongue)
 Duty: Medium Duty
 Warranty: 6 Months

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1481XF		LL1372 - 6 Ft. Drawn Box Scraper	8,621.00
--------	--	----------------------------------	----------

SCARIFIER BAR

1000		Scarifier Bar Attachment	2,468.00
1095		Less Scarifier Bar Attachment	In Base Price

REAR SMOOTH ROLLER

2000		Rear Smooth 12 In. Drum Roller Attachment	2,962.00
2095		Less Rear Smooth Roller	In Base Price

REAR BASKET ROLLER PULVERIZER

9030		Double Rear 12 In. Diameter Basket Roller	2,963.00
------	--	---	----------

HITCHES

9000		Rear Hitch Assembly	246.00
------	--	---------------------	--------

HARROW TYPE

9040		3 Bar Spring Tine Harrow	2,346.00
------	--	--------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5DDA00020		3 Bar Spring Tine Harrow - 6 Ft.	2,533.85
5DDA00017		Double Rear 12 In. Diameter Basket Roller Pulverizer - 6 Ft.	3,199.93
5DDA00007		Rear Hitch Assembly (LL13 Series)	265.68

FRONTIER PRODUCTS

Landscaping

LL1372 - 6 Ft. Drawn Box Scraper

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5DDA00023	Rear Smooth 12 In. Drum Roller Attachment - 6 Ft.	3,412.32
	5DDA00029	Scarifier Bar Attachment - 6 Ft.	2,843.60

FRONTIER PRODUCTS

Landscaping

LL1384 - 7 Ft. Drawn Box Scraper Equipment for Base Machine

Working Width: 84 In.
 Machine Width: 86 In.
 Machine Length: 165 In.
 Machine Height: 49 In.
 Approximate Operating Weight: 1866 lbs.
 Tractor HP (Maximum): 35 to 125 HP
 Tailgate: Fixed
 End Plate Thickness: 1/2 In.
 Dual Hydraulic Cylinders: 3 In. Bore x
 8 In. Stroke (1 Rear SCV Required)
 Tires (4): Pneumatic
 Wheels (4):
 6 In. Wide x 10 In. Diameter
 Cutting Edge:
 5/8 In. Thick x 6 In. Tall

Safety Chains: Yes - Required
 Color: Construction Yellow
 Assembly/Set-Up Time:
 30 Minutes (Approximate)
 Shipping Configuration:
 2 Pieces (Box Blade and Tongue)
 Duty: Medium Duty
 Warranty: 6 Months

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1482XF		LL1384 - 7 Ft. Drawn Box Scraper	8,755.00
--------	--	----------------------------------	----------

SCARIFIER BAR

1000		Scarifier Bar Attachment	2,468.00
1095		Less Scarifier Bar Attachment	In Base Price

REAR SMOOTH ROLLER

2000		Rear Smooth 12 In. Drum Roller Attachment	3,129.00
2095		Less Rear Smooth Roller	In Base Price

REAR BASKET ROLLER PULVERIZER

9030		Double Rear 12 In. Diameter Basket Roller	3,126.00
------	--	---	----------

HITCHES

9000		Rear Hitch Assembly	246.00
------	--	---------------------	--------

HARROW TYPE

9040		3 Bar Spring Tine Harrow	2,549.00
------	--	--------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5DDA00021		3 Bar Spring Tine Harrow - 7 Ft.	2,752.92
5DDA00018		Double Rear 12 In. Diameter Basket Roller Pulverizer - 7 Ft.	3,376.58
5DDA00007		Rear Hitch Assembly (LL13 Series)	265.68

FRONTIER PRODUCTS

Landscaping

LL1384 - 7 Ft. Drawn Box Scraper

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5DDA00024	Rear Smooth 12 In. Drum Roller Attachment - 7 Ft.	3,603.96
	5DDA00029	Scarifier Bar Attachment - 6 Ft.	2,843.60

FRONTIER PRODUCTS

Landscaping

LL1396 - 8 Ft. Drawn Box Scraper

Equipment for Base Machine

Working Width: 96 In.
 Machine Width: 98 In.
 Machine Length: 165 In.
 Machine Height: 49 In.
 Approximate Operating Weight: 2133 lbs.
 Tractor HP (Maximum): 35 to 125 HP
 Tailgate: Fixed
 End Plate Thickness: 1/2 In.
 Dual Hydraulic Cylinders: 3 In. Bore x
 8 In. Stroke (1 Rear SCV Required)
 Tires (4): Pneumatic
 Wheels (4):
 6 In. Wide x 10 In. Diameter
 Cutting Edge:
 5/8 In. Thick x 6 In. Tall

Safety Chains: Yes - Required
 Color: Construction Yellow
 Assembly/Set-Up Time:
 30 Minutes (Approximate)
 Shipping Configuration:
 2 Pieces (Box Blade and Tongue)
 Duty: Medium Duty
 Warranty: 6 Months

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1483XF		LL1396 - 8 Ft. Drawn Box Scraper	9,130.00
--------	--	----------------------------------	----------

SCARIFIER BAR

1000		Scarifier Bar Attachment	2,387.00
1095		Less Scarifier Bar Attachment	In Base Price

REAR SMOOTH ROLLER

2000		Rear Smooth 12 In. Drum Roller Attachment	3,374.00
2095		Less Rear Smooth Roller	In Base Price

REAR BASKET ROLLER PULVERIZER

9030		Double Rear 12 In. Diameter Basket Roller	3,293.00
------	--	---	----------

HITCHES

9000		Rear Hitch Assembly	246.00
------	--	---------------------	--------

HARROW TYPE

9040		3 Bar Spring Tine Harrow	2,741.00
------	--	--------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5DDA00022		3 Bar Spring Tine Harrow - 8 Ft.	2,959.95
5DDA00019		Double Rear 12 In. Diameter Basket Roller Pulverizer - 8 Ft.	3,556.28
5DDA00007		Rear Hitch Assembly (LL13 Series)	265.68

FRONTIER PRODUCTS

Landscaping

LL1396 - 8 Ft. Drawn Box Scraper

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5DDA00025	Rear Smooth 12 In. Drum Roller Attachment - 8 Ft.	3,886.92
	5DDA00028	Scarifier Bar Attachment - 8 Ft.	2,749.54

FRONTIER PRODUCTS

Landscaping

CA2048E - 4 Ft. Economy Core Aerator Equipment for Base Machine

Reduces Hard Layer Compaction and
Increases Turf Vitality
3/8 In. Formed Category I "A" Frame
2 Bronze Bushings per Rotor for
Wear Resistance on Shaft
3-Point Hitch: Category I
Working Width: 48 In.
Tractor HP: 20 to 50 HP
Spoons:
(48) 3/4 In. Case Hardened Steel
Spoon Penetration: 4-1/2 In.
Spoons Per Hub: 6
Approximate Shipping Weight: 400 lbs.

Overall Width: 54 In.
iMatch Compatible (Quick-Attach System)
Assembly/Set-Up Time:
10 Minutes (Approximate)
Approximate Operating Weight: 284 lbs.
1 Year Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1141XF		CA2048E - 4 Ft. Economy Core Aerator <i>Order optional weight tanks as attachments.</i>	2,527.00
--------	--	--	----------

STEEL WEIGHT TANK

9000		Steel Weight Tank (Each order is a quantity of 2 tanks, 2 tanks required per Machine) <i>For sand only. (CA2048E)</i>	633.00
------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5BP950958B		French Manual Decal (CA20 Series)	0.00
5BP0099731		Steel Weight Tank CA2048E, Quantity 1 (2 Required Per Machine) <i>For sand only.</i>	342.36

FRONTIER PRODUCTS

Landscaping

CA2048E - 4 Ft. Economy Core Aerator
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

CA2060 - 5 Ft. Standard Duty Core Aerator Equipment for Base Machine

Reduces Hard Layer Compaction and
Increases Turf Vitality
3/8 In. Formed Category I "A" Frame
- Can Hold (2) 170 lb. Sand
Containers - OPTIONAL
2 Bronze Bushings per Rotor for
Wear Resistance on Shaft
3-Point Hitch: Category I and Category II
Working Width: 60 In.
Weight Tray: (2) 19 In. x 21 In.
Tractor HP: 25 to 70 HP
Spoons:
(80) 3/4 In. Case Hardened Steel
Spoon Penetration: 4-1/2 In.

Spoons Per Hub: 8
iMatch Compatible (Quick-Attach System)
Shipping Weight: 500 lbs.
Overall Width: 65 In.
Assembly/Set-Up Time:
10 Minutes (Approximate)
1 Year Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1131XF		CA2060 - 5 Ft. Standard Duty Core Aerator <i>Order optional weight tanks as attachments.</i>	3,392.00
--------	--	---	----------

STEEL WEIGHT TANK

9000		Steel Weight Tank (Each order is a quantity of 2 tanks, 2 tanks required per Machine) <i>For sand only. (CA2060)</i>	749.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5BP950958B		French Manual Decal (CA20 Series)	0.00
5BP0099734		Steel Weight Tank CA2060, Quantity 1 (2 Required Per Machine) <i>For sand only.</i>	403.92

FRONTIER PRODUCTS

Landscaping

CA2060 - 5 Ft. Standard Duty Core Aerator

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

CA2060E - 5 Ft. Economy Core Aerator
Equipment for Base Machine

Reduces Hard Layer Compaction and
Increases Turf Vitality
3/8 In. Formed Category I "A" Frame
- Can Hold (2) 125 lb. Sand
Containers - OPTIONAL
2 Bronze Bushings per Rotor for
Wear Resistance on Shaft
3-Point Hitch: Category I
Working Width: 60 In.
Weight Tray: (2) 19 In. x 15 In.
Tractor HP: 20 to 50 HP
Spoons:
(60) 3/4 In. Case Hardened Steel
Spoon Penetration: 4-1/2 In.

Spoons Per Hub: 6
iMatch Compatible (Quick-Attach System)
Approximate Shipping Weight: 400 lbs.
Overall Width: 65 In.
Assembly/Set-Up Time:
10 Minutes (Approximate)
Approximate Operating Weight: 357 lbs.
1 Year Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1142XF		CA2060E - 5 Ft. Economy Core Aerator <i>Order optional weight tanks as attachments.</i>	2,698.00
--------	--	--	----------

STEEL WEIGHT TANK

9000		Steel Weight Tank (Each order is a quantity of 2 tanks, 2 tanks required per Machine) <i>For sand only. (CA2060E)</i>	667.00
------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5BP950958B		French Manual Decal (CA20 Series)	0.00
5BP0099732		Steel Weight Tank CA2060E, Quantity 1 (2 Required Per Machine) <i>For sand only.</i>	359.64

FRONTIER PRODUCTS

Landscaping

CA2060E - 5 Ft. Economy Core Aerator
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

CA2072 - 6 Ft. Standard Duty Core Aerator
Equipment for Base Machine

Reduces Hard Layer Compaction and
Increases Turf Vitality
3/8 In. Formed Category I "A" Frame
- Can Hold (2) 220 lb.
Sand Containers - OPTIONAL
2 Bronze Bushings per Rotor for
Wear Resistance on Shaft
3-Point Hitch:
Category I and Category II
Working Width: 72 In.
Weight Tray: (2) 25 In. x 21 In.
Tractor HP: 25 to 70 HP
Spoons:
(96) 3/4 In. Case Hardened Steel
Spoon Penetration: 4-1/2 In.

Spoons Per Hub: 8
Shipping Weight: 600 lbs.
Overall Width: 78 In.
iMatch Compatible (Quick-Attach System)
Assembly/Set-Up Time:
10 Minutes (Approximate)
Approximate Operating Weight: 549 lbs.
1 Year Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1132XF		CA2072 - 6 Ft. Standard Duty Core Aerator <i>Order optional weight tanks as attachments.</i>	3,794.00
--------	--	---	----------

STEEL WEIGHT TANK

9000		Steel Weight Tank (Each order is a quantity of 2 tanks, 2 tanks required per Machine) <i>For sand only. (CA2072)</i>	806.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5BP950958B	French Manual Decal (CA20 Series)		0.00
5BP0099735	Steel Weight Tank CA2072, Quantity 1 (2 Required Per Machine) <i>For sand only.</i>		435.24

FRONTIER PRODUCTS

Landscaping

CA2072 - 6 Ft. Standard Duty Core Aerator

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

CA2072E - 6 Ft. Economy Core Aerator Equipment for Base Machine

Reduces Hard Layer Compaction and
Increases Turf Vitality
3/8 In. Formed Category I "A" Frame
- Can Hold (2) 160 lb. Sand
Containers - OPTIONAL
2 Bronze Bushings per Rotor for
Wear Resistance on Shaft
3-Point Hitch: Category I
Working Width: 72 In.
Weight Tray: (2) 25 In. x 15 In.
Tractor HP: 20 to 50 HP
Spoons:
(72) 3/4 In. Case Hardened Steel
Spoon Penetration: 4-1/2 In.

Spoons Per Hub: 6
iMatch Compatible (Quick-Attach System)
Approximate Shipping Weight: 450 lbs.
Overall Width: 78 In.
Assembly/Set-Up Time:
10 Minutes (Approximate)
Approximate Operating Weight: 401 lbs.
1 Year Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1143XF		CA2072E - 6 Ft. Economy Core Aerator <i>Order optional weight tanks as attachments.</i>	2,950.00
--------	--	--	----------

STEEL WEIGHT TANK

9000		Steel Weight Tank (Each order is a quantity of 2 tanks, 2 tanks required per Machine) <i>For sand only. (CA2072E)</i>	709.00
------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5BP950958B		French Manual Decal (CA20 Series)	0.00
5BP0099733		Steel Weight Tank CA2072E, Quantity 1 (2 Required Per Machine) <i>For sand only.</i>	383.40

FRONTIER PRODUCTS

Landscaping

CA2072E - 6 Ft. Economy Core Aerator
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PC1001 Integral One Row Cultivator Equipment for Base Machine

Hitch: Lift-type, Category I, iMatch Compatible
Working Row Width: 30 to 60 In. (762 to 1524 mm)
Transport Length: 37 In. (939.8 mm)
Transport Width: 50.5 In. (1,282.7 mm)
Transport Height: 36 In. (914.4 mm)
Tractor Engine HP Range: 25 - 45 HP
Standard Tines: 6 Curved and Reversible Tines,
1.75 In. (44.45 mm) x 10 In. (254 mm)
Tine Spacing: Adjustable
Parking Stand Included

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3441XF		PC1001 Integral One Row Cultivator <i>Order in multiples of two.</i>	502.00
--------	--	---	--------

OPERATOR'S MANUAL AND DECALS

904K		French OM & Decal Kit (PC10)	14.00
------	--	------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

5TITE511154	Miscellaneous	French Kit - Includes Operator's Manual, Parts Catalog and Safety Decals <i>PC1001 and PC1072</i>	16.80
-------------	----------------------	--	-------

FRONTIER PRODUCTS

Landscaping

PC1001 Integral One Row Cultivator

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PC1072 - 6 Ft. Integral Field Cultivator (13 S-tines) Equipment for Base Machine

Hitch:	25 - 45 HP
Lift-type, Category I, iMatch Compatible	Standard Tines:
Working Width:	13 Curved and Reversible Tines, 1.25 In. (31.75 mm) x 8 In. (203.2 mm)
72 In. (1,828.8 mm)	Tine Spacing: Adjustable
Transport Length:	
37.5 In. (952.5 mm)	
Transport Width:	
73.25 In. (1,860.6 mm)	
Transport Height:	
39 In. (990.6 mm)	
Tractor Engine HP Range:	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3442XF		PC1072 - 6 Ft. Integral Field Cultivator (13 S-tines) <i>Order in multiples of two.</i>	990.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

904K		French OM & Decal Kit (PC10)	14.00
------	--	------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous French Kit - Includes Operator's Manual, Parts Catalog and Safety Decals <i>PC1001 and PC1072</i>	16.80
--	--	--	-------

FRONTIER PRODUCTS

Landscaping

PC1072 - 6 Ft. Integral Field Cultivator (13 S-tines)

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BL1130 - 3 Pt. Mount Debris Blower - U.S. Equipment for Base Machine

Function: Debris Blower
Length: 47 1/8 In. (1,197 mm)
Width: 50 In. (1,270 mm)
Height: 48 3/4 In. (1,238.3 mm)
Operating Weight: 689 lb. (312.5 kg)
Fan Diameter: 29 1/2 In. (749.3 mm)
Fan Width: 10 in. (254 mm)
Number of Fan Blades: 12
Fan Speed: 1455 RPM
Air Flow: 6,061 cfm (171 cu. meter per minute)
Air Velocity: 141 mph (227 kph)
Air Velocity: 12,400 fpm (3,779.5 mpm)

Outlet Size: 10 5/8 x 6 5/8 In. (269.9 x 168.3 mm)
Air Direction: left or right by moving lever
Cat. 1 & 2, iMatch and Quick Hitch Compatible
Pneumatic gauge wheel standard
Approximate Set-Up Time: 30 Minutes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1571XF		BL1130 - 3 Pt. Mount Debris Blower - U.S.	5,855.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

BL1130 - 3 Pt. Mount Debris Blower - U.S.

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

BL2130 - Hydraulic Loader Mount Debris Blower with HP2025 Hydraulic Power Unit - U.S.

Equipment for Base Machine

Function: Debris Blower
 Length: 47 1/8 In. (1,197 mm)
 Width: 50 In. (1,270 mm)
 Height: 48 3/4 In. (1,238.3 mm)
 Operating Weight: 689 lb. (312.5 kg)
 Fan Diameter: 29 1/2 In. (749.3 mm)
 Fan Width: 10 in. (254 mm)
 Number of Fan Blades: 12
 Fan Speed: 1455 RPM
 Air Flow: 6,061 cfm (171 cu. meter per minute)
 Air Velocity: 141 mph (227 kph)
 Air Velocity: 12,400 fpm (3,779.5 mpm)
 Outlet Size: 10 5/8 x 6 5/8 In. (269.9 x 168.3 mm)
 Air Direction: left or right by moving lever
 Pneumatic gauge wheel standard
 Approximate Set-Up Time: 30 Minutes
 Function: Hydraulic Power Unit
 Pressure: 2700 psi
 Flow: 16 gpm

Reservoir Capacity: 15 gal.
 System Capacity: 17 gal.
 System Features: Pressure relieve valve, filter, temperature and oil level gauge, and thermal protection switch
 Hoses, Tips, and Brackets included
 Tractor RPM: 540 RPM
 PTO Manufacturer: Comer
 Parking Stand: Standard
 Hitch Category: Category I
 Quick Hitch Compatibility: iMatch Compatible
 Approximate Set-Up Time: 120 Minutes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1581XF	BL2130 - Hydraulic Loader Mount Debris Blower with HP2025 Hydraulic Power Unit - U.S. <i>Must be used with HP2025 or HP2134 Hydraulic Power Pack Units.</i>	12,805.00
--------	--	-----------

HYDRAULIC POWER UNITS

1000	HP2025 - Hydraulic Power Unit, 25 HP <i>Includes wiring harness 5RDF0078 to control the loader mounted implement.</i>	In Base Price
1010	HP2134 - Hydraulic Power Unit, 34 HP <i>Includes wiring harness 5RDF0078 to control the loader mounted implement.</i>	115.00
1095	Less HP2025 Hydraulic Power Unit	-7,130.00

OIL COOLER

2000	Oil Cooler for HP2025 and HP2134 Hydraulic Power Units <i>Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat. Not available with option Code 1095.</i>	In Base Price
2095	Less Oil Cooler	-1,821.00

WIRING HARNESS

9040	Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console. Not available with option Code 1095.</i>	101.00
------	--	--------

ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

Landscaping

**BL2130 - Hydraulic Loader Mount Debris Blower with HP2025 Hydraulic Power Unit -
U.S.**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Miscellaneous	
5RDF0036		Oil Cooler for HP2025 and HP2134 Hydraulic Power Units <i>Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat.</i>	2,005.56
5RDF0038		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console.</i>	108.64
5RDF0078		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units to control Loader Mounted Attachment <i>Includes complete wiring harness from switch in the console to 3 cavities connectors for front implements.</i>	152.32

FRONTIER PRODUCTS
Landscaping

LP1048L - 4 Ft. Limited Category 1 3-Point Land Plane
Equipment for Base Machine

Working Width: 48 in.
Overall Dimensions: H 32 in. x W 53 in. x L 45 in.
Shipping Weight: 363 lbs.
End Plate Thickness: 3/16 in.
Hitch: Limited Category 1
Lower Lift Pin Height: 12 in.
Cutting Edges: (2) 3/8 in. x 6 in., Reversible,
Replaceable
Skid Shoes: Steel, welded, 3/8 in. thick, 2 in.
wide, 38 in. long

Assembly/Set-Up Time: 30 Minutes
Operating Weight: 347 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2551XF		LP1048L - 4 Ft. Limited Category 1 3-Point Land Plane	1,104.00
--------	--	---	----------

DESTINATION

0202		United States	No Added Cost
0184		Canada	No Added Cost
0205		Quebec, Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		LP10L/ENGLISH OM	No Added Cost
0413		LP10L/FRENCH OM/DECAL KIT	No Added Cost
0437		LP10L/SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5TL16333		LP10L/FRENCH OM/DECAL KIT	58.24
5TL16334		LP10L/SPANISH OM/DECAL KIT	58.24

FRONTIER PRODUCTS

Landscaping

LP1048L - 4 Ft. Limited Category 1 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Landscaping

LP1060L - 5 Ft. Limited Category 1 3-Point Land Plane
Equipment for Base Machine

Working Width: 60 in.	Assembly/Set-Up Time: 30 Minutes
Overall Dimensions: H 32 in. x W 65 in. x L 45 in.	Operating Weight: 376 lbs.
Shipping Weight: 392 lbs.	Warranty: 1 Year
End Plate Thickness: 3/16 in.	
Hitch: Limited Category 1	
Lower Lift Pin Height: 12 in.	
Cutting Edges: (2) 3/8 in. x 6 in., Reversible, Replaceable	
Skid Shoes: Steel, welded, 3/8 in. thick, 2 in. wide, 38 in. long	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2561XF	LP1060L - 5 Ft. Limited Category 1 3-Point Land Plane	1,173.00
--------	---	----------

DESTINATION

0202	United States	No Added Cost
0184	Canada	No Added Cost
0205	Quebec, Canada	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	LP10L/ENGLISH OM	No Added Cost
0413	LP10L/FRENCH OM/DECAL KIT	No Added Cost
0437	LP10L/SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
5TL16333	LP10L/FRENCH OM/DECAL KIT	58.24
5TL16334	LP10L/SPANISH OM/DECAL KIT	58.24

FRONTIER PRODUCTS

Landscaping

LP1060L - 5 Ft. Limited Category 1 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Landscaping

LP1048 Standard Drawn Land Plane
Equipment for Base Machine

Working Width: 48 In.
Shipping Weight: 445 lbs.
End Plate Thickness: 3/16 In.
Duty: Light Duty
Cutting Edges: (2)
Assembly/Set-Up Time: 15 Minutes
Approximate Operating Weight: 365 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1441XF		LP1048 Standard Drawn Land Plane	1,469.00
--------	--	----------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

5TL15746	Miscellaneous	French Kit - Includes Operator's Manual and Safety Decals	47.04
----------	----------------------	---	-------

FRONTIER PRODUCTS

Landscaping

LP1048 Standard Drawn Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LP1060 Standard Drawn Land Plane

Equipment for Base Machine

Working Width: 60 In.
Shipping Weight: 495 lbs.
End Plate Thickness: 3/16 In.
Duty: Light Duty
Cutting Edges: (2)
Assembly/Set-Up Time: 15 Minutes
Approximate Operating Weight: 415 lbs.

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1442XF		LP1060 Standard Drawn Land Plane	1,481.00
--------	--	----------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

5TL15746	Miscellaneous	French Kit - Includes Operator's Manual and Safety Decals	47.04
----------	----------------------	---	-------

FRONTIER PRODUCTS

Landscaping

LP1060 Standard Drawn Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LP1160 - 5 Ft. 3-Point Land Plane

Equipment for Base Machine

3-Point Hitch: Category I
iMatch Compatible (Quick-Attach System)
Working Width: 60 In.
Tractor HP Recommendation: 18 to 50 HP
Skid Shoes: Weld on, 3/16 In.
Shipping Weight: 573 lbs.
End Plate Thickness: 3/16 In.
Duty: Standard Duty
Cutting Edges: (2) Reversible

Assembly/Set-Up Time: 10 Minutes
Approximate Operating Weight: 520 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1451XF		LP1160 - 5 Ft. 3-Point Land Plane	1,515.00
--------	--	-----------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5TL15746		French Kit - Includes Operator's Manual and Safety Decals	47.04

FRONTIER PRODUCTS

Landscaping

LP1160 - 5 Ft. 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LP1172 - 6 Ft. 3-Point Land Plane

Equipment for Base Machine

3-Point Hitch: Category I
iMatch Compatible (Quick-Attach System)
Working Width: 72 In.
Tractor HP Recommendation: 18 to 50 HP
Skid Shoes: Weld on, 3/16 In.
Shipping Weight: 628 lbs.
End Plate Thickness: 3/16 In.
Duty: Standard Duty
Cutting Edges: (2) Reversible

Assembly/Set-Up Time: 10 Minutes
Approximate Operating Weight: 548 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1452XF		LP1172 - 6 Ft. 3-Point Land Plane	1,616.00
--------	--	-----------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5TL15746		French Kit - Includes Operator's Manual and Safety Decals	47.04

FRONTIER PRODUCTS

Landscaping

LP1172 - 6 Ft. 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LP1184 - 7 Ft. 3-Point Land Plane

Equipment for Base Machine

3-Point Hitch: Category I and II
iMatch Compatible (Quick-Attach System)
Working Width: 84 In.
Tractor HP Recommendation: 22 to 75 HP
Skid Shoes: Weld on, 3/16 In.
Shipping Weight: 684 lbs.
End Plate Thickness: 3/16 In.
Duty: Standard Duty
Cutting Edges: (2) Reversible

Assembly/Set-Up Time: 10 Minutes
Approximate Operating Weight: 604 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1453XF		LP1184 - 7 Ft. 3-Point Land Plane	1,776.00
--------	--	-----------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5TL15746		French Kit - Includes Operator's Manual and Safety Decals	47.04

FRONTIER PRODUCTS

Landscaping

LP1184 - 7 Ft. 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LP1196 - 8 Ft. 3-Point Land Plane Equipment for Base Machine

3-Point Hitch: Category I and II
iMatch Compatible (Quick-Attach System)
Working Width: 96 In.
Tractor HP Recommendation: 22 to 75 HP
Skid Shoes: Weld on, 3/16 In.
Shipping Weight: 732 lbs.
End Plate Thickness: 3/16 In.
Duty: Standard Duty
Cutting Edges: (2) Reversible
Assembly/Set-Up Time:

Unit Arrives Fully Assembled
Approximate Operating Weight: 652 lbs.
Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1454XF		LP1196 - 8 Ft. 3-Point Land Plane	1,862.00
--------	--	-----------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

5TL15746	Miscellaneous	French Kit - Includes Operator's Manual and Safety Decals	47.04
----------	----------------------	---	-------

FRONTIER PRODUCTS

Landscaping

LP1196 - 8 Ft. 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LP1207 - 7 Ft. Heavy Duty 3-Point Land Plane Equipment for Base Machine

Working Width: 84 In.
Shipping Weight: 1,048 lbs.
Operating Weight: 998 lbs.
3 Pt. Cat. 1 & 2
iMatch Compatible (Quick-Attach System)
Cat. 2 Quick Couple Compatible (Quick-Attach System)
Implement Code: 57.6
End Plate Thickness: 3/16 In.
Duty: Heavy Duty
Cutting Edges: (2) 1/2 x 6 in. Reversible
Adjustable Skid Shoes
Skid Shoe Thickness: 3/8 in.

Scarifier Shanks: (4) Available -Optional
Assembly/Set-Up Time: 15 Minutes
Warranty: 1 Year

Ballasting may be required. Please see your tractor operator's manual and your John Deere dealer.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1631XF		LP1207 - 7 Ft. Heavy Duty 3-Point Land Plane	2,922.00
--------	--	--	----------

ATTACHMENTS FOR FIELD CONVERSION

5TL1207KT	Miscellaneous Scarifier Kit (LP1207)		197.64
-----------	--	--	--------

FRONTIER PRODUCTS

Landscaping

LP1207 - 7 Ft. Heavy Duty 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS
Landscaping

LP1208 - 8 Ft. Heavy Duty 3-Point Land Plane
Equipment for Base Machine

Working Width: 96 In.
Shipping Weight: 1,160 lbs.
Operating Weight: 1,110 lbs.
3 Pt. Cat. 1 & 2
iMatch Compatible (Quick-Attach System)
Cat. 2 Quick Couple Compatible (Quick-Attach System)
Implement Code: 64.1
End Plate Thickness: 3/16 In.
Duty: Heavy Duty
Cutting Edges: (2) 1/2 x 6 in. Reversible
Adjustable Skid Shoes
Skid Shoe Thickness: 3/8 in.

Scarifier Shanks: (6) Available -Optional
Assembly/Set-Up Time: 15 Minutes
Warranty: 1 Year

Ballasting may be required. Please see your tractor operator's manual and your John Deere dealer.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1632XF	LP1208 - 8 Ft. Heavy Duty 3-Point Land Plane	3,242.00
--------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

	<p>Miscellaneous 5TL1208KT Scarifier Kit (LP1208)</p>	317.52
--	--	--------

FRONTIER PRODUCTS

Landscaping

LP1208 - 8 Ft. Heavy Duty 3-Point Land Plane
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LP1210 - 10 Ft. Heavy Duty 3-Point Land Plane Equipment for Base Machine

Working Width: 120 In.
Shipping Weight: 1,304 lbs.
Operating Weight: 1,254 lbs.
3 Pt. Cat. 2
Cat. 2 Quick Couple Compatible (Quick-Attach System)
Implement Code: 72.4
End Plate Thickness: 3/16 In.
Duty: Heavy Duty
Cutting Edges: (2) 1/2 x 6 in. Reversible
Adjustable Skid Shoes
Skid Shoe Thickness: 3/8 in.

Scarifier Shanks: (8) Available -Optional
Assembly/Set-Up Time: 15 Minutes
Warranty: 1 Year

Ballasting may be required. Please see your tractor operator's manual and your John Deere dealer.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1633XF		LP1210 - 10 Ft. Heavy Duty 3-Point Land Plane	3,662.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

5TL1210KT	Miscellaneous Scarifier Kit (LP1210)		423.36
-----------	--	--	--------

FRONTIER PRODUCTS

Landscaping

LP1210 - 10 Ft. Heavy Duty 3-Point Land Plane

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR2060L - 5 Ft. Standard Duty Landscape Rake - Limited Category I
Equipment for Base Machine

Tine Dimensions:

5/16 In. x 1 In. x 12 In. Spring Steel

Tine Spacing: 30 at 1 In.

Working Width: 60 In.

Tractor HP (Maximum): 25 HP

Parking Stand - Standard

Raking Positions:

5 Forward (0, 15, 30 Degrees),

5 Reverse (0, 15 Degrees)

3-Point Hitch:

Limited Category I (Aftermarket

Category 0 Lift Pins Available)

Pivot: 360 Degrees

Operating Weight: 168 lbs.

Shipping Weight:

422 lbs. (Quantity of 2)

Assembly/Set-Up Time: 30 Minutes

Packaged Two Per Crate

Gauge Wheels: Optional

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1191XF		LR2060L - 5 Ft. Standard Duty Landscape Rake - Limited Category I <i>Order in multiples of two.</i>	857.00
--------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS343465	Miscellaneous	Dual Gauge Wheel Kit (LR2060L)	480.60
-----------	----------------------	--------------------------------	--------

FRONTIER PRODUCTS

Landscaping

LR2060L - 5 Ft. Standard Duty Landscape Rake - Limited Category I

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR2072 - 6 Ft. Standard Duty Landscape Rake Equipment for Base Machine

Duty: Standard Duty	486 lbs. (Quantity 2)
Rake Width: 72 In.	Assembly/Set-Up Time:
3-Point Hitch:	30 Minutes (Approximate)
Category I	Pivot: 360 Degrees
Tractor HP:	Packaged 2 per Crate
19 to 40 HP	Gauge Wheel Kit
Tine Dimension:	(Includes Two Wheels and Arms): Optional
5/16 In. x 1 In. Spring Steel	Warranty: 1 Year
Tine Spacing: 36 at 1 In.	
Raking Positions:	
5 Forward (0, 15, 30 Degree) Each Side	
- 3 Reverse (0, 15 Degree) Each Side	
Parking Stand: Standard	
Approximate Operating Weight: 200 lbs.	
Shipping Weight:	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1181XF		LR2072 - 6 Ft. Standard Duty Landscape Rake <i>Order in multiples of two.</i>	992.00
--------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

5WS341775	Miscellaneous	Dual Gauge Wheel Kit (LR2072, LR2084, LR2172, LR2184 and LR2196)	513.00
-----------	----------------------	--	--------

FRONTIER PRODUCTS

Landscaping

LR2072 - 6 Ft. Standard Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR2084 - 7 Ft. Standard Duty Landscape Rake
Equipment for Base Machine

Duty: Standard Duty	221 lbs.
Rake Width: 84 In.	Approximate Shipping Weight:
3-Point Hitch:	528 lbs. (Quantity 2)
Category I	Assembly/Set-Up Time:
Tractor HP:	30 Minutes (Approximate)
19 to 40 HP	Packaged 2 per Crate
Tine Dimension:	Gauge Wheel Kit
5/16 In. x 1 In. Spring Steel	(Includes Two Wheels and Arms): Optional
Tine Spacing: 42 at 1 In.	Warranty: 1 Year
Raking Positions:	
5 Forward (0, 15, 30 Degree) Each Side	
- 3 Reverse (0, 15 Degree) Each Side	
Parking Stand: Standard	
Pivot: 360 Degrees	
Approximate Operating Weight:	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1182XF		LR2084 - 7 Ft. Standard Duty Landscape Rake <i>Order in multiples of two.</i>	1,120.00
--------	--	--	----------

ATTACHMENTS FOR FIELD CONVERSION

5WS341775	Miscellaneous	Dual Gauge Wheel Kit (LR2072, LR2084, LR2172, LR2184 and LR2196)	513.00
-----------	----------------------	--	--------

FRONTIER PRODUCTS

Landscaping

LR2084 - 7 Ft. Standard Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR2172 - 6 Ft. Medium Duty Landscape Rake Equipment for Base Machine

Duty: Medium Duty
 Rake Width: 72 In.
 3-Point Hitch:
 Category I
 Tractor HP:
 23 to 55 HP
 Tines Dimension:
 5/16 In. x 1 In. Spring Steel
 Tine Spacing: 36 at 1 In.
 Raking Positions:
 5 Forward (0, 15, 30 Degree) Each Side
 - 3 Reverse (0, 15 Degree) Each Side
 Parking Stand: Standard
 Approximate Operating Weight: 282 lbs.

Approximate Shipping Weight: 368 lbs.
 Assembly/Set-Up Time:
 30 Minutes (Approximate)
 Gauge Wheel Assembly Kit
 (Two Wheels and Arms): Optional
 6 Ft. Flip Down Grader Blade: Optional
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1201XF	LR2172 - 6 Ft. Medium Duty Landscape Rake	1,364.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5WS341986		6 Ft. Flip Down Blade (LR2172)	332.64
5WS341775		Dual Gauge Wheel Kit (LR2072, LR2084, LR2172, LR2184 and LR2196)	513.00

FRONTIER PRODUCTS

Landscaping

LR2172 - 6 Ft. Medium Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR2184 - 7 Ft. Medium Duty Landscape Rake Equipment for Base Machine

Duty: Medium Duty
 Rake Width: 84 In.
 3-Point Hitch:
 Category I
 Tractor HP:
 23 to 55 HP
 Tine Dimension:
 5/16 In. x 1 In. Spring Steel
 Tine Spacing: 42 at 1 In.
 Raking Positions:
 5 Forward (0, 15, 30 Degree) Each Side
 - 3 Reverse (0, 15 Degree) Each Side
 Parking Stand: Standard
 Approximate Operating Weight: 307 lbs.

Approximate Shipping Weight: 393 lbs.
 Assembly/Set-Up Time:
 30 Minutes (Approximate)
 Gauge Wheel Assembly Kit
 (Two Wheels and Arms): Optional
 7 Ft. Flip Down Grader: Optional
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1202XF		LR2184 - 7 Ft. Medium Duty Landscape Rake	1,468.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5WS341987		7 Ft. Flip Down Blade (LR2184)	345.60
5WS341775		Dual Gauge Wheel Kit (LR2072, LR2084, LR2172, LR2184 and LR2196)	513.00

FRONTIER PRODUCTS

Landscaping

LR2184 - 7 Ft. Medium Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR2196 - 8 Ft. Medium Duty Landscape Rake Equipment for Base Machine

Duty: Medium Duty
 Rake Width: 96 In.
 3-Point Hitch:

Category I
 Tractor HP: 27 to 55 HP

Tines Dimension:
 5/16 In. x 1 In. Spring Steel
 Tine Spacing: 48 at 1 In.

Raking Positions:
 5 Forward (0, 15, 30 Degree) Each Side
 - 3 Reverse (0, 15 Degree) Each Side

Approximate Operating Weight: 332 lbs.
 Approximate Shipping Weight: 418 lbs.

Parking Stand: Standard

Assembly/Set-Up Time:
 30 Minutes (Approximate)

Gauge Wheel Assembly Kit
 (Two Wheels and Arms): Optional
 8 Ft. Flip Down Grader: Optional

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1203XF		LR2196 - 8 Ft. Medium Duty Landscape Rake	1,568.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5WS341988		8 Ft. Flip Down Blade (LR2196)	396.36
5WS341775		Dual Gauge Wheel Kit (LR2072, LR2084, LR2172, LR2184 and LR2196)	513.00

FRONTIER PRODUCTS

Landscaping

LR2196 - 8 Ft. Medium Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR5060 - 5 Ft. Standard Duty Landscape Rake Equipment for Base Machine

Duty: Standard Duty

Rake Width: 60 In.

3-Point Hitch:

Category I

Tractor HP:

15 to 35 HP

Tine Dimension:

5/16 In. x 1 In. Spring Steel

Tine Spacing: 36 at 1 In.

Raking Positions:

5 Forward (0, 15, 30 Degree) Each Side

- 5 Reverse (0, 15, 30 Degree) Each Side

Parking Stand: Standard

Approximate Operating Weight: 248 lbs.

Shipping Weight:

554 lbs. (Quantity 2)

Assembly/Set-Up Time:

15 Minutes (Approximate)

Pivot: 360 Degrees

Packaged 2 per Crate

Gauge Wheel Kit: NA

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1661XF		LR5060 - 5 Ft. Standard Duty Landscape Rake <i>Order in multiples of two.</i>	837.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

LR5060 - 5 Ft. Standard Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR5072 - 6 Ft. Standard Duty Landscape Rake Equipment for Base Machine

Duty: Standard Duty

Rake Width: 72 In.

3-Point Hitch:

Category I

Tractor HP:

20 to 38 HP

Tine Dimension:

5/16 In. x 1 In. Spring Steel

Tine Spacing: 36 at 1 In.

Raking Positions:

5 Forward (0, 15, 30 Degree) Each Side

- 5 Reverse (0, 15, 30 Degree) Each Side

Parking Stand: Standard

Approximate Operating Weight: 272 lbs.

Shipping Weight:

602 lbs. (Quantity 2)

Assembly/Set-Up Time:

15 Minutes (Approximate)

Pivot: 360 Degrees

Packaged 2 per Crate

Gauge Wheel Kit: NA

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1662XF		LR5072 - 6 Ft. Standard Duty Landscape Rake <i>Order in multiples of two.</i>	906.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

LR5072 - 6 Ft. Standard Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR5084 - 7 Ft. Standard Duty Landscape Rake
Equipment for Base Machine

Duty: Standard Duty

Rake Width: 84 In.

3-Point Hitch:

Category I

Tractor HP:

20 to 50 HP

Tine Dimension:

5/16 In. x 1 In. Spring Steel

Tine Spacing: 36 at 1 In.

Raking Positions:

5 Forward (0, 15, 30 Degree) Each Side

- 5 Reverse (0, 15, 30 Degree) Each Side

Parking Stand: Standard

Approximate Operating Weight: 287 lbs.

Shipping Weight:

632 lbs. (Quantity 2)

Assembly/Set-Up Time:

15 Minutes (Approximate)

Pivot: 360 Degrees

Packaged 2 per Crate

Gauge Wheel Kit: NA

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1663XF		LR5084 - 7 Ft. Standard Duty Landscape Rake <i>Order in multiples of two.</i>	955.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

LR5084 - 7 Ft. Standard Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR5096 - 8 Ft. Standard Duty Landscape Rake Equipment for Base Machine

Duty: Standard Duty

Rake Width: 96 In.

3-Point Hitch:

Category I

Tractor HP:

20 to 50 HP

Tine Dimension:

5/16 In. x 1 In. Spring Steel

Tine Spacing: 36 at 1 In.

Raking Positions:

5 Forward (0, 15, 30 Degree) Each Side

- 5 Reverse (0, 15, 30 Degree) Each Side

Parking Stand: Standard

Approximate Operating Weight: 324 lbs.

Shipping Weight:

706 lbs. (Quantity 2)

Assembly/Set-Up Time:

15 Minutes (Approximate)

Pivot: 360 Degrees

Packaged 2 per Crate

Gauge Wheel Kit: NA

Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1664XF		LR5096 - 8 Ft. Standard Duty Landscape Rake <i>Order in multiples of two.</i>	1,030.00
--------	--	--	----------

FRONTIER PRODUCTS

Landscaping

LR5096 - 8 Ft. Standard Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR5048L - 4 Ft. Limited Category 1 Economy Duty Landscape Rake Equipment for Base Machine

Duty: Economy Duty Rake Width: 48 In. 3-Point Hitch: Limited Category I Tractor HP: 18 PTO HP Max Tine Dimension: 5/16 In. x 1 In. Spring Steel Tine Spacing: 24 at 1 In. Raking Positions: 5 Forward (0, 15, 30 Degree) Each Side - 5 Reverse (0, 15, 30 Degree) Each Side Parking Stand: Standard Approximate Operating Weight: 186 lbs. Shipping Weight:	430 lbs. (Quantity 2) Assembly/Set-Up Time: 15 Minutes (Approximate) - Per Pair Pivot: 360 Degrees Packaged 2 per Crate Gauge Wheel Kit: Yes Warranty: 1 Year
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1761XF		LR5048L - 4 Ft. Limited Category 1 Economy Duty Landscape Rake <i>Order in multiples of two.</i>	667.00
--------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous LR50L Gauge Wheel Kit <i>Includes two solid wheels, two mounting brackets, and hardware.</i>	291.60
--	--	---	--------

FRONTIER PRODUCTS

Landscaping

LR5048L - 4 Ft. Limited Category 1 Economy Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

LR5060L - 5 Ft. Limited Category 1 Economy Duty Landscape Rake Equipment for Base Machine

Duty: Economy Duty Rake Width: 60 In. 3-Point Hitch: Limited Category I Tractor HP: 18 PTO HP Max Tine Dimension: 5/16 In. x 1 In. Spring Steel Tine Spacing: 30 at 1 In. Raking Positions: 5 Forward (0, 15, 30 Degree) Each Side - 5 Reverse (0, 15, 30 Degree) Each Side Parking Stand: Standard Approximate Operating Weight: 205 lbs. Shipping Weight:	468 lbs. (Quantity 2) Assembly/Set-Up Time: 15 Minutes (Approximate) - Per Pair Pivot: 360 Degrees Packaged 2 per Crate Gauge Wheel Kit: Yes Warranty: 1 Year
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1762XF		LR5060L - 5 Ft. Limited Category 1 Economy Duty Landscape Rake <i>Order in multiples of two.</i>	768.00
--------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous LR50L Gauge Wheel Kit <i>Includes two solid wheels, two mounting brackets, and hardware.</i>	291.60
--	--	---	--------

FRONTIER PRODUCTS

Landscaping

LR5060L - 5 Ft. Limited Category 1 Economy Duty Landscape Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PM1001 Integral Middle Buster Equipment for Base Machine

Hitch:
Lift-type, Category I,
iMatch Compatible
Working Depth:
Up to 12 In. (304.8 mm)
Transport Length:
15 In. (381 mm)
Transport Width:
32 In. (812.8 mm)
Transport Height:
32 In. (812.8 mm)

Tractor Engine HP Range:
25 - 45 HP
Blade:
Double-Wing Cutting Blade,
19 In. (482.6 mm) x 11 In. (279.4 mm)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3461XF		PM1001 Integral Middle Buster <i>Order in multiples of two.</i>	275.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

904L		French OM & Decal Kit (PM10)	14.00
------	--	------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5TITE511154		French Kit - Includes Operator's Manual, Parts Catalog and Safety Decals <i>PM1001</i>	16.80

FRONTIER PRODUCTS

Landscaping

PM1001 Integral Middle Buster

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA006 Post Hole Auger 6 In. for PHD100
Equipment for Base Machine

Diameter: 6 In.
Length: 36 In.
Weight: 24 lbs.
Flighting Type: Single
Flighting Thickness: 3/16 In.
Compatible With Digger Model Number(s): PHD100

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1211XF		PHA006 Post Hole Auger 6 In. for PHD100	332.00
--------	--	---	--------

FRONTIER PRODUCTS

Landscaping

PHA006 Post Hole Auger 6 In. for PHD100

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA009 Post Hole Auger 9 In. for PHD100
Equipment for Base Machine

Diameter: 9 In.
Length: 36 In.
Weight: 42 lbs.
Flighting Type: Double
Flighting Thickness: 3/16 In.
Compatible With Digger Model Number(s): PHD100

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1212XF		PHA009 Post Hole Auger 9 In. for PHD100	354.00
--------	--	---	--------

FRONTIER PRODUCTS

Landscaping

PHA009 Post Hole Auger 9 In. for PHD100
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA012 Post Hole Auger 12 In. for PHD100
Equipment for Base Machine

Diameter: 12 In.
Length: 36 In.
Weight: 52 lbs.
Flighting Type: Double
Flighting Thickness: 3/16 In.
Compatible With Digger Model Number(s): PHD100

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1213XF		PHA012 Post Hole Auger 12 In. for PHD100	441.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

PHA012 Post Hole Auger 12 In. for PHD100

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA106 Post Hole Auger 6 In. for PHD200/300/400
Equipment for Base Machine

Diameter: 6 In.
Length: 48 In.
Weight: 32 lbs.
Flighting Type: Single
Flighting Thickness: 3/16 In.
Compatible With Digger Model Number(s):
PHD200, PHD300, PHD400

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1214XF		PHA106 Post Hole Auger 6 In. for PHD200/300/400	333.00
--------	--	---	--------

FRONTIER PRODUCTS

Landscaping

PHA106 Post Hole Auger 6 In. for PHD200/300/400

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA109 Post Hole Auger 9 In. for PHD200/300/400
Equipment for Base Machine

Diameter: 9 In.
Length: 48 In.
Weight: 55 lbs.
Flighting Type: Double
Flighting Thickness: 3/16 In.
Compatible With Digger Model Number(s):
PHD200, PHD300, PHD400

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1215XF		PHA109 Post Hole Auger 9 In. for PHD200/300/400	350.00
--------	--	---	--------

FRONTIER PRODUCTS

Landscaping

PHA109 Post Hole Auger 9 In. for PHD200/300/400
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA112 Post Hole Auger 12 In. for PHD200/300/400
Equipment for Base Machine

Diameter: 12 In.
Length: 48 In.
Weight: 55 lbs.
Flighting Type: Double
Flighting Thickness: 3/16 In.
Compatible With Digger Model Number(s):
PHD200, PHD300, PHD400

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1216XF		PHA112 Post Hole Auger 12 In. for PHD200/300/400	426.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

PHA112 Post Hole Auger 12 In. for PHD200/300/400
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA118 Post Hole Auger 18 In. for PHD300/400
Equipment for Base Machine

Diameter: 18 In.
Length: 48 In.
Weight: 80 lbs.
Flighting Type: Double
Flighting Thickness: 1/4 In.
Compatible With Digger Model Number(s):
PHD300, PHD400

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1217XF		PHA118 Post Hole Auger 18 In. for PHD300/400	575.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

PHA118 Post Hole Auger 18 In. for PHD300/400

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA124 Post Hole Auger 24 In. for PHD300/400
Equipment for Base Machine

Diameter: 24 In.
Length: 48 In.
Weight: 105 lbs.
Flighting Type: Double
Flighting Thickness: 1/4 In.
Compatible With Digger Model Number(s):
PHD300, PHD400

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
-------------	------------------------------	--------------------	--------------------------------------

Select One Code From Each Required Category

BASE MACHINE

1218XF		PHA124 Post Hole Auger 24 In. for PHD300/400	813.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

PHA124 Post Hole Auger 24 In. for PHD300/400

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHA130 Post Hole Auger 30 In. for PHD300/400
Equipment for Base Machine

Diameter: 30 In. PHD300, PHD400
Length: 44 In.
Weight: 213 lbs.
Flighting Type:
Double (15 In. and 30 In.)
Flighting Thickness: 5/16 In.
Compatible With Digger Model Number(s):

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1219XF		PHA130 Post Hole Auger 30 In. for PHD300/400 <i>Tapered flighting for planting trees.</i>	1,631.00
--------	--	--	----------

FRONTIER PRODUCTS

Landscaping

PHA130 Post Hole Auger 30 In. for PHD300/400

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHD100 Post Hole Digger Up to 25HP Category I Hitch Equipment for Base Machine

Boom OD: 2-7/8 In.
 Yoke OD: 2-3/8 In.
 Auger Speed: 180 RPM
 Gearbox Gear Ratio: 3:1
 Gearbox HP Rating: 25 HP
 PTO HP Range: 18-25 HP
 3-Point Hitch Category: Category I
 Works with Auger Model Numbers:
 PHA006, PHA009, PHA012

Weight: 112 lbs.
 Shipping Weight (2 per Crate): 330 lbs.
 Set-Up Time: 20 Minutes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1221XF		PHD100 Post Hole Digger Up to 25HP Category I Hitch <i>Order in multiples of two.</i>	1,181.00
--------	--	--	----------

HOOKUP STAND

9000		Hook-Up Stand <i>For customer use.</i>	499.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
5BP950960B		French OM & Decal Kit Post Hole Diggers <i>Destination of Quebec only. Includes French safety decals and manual.</i>	0.00
BLV11199		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
5BP480099851		Post Hole Digger Hookup Stand <i>For customer use.</i>	538.92

FRONTIER PRODUCTS

Landscaping

PHD100 Post Hole Digger Up to 25HP Category I Hitch

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHD200 Post Hole Digger Up to 40HP Category I Hitch Equipment for Base Machine

Boom OD: 3-1/2 In.
 Yoke OD: 2-7/8 In.
 Auger Speed: 180 RPM
 Gearbox Gear Ratio: 3:1
 Gearbox HP Rating: 40 HP
 PTO HP Range: 18-40 HP
 3-Point Hitch Category: Category I
 Works with Auger Model Numbers:
 PHA106, PHA109, PHA112

Weight: 200 lbs.
 Shipping Weight (2 per Crate): 470 lbs.
 Set-Up Time: 20 Minutes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1222XF		PHD200 Post Hole Digger Up to 40HP Category I Hitch <i>Order in multiples of two.</i>	1,291.00
--------	--	--	----------

POST HOLE DIGGER DOWN FORCE KIT

9010		Post Hole Digger Down Force Kit <i>For PHD200</i>	740.00
------	--	--	--------

HOOKUP STAND

9000		Hook-Up Stand <i>For customer use.</i>	499.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5BP950960B		French OM & Decal Kit Post Hole Diggers <i>Destination of Quebec only. Includes French safety decals and manual.</i>	0.00
------------	--	---	------

BLV11200		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
----------	--	--	--------

*At least one tractor receiver bundle is needed per tractor.
This bundle is removable and can be used on various tractors within the compatibility.*

One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).

5BP0099154		Post Hole Digger Down Force Kit PHD200	799.20
------------	--	--	--------

5BP480099851		Post Hole Digger Hookup Stand <i>For customer use.</i>	538.92
--------------	--	---	--------

FRONTIER PRODUCTS

Landscaping

PHD200 Post Hole Digger Up to 40HP Category I Hitch

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PHD300 Post Hole Digger Up to 50HP Category I & II Hitch Equipment for Base Machine

Boom OD: 3-1/2 In. Reinforced
 Yoke OD: 2-7/8 In. Reinforced
 Auger Speed: 154 RPM
 Gearbox Gear Ratio: 3.5:1
 Gearbox HP Rating: 50 HP
 PTO HP Range: 18-50 HP

Weight: 230 lbs.
 Shipping Weight (2 per Crate): 550 lbs.
 Set-Up Time: 20 Minutes

3-Point Hitch Category: Category I or II
 Works with Auger Model Numbers:
 PHA106, PHA109, PHA112,
 PHA118, PHA124, PHA132

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1223XF		PHD300 Post Hole Digger Up to 50HP Category I & II Hitch <i>Order in multiples of two.</i>	1,558.00
--------	--	---	----------

POST HOLE DIGGER DOWN FORCE KIT

9010		Post Hole Digger Down Force Kit <i>For PHD300 and PHD400</i>	761.00
------	--	---	--------

HOOKUP STAND

9000		Hook-Up Stand <i>For customer use.</i>	499.00
------	--	---	--------

POST HOLE DIGGER AUGER POSITIONING HANDLE

9020		Post Hole Digger Auger Positioning Handle	179.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

5BP950960B		Miscellaneous French OM & Decal Kit Post Hole Diggers <i>Destination of Quebec only. Includes French safety decals and manual.</i>	0.00
------------	--	---	------

BLV11200		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i> At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).	275.00
----------	--	---	--------

5BP48PHD003		Post Hole Digger Auger Positioning Handle	193.32
-------------	--	---	--------

FRONTIER PRODUCTS

Landscaping

PHD300 Post Hole Digger Up to 50HP Category I & II Hitch

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5BP0099155	Post Hole Digger Down Force Kit (PHD300 & PHD400)	821.88
	5BP48009851	Post Hole Digger Hookup Stand <i>For customer use.</i>	538.92

FRONTIER PRODUCTS

Landscaping

PHD400 Post Hole Digger Up to 90HP Category I & II Hitch Equipment for Base Machine

Boom OD: 3-1/2 In. Reinforced
 Yoke OD: 2-7/8 In. Reinforced
 Auger Speed: 135 RPM
 Gearbox Gear Ratio: 4:1
 Gearbox HP Rating: 90 HP
 PTO HP Range: 40-90 HP

Weight: 260 lbs.
 Shipping Weight (2 per Crate): 610 lbs.
 Set-Up Time: 20 Minutes

3-Point Hitch Category: Category I or II
 Works with Auger Model Numbers:
 PHA106, PHA109, PHA112,
 PHA118, PHA124, PHA132

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1224XF		PHD400 Post Hole Digger Up to 90HP Category I & II Hitch <i>Order in multiples of two.</i>	1,887.00
--------	--	---	----------

POST HOLE DIGGER DOWN FORCE KIT

9010		Post Hole Digger Down Force Kit <i>For PHD300 and PHD400</i>	761.00
------	--	---	--------

HOOKUP STAND

9000		Hook-Up Stand <i>For customer use.</i>	499.00
------	--	---	--------

POST HOLE DIGGER AUGER POSITIONING HANDLE

9020		Post Hole Digger Auger Positioning Handle	179.00
------	--	---	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit	No Added Cost
------	--	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

5BP950960B		Miscellaneous French OM & Decal Kit Post Hole Diggers <i>Destination of Quebec only. Includes French safety decals and manual.</i>	0.00
------------	--	---	------

BLV11200		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i> <i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	275.00
----------	--	---	--------

5BP48PHD003		Post Hole Digger Auger Positioning Handle	193.32
-------------	--	---	--------

FRONTIER PRODUCTS

Landscaping

PHD400 Post Hole Digger Up to 90HP Category I & II Hitch

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5BP0099155	Post Hole Digger Down Force Kit (PHD300 & PHD400)	821.88
	5BP48009851	Post Hole Digger Hookup Stand <i>For customer use.</i>	538.92

FRONTIER PRODUCTS

Landscaping

PR1148 - 48 In. Power Rake Equipment for Base Machine

<p>Function: Landscaping and Site Development Hitch Compatibility: Category I and iMatch Compatible Rotor: Cylindrical with Welded Carbide Teeth Carbide Teeth per Rotor: 76 Depth Control: Dual Independently Adjustable Gauge Wheels Gauge Wheel Description: 13 x 5.00-6 Gauge Wheel Height Adjustment: Manual Split Clamp Angle Adjustment: Hydraulic Hydraulic Cylinder Manufacturer: Best Metal Ind. Hydraulic Cylinder Description: 1.50 In. Bore 0.75 In. Rod 6.00 In. Stroke Working Angles R or L: 0-15 Degrees Height: 34 In. Transport Width: 54 In. Working Width: 48 In. Working Width at Maximum Angle: 46 In. Roll-Back Barrier Range: 5/16 In. to 3-3/16 In. Length: 54 In. Side Drive: Chain ASA 50-2 Chain Case Lube: Cenex 365 #00 Fluid grease Tubing Size: 3 In. x 3 In.</p>	<p>Tubing Wall Thickness: 3/16 In. Tractor PTO Speed (RPM): 540 Driveline Manufacturer: Weasler Primary Driveline Description: 14R with Cut-out Clutch Secondary Driveline Description: 1-3/8 In. - 6 Splines Direct to Chain Case Clutch/Torque Setting (Number): 316 Tractor PTO HP Requirements: Minimum-Maximum: 15-22 HP Tractor Hydraulic Requirements: 1500 PSI Gearbox Manufacturer: Weasler Gearbox Description: Straight Bevel Gear in Oil Bath Gearbox Oil Recommendation: 85-90W Gearbox Reduction: 2:1 Rotor Speed (RPM): 285 Rotor Direction of Rotation: Against DOT Approximate Operating Weight: 500 lbs. Approximate Shipping Weight: 700 lbs. Parking Stand: Standard Approximate Set-Up Time: 20 Minutes Warranty: 1 Year</p>
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1231XF	PR1148 - 48 In. Power Rake	9,570.00
--------	----------------------------	----------

FRONTIER PRODUCTS

Landscaping

PR1148 - 48 In. Power Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PR1160 - 60 In. Power Rake Equipment for Base Machine

<p>Function: Landscaping and Site Development Hitch Compatibility: Category I and iMatch Compatible Rotor: Cylindrical with Welded Carbide Teeth Carbide Teeth per Rotor: 88 Depth Control: Dual Independently Adjustable Gauge Wheels Gauge Wheel Description: 13 X 5.00-6 Gauge Wheel Height Adjustment: Manual Split Clamp Angle Adjustment: Hydraulic Hydraulic Cylinder Manufacturer: Best Metal Ind. Hydraulic Cylinder Description: 1.50 In. Bore 0.75 In. Rod 6.00 In. Stroke Working Angles R or L: 0-15 Degrees Height: 36 In. Transport Width: 64 In. Working Width: 56 In. Working Width at Maximum Angle: 54 In. Roll-Back Barrier Range: 5/16 In. to 3-3/16 In. Length: 55 In. Side Drive: Chain ASA 50-2 Chain Case Lube: Cenex 365 #00 Fluid Grease Tubing Size: 3 In. x 3 In. Tubing Wall Thickness: 3/16 In.</p>	<p>Tractor PTO Speed (RPM): 540 Driveline Manufacturer: Weasler Primary Driveline Description: 14R Secondary Driveline Description: 1-3/8 In. 6 Splines to Chain Case with Friction Clutch Clutch/Torque Setting (Number): 508 Tractor PTO HP Requirements Minimum-Maximum: 18-35 HP Tractor Hydraulic Requirements: 1500 PSI Gearbox Manufacturer: Superior Gearbox Description: Straight Bevel Gear in Oil Bath Gearbox Oil Recommendation: 85-90W Gearbox Reduction: 2:1 Rotor Speed (RPM): 285 Rotor Direction of Rotation: Against DOT Approximate Operating Weight: 550 lbs. Approximate Shipping Weight: 750 lbs. Parking Stand: Standard Approximate Set-Up Time: 20 Minutes Warranty: 1 Year</p>
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1232XF	PR1160 - 60 In. Power Rake	10,175.00
--------	----------------------------	-----------

GRASS SEED ATTACHMENT

9000	Grass Seed Attachment <i>For PR1160</i>	6,618.00
------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous Grass Seed Attachment for PR1160	7,147.44
--	--	----------

FRONTIER PRODUCTS

Landscaping

PR1160 - 60 In. Power Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PR1172 - 72 In. Power Rake Equipment for Base Machine

<p>Function: Landscaping and Site Development Hitch Compatibility: Category I and iMatch Compatible Rotor: Cylindrical with Welded Carbide Teeth Carbide Teeth per Rotor: 114 Depth Control: Dual Independently Adjustable Gauge Wheels Gauge Wheel Description: 16.5 x 6.5-8 Gauge Wheel Height Adjustment: Manual Split Clamp Angle Adjustment: Hydraulic Hydraulic Cylinder Manufacturer: Best Metal Ind. Hydraulic Cylinder Description: 1.50 In. Bore 0.75 In. Rod 8.00 In. Stroke Working Angles R or L: 0-15 Degrees Height: 40 In. Transport Width: 81 In. Working Width: 72 In. Working Width at Maximum Angle: 69.5 In. Roll-Back Barrier Range: 5/16 In. to 2-15/16 In. Length: 62 In. Side Drive: Chain ASA 60-2 Chain Case Lube: Cenex 365 #00 Fluid Grease Tubing Size: 3 In. x 3 In.</p>	<p>Tubing Wall Thickness: 1/4 In. Tractor PTO Speed (RPM): 540 Driveline Manufacturer: Weasler Primary Driveline Description: 14R Secondary Driveline Description: 35R with Friction Clutch Clutch/Torque Setting (Number): 1016 Tractor PTO HP Requirements: Minimum-Maximum: 30-40 HP Tractor Hydraulic Requirements: 1500 PSI Gearbox Manufacturer: Superior Gearbox Description: Straight Bevel Gear in Oil Bath Gearbox Oil Recommendation: 85-90W Gearbox Reduction: 2:1 Rotor Speed (RPM): 270 Rotor Direction of Rotation: Against DOT Approximate Operating Weight: 830 lbs. Approximate Shipping Weight: 1100 lbs. Parking Stand: Standard Approximate Set-Up Time: 45 Minutes Warranty: 1 Year</p>
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
1233XF		PR1172 - 72 In. Power Rake	11,321.00
GRASS SEED ATTACHMENT			
9000		Grass Seed Attachment <i>For PR1172</i>	6,974.00
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous	
5SPPS60814		Grass Seed Attachment for PR1172	7,531.92

FRONTIER PRODUCTS

Landscaping

PR1172 - 72 In. Power Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PR1184 - 84 In. Power Rake Equipment for Base Machine

<p>Function: Landscaping and Site Development Hitch Compatibility: Category I, Category II, iMatch, Quick Coupler Compatible Rotor: Cylindrical with Welded Carbide Teeth Carbide Teeth per Rotor: 132 Depth Control: Dual Independently Adjustable Gauge Wheels Gauge Wheel Description: 16.5 x 6.5-8 Gauge Wheel Height Adjustment: Manual Split Clamp Angle Adjustment: Hydraulic Hydraulic Cylinder Manufacturer: Best Metal Ind. Hydraulic Cylinder Description: 2.00 In. Bore 1.25 In. rod 8.00 In. Stroke Working Angles R or L: 0-15 Degrees Height: 44 In. Transport Width: 93 In. Working Width: 84 In. Working Width at Maximum Angle: 81 In. Roll-Back Barrier Range: 5/16 In. to 4-11/16 In. Length: 70 In. Side Drive: Chain ASA 60-2H Chain Case Lube: Cenex 365 #00 Fluid Grease Tubing Size: 4 In. x 4 In.</p>	<p>Tubing Wall Thickness: 5/16 In. Tractor PTO Speed (RPM): 540 Driveline Manufacturer: Weasler Primary Driveline Description: 35E Secondary Driveline Description: 44E with Friction Clutch (1-3/4 In. 20 Splines) Clutch/Torque Setting (Number): 1695 Tractor PTO HP Requirements: Minimum-Maximum: 42-80 HP Tractor Hydraulic Requirements: 1500 PSI Gearbox Manufacturer: Superior Gearbox Description: Straight Bevel Gear in Oil Bath Gearbox Oil Recommendation: 85-90W Gearbox Reduction: 2:1 Rotor Speed (RPM): 270 Rotor Direction of Rotation: Against DOT Approximate Operating Weight: 1260 lbs. Approximate Shipping Weight: 1700 lbs. Parking Stand: Standard Approximate Set-Up Time: 60 Minutes Warranty: 1 Year</p>
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1234XF		PR1184 - 84 In. Power Rake	14,793.00
--------	--	----------------------------	-----------

FRONTIER PRODUCTS

Landscaping

PR1184 - 84 In. Power Rake

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2060 - 5 Ft. Standard Duty Rear Blade Equipment for Base Machine

3-Point Hitch: Category I
 Working Width: 60 In.
 Operational Weight: 249 lbs.
 Tractor HP: 19 to 45 HP
 Tilt Positions: Three
 Offset: 12 In. Left or Right
 Shipping Weight:
 588 lbs. for Quantity 2
 Pivot: 360 Degrees
 Parking Stand: Standard
 Packaged 2 Per Crate
 Moldboard Height: 14 In.
 Moldboard Length: 60 In.
 Moldboard Thickness: 3/16 In.
 Duty: Standard Duty

Cutting Edge:
 1/2 In. x 6 In. Reversible
 Assembly/Set-Up Time: 15 Minutes
 Angle - Forward:
 0, 15 and 30 Degrees Each Side
 Angle - Reverse:
 0 and 15 Degrees Each Side
 Skid Shoes: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1281XF		RB2060 - 5 Ft. Standard Duty Rear Blade <i>Order in multiples of two.</i>	791.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (RB20 Series)	50.00
------	--	--	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5WS346765		End Plate Kit (RB2060, RB2072 and RB2084)	168.48
5WS101376		French Operator's Manual and Decal Kit (RB20 and RB20L Series)	54.88
5WS346745		Skid Shoes Kit (RB2060, RB2072 and RB2084)	258.12

FRONTIER PRODUCTS

Landscaping

RB2060 - 5 Ft. Standard Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2060L - 5 Ft. Rear Blade - Limited Category I Equipment for Base Machine

Cutting Edge:
 1/2 In. x 6 In. Reversible
 Angle Pivot: 360 Degrees
 Angle - Forward:
 0, 15 and 30 Degrees Each Side
 Angle - Reverse:
 0, 15 and 30 Degrees Each Side
 Moldboard Thickness: 7 Gauge
 Moldboard Length: 60 In.
 Moldboard Height: 11 In.
 Tractor HP (Maximum): 25 HP
 3-Point Hitch:
 Limited Category I (Aftermarket
 Category 0 Lift Pins Available)

Parking Stand - Standard
 Skid Shoe Bundle: Optional
 Operating Weight: 155 lbs.
 Shipping Weight:
 402 lbs. (Quantity of 2)
 Packaged Two Per Crate
 Assembly/Set-Up Time: 30 Minutes
 Warranty: 1 Year

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1291XF		RB2060L - 5 Ft. Rear Blade - Limited Category I <i>Order in multiples of two.</i>	568.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (RB20 Series)	50.00
------	--	--	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
	5WS101376	French Operator's Manual and Decal Kit (RB20 and RB20L Series)	54.88
	5WS343435	Skid Shoes Kit (RB2060L)	59.36

FRONTIER PRODUCTS

Landscaping

RB2060L - 5 Ft. Rear Blade - Limited Category I

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2072 - 6 Ft. Standard Duty Rear Blade Equipment for Base Machine

3-Point Hitch: Category I
 Shipping Weight:
 660 lbs. (Quantity 2)
 Moldboard Height: 14 In.
 Moldboard Length: 72 In.
 Moldboard Thickness: 1/4 In.
 Duty: Standard Duty
 Cutting Edge:
 1/2 In. x 6 In. Reversible
 Angle: 360 Degrees
 Angle - Reverse:
 0 and 15 Degrees Each Side
 Approximate Operating Weight: 285 lb.
 Offset: 12 In. Left or Right

Tractor HP: 23 to 55 HP
 Tilt: 3-Positions
 Angle - Forward:
 0, 15, and 30 Degrees Each Side
 Skid Shoe Bundle: Optional
 End Plate Bundle: Optional
 Assembly/Set-Up Time:
 15 Minutes (Approximate)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1282XF		RB2072 - 6 Ft. Standard Duty Rear Blade <i>Order in multiples of two.</i>	857.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (RB20 Series)	50.00
------	--	--	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

	5WS346765	End Plate Kit (RB2060, RB2072 and RB2084)	168.48
	5WS101376	French Operator's Manual and Decal Kit (RB20 and RB20L Series)	54.88
	5WS346745	Skid Shoes Kit (RB2060, RB2072 and RB2084)	258.12

FRONTIER PRODUCTS

Landscaping

RB2072 - 6 Ft. Standard Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2084 - 7 Ft. Standard Duty Rear Blade Equipment for Base Machine

3-Point Hitch: Category I
 Tractor HP: 27 to 55 HP
 Tilt: 3 Position
 Shipping Weight:
 700 lbs. (Quantity 2)
 Offset:
 12 Inches, Left or Right
 Moldboard Thickness: 1/4 In.
 Moldboard Length: 84 In.
 Moldboard Height: 14 In.
 Duty: Standard Duty
 Cutting Edge:
 1/2 In. x 6 In. Reversible
 Approximate Operating Weight: 305 lbs.
 Angle: 360 Degrees

Angle - Reverse:
 0 and 15 Degrees Each Side
 Angle - Forward:
 0, 15, and 30 Degrees Each Side
 Skid Shoe Bundle: Optional
 End Plate Bundle: Optional
 Assembly/Set-Up Time:
 15 Minutes (Approximate)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1283XF		RB2084 - 7 Ft. Standard Duty Rear Blade <i>Order in multiples of two.</i>	958.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

9200		French Operator's Manual and Decal Kit (RB20 Series)	50.00
------	--	--	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5WS346765	End Plate Kit (RB2060, RB2072 and RB2084)	168.48
5WS101376	French Operator's Manual and Decal Kit (RB20 and RB20L Series)	54.88
5WS346745	Skid Shoes Kit (RB2060, RB2072 and RB2084)	258.12

FRONTIER PRODUCTS

Landscaping

RB2084 - 7 Ft. Standard Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2160 - 5 Ft. Medium Duty Rear Blade Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch
Working Width: 60 In.
Working Weight: 392 lbs.
Tractor HP:
65 HP (Maximum - 2WD)
60 HP (Maximum - 4WD)
Tilt: 3 Positions,
Up to 22 degrees Up or Down
Shipping Weight: 426 lbs.
Angle/Pivot: 360 Degrees
Moldboard Height: 17 In.
Moldboard Thickness: 1/4 In.
Duty: Medium Duty
Cutting Edge:
1/2 In. x 6 In. Reversible

Assembly/Set-Up Time: 60 Minutes
Angle - Forward:
3 Positions, Up to 53 Degrees Each Side
Angle - Reverse:
3 Positions, Up to 53 Degrees Each Side
Skid Shoes (Pair): Optional
End Plates (Pair): Optional
Parking Stand: Standard
Offset: 6 In. or 12 In. Left or Right

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1301XF		RB2160 - 5 Ft. Medium Duty Rear Blade	1,191.00
--------	--	---------------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5TMC6200001	End Plates - Pair (RB21 Series)	113.12
5TMC6100001	Skid Shoes - Pair (RB21 Series)	125.44

FRONTIER PRODUCTS

Landscaping

RB2160 - 5 Ft. Medium Duty Rear Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2172 - 6 Ft. Medium Duty Rear Blade
Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch
Working Width: 72 In.
Working Weight: 422 lbs.
Tractor HP:
65 HP (Maximum - 2WD)
60 HP (Maximum - 4WD)
Tilt: 3 Positions,
Up to 22 degrees Up or Down
Shipping Weight: 456 lbs.
Angle/Pivot: 360 Degrees
Moldboard Height: 17 In.
Moldboard Thickness: 1/4 In.
Duty: Medium Duty
Cutting Edge:
1/2 In. x 6 In. Reversible

Assembly/Set-Up Time: 60 Minutes
Angle - Forward:
3 Positions, Up to 53 Degrees Each Side
Angle - Reverse:
3 Positions, Up to 53 Degrees Each Side
Skid Shoes (Pair): Optional
End Plates (Pair): Optional
Parking Stand: Standard
Offset: 6 In. or 12 In. Left or Right

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1302XF		RB2172 - 6 Ft. Medium Duty Rear Blade	1,263.00
--------	--	---------------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5TMC6200001	End Plates - Pair (RB21 Series)	113.12
5TMC6100001	Skid Shoes - Pair (RB21 Series)	125.44

FRONTIER PRODUCTS

Landscaping

RB2172 - 6 Ft. Medium Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2184 - 7 Ft. Medium Duty Rear Blade Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch
Working Width: 84 In.
Working Weight: 448 lbs.
Tractor HP:
65 HP (Maximum - 2WD)
60 HP (Maximum - 4WD)
Tilt: 3 Positions,
Up to 22 degrees Up or Down
Shipping Weight: 482 lbs.
Angle/Pivot: 360 Degrees
Moldboard Height: 17 In.
Moldboard Thickness: 1/4 In.
Duty: Medium Duty
Cutting Edge:
1/2 In. x 6 In. Reversible

Assembly/Set-Up Time: 60 Minutes
Angle - Forward:
3 Positions, Up to 53 Degrees Each Side
Angle - Reverse:
3 Positions, Up to 53 Degrees Each Side
Skid Shoes (Pair): Optional
End Plates (Pair): Optional
Parking Stand: Standard
Offset - 6 In. or 12 In. Left or Right

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1303XF		RB2184 - 7 Ft. Medium Duty Rear Blade	1,338.00
--------	--	---------------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5TMC620001	End Plates - Pair (RB21 Series)	113.12
5TMC610001	Skid Shoes - Pair (RB21 Series)	125.44

FRONTIER PRODUCTS

Landscaping

RB2184 - 7 Ft. Medium Duty Rear Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2196 - 8 Ft. Medium Duty Rear Blade Equipment for Base Machine

Hitch: 3-Point Category I
 and iMatch
 Working Width: 96 In.
 Working Weight: 476 lbs.
 Tractor HP:
 65 HP (Maximum - 2WD)
 60 HP (Maximum - 4WD)
 Tilt: 3 Positions,
 Up to 22 degrees Up or Down
 Shipping Weight: 510 lbs.
 Angle/Pivot: 360 Degrees
 Moldboard Height: 17 In.
 Moldboard Thickness: 1/4 In.
 Duty: Medium Duty
 Cutting Edge:
 1/2 In. x 6 In. Reversible

Assembly/Set-Up Time: 60 Minutes
 Angle - Forward:
 3 Positions, Up to 53 Degrees Each Side
 Angle - Reverse:
 3 Positions, Up to 53 Degrees Each Side
 Skid Shoes (Pair): Optional
 End Plates (Pair): Optional
 Parking Stand: Standard
 Offset - 6 In. or 12 In. Left or Right

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1304XF		RB2196 - 8 Ft. Medium Duty Rear Blade	1,398.00
--------	--	---------------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5TMC620001	End Plates - Pair (RB21 Series)	113.12
5TMC610001	Skid Shoes - Pair (RB21 Series)	125.44

FRONTIER PRODUCTS

Landscaping

RB2196 - 8 Ft. Medium Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2160H - 5 Ft. Medium Duty Hydraulic Rear Blade Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch
Working Width: 60 in. (1,524 mm)
Working Weight: 379 lbs. (171.9 kg)
Tractor HP:
50 HP (37.3 kW) (Maximum - 2WD)
45 HP (33.6 kW) (Maximum - 4WD)
Tilt: 3 Positions,
Up to 20 degrees Up or Down
Shipping Weight: 459 lbs. (208.2 kg)
Angle/Pivot: 360 Degrees
Moldboard Height: 15 in. (381 mm)
Moldboard Thickness: 1/4 in. 6.35 mm)
Duty: Medium Duty
Cutting Edge:
1/2 x 6 in. Reversible (12.7 x 152.4 mm)

Assembly/Set-Up Time: 60 Minutes
Angle - Forward:
Hydraulic, Up to 40 Degrees Each Side
Angle - Reverse:
Hydraulic, Up to 40 Degrees Each Side
Skid Shoes (Pair): Optional
End Plates (Pair): Optional
Parking Stand: Standard
Offset: 6 in. or 12 in. Left or Right (152.4 mm or 304.8 mm)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1551XF		RB2160H - 5 Ft. Medium Duty Hydraulic Rear Blade <i>Includes one cylinder.</i>	1,548.00
--------	--	---	----------

END PLATES

9010		End Plates (Pair)	77.00
------	--	-------------------	-------

SKID SHOES

9000		Skid Shoes (Pair)	80.00
------	--	-------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5TMKMCN021	End Plates (Pair)		85.12
5TMKHCHN101	Hydraulic Cylinder Kit <i>Includes one cylinder.</i>		658.80
5TMKMCN022	Skid Shoes (Pair)		88.48

FRONTIER PRODUCTS

Landscaping

RB2160H - 5 Ft. Medium Duty Hydraulic Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2172H - 6 Ft. Medium Duty Hydraulic Rear Blade Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch
Working Width: 72 in. (1,828.8 mm)
Working Weight: 405 lbs. (183.7 kg)
Tractor HP:
50 HP (37.3 kW) (Maximum - 2WD)
45 HP (33.6 kW) (Maximum - 4WD)
Tilt: 3 Positions,
Up to 20 degrees Up or Down
Shipping Weight: 489 lbs. (221.8 kg)
Angle/Pivot: 360 Degrees
Moldboard Height: 15 in. (381 mm)
Moldboard Thickness: 1/4 in. 6.35 mm)
Duty: Medium Duty
Cutting Edge:
1/2 x 6 in. Reversible (12.7 x 152.4 mm)

Assembly/Set-Up Time: 60 Minutes
Angle - Forward:
Hydraulic, Up to 40 Degrees Each Side
Angle - Reverse:
Hydraulic, Up to 40 Degrees Each Side
Skid Shoes (Pair): Optional
End Plates (Pair): Optional
Parking Stand: Standard
Offset: 6 in. or 12 in. Left or Right (152.4 mm or 304.8 mm)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1552XF		RB2172H - 6 Ft. Medium Duty Hydraulic Rear Blade <i>Includes one cylinder.</i>	1,659.00
--------	--	---	----------

END PLATES

9010		End Plates (Pair)	77.00
------	--	-------------------	-------

SKID SHOES

9000		Skid Shoes (Pair)	80.00
------	--	-------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5TMKMCN021	End Plates (Pair)		85.12
5TMKHCHN101	Hydraulic Cylinder Kit <i>Includes one cylinder.</i>		658.80
5TMKMCN022	Skid Shoes (Pair)		88.48

FRONTIER PRODUCTS

Landscaping

RB2172H - 6 Ft. Medium Duty Hydraulic Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2184H - 7 Ft. Medium Duty Hydraulic Rear Blade Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch
Working Width: 84 in. (2,133.6 mm)
Working Weight: 431 lbs. (195.5 kg)
Tractor HP:
50 HP (37.3 kW) (Maximum - 2WD)
45 HP (33.6 kW) (Maximum - 4WD)
Tilt: 3 Positions,
Up to 20 degrees Up or Down
Shipping Weight: 515 lbs. (233.6 kg)
Angle/Pivot: 360 Degrees
Moldboard Height: 15 in. (381 mm)
Moldboard Thickness: 1/4 in. 6.35 mm)
Duty: Medium Duty
Cutting Edge:
1/2 x 6 in. Reversible (12.7 x 152.4 mm)

Assembly/Set-Up Time: 60 Minutes
Angle - Forward:
Hydraulic, Up to 40 Degrees Each Side
Angle - Reverse:
Hydraulic, Up to 40 Degrees Each Side
Skid Shoes (Pair): Optional
End Plates (Pair): Optional
Parking Stand: Standard
Offset: 6 in. or 12 in. Left or Right (152.4 mm or 304.8 mm)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1553XF		RB2184H - 7 Ft. Medium Duty Hydraulic Rear Blade <i>Includes one cylinder.</i>	1,731.00
--------	--	---	----------

END PLATES

9010		End Plates (Pair)	77.00
------	--	-------------------	-------

SKID SHOES

9000		Skid Shoes (Pair)	80.00
------	--	-------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5TMKMCN021	End Plates (Pair)		85.12
5TMKHCHN101	Hydraulic Cylinder Kit <i>Includes one cylinder.</i>		658.80
5TMKMCN022	Skid Shoes (Pair)		88.48

FRONTIER PRODUCTS

Landscaping

RB2184H - 7 Ft. Medium Duty Hydraulic Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2196H - 8Ft. Medium Duty Hydraulic Rear Blade Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch
Working Width: 96 in. (2,438.4 mm)
Working Weight: 456 lbs. (206.8 kg)
Tractor HP:
50 HP (37.3 kW) (Maximum - 2WD)
45 HP (33.6 kW) (Maximum - 4WD)
Tilt: 3 Positions,
Up to 20 degrees Up or Down
Shipping Weight: 543 lbs. (246.3 kg)
Angle/Pivot: 360 Degrees
Moldboard Height: 15 in. (381 mm)
Moldboard Thickness: 1/4 in. 6.35 mm)
Duty: Medium Duty
Cutting Edge:
1/2 x 6 in. Reversible (12.7 x 152.4 mm)

Assembly/Set-Up Time: 60 Minutes
Angle - Forward:
Hydraulic, Up to 40 Degrees Each Side
Angle - Reverse:
Hydraulic, Up to 40 Degrees Each Side
Skid Shoes (Pair): Optional
End Plates (Pair): Optional
Parking Stand: Standard
Offset: 6 in. or 12 in. Left or Right (152.4 mm or 304.8 mm)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1554XF		RB2196H - 8Ft. Medium Duty Hydraulic Rear Blade <i>Includes one cylinder.</i>	1,840.00
--------	--	--	----------

END PLATES

9010		End Plates (Pair)	77.00
------	--	-------------------	-------

SKID SHOES

9000		Skid Shoes (Pair)	80.00
------	--	-------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
5TMKMCN021	End Plates (Pair)		85.12
5TMKHCHN101	Hydraulic Cylinder Kit <i>Includes one cylinder.</i>		658.80
5TMKMCN022	Skid Shoes (Pair)		88.48

FRONTIER PRODUCTS

Landscaping

RB2196H - 8Ft. Medium Duty Hydraulic Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2272 - 6 Ft. Medium Plus Rear Blade Equipment for Base Machine

<p>Hitch: 3 Point Category II and ASAE Category II Quick Coupler Tractor HP: 80 HP (Maximum - 2WD) 70 HP (Maximum - 4WD) Shipping Weight: 795 lbs. Moldboard Height: 19 In. Duty: Medium Plus Duty Assembly/Set-Up Time: 120 Minutes Cutting Edge: 1/2 In. x 6 In. Reversible Angle/Pivot: 360 Degrees Moldboard Thickness: 1/4 In. Moldboard Length: 72 In. Approximate Operating Weight: 738 lb. Offset: 9 In. or 18 In. Left or Right</p>	<p>Tilt: 3 Positions, Up to 23 Degrees, Up or Down Angle-Forward: 3 Positions, Up to 45 Degrees Each Side Angle-Reverse: 3 Positions, Up to 45 Degrees Each Side Skid Shoes (Pair): Optional End Plates (Pair): Optional Hydraulic Offset Kit: Optional (Hoses and Fittings Included) Parking Stand: Standard</p>
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1311XF	RB2272 - 6 Ft. Medium Plus Rear Blade	2,355.00
--------	---------------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
5TMC620003	End Plates - Pair	150.08
5TMC630073	Hydraulic Cylinder Kit <i>Offset or Tilt - Includes 1 Cylinder (RB23 Series).</i>	564.84
5TMC610002	Skid Shoes - Pair	140.00

FRONTIER PRODUCTS

Landscaping

RB2272 - 6 Ft. Medium Plus Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2284 - 7 Ft. Medium Plus Rear Blade Equipment for Base Machine

<p>Hitch: 3 Point Category II and ASAE Category II Quick Coupler Tractor HP: 80 HP (Maximum - 2WD) 70 HP (Maximum - 4WD) Shipping Weight: 812 lbs. Moldboard Height: 19 In. Duty: Medium Plus Duty Assembly/Set-Up Time: 120 Minutes Cutting Edge: 1/2 In. x 6 In. Reversible Angle/Pivot: 360 Degrees Moldboard Thickness: 1/4 In. Moldboard Length: 84 In. Approximate Operating Weight: 755 lbs. Offset: 9 In. or 18 In. Left or Right</p>	<p>Tilt: 3 Positions, Up to 23 Degrees, Up or Down Angle-Forward: 3 Positions, Up to 45 Degrees Each Side Angle-Reverse: 3 Positions, Up to 45 Degrees Each Side Skid Shoes (Pair): Optional End Plates (Pair): Optional Hydraulic Offset Kit: Optional (Hoses and Fittings Included) Parking Stand: Standard</p>
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1312XF		RB2284 - 7 Ft. Medium Plus Rear Blade	2,547.00
--------	--	---------------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5TMC620003	End Plates - Pair		150.08
5TMC630073	Hydraulic Cylinder Kit <i>Offset or Tilt - Includes 1 Cylinder (RB23 Series).</i>		564.84
5TMC610002	Skid Shoes - Pair		140.00

FRONTIER PRODUCTS

Landscaping

RB2284 - 7 Ft. Medium Plus Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2296 - 8 Ft. Medium Plus Rear Blade Equipment for Base Machine

<p>Hitch: 3 Point Category II and ASAE Category II Quick Coupler Tractor HP: 80 HP (Maximum - 2WD) 70 HP (Maximum - 4WD) Shipping Weight: 829 lbs. Moldboard Height: 19 In. Duty: Medium Plus Duty Assembly/Set-Up Time: 120 Minutes Cutting Edge: 1/2 In. x 6 In. Reversible Angle/Pivot: 360 Degrees Moldboard Thickness: 1/4 In. Moldboard Length: 96 In. Approximate Operating Weight: 772 lbs. Offset: 9 In. or 18 In. Left or Right</p>	<p>Tilt: 3 Positions, Up to 23 Degrees, Up or Down Angle-Forward: 3 Positions, Up to 45 Degrees Each Side Angle-Reverse: 3 Positions, Up to 45 Degrees Each Side Skid Shoes (Pair): Optional End Plates (Pair): Optional Hydraulic Offset Kit: Optional (Hoses and Fittings Included) Parking Stand: Standard</p>
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1313XF		RB2296 - 8 Ft. Medium Plus Rear Blade	2,664.00
--------	--	---------------------------------------	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5TMC6200003	End Plates - Pair		150.08
5TMC6300073	Hydraulic Cylinder Kit <i>Offset or Tilt - Includes 1 Cylinder (RB23 Series).</i>		564.84
5TMC6100002	Skid Shoes - Pair		140.00

FRONTIER PRODUCTS

Landscaping

RB2296 - 8 Ft. Medium Plus Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB2307 - 7 Ft. Heavy Duty Rear Blade Equipment for Base Machine

Hitch: 3-Point Category II and ASAE Category II Quick Coupler Tractor HP: 120 HP (Maximum - 2WD) 110 HP (Maximum - 4WD) Tilt: 3 Positions, Up to 23 Degrees Up or Down Shipping Weight: 1117 lbs. Offset: 9 In. or 18 In. Left or Right Moldboard Thickness: 5/16 In. Moldboard Length: 84 In. Moldboard Height: 19 In. Duty: Heavy Duty Cutting Edge: 1/2 In. x 6 In. Reversible Approximate Operating Weight: 1060 lbs. Assembly/Set-Up Time:	120 Minutes (Approximate) Angle: 360 Degrees Angle - Forward: 3 Positions, Up to 45 Degrees Each Side Angle - Reverse: 3 Positions, Up to 45 Degrees Each Side Skid Shoes (Pair): Optional End Plates (Pair): Optional Parking Stand: Standard Hydraulic Tilt, Angle and Offset Kits: Optional (Hoses and Fittings Included)
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1321XF	RB2307 - 7 Ft. Heavy Duty Rear Blade	2,894.00
--------	--------------------------------------	----------

HYDRAULIC KITS

1000	Manual Kit	In Base Price
------	------------	---------------

1010	Hydraulic Cylinder Kit, Angle - Offset - Tilt <i>Includes 3 cylinders.</i>	1,541.00
------	---	----------

HYDRAULIC KITS

9020	Hydraulic Diverter Kit	490.00
------	------------------------	--------

END PLATES

9010	End Plates (Pair)	139.00
------	-------------------	--------

SKID SHOES

9000	Skid Shoes (Pair)	130.00
------	-------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5TMC6200003	End Plates - Pair	150.08
5TMC0040025K	French Operator's Manual and Decal Kit <i>Rear Blades RB2307, RB2308, RB2309 and RB2310.</i>	7.20
5TMC6300073	Hydraulic Cylinder Kit <i>Offset or Tilt - Includes 1 Cylinder (RB23 Series).</i>	564.84

FRONTIER PRODUCTS

Landscaping

RB2307 - 7 Ft. Heavy Duty Rear Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5TMC6300083	Hydraulic Cylinder Kit - Angle - Includes 1 Cylinder (RB23 Series)	578.88
	5TMC6300051	Hydraulic Diverter Kit (RB23 Series)	508.68
	5TMC6100002	Skid Shoes - Pair	140.00

FRONTIER PRODUCTS

Landscaping

RB2308 - 8 Ft. Heavy Duty Rear Blade Equipment for Base Machine

Hitch: 3-Point Category II and ASAE Category II Quick Coupler Tractor HP: 120 HP (Maximum - 2WD) 110 HP (Maximum - 4WD) Tilt: 3 Positions, Up to 23 Degrees Up or Down Shipping Weight: 1196 lbs. Offset: 9 In. or 18 In. Left or Right Moldboard Thickness: 5/16 In. Moldboard Length: 96 In. Moldboard Height: 19 In. Duty: Heavy Duty Cutting Edge: 1/2 In. x 6 In. Reversible Approximate Operating Weight: 1139 lbs. Assembly/Set-Up Time:	120 Minutes (Approximate) Angle: 360 Degrees Angle - Forward: 3 Positions, Up to 45 Degrees Each Side Angle - Reverse: 3 Positions, Up to 45 Degrees Each Side Skid Shoes (Pair): Optional End Plates (Pair): Optional Parking Stand: Standard Hydraulic Tilt, Angle and Offset Kits: Optional (Hoses and Fittings Included)
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1322XF	RB2308 - 8 Ft. Heavy Duty Rear Blade	3,149.00
--------	--------------------------------------	----------

HYDRAULIC KITS

1000	Manual Kit	In Base Price
------	------------	---------------

1010	Hydraulic Cylinder Kit, Angle - Offset - Tilt <i>Includes 3 cylinders.</i>	1,541.00
------	---	----------

HYDRAULIC KITS

9020	Hydraulic Diverter Kit	490.00
------	------------------------	--------

END PLATES

9010	End Plates (Pair)	139.00
------	-------------------	--------

SKID SHOES

9000	Skid Shoes (Pair)	130.00
------	-------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5TMC6200003	End Plates - Pair	150.08
5TMC0040025K	French Operator's Manual and Decal Kit <i>Rear Blades RB2307, RB2308, RB2309 and RB2310.</i>	7.20
5TMC6300073	Hydraulic Cylinder Kit <i>Offset or Tilt - Includes 1 Cylinder (RB23 Series).</i>	564.84

FRONTIER PRODUCTS

Landscaping

RB2308 - 8 Ft. Heavy Duty Rear Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5TMC6300083	Hydraulic Cylinder Kit - Angle - Includes 1 Cylinder (RB23 Series)	578.88
	5TMC6300051	Hydraulic Diverter Kit (RB23 Series)	508.68
	5TMC6100002	Skid Shoes - Pair	140.00

FRONTIER PRODUCTS

Landscaping

RB2309 - 9 Ft. Heavy Duty Rear Blade Equipment for Base Machine

Hitch:	120 Minutes (Approximate)
3-Point Category II and	Angle: 360 Degrees
ASAE Category II Quick Coupler	Angle - Forward:
Tractor HP:	3 Positions, Up to 45 Degrees Each Side
120 HP (Maximum - 2WD)	Angle - Reverse:
110 HP (Maximum - 4WD)	3 Positions, Up to 45 Degrees Each Side
Tilt: 3 Positions,	Skid Shoes (Pair): Optional
Up to 23 Degrees Up or Down	End Plates (Pair): Optional
Shipping Weight: 1297 lbs.	Parking Stand: Standard
Offset: 9 In. or 18 In. Left or Right	Hydraulic Tilt, Angle and Offset Kits:
Moldboard Thickness: 5/16 In.	Optional (Hoses and Fittings Included)
Moldboard Length: 108 In.	
Moldboard Height: 19 In.	
Duty: Heavy Duty	
Cutting Edge:	
1/2 In. x 6 In. Reversible	
Approximate Operating Weight: 1240 lbs.	
Assembly/Set-Up Time:	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1323XF		RB2309 - 9 Ft. Heavy Duty Rear Blade	3,298.00
--------	--	--------------------------------------	----------

HYDRAULIC KITS

1000		Manual Kit	In Base Price
------	--	------------	---------------

1010		Hydraulic Cylinder Kit, Angle - Offset - Tilt <i>Includes 3 cylinders.</i>	1,541.00
------	--	---	----------

HYDRAULIC KITS

9020		Hydraulic Diverter Kit	490.00
------	--	------------------------	--------

END PLATES

9010		End Plates (Pair)	139.00
------	--	-------------------	--------

SKID SHOES

9000		Skid Shoes (Pair)	130.00
------	--	-------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5TMC6200003		End Plates - Pair	150.08
-------------	--	-------------------	--------

5TMC0040025K		French Operator's Manual and Decal Kit <i>Rear Blades RB2307, RB2308, RB2309 and RB2310.</i>	7.20
--------------	--	---	------

5TMC6300073		Hydraulic Cylinder Kit <i>Offset or Tilt - Includes 1 Cylinder (RB23 Series).</i>	564.84
-------------	--	--	--------

FRONTIER PRODUCTS

Landscaping

RB2309 - 9 Ft. Heavy Duty Rear Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5TMC6300083	Hydraulic Cylinder Kit - Angle - Includes 1 Cylinder (RB23 Series)	578.88
	5TMC6300051	Hydraulic Diverter Kit (RB23 Series)	508.68
	5TMC6100002	Skid Shoes - Pair	140.00

FRONTIER PRODUCTS

Landscaping

RB2310 - 10 Ft. Heavy Duty Rear Blade Equipment for Base Machine

Hitch: 3-Point Category II and ASAE Category II Quick Coupler Tractor HP: 120 HP (Maximum - 2WD) 110 HP (Maximum - 4WD) Tilt: 3 Positions, Up to 23 Degrees Up or Down Shipping Weight: 1357 lbs. Offset: 9 In. or 18 In. Left or Right Moldboard Thickness: 5/16 In. Moldboard Length: 120 In. Moldboard Height: 19 In. Duty: Heavy Duty Cutting Edge: 1/2 In. x 6 In. Reversible Approximate Operating Weight: 1300 lbs. Assembly/Set-Up Time:	120 Minutes (Approximate) Angle: 360 Degrees Angle - Forward: 3 Positions, Up to 45 Degrees Each Side Angle - Reverse: 3 Positions, Up to 45 Degrees Each Side Skid Shoes (Pair): Optional End Plates (Pair): Optional Parking Stand: Standard Hydraulic Tilt, Angle and Offset Kits: Optional (Hoses and Fittings Included)
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1324XF	RB2310 - 10 Ft. Heavy Duty Rear Blade	3,395.00
--------	---------------------------------------	----------

HYDRAULIC KITS

1000	Manual Kit	In Base Price
------	------------	---------------

1010	Hydraulic Cylinder Kit, Angle - Offset - Tilt <i>Includes 3 cylinders.</i>	1,541.00
------	---	----------

HYDRAULIC KITS

9020	Hydraulic Diverter Kit	490.00
------	------------------------	--------

END PLATES

9010	End Plates (Pair)	139.00
------	-------------------	--------

SKID SHOES

9000	Skid Shoes (Pair)	130.00
------	-------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5TMC6200003	End Plates - Pair	150.08
5TMC0040025K	French Operator's Manual and Decal Kit <i>Rear Blades RB2307, RB2308, RB2309 and RB2310.</i>	7.20
5TMC6300073	Hydraulic Cylinder Kit <i>Offset or Tilt - Includes 1 Cylinder (RB23 Series).</i>	564.84

FRONTIER PRODUCTS

Landscaping

RB2310 - 10 Ft. Heavy Duty Rear Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5TMC6300083	Hydraulic Cylinder Kit - Angle - Includes 1 Cylinder (RB23 Series)	578.88
	5TMC6300051	Hydraulic Diverter Kit (RB23 Series)	508.68
	5TMC6100002	Skid Shoes - Pair	140.00

FRONTIER PRODUCTS

Landscaping

RB2408 - 8 Ft. Heavy Plus Rear Blade Equipment for Base Machine

Hitch:
 3-Point Category II, III and
 ASAE Quick Coupler Category II, III
 Tractor HP:
 160 HP (Maximum - 2WD)
 145 HP (Maximum - 4WD)
 Tilt: 2 Positions,
 Up to 15 Degrees, Up or Down
 Shipping Weight: 1554 lbs.
 Offset:
 0 In. to 28 In. Right,
 0 In. to 26 In. Left
 Moldboard Thickness: 5/16 In.
 Moldboard Length: 96 In.
 Moldboard Height: 19 In.
 Duty: Heavy Plus Duty
 Cutting Edge:
 1/2 In. x 6 In. Reversible
 Assembly/Set-Up Time:
 180 Minutes (Approximate)

Approximate Operating Weight: 1451 lbs.
 Angle: 360 Degrees
 Angle Forward:
 4 Positions, Up to 26 Degrees Right
 5 Positions, Up to 38 Degrees Left
 Angle Reverse:
 4 Positions, Up to 26 Degrees Right
 5 Positions, Up to 38 Degrees Left
 Parking Stand: Standard
 Skid Shoe Bundle: Optional
 End Plate Bundle: Optional
 Tailwheel: Optional
 Hydraulic Tilt and Offset Kits:
 Optional (Hoses and Fittings Included)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1331XF		RB2408 - 8 Ft. Heavy Plus Rear Blade	5,115.00
--------	--	--------------------------------------	----------

HYDRAULIC KITS

1000		Manual Kit <i>Includes quantity 1 hydraulic angle cylinder, mechanical offset link, mechanical tilt link.</i>	In Base Price
1010		Hydraulic Cylinder Kit, Angle - Offset - Tilt <i>Includes 3 cylinders.</i>	1,045.00

HYDRAULIC KITS

9020		Hydraulic Diverter Kit	464.00
9030		Hydraulic Relief Kit	754.00
9040		Hydraulic Tailwheel Kit, Single Gauge Wheel	1,249.00
9050		Hydraulic Tailwheel Kit, Dual Gauge Wheel	1,604.00

END PLATES

9010		End Plates (Pair)	149.00
------	--	-------------------	--------

SKID SHOES

9000		Skid Shoes (Pair)	44.00
------	--	-------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

Landscaping

RB2408 - 8 Ft. Heavy Plus Rear Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
Miscellaneous			
5TMC6200004		End Plates - Pair (RB24 Series)	160.16
5TMC6300053		Hydraulic Cylinder Kit - Offset or Angle - Includes 1 Cylinder (RB24 Series)	623.16
5TMC6300063		Hydraulic Cylinder Kit - Tilt - Includes 1 Cylinder (RB24 Series)	444.96
5TMC6600051		Hydraulic Diverter Kit (RB24 Series)	481.68
5TMC6600061		Hydraulic Relief Kit (RB24 Series)	783.00
5TMC6100003		Skid Shoes - Pair (RB24 Series)	47.04
5TMC6600002		TailWheel Kit - Dual Gauge Wheel - Hydraulic (RB24 Series)	1,665.36
5TMC6600001		TailWheel Kit - Single Gauge Wheel - Hydraulic (RB24 Series)	1,297.08

FRONTIER PRODUCTS

Landscaping

RB2409 - 9 Ft. Heavy Plus Rear Blade Equipment for Base Machine

Hitch:
 3-Point Category II, III and
 ASAE Quick Coupler Category II, III
 Tractor HP:
 160 HP (Maximum - 2WD)
 145 HP (Maximum - 4WD)
 Tilt: 2 Positions,
 Up to 15 Degrees, Up or Down
 Shipping Weight: 1604 lbs.
 Offset:
 0 In. to 28 In. Right
 0 In. to 26 In. Left
 Moldboard Thickness: 5/16 In.
 Moldboard Length: 108 In.
 Moldboard Height: 19 In.
 Duty: Heavy Plus Duty
 Cutting Edge:
 1/2 In. x 6 In. Reversible
 Assembly/Set-Up Time:
 180 Minutes (Approximate)

Approximate Operating Weight: 1501 lbs.
 Angle: 360 Degrees
 Angle Forward:
 4 Positions, Up to 26 Degrees Right
 5 Positions, Up to 38 Degrees Left
 Angle Reverse:
 4 Positions, Up to 26 Degrees Right
 5 Positions, Up to 38 Degrees Left
 Parking Stand: Standard
 Skid Shoe Bundle: Optional
 End Plate Bundle: Optional
 Tailwheel: Optional
 Hydraulic Tilt and Offset Kits:
 Optional (Hoses and Fittings Included)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1332XF	RB2409 - 9 Ft. Heavy Plus Rear Blade	5,218.00
--------	--------------------------------------	----------

HYDRAULIC KITS

1000	Manual Kit <i>Includes quantity 1 hydraulic angle cylinder, mechanical offset link, mechanical tilt link.</i>	In Base Price
1010	Hydraulic Cylinder Kit, Angle - Offset - Tilt <i>Includes 3 cylinders.</i>	1,045.00

HYDRAULIC KITS

9020	Hydraulic Diverter Kit	464.00
9030	Hydraulic Relief Kit	754.00
9040	Hydraulic Tailwheel Kit, Single Gauge Wheel	1,249.00
9050	Hydraulic Tailwheel Kit, Dual Gauge Wheel	1,604.00

END PLATES

9010	End Plates (Pair)	149.00
------	-------------------	--------

SKID SHOES

9000	Skid Shoes (Pair)	44.00
------	-------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

Landscaping

RB2409 - 9 Ft. Heavy Plus Rear Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
Miscellaneous			
5TMC6200004		End Plates - Pair (RB24 Series)	160.16
5TMC6300053		Hydraulic Cylinder Kit - Offset or Angle - Includes 1 Cylinder (RB24 Series)	623.16
5TMC6300063		Hydraulic Cylinder Kit - Tilt - Includes 1 Cylinder (RB24 Series)	444.96
5TMC6600051		Hydraulic Diverter Kit (RB24 Series)	481.68
5TMC6600061		Hydraulic Relief Kit (RB24 Series)	783.00
5TMC6100003		Skid Shoes - Pair (RB24 Series)	47.04
5TMC6600002		TailWheel Kit - Dual Gauge Wheel - Hydraulic (RB24 Series)	1,665.36
5TMC6600001		TailWheel Kit - Single Gauge Wheel - Hydraulic (RB24 Series)	1,297.08

FRONTIER PRODUCTS

Landscaping

RB2410 - 10 Ft. Heavy Plus Rear Blade

Equipment for Base Machine

<p>Hitch: 3-Point Category II, III and ASAE Quick Coupler Category II, III Tractor HP: 160 HP (Maximum - 2WD) 145 HP (Maximum - 4WD) Tilt: 2 Positions, Up to 15 Degrees, Up or Down Shipping Weight: 1653 lbs. Offset: 0 In. to 28 In. Right 0 In. to 26 In. Left Moldboard Thickness: 5/16 In. Moldboard Length: 120 In. Moldboard Height: 19 In. Duty: Heavy Plus Duty Cutting Edge: 1/2 In. x 6 In. Reversible Assembly/Set-Up Time: 180 Minutes (Approximate)</p>	<p>Approximate Operating Weight: 1550 lbs. Angle: 360 Degrees Angle Forward: 4 Positions, Up to 26 Degrees Right 5 Positions, Up to 38 Degrees Left Angle Reverse: 4 Positions, Up to 26 Degrees Right 5 Positions, Up to 38 Degrees Left Parking Stand: Standard Skid Shoe Bundle: Optional End Plates Bundle: Optional Tailwheel: Optional Hydraulic Tilt and Offset Kits: Optional (Hoses and Fittings Included)</p>
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1333XF	RB2410 - 10 Ft. Heavy Plus Rear Blade	5,331.00
--------	---------------------------------------	----------

HYDRAULIC KITS

1000	Manual Kit <i>Includes quantity 1 hydraulic angle cylinder, mechanical offset link, mechanical tilt link.</i>	In Base Price
1010	Hydraulic Cylinder Kit, Angle - Offset - Tilt <i>Includes 3 cylinders.</i>	1,045.00

HYDRAULIC KITS

9020	Hydraulic Diverter Kit	464.00
9030	Hydraulic Relief Kit	754.00
9040	Hydraulic Tailwheel Kit, Single Gauge Wheel	1,249.00
9050	Hydraulic Tailwheel Kit, Dual Gauge Wheel	1,604.00

END PLATES

9010	End Plates (Pair)	149.00
------	-------------------	--------

SKID SHOES

9000	Skid Shoes (Pair)	44.00
------	-------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

Landscaping

RB2410 - 10 Ft. Heavy Plus Rear Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
Miscellaneous			
5TMC6200004		End Plates - Pair (RB24 Series)	160.16
5TMC6300053		Hydraulic Cylinder Kit - Offset or Angle - Includes 1 Cylinder (RB24 Series)	623.16
5TMC6300063		Hydraulic Cylinder Kit - Tilt - Includes 1 Cylinder (RB24 Series)	444.96
5TMC6600051		Hydraulic Diverter Kit (RB24 Series)	481.68
5TMC6600061		Hydraulic Relief Kit (RB24 Series)	783.00
5TMC6100003		Skid Shoes - Pair (RB24 Series)	47.04
5TMC6600002		TailWheel Kit - Dual Gauge Wheel - Hydraulic (RB24 Series)	1,665.36
5TMC6600001		TailWheel Kit - Single Gauge Wheel - Hydraulic (RB24 Series)	1,297.08

FRONTIER PRODUCTS

Landscaping

RB5060 - 5 Ft. Standard Duty Rear Blade Equipment for Base Machine

3-Point Hitch:
Category I
Working Width: 60 In.
Operational Weight: 308 lbs.
Tractor HP: 20 to 56 HP
Tilt Positions: Seven
Offset: 12 In. Left or Right
Shipping Weight:
674 lbs. for Quantity 2
Pivot: 360 Degrees
Parking Stand: Standard
Packaged 2 Per Crate
Moldboard Height: 14.5 In.
Moldboard Length: 60 In.
Moldboard Thickness: 1/4 In.

Duty: Standard Duty
Cutting Edge:
3/8 In. x 6 In. Reversible
Assembly/Set-Up Time: 15 Minutes
Angle - Forward:
0, 15 and 30 Degrees Each Side
Angle - Reverse:
0, 15 and 30 Degrees Each Side
Skid Shoes: NA

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1651XF		RB5060 - 5 Ft. Standard Duty Rear Blade <i>Order in multiples of two.</i>	803.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

RB5060 - 5 Ft. Standard Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB5072 - 6 Ft. Standard Duty Rear Blade Equipment for Base Machine

3-Point Hitch:
Category I
Working Width: 72 In.
Operational Weight: 332 lbs.
Tractor HP: 20 to 56 HP
Tilt Positions: Seven
Offset: 12 In. Left or Right
Shipping Weight:
722 lbs. for Quantity 2
Pivot: 360 Degrees
Parking Stand: Standard
Packaged 2 Per Crate
Moldboard Height: 14.5 In.
Moldboard Length: 72 In.
Moldboard Thickness: 1/4 In.

Duty: Standard Duty
Cutting Edge:
3/8 In. x 6 In. Reversible
Assembly/Set-Up Time: 15 Minutes
Angle - Forward:
0, 15 and 30 Degrees Each Side
Angle - Reverse:
0, 15 and 30 Degrees Each Side
Skid Shoes: NA

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1652XF		RB5072 - 6 Ft. Standard Duty Rear Blade <i>Order in multiples of two.</i>	864.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

RB5072 - 6 Ft. Standard Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB5084 - 7 Ft. Standard Duty Rear Blade Equipment for Base Machine

3-Point Hitch:
Category I
Working Width: 84 In.
Operational Weight: 348 lbs.
Tractor HP: 20 to 56 HP
Tilt Positions: Seven
Offset: 12 In. Left or Right
Shipping Weight:
754 lbs. for Quantity 2
Pivot: 360 Degrees
Parking Stand: Standard
Packaged 2 Per Crate
Moldboard Height: 14.5 In.
Moldboard Length: 84 In.
Moldboard Thickness: 1/4 In.

Duty: Standard Duty
Cutting Edge:
3/8 In. x 6 In. Reversible
Assembly/Set-Up Time: 15 Minutes
Angle - Forward:
0, 15 and 30 Degrees Each Side
Angle - Reverse:
0, 15 and 30 Degrees Each Side
Skid Shoes: NA

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1653XF		RB5084 - 7 Ft. Standard Duty Rear Blade <i>Order in multiples of two.</i>	924.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

RB5084 - 7 Ft. Standard Duty Rear Blade
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB5096 - 8 Ft. Standard Duty Rear Blade Equipment for Base Machine

3-Point Hitch:
Category I
Working Width: 96 In.
Operational Weight: 380 lbs.
Tractor HP: 20 to 56 HP
Tilt Positions: Seven
Offset: 12 In. Left or Right
Shipping Weight:
818 lbs. for Quantity 2
Pivot: 360 Degrees
Parking Stand: Standard
Packaged 2 Per Crate
Moldboard Height: 14.5 In.
Moldboard Length: 96 In.
Moldboard Thickness: 1/4 In.

Duty: Standard Duty
Cutting Edge:
3/8 In. x 6 In. Reversible
Assembly/Set-Up Time: 15 Minutes
Angle - Forward:
0, 15 and 30 Degrees Each Side
Angle - Reverse:
0, 15 and 30 Degrees Each Side
Skid Shoes: NA

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1654XF		RB5096 - 8 Ft. Standard Duty Rear Blade <i>Order in multiples of two.</i>	994.00
--------	--	--	--------

FRONTIER PRODUCTS

Landscaping

RB5096 - 8 Ft. Standard Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB5048L - 4 Ft. Limited Category 1 Economy Duty Rear Blade Equipment for Base Machine

3-Point Hitch:
Category I
Working Width: 48 In.
Operational Weight: 186 lbs.
Tractor HP: 18 PTO HP Max
Tilt Positions: None
Offset: None
Shipping Weight:
430 lbs. for Quantity 2
Pivot: 360 Degrees
Parking Stand: Standard
Packaged 2 Per Crate
Moldboard Height: 14.5 In.
Moldboard Length: 48 In.
Moldboard Thickness: 1/4 In.
Duty: Economy Duty

Cutting Edge:
3/8 In. x 6 In. Reversible
Assembly/Set-Up Time: 15 Minutes
(Approximate) - Per Pair
Angle - Forward:
0, 15 and 30 Degrees Each Side
Angle - Reverse:
0, 15 and 30 Degrees Each Side
Skid Shoes: NA

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1751XF		RB5048L - 4 Ft. Limited Category 1 Economy Duty Rear Blade <i>Order in multiples of two.</i>	519.00
--------	--	---	--------

FRONTIER PRODUCTS

Landscaping

RB5048L - 4 Ft. Limited Category 1 Economy Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RB5060L - 5 Ft. Limited Category 1 Economy Duty Rear Blade Equipment for Base Machine

3-Point Hitch:
Category I
Working Width: 60 In.
Operational Weight: 205 lbs.
Tractor HP: 18 PTO HP Max
Tilt Positions: None
Offset: None
Shipping Weight:
468 lbs. for Quantity 2
Pivot: 360 Degrees
Parking Stand: Standard
Packaged 2 Per Crate
Moldboard Height: 14.5 In.
Moldboard Length: 60 In.
Moldboard Thickness: 1/4 In.
Duty: Economy Duty

Cutting Edge:
3/8 In. x 6 In. Reversible
Assembly/Set-Up Time: 15 Minutes
(Approximate) - Per Pair
Angle - Forward:
0, 15 and 30 Degrees Each Side
Angle - Reverse:
0, 15 and 30 Degrees Each Side
Skid Shoes: NA

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1752XF		RB5060L - 5 Ft. Limited Category 1 Economy Duty Rear Blade <i>Order in multiples of two.</i>	584.00
--------	--	---	--------

FRONTIER PRODUCTS

Landscaping

RB5060L - 5 Ft. Limited Category 1 Economy Duty Rear Blade

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SW2160 - 60 In. Hydraulic, 300 Series Carrier Loader Mount Rotary Broom Equipment for Base Machine

Function: Sweeping
 Working Width: 60 In. (1,524 mm)
 Working Width at Max Angle: 55 In. (1,397 mm)
 Transport Width: 72 In. (1,828.8 mm)
 Operating Weight: 860 lb. (390 kg.)
 Standard Bristle Material: Poly, 50/50 Steel/Poly
 Available as Replacement
 Brush Speed: 160 RPM
 Brush Diameter: 32 In. (812.8 mm)
 Angle Range: 23 degrees left or right
 Hood Thickness: 14 gauge
 Side Frame Thickness: 3/16 In. (4.8 mm)
 Parking Stands Included
 Approximate Set-Up Time: 30 Minutes
 Function: Hydraulic Power Unit
 Pressure: 2700 psi
 Flow: 16 gpm
 Reservoir Capacity: 15 gal.

System Capacity: 17 gal.
 System Features: Pressure relieve valve, filter, temperature and oil level gauge, and thermal protection switch
 Hoses, Tips, and Brackets included
 Tractor RPM: 540 RPM
 PTO Manufacturer: Comer
 Parking Stand: Standard
 Hitch Category: Category I
 Quick Hitch Compatibility: iMatch Compatible
 Approximate Set-Up Time: 120 Minutes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1591XF		SW2160 - 60 In. Hydraulic, 300 Series Carrier Loader Mount Rotary Broom <i>With Hydraulic Angle Adjustment and HP2025 Hydraulic Power Unit - U.S. Must only be used with HP2025 Hydraulic Power Pack Unit.</i>	13,872.00
--------	--	---	-----------

HYDRAULIC POWER UNITS

1000		HP2025 - Hydraulic Power Unit, 25 HP <i>Includes wiring harness 5RDF0078 to control the loader mounted implement.</i>	In Base Price
1095		Less Hydraulic Power Unit <i>HP2025</i>	-7,130.00

OIL COOLER

2000		Oil Cooler for HP2025 and HP2134 Hydraulic Power Units <i>Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat. Not available with option Code 1095.</i>	In Base Price
2095		Less Oil Cooler	-1,821.00

DUST DEFLECTOR

9000		Steel/Rubber Dust Deflector Kit <i>SW2160</i>	292.00
------	--	--	--------

DUST SUPPRESSION KIT

9010		SW21 Dust Suppression Kit <i>Includes 60 gallon water tank, electric pump, nozzles, hoses and fittings, electrical harness with switch and installation instructions. Requires the steel/rubber dust deflector kit.</i>	2,050.00
------	--	--	----------

FRONTIER PRODUCTS

Landscaping

SW2160 - 60 In. Hydraulic, 300 Series Carrier Loader Mount Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
DUST SUPPRESSION KIT ...Continued...			
LAWN DETHATCHING KIT			
9030		SW21 Lawn Dethatching Kit <i>Includes support components, hardware and installation instruction. Gauge wheel kit required. Compatible with dust suppression kit.</i>	438.00
9040		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console. Not available with option Code 1095.</i>	101.00
GAUGE WHEELS			
9020		SW21 Gauge Wheel Kit <i>Includes two pairs 8 In. diameter by 3.5 In. wide solid wheels, mounting brackets and hardware.</i>	700.00
ATTACHMENTS FOR FIELD CONVERSION			
Miscellaneous			
5RDF0036		Oil Cooler for HP2025 and HP2134 Hydraulic Power Units <i>Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat.</i>	2,005.56
5RDF0035		SW21 Dust Suppression Kit <i>Includes 60 gallon water tank, electric pump, nozzles, hoses and fittings, electrical harness with switch and installation instructions. Requires the steel/rubber dust deflector kit.</i>	2,108.16
5RDF0033		SW21 Gauge Wheel Kit <i>Includes two pairs 8 In. diameter by 3.5 In. wide solid wheels, mounting brackets and hardware.</i>	720.36
5RDF0034		SW21 Lawn Dethatching Kit <i>Requires gauge wheel kit, compatible with dust suppression kit.</i>	450.36
5RDF0043		SW2160 50/50 Poly/Steel Wafer Brush Replacement Kit <i>Includes required quantity of wafers to replace entire brush.</i>	659.88
5RDF0030		SW2160 Dust Deflector Kit	311.36
5RDF0040		SW2160 Poly Wafer Brush Replacement Kit <i>Includes required quantity of wafers to replace entire brush.</i>	641.52
5RDF0038		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console.</i>	108.64
5RDF0078		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units to control Loader Mounted Attachment <i>Includes complete wiring harness from switch in the console to 3 cavities connectors for front implements.</i>	152.32

FRONTIER PRODUCTS

Landscaping

SW2172 - 72 In. Hydraulic, 300/400 Series Carrier Loader Mount Rotary Broom Equipment for Base Machine

Function: Sweeping
 Working Width: 72 In. (1,828.8 mm)
 Working Width at Max Angle: 66 In. (1,676.4 mm)
 Transport Width: 84 In. (2,133.6 mm)
 Operating Weight: 890 lb. (403.7 kg.)
 Standard Bristle Material: Poly, 50/50 Steel/Poly
 Available as Replacement
 Brush Speed: 160 RPM
 Brush Diameter: 32 In. (812.8 mm)
 Angle Range: 23 degrees left or right
 Hood Thickness: 14 gauge
 Side Frame Thickness: 3/16 In. (4.8 mm)
 Parking Stands Included
 Approximate Set-Up Time: 30 Minutes
 Function: Hydraulic Power Unit
 Pressure: 2700 psi
 Flow: 16 gpm
 Reservoir Capacity: 15 gal.
 System Capacity: 17 gal.
 System Features: Pressure relieve valve, filter, temperature and oil level gauge, and thermal protection switch
 Hoses, Tips, and Brackets included
 Tractor RPM: 540 RPM
 PTO Manufacturer: Comer
 Parking Stand: Standard
 Hitch Category: Category I

Quick Hitch Compatibility:
 iMatch Compatible
 Approximate Set-Up Time: 120 Minutes

Optional:
 Function: Hydraulic Power Unit
 Pressure: 2700 psi
 Flow: 16 gpm
 Reservoir Capacity: 15 gal.
 System Capacity: 17 gal.
 System Features: Pressure relieve valve, filter, temperature and oil level gauge, and thermal protection switch
 Hoses, Tips, and Brackets included
 Tractor RPM: 540 RPM
 PTO Manufacturer: Comer
 Parking Stand: Standard
 Hitch Category: Category I
 Quick Hitch Compatibility:
 iMatch Compatible
 Approximate Set-Up Time: 120 Minutes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1592XF	SW2172 - 72 In. Hydraulic, 300/400 Series Carrier Loader Mount Rotary Broom	With Hydraulic Angle Adjustment and HP2025 Hydraulic Power Unit - U.S. <i>Must be used with either the HP2025 or HP2134 Hydraulic Power Pack Units.</i>	14,161.00
--------	---	--	-----------

HYDRAULIC POWER UNITS

1000	HP2025 - Hydraulic Power Unit, 25 HP	Includes wiring harness 5RDF0078 to control the loader mounted implement.	In Base Price
1095	Less Hydraulic Power Unit HP2025		-7,130.00
1010	HP2134 - Hydraulic Power Unit, 34 HP	Includes wiring harness 5RDF0078 to control the loader mounted implement.	115.00

OIL COOLER

2000	Oil Cooler for HP2025 and HP2134 Hydraulic Power Units	Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat. <i>Not available with option Code 1095.</i>	In Base Price
2095	Less Oil Cooler		-1,821.00

FRONTIER PRODUCTS

Landscaping

SW2172 - 72 In. Hydraulic, 300/400 Series Carrier Loader Mount Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
DUST DEFLECTOR			
9000		Steel/Rubber Dust Deflector Kit SW2172	264.00
DUST SUPPRESSION KIT			
9010		SW21 Dust Suppression Kit <i>Includes 60 gallon water tank, electric pump, nozzles, hoses and fittings, electrical harness with switch and installation instructions. Requires the steel/rubber dust deflector kit.</i>	2,050.00
LAWN DETHATCHING KIT			
9030		SW21 Lawn Dethatching Kit <i>Includes support components, hardware and installation instruction. Gauge wheel kit required. Compatible with dust suppression kit.</i>	438.00
9040		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console. Not available with option Code 1095.</i>	101.00
GAUGE WHEELS			
9020		SW21 Gauge Wheel Kit <i>Includes two pairs 8 In. diameter by 3.5 In. wide solid wheels, mounting brackets and hardware.</i>	700.00
ATTACHMENTS FOR FIELD CONVERSION			
Miscellaneous			
5RDF0036		Oil Cooler for HP2025 and HP2134 Hydraulic Power Units <i>Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat.</i>	2,005.56
5RDF0035		SW21 Dust Suppression Kit <i>Includes 60 gallon water tank, electric pump, nozzles, hoses and fittings, electrical harness with switch and installation instructions. Requires the steel/rubber dust deflector kit.</i>	2,108.16
5RDF0033		SW21 Gauge Wheel Kit <i>Includes two pairs 8 In. diameter by 3.5 In. wide solid wheels, mounting brackets and hardware.</i>	720.36
5RDF0034		SW21 Lawn Dethatching Kit <i>Requires gauge wheel kit, compatible with dust suppression kit.</i>	450.36
5RDF0044		SW2172 50/50 Poly/Steel Wafer Brush Replacement Kit <i>Includes required quantity of wafers to replace entire brush.</i>	758.16
5RDF0031		SW2172 Dust Deflector Kit	281.12
5RDF0041		SW2172 Poly Wafer Brush Replacement Kit <i>Includes required quantity of wafers to replace entire brush.</i>	758.16

FRONTIER PRODUCTS

Landscaping

SW2172 - 72 In. Hydraulic, 300/400 Series Carrier Loader Mount Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
5RDF0038		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console.</i>	108.64
5RDF0078		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units to control Loader Mounted Attachment <i>Includes complete wiring harness from switch in the console to 3 cavities connectors for front implements.</i>	152.32

FRONTIER PRODUCTS

Landscaping

SW2172 - 72 In. Hydraulic, 300/400 Series Carrier Loader Mount Rotary Broom

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SW2184 - 84 In. Hydraulic, 400 Series Carrier Loader Mount Rotary Broom Equipment for Base Machine

Function: Sweeping
 Working Width: 84 In. (2,133.6 mm)
 Working Width at Max Angle: 77 In. (1,955.8 mm)
 Transport Width: 96 In. (2,438.4 mm)
 Operating Weight: 920 lb. (417.3 kg.)
 Standard Bristle Material: Poly, 50/50 Steel/Poly
 Available as Replacement
 Brush Speed: 160 RPM
 Brush Diameter: 32 In. (812.8 mm)
 Angle Range: 23 degrees left or right
 Hood Thickness: 14 gauge
 Side Frame Thickness: 3/16 In. (4.8 mm)
 Parking Stands Included
 Approximate Set-Up Time: 30 Minutes
 Function: Hydraulic Power Unit
 Pressure: 2700 psi
 Flow: 16 gpm
 Reservoir Capacity: 15 gal.

System Capacity: 17 gal.
 System Features: Pressure relieve valve, filter, temperature and oil level gauge, and thermal protection switch
 Hoses, Tips, and Brackets included
 Tractor RPM: 540 RPM
 PTO Manufacturer: Comer
 Parking Stand: Standard
 Hitch Category: Category I
 Quick Hitch Compatibility: iMatch Compatible
 Approximate Set-Up Time: 120 Minutes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1593XF		SW2184 - 84 In. Hydraulic, 400 Series Carrier Loader Mount Rotary Broom <i>With Hydraulic Angle Adjustment and HP2134 Hydraulic Power Unit - U.S. Must only be used with HP2134 Hydraulic Power Pack Unit.</i>	14,959.00
--------	--	---	-----------

HYDRAULIC POWER UNITS

1095		Less Hydraulic Power Unit <i>HP2134</i>	-7,253.00
1010		HP2134 - Hydraulic Power Unit, 34 HP <i>Includes wiring harness 5RDF0078 to control the loader mounted implement.</i>	In Base Price

OIL COOLER

2000		Oil Cooler for HP2025 and HP2134 Hydraulic Power Units <i>Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat. Not available with option Code 1095.</i>	In Base Price
2095		Less Oil Cooler	-1,821.00

DUST DEFLECTOR

9000		Steel/Rubber Dust Deflector Kit <i>SW2184</i>	264.00
------	--	--	--------

DUST SUPPRESSION KIT

9010		SW21 Dust Suppression Kit <i>Includes 60 gallon water tank, electric pump, nozzles, hoses and fittings, electrical harness with switch and installation instructions. Requires the steel/rubber dust deflector kit.</i>	2,050.00
------	--	--	----------

FRONTIER PRODUCTS

Landscaping

SW2184 - 84 In. Hydraulic, 400 Series Carrier Loader Mount Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
DUST SUPPRESSION KIT ...Continued...			
LAWN DETHATCHING KIT			
9030		SW21 Lawn Dethatching Kit <i>Includes support components, hardware and installation instruction. Gauge wheel kit required. Compatible with dust suppression kit.</i>	438.00
9040		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console. Not available with option Code 1095.</i>	101.00
GAUGE WHEELS			
9020		SW21 Gauge Wheel Kit <i>Includes two pairs 8 In. diameter by 3.5 In. wide solid wheels, mounting brackets and hardware.</i>	700.00
ATTACHMENTS FOR FIELD CONVERSION			
Miscellaneous			
5RDF0036		Oil Cooler for HP2025 and HP2134 Hydraulic Power Units <i>Includes high efficiency oil cooler, electric fan, bolted support, hoses, fittings and installation instructions. Recommended for application generating high heat.</i>	2,005.56
5RDF0035		SW21 Dust Suppression Kit <i>Includes 60 gallon water tank, electric pump, nozzles, hoses and fittings, electrical harness with switch and installation instructions. Requires the steel/rubber dust deflector kit.</i>	2,108.16
5RDF0033		SW21 Gauge Wheel Kit <i>Includes two pairs 8 In. diameter by 3.5 In. wide solid wheels, mounting brackets and hardware.</i>	720.36
5RDF0034		SW21 Lawn Dethatching Kit <i>Requires gauge wheel kit, compatible with dust suppression kit.</i>	450.36
5RDF0045		SW2184 50/50 Poly/Steel Wafer Brush Replacement Kit <i>Includes required quantity of wafers to replace entire brush.</i>	886.68
5RDF0032		SW2184 Dust Deflector Kit	271.08
5RDF0042		SW2184 Poly Wafer Brush Replacement Kit <i>Includes required quantity of wafers to replace entire brush.</i>	884.52
5RDF0038		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units for Open Operator Station Tractors <i>Includes complete wiring harness from battery to switch in the console.</i>	108.64
5RDF0078		Wiring Harness for HP2025 and HP2134 Hydraulic Power Units to control Loader Mounted Attachment <i>Includes complete wiring harness from switch in the console to 3 cavities connectors for front implements.</i>	152.32

FRONTIER PRODUCTS

Landscaping

RT1142 - 42 In. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width:
42 In. (1,066.8 mm)
Tractor PTO Speed: 540 RPM
Tractor PTO HP (Minimum): 10 HP (7.5 kW)
Tractor PTO HP (Minimum): 25 HP (18.6 kW)
Blade Shape: C
Skid Shoes: Adjustable
Rear Door Support: Chain
Parking Stand Included
Gearbox Speed: Single
Rotor Speed: 254 RPM
Rotor Flanges: 5
Drive Chain: ASA 80
Blades/Rotor: 4
Adjustable Offset:
4 In. (101.6 mm)

Max Working Depth:
6.3 In. (160 mm)
Outside to Outside Width:
46 In. (1,168.4 mm)
Driveline Protection: Shear Bolt
Tillage Depth Control: Skid Shoes
Hitch:
Category I, iMatch Compatible
Frame: Heavy Duty Single Layer

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1357XF		RT1142 - 42 In. Standard Duty Rotary Tiller	2,252.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MHF20020375	French Kit - For RT1142, RT1149, RT1157, RT1165. and RT1265 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>		162.13

FRONTIER PRODUCTS

Landscaping

RT1142 - 42 In. Standard Duty Rotary Tiller
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT1149 - 49 In. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width: 49 In. (1,244.6 mm) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 20 HP (14.9 kW) Tractor PTO HP (Minimum): 25 HP (18.6 kW) Blade Shape: C Skid Shoes: Adjustable Rear Door Support: Chain Parking Stand Included Gearbox Speed: Single Rotor Speed: 208 RPM Rotor Flanges: 6 Drive Chain: ASA 80 Blades/Rotor: 4 Adjustable Offset: 8 In. (203.2 mm)	Max Working Depth: 6.3 In. (160 mm) Outside to Outside Width: 54 In. (1,371.6 mm) Driveline Protection: Friction Clutch Tillage Depth Control: Skid Shoes Hitch: Category I, iMatch Compatible Frame: Heavy Duty Single Layer
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1358XF	RT1149 - 49 In. Standard Duty Rotary Tiller	2,405.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
5MHF20020375		French Kit - For RT1142, RT1149, RT1157, RT1165. and RT1265 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	162.13

FRONTIER PRODUCTS

Landscaping

RT1149 - 49 In. Standard Duty Rotary Tiller
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT1157 - 57 In. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width: 57 In. (1,447.8 mm) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 25 HP (18.6 kW) Tractor PTO HP (Maximum): 40 HP (29.8 kW) Blade Shape: C Skid Shoes: Adjustable Rear Door Support: Chain Parking Stand Included Gearbox Speed: Single Rotor Speed: 208 RPM Rotor Flanges: 7 Drive Chain: ASA 80 Blades/Rotor: 6 Adjustable Offset: 19 In. (482.6 mm) Max Working Depth:	7.0 In. (177.8 mm) Outside to Outside Width: 62 In. (1,574.8 mm) Driveline Protection: Friction Clutch Tillage Depth Control: Skid Shoes Hitch: Category I or II, iMatch and Quick Coupler Compatible Frame: Heavy Duty and Bent Frame with Extra Thickness Above Rotor
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1359XF	RT1157 - 57 In. Standard Duty Rotary Tiller	2,978.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	French Kit - For RT1142, RT1149, RT1157, RT1165. and RT1265 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	162.13
--	----------------------	--	--------

FRONTIER PRODUCTS

Landscaping

RT1157 - 57 In. Standard Duty Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT1165 - 65 In. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width: 65 In. (1,651 mm) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 30 HP (22.4 kW) Tractor PTO HP (Maximum): 40 HP (29.8 kW) Blade Shape: C Skid Shoes: Adjustable Rear Door Support: Chain Parking Stand Included Gearbox Speed: Single Rotor Speed: 208 RPM Rotor Flanges: 8 Drive Chain: ASA 80 Blades/Rotor: 6 Adjustable Offset: 23 In. (584.2 mm) Max Working Depth:	7.0 In. (177.8 mm) Outside to Outside Width: 70 In. (1,778 mm) Driveline Protection: Friction Clutch Tillage Depth Control: Skid Shoes Hitch: Category I or II, iMatch and Quick Coupler Compatible Frame: Heavy Duty and Bent Frame with Extra Thickness Above Rotor
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

135AXF	RT1165 - 65 In. Standard Duty Rotary Tiller	3,534.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	French Kit - For RT1142, RT1149, RT1157, RT1165. and RT1265 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	162.13
--	----------------------	--	--------

FRONTIER PRODUCTS

Landscaping

RT1165 - 65 In. Standard Duty Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT1173 - 73 In. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width: 73 In. (1,854.2 mm) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 45 HP (33.6 kW) Tractor PTO HP (Maximum): 60 HP (44.7 kW) Blade Shape: C Skid Shoes: Adjustable Rear Door Support: Spring Parking Stand Included Gearbox Speed: Single Rotor Speed: 228 RPM Rotor Flanges: 10 Side Drive: Gear Blades/Rotor: 6 Adjustable Lower Hitches Max Working Depth:	8.7 In. (221 mm) Outside to Outside Width: 78 In. (1,981.2 mm) Driveline Protection: Friction Clutch Tillage Depth Control: Skid Shoes Hitch: Category II, Quick Coupler Compatible Frame: Heavy Duty and Bent Frame with Extra Thickness Above Rotor
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

135BXF	RT1173 - 73 In. Standard Duty Rotary Tiller	4,515.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
MHF20020376	French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76
5MHF20020376	French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76

FRONTIER PRODUCTS

Landscaping

RT1173 - 73 In. Standard Duty Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT1181 - 81 In. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width:
81 In. (2,057.4 mm)
Tractor PTO Speed: 540 RPM
Tractor PTO HP (Minimum): 50 HP (37.3 kW)
Tractor PTO HP (Maximum): 60 HP (44.7kW)
Blade Shape: C
Skid Shoes: Adjustable
Parking Stand Included
Gearbox Speed: Single
Rotor Speed: 228 RPM
Rotor Flanges: 11
Side Drive: Gear
Blades/Rotor: 6
Rear Door Support: Spring

Max Working Depth:
7.9 In. (200.7 mm)
Outside to Outside Width:
86 In. (2,184.4 mm)
Driveline Protection: Friction Disc
Tillage Depth Control: Skid Shoes
Hitch:
Category II, Quick Coupler Compatible

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

135CXF	RT1181 - 81 In. Standard Duty Rotary Tiller	4,994.00
--------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
MHF20020376	French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76
5MHF20020376	French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76

FRONTIER PRODUCTS

Landscaping

RT1181 - 81 In. Standard Duty Rotary Tiller
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT1265 - 65 In. Medium Duty Rotary Tiller Equipment for Base Machine

Working Width:	7.9 In. (20 cm)
65 In. (165 cm)	Outside to Outside Width:
Tractor PTO Speed: 540 RPM	70 In. (178 cm)
Tractor PTO HP (Minimum):	Driveline Protection: Friction Clutch
30 HP (22 kW)	Tillage Depth Control: Skid Shoes
Tractor PTO HP (Maximum):	Hitch: Category I or II, iMatch
60 HP (44 kW)	and Quick Coupler Compatible
Blade Shape: L	Frame:
Skid Shoes: Adjustable	Heavy Duty and Bent Frame with
Rear Door Support: Chain	Extra Thickness Above Rotor
Parking Stand Included	
Gearbox Speed: Single	
Rotor Speed: 208 RPM	
Rotor Flanges: 8	
Blades/Rotor: 6	
Max Working Depth:	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

136AXF		RT1265 - 65 In. Medium Duty Rotary Tiller <i>Skid shoes in base. No Roller Option.</i>	4,307.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

5MHF20020375	Miscellaneous	French Kit - For RT1142, RT1149, RT1157, RT1165. and RT1265 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	162.13
--------------	----------------------	--	--------

FRONTIER PRODUCTS

Landscaping

RT1265 - 65 In. Medium Duty Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT1273 - 73 In. Medium Duty Rotary Tiller Equipment for Base Machine

Working Width:
 73 In. (185 cm)
 Tractor PTO speed: 540 RPM
 Tractor PTO HP (Minimum):
 30 HP (22 kW)
 Tractor PTO HP (Maximum):
 80 HP (59 kW)
 Blade Shape: L
 Skid Shoes: Adjustable
 Side Drive: Gear
 Rear Door Support: Chain
 Parking Stand Included
 Gearbox Speed: Single
 Rotor Speed: 213 RPM
 Rotor Flanges: 8
 Blades/Rotor: 6
 Adjustable Lower Hitches
 Max Working Depth:
 8.7 In. (22 cm)

Outside to Outside Width:
 77 In. (196 cm)
 Driveline Protection:
 Friction Clutch
 Tillage Depth Control:
 Skid Shoes
 Hitch: Category II,
 Quick Coupler Compatible
 Frame:
 Double-Wall Frame Construction
 Above Rotor for Strength and
 Rock Protection

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

136BXF		RT1273 - 73 In. Medium Duty Rotary Tiller <i>Skid shoes in base. No Roller Option.</i>	6,923.00
--------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
MHF20020376		French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76
5MHF20020376		French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76

FRONTIER PRODUCTS

Landscaping

RT1273 - 73 In. Medium Duty Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT2283 - 83 In. Medium Duty Rotary Tiller Equipment for Base Machine

Working Width: 83 In. (210 cm)	10.6 In. (27 cm)
Tractor PTO Speed: 540 RPM	Outside to Outside Width: 88 In. (224 cm)
Tractor PTO HP (Minimum): 60 HP (44kW)	Driveline Protection: Friction Clutch
Tractor PTO HP (Maximum): 100 HP (74 kW)	Tillage Depth Control: Skid Shoes, Cage Roller Optional
Blade Shape: L	Hitch: Category II, Quick Coupler Compatible
Skid Shoes: Adjustable	Frame: Double-Wall Frame Construction
Side Drive: Gear	Above Rotor for Strength and Rock Protection
Rear Door Support: Chain	
Parking Stand Included	
Gearbox Speed: Multi	
Rotor Speed: 140-714-215 (Factory Setting)-266 RPM	
Rotor Flanges: 9	
Blades/Rotor: 6	
Adjustable Lower Hitches	
Max Working Depth:	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1671XF		RT2283 - 83 In. Medium Duty Rotary Tiller <i>Skid shoes in base. Roller Optional.</i>	8,550.00
--------	--	--	----------

DEPTH CONTROL SYSTEM

1000		Skid Shoe	In Base Price
1010		Cage Roller Manual Adjustment	2,108.00
1020		Cage Roller Hydraulic Adjustment	2,328.00

LEFT DISC

8010		Left Disc <i>For RT22, and RT23.</i>	782.00
------	--	---	--------

RIGHT DISC

8000		Right Disc <i>For RT22, and RT23.</i>	782.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

MHF20020376		French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76
5MHF20020376		French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76

FRONTIER PRODUCTS

Landscaping

RT2283 - 83 In. Medium Duty Rotary Tiller

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5MH99500264	Left Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08
	5MH99500263	Right Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08

FRONTIER PRODUCTS

Landscaping

RT2293 - 93 In. Medium Duty Rotary Tiller Equipment for Base Machine

Working Width:	10.6 In. (27 cm)
93 In. (235 cm)	Outside to Outside Width:
Tractor PTO Speed: 540 RPM	98 In. (249 cm)
Tractor PTO HP (Minimum):	Driveline Protection: Friction Clutch
70 HP (52 kW)	Tillage Depth Control: Skid Shoes,
Tractor PTO HP (Maximum):	Cage Roller Optional
100 HP (74 kW)	Hitch: Category II,
Blade Shape: L	Quick Coupler Compatible
Skid Shoes: Adjustable	Frame:
Side Drive: Gear	Double-Wall Frame Construction
Rear Door Support: Chain	Above Rotor for Strength and
Parking Stand Included	Rock Protection
Gearbox Speed: Multi	
Rotor Speed: 140-174-215	
(Factory Setting)-266 RPM	
Rotor Flanges: 10	
Blades/Rotor: 6	
Adjustable Lower Hitches	
Max Working Depth:	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1672XF		RT2293 - 93 In. Medium Duty Rotary Tiller <i>Skid shoes in base. Roller Optional.</i>	9,111.00
--------	--	--	----------

DEPTH CONTROL SYSTEM

1000		Skid Shoe	In Base Price
1010		Cage Roller Manual Adjustment	2,603.00
1020		Cage Roller Hydraulic Adjustment	2,697.00

LEFT DISC

8010		Left Disc <i>For RT22, and RT23.</i>	782.00
------	--	---	--------

RIGHT DISC

8000		Right Disc <i>For RT22, and RT23.</i>	782.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

MHF20020376		French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76
5MHF20020376		French Kit - For RT1173, RT1181, RT2283, RT2283C, RT1273, and RT2293 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	81.76

FRONTIER PRODUCTS

Landscaping

RT2293 - 93 In. Medium Duty Rotary Tiller

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	5MH99500264	Left Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08
	5MH99500263	Right Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08

FRONTIER PRODUCTS

Landscaping

RT2383 - 82 In. Heavy Duty Rotary Tiller Equipment for Base Machine

Working Width: 82 In. (208 cm) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 60 HP (44 kW) Tractor PTO HP (Maximum): 130 HP (96 kW) Blade Shape: L Skid Shoes: Adjustable Side Drive: Gear Rear Door Support: Metal Rod with Double Spring Parking Stand Included Gearbox Speed: Multi Rotor Speed: 175-214-262 (Factory Setting)-143 RPM Rotor Flanges: 9 Blades/Rotor: 6 Max Working Depth:	10.6 In. (27 cm) Outside to Outside Width: 88 In. (224 cm) Driveline Protection: Friction Clutch Tillage Depth Control: Skid Shoes, Cage Roller Optional Hitch: Category II, Quick Coupler Compatible Frame: Double-Wall Frame Construction Above Rotor for Strength and Rock Protection
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1683XF		RT2383 - 82 In. Heavy Duty Rotary Tiller <i>Skid shoes in base. Roller Optional.</i>	9,750.00
--------	--	---	----------

DEPTH CONTROL SYSTEM

1000		Skid Shoe	In Base Price
1010		Cage Roller Manual Adjustment	2,108.00
1020		Cage Roller Hydraulic Adjustment	2,328.00

LEFT DISC

8010		Left Disc <i>For RT22, and RT23.</i>	782.00
------	--	---	--------

RIGHT DISC

8000		Right Disc <i>For RT22, and RT23.</i>	782.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

MHF20020454		French Kit - For RT2308, RT2383, and RT2310 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	30.24
5MH99500264		Left Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08

FRONTIER PRODUCTS

Landscaping

RT2383 - 82 In. Heavy Duty Rotary Tiller

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	5MH99500263	ATTACHMENTS FOR FIELD CONVERSION ...Continued... Right Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08

FRONTIER PRODUCTS

Landscaping

RT2308 - 102 In. Heavy Duty Rotary Tiller Equipment for Base Machine

Working Width: 102 In. (260 cm) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 80 HP (59 kW) Tractor PTO HP (Maximum): 130 HP (96 kW) Blade Shape: L Skid Shoes: Adjustable Side Drive: Gear Rear Door Support: Metal Rod with Double Spring Parking Stand Included Gearbox Speed: Multi Rotor Speed: 175-214-262 (Factory Setting)-143 RPM Rotor Flanges: 11 Blades/Rotor: 6 Max Working Depth:	10.6 In. (27 cm) Outside to Outside Width: 108 In. (274 cm) Driveline Protection: Friction Clutch Tillage Depth Control: Skid Shoes, Cage Roller Optional Hitch: Category II, Quick Coupler Compatible Frame: Double-Wall Frame Construction Above Rotor for Strength and Rock Protection
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1681XF		RT2308 - 102 In. Heavy Duty Rotary Tiller <i>Skid shoes in base. Roller Optional.</i>	10,841.00
--------	--	--	-----------

DEPTH CONTROL SYSTEM

1000		Skid Shoe	In Base Price
1010		Cage Roller Manual Adjustment	2,477.00
1020		Cage Roller Hydraulic Adjustment	2,834.00

LEFT DISC

8010		Left Disc <i>For RT22, and RT23.</i>	782.00
------	--	---	--------

RIGHT DISC

8000		Right Disc <i>For RT22, and RT23.</i>	782.00
------	--	--	--------

ROTOR FLANGE REINFORCEMENT KIT

8020		Rotor Flange Reinforcement Kit	766.00
------	--	--------------------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

Landscaping

RT2308 - 102 In. Heavy Duty Rotary Tiller

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
Miscellaneous			
MHF20020454	French Kit - For RT2308, RT2383, and RT2310	<i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	30.24
5MH99500264	Left Disc (RT22, RT23, RC22 Series and Also RT1310R)		1,094.08
5MH99500263	Right Disc (RT22, RT23, RC22 Series and Also RT1310R)		1,094.08
5MH99525575	Rotor Flange Reinforcement Kit (RT2308)		715.00

FRONTIER PRODUCTS

Landscaping

RT2310 - 121 In. Heavy Duty Rotary Tiller Equipment for Base Machine

Working Width: 121 In. (310 cm) Tractor PTO Speed: 540 RPM Tractor PTO HP (Minimum): 100 HP (75 kW) Tractor PTO HP (Maximum): 130 HP (96 kW) Blade Shape: L Skid Shoes: Adjustable Side Drive: Gear Rear Door Support: Metal Rod with Double Spring Parking Stand Included Gearbox Speed: Multi Rotor Speed: 175-214-262 (Factory Setting)-143 RPM Rotor Flanges: 13 Blades/Rotor: 6 Max Working Depth:	10.6 In. (27 cm) Outside to Outside Width: 128 In. (325 cm) Driveline Protection: Friction Clutch Tillage Depth Control: Skid Shoes, Cage Roller Optional Hitch: Category II, Quick Coupler Compatible Frame: Double-Wall Frame Construction Above Rotor for Strength and Rock Protection
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1682XF		RT2310 - 121 In. Heavy Duty Rotary Tiller <i>Skid shoes in base. Roller Optional.</i>	12,273.00
--------	--	--	-----------

DEPTH CONTROL SYSTEM

1000		Skid Shoe	In Base Price
1010		Cage Roller Manual Adjustment	2,793.00
1020		Cage Roller Hydraulic Adjustment	3,167.00

LEFT DISC

8010		Left Disc <i>For RT22, and RT23.</i>	782.00
------	--	---	--------

RIGHT DISC

8000		Right Disc <i>For RT22, and RT23.</i>	782.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

MHF20020454		French Kit - For RT2308, RT2383, and RT2310 <i>Includes Operators Manual, Parts Catalog, and Safety Decals.</i>	30.24
5MH99500264		Left Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08

FRONTIER PRODUCTS

Landscaping

RT2310 - 121 In. Heavy Duty Rotary Tiller

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	5MH99500263	ATTACHMENTS FOR FIELD CONVERSION ...Continued... Right Disc (RT22, RT23, RC22 Series and Also RT1310R)	1,094.08

FRONTIER PRODUCTS

Landscaping

RT3042 - 42 in. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width: 42 in.
 Hitch: Limited Category 1
 Tractor PTO HP Required: 15-35 hp
 Side Drive: Gear
 Overall Dimensions: H 34.6 in. x W 47.4 in. x L 33 in.
 Weight: 463 lbs (Without Drive Shaft)
 PTO Shaft: Category 3 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Forward
 Offset: 3 in.
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 5
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 7.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16A1XF	RT3042 - 42 in. Standard Duty Rotary Tiller	1,854.00
--------	---	----------

DESTINATION

0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413	RT30 FRENCH OM/DECAL KIT	No Added Cost
0437	RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3042 - 42 in. Standard Duty Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT3042R - 42 in. Standard Duty Reverse Tine Rotary Tiller Equipment for Base Machine

Working Width: 42 in.
 Hitch: Limited Category 1
 Tractor PTO HP Required: 15-35 hp
 Side Drive: Gear
 Overall Dimensions: H 34.6 in. x W 47.4 in. x L 33 in.
 Weight: 478 lbs (Without Drive Shaft)
 PTO Shaft: Category 3 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Reverse
 Offset: 3 in.
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 5
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 7.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16B1XF	RT3042R - 42 in. Standard Duty Reverse Tine Rotary Tiller	2,232.00
--------	---	----------

DESTINATION

0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413	RT30 FRENCH OM/DECAL KIT	No Added Cost
0437	RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3042R - 42 in. Standard Duty Reverse Tine Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT3049 - 49 in. Standard Rotary Tiller Equipment for Base Machine

Working Width: 49 in.
 Hitch: Limited Category 1
 Tractor PTO HP Required: 15-35 hp
 Side Drive: Gear
 Overall Dimensions: H 34.6 in. x W 55.2 in. x L 33 in.
 Weight: lbs (Without Drive Shaft)
 PTO Shaft: Category 3 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Forward
 Offset: None
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 6
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 7.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16C1XF	RT3049 - 49 in. Standard Rotary Tiller	2,195.00
--------	--	----------

DESTINATION

0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413	RT30 FRENCH OM/DECAL KIT	No Added Cost
0437	RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3049 - 49 in. Standard Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT3049R - 49 in. Standard Duty Reverse Tine Rotary Tiller Equipment for Base Machine

Working Width: 49 in.
 Hitch: Limited Category 1
 Tractor PTO HP Required: 15-35 hp
 Side Drive: Gear
 Overall Dimensions: H 34.6 in. x W 55.2 in. x L 33 in.
 Weight: lbs (Without Drive Shaft)
 PTO Shaft: Category 3 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Reverse
 Offset: None
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 6
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 7.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16D1XF	RT3049R - 49 in. Standard Duty Reverse Tine Rotary Tiller	2,520.00
--------	---	----------

DESTINATION

0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413	RT30 FRENCH OM/DECAL KIT	No Added Cost
0437	RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3049R - 49 in. Standard Duty Reverse Tine Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT3062 - 62 in. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width: 62 in.
 Hitch: Category 1
 Tractor PTO HP Required: 19-60 hp
 Side Drive: Gear
 Overall Dimensions: H 39.1 in. x W 68.3 in. x L 33.9 in.
 Weight: 668 lbs (Without Drive Shaft)
 PTO Shaft: Category 4 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Forward
 Offset: None
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 8
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 8.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16E1XF	RT3062 - 62 in. Standard Duty Rotary Tiller	2,444.00
--------	---	----------

DESTINATION

0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413	RT30 FRENCH OM/DECAL KIT	No Added Cost
0437	RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3062 - 62 in. Standard Duty Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT3062R - 62 in. Standard Duty Reverse Tine Rotary Tiller Equipment for Base Machine

Working Width: 62 in.
 Hitch: Category 1
 Tractor PTO HP Required: 19-60 hp
 Side Drive: Gear
 Overall Dimensions: H 39.1 in. x W 68.3 in. x L 33.9 in.
 Weight: 688 lbs (Without Drive Shaft)
 PTO Shaft: Category 4 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Reverse
 Offset: None
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 8
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 8.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16F1XF	RT3062R - 62 in. Standard Duty Reverse Tine Rotary Tiller	2,706.00
--------	---	----------

DESTINATION

0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413	RT30 FRENCH OM/DECAL KIT	No Added Cost
0437	RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3062R - 62 in. Standard Duty Reverse Tine Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT3073 - 73 in. Standard Duty Rotary Tiller Equipment for Base Machine

Working Width: 73 in.
 Hitch: Category 1 & 2
 Tractor PTO HP Required: 30-60 hp
 Side Drive: Gear
 Overall Dimensions: H 39.1 in. x W 79.1 in. x L 33.9 in.
 Weight: 778 lbs (Without Drive Shaft)
 PTO Shaft: Category 4 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Forward
 Offset: None
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 9
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 8.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16G1XF	RT3073 - 73 in. Standard Duty Rotary Tiller	2,756.00
--------	---	----------

DESTINATION

0202	UNITED STATES	No Added Cost
0184	CANADA	No Added Cost
0205	QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409	RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413	RT30 FRENCH OM/DECAL KIT	No Added Cost
0437	RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3073 - 73 in. Standard Duty Rotary Tiller
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

RT3073R - 73 in. Standard Duty Reverse Tine Rotary Tiller Equipment for Base Machine

Working Width: 73 in.
 Hitch: Category 1 & 2
 Tractor PTO HP Required: 30-60 hp
 Side Drive: Gear
 Overall Dimensions: H 39.1 in. x W 79.1 in. x L 33.9 in.
 Weight: 800 lbs (Without Drive Shaft)
 PTO Shaft: Category 4 with Slip Clutch
 Input Speed: 540 RPM
 Rotor Rotation: Reverse
 Offset: None
 Tine Shape: "C"
 Rotor Tines: 6 per Flange

Rotor Flanges: 9
 Rotor Bearings: Ball Bearing in Oil Bath
 Rotor RPM: 215
 Skid Shoes: Standard, Adjustable
 Maximum Tilling Depth: 8.5 in.
 Warranty: 1 Year Whole Good / 3 Year Gearbox

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

16J1XF		RT3073R - 73 in. Standard Duty Reverse Tine Rotary Tiller	2,981.00
--------	--	---	----------

DESTINATION

0202		UNITED STATES	No Added Cost
0184		CANADA	No Added Cost
0205		QUEBEC, CANADA	No Added Cost

OPERATOR'S MANUAL AND DECALS

0409		RT30 ENGLISH OM/DECAL KIT	No Added Cost
0413		RT30 FRENCH OM/DECAL KIT	No Added Cost
0437		RT30 SPANISH OM/DECAL KIT	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
5MHF20020725	RT30 FRENCH OM/DECAL KIT	See Parts
5MHF20020726	RT30 SPANISH OM/DECAL KIT	See Parts

FRONTIER PRODUCTS

Landscaping

RT3073R - 73 in. Standard Duty Reverse Tine Rotary Tiller

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SP2048B - 4 Ft. Standard Duty Soil Pulverizer - Bar Type
Equipment for Base Machine

3-Point Hitch: Category I
 Working Width: 48 In.
 Tractor HP (Maximum): 30 to 45 HP
 Approximate Shipping Weight: 550 lbs.
 Scarifying Teeth - Rear:
 (8) 1/2 In x 2 In. Bar Type
 Scarifying Teeth - Front:
 (9) 1/2 In. x 2 In. Bar Type
 Roller Pins: 70
 Roller Pin Size: 3/8 In. x 1 In.
 Roller Diameter: 5-9/16 In.
 Height: 39 In.
 H-Beam Dimensions: 10 In. x 10 In.

Duty: Standard Duty
 Compression Springs: (2) 160 lbs.
 Assembly/Set-Up Time:
 10 Minutes (Approximate)
 Approximate Operating Weight: 496 lbs.
 2nd Roller Assembly 48 In.: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1401XF		SP2048B - 4 Ft. Standard Duty Soil Pulverizer - Bar Type	2,276.00
--------	--	--	----------

SECOND ROLLER ASSEMBLY

9000		Second Roller Assembly SP2048B 5 In. diameter.	399.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	5BP0099887	Miscellaneous Second Roller Assembly (SP2048B) 5 In. diameter.	430.92
--	------------	---	--------

FRONTIER PRODUCTS

Landscaping

SP2048B - 4 Ft. Standard Duty Soil Pulverizer - Bar Type

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SP2060B - 5 Ft. Standard Duty Soil Pulverizer - Bar Type Equipment for Base Machine

3-Point Hitch: Category I
 Working Width: 60 In.
 Tractor HP (Maximum): 30 to 45 HP
 Approximate Shipping Weight: 702 lbs.
 Scarifying Teeth - Rear:
 (10) 1/2 In. x 2 In. Bar Type
 Scarifying Teeth - Front:
 (11) 1/2 In. x 2 In. Bar Type
 Roller Pins: 88
 Roller Pin Size: 3/8 In. x 1 In.
 Roller Diameter: 5-9/16 In.
 Height: 39 In.
 H-Beam Dimensions: 10 In. x 10 In.

Duty: Standard Duty
 Compression Springs: (2) 160 lbs.
 Assembly/Set-Up Time:
 10 Minutes (Approximate)
 Approximate Operating Weight: 652 lbs.
 2nd Roller Assembly 60 In.: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1403XF		SP2060B - 5 Ft. Standard Duty Soil Pulverizer - Bar Type	2,384.00
--------	--	--	----------

SECOND ROLLER ASSEMBLY

9000		Second Roller Assembly <i>SP2060B</i> 5 In. diameter.	497.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous Second Roller Assembly (SP2060B) 5 In. diameter.	536.76
--	--	---	--------

FRONTIER PRODUCTS

Landscaping

SP2060B - 5 Ft. Standard Duty Soil Pulverizer - Bar Type

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SP2072B - 6 Ft. Standard Duty Soil Pulverizer - Bar Type
Equipment for Base Machine

3-Point Hitch: Category I
 Working Width: 72 In.
 Tractor HP (Maximum): 30 to 45 HP
 Approximate Shipping Weight: 729 lbs.
 Scarifying Teeth - Rear:
 (12) 1/2 In. x 2 In. Bar Type
 Scarifying Teeth - Front:
 (13) 1/2 In. x 2 In. Bar Type
 Roller Pins: 106
 Roller Pin Size: 3/8 In. x 1 In.
 Roller Diameter: 5-9/16 In.
 Height: 39 In.
 H-Beam Dimensions: 10 In. x 10 In.

Duty: Standard Duty
 Compression Springs: (2) 160 lbs.
 Assembly/Set-Up Time:
 10 Minutes (Approximate)
 Approximate Operating Weight: 679 lbs.
 2nd Roller Assembly 72 In.: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1402XF		SP2072B - 6 Ft. Standard Duty Soil Pulverizer - Bar Type	2,516.00
--------	--	--	----------

SECOND ROLLER ASSEMBLY

9000		Second Roller Assembly <i>SP2072B</i> <i>5 In. diameter.</i>	705.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

	5BP0099637	Miscellaneous Second Roller Assembly (SP2072B) <i>5 In. diameter.</i>	761.40
--	------------	--	--------

FRONTIER PRODUCTS

Landscaping

SP2072B - 6 Ft. Standard Duty Soil Pulverizer - Bar Type

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SP2272B - 6 Ft. Heavy Duty Soil Pulverizer - Bar Type Equipment for Base Machine

3-Point Hitch: Category I
 Working Width: 72 In.
 Tractor HP (Maximum): 30 to 70 HP
 Shipping Weight: 846 lbs.
 Scarifying Teeth - Rear:
 (12) 1/2 In. x 2 In. Bar Type
 Scarifying Teeth - Front:
 (13) 1/2 In. x 2 In. Bar Type
 Roller Pins: 106
 Roller Pin Size: 3/8 In. x 1 In.
 Roller Diameter: 6-5/8 In.
 Height: 39 In.
 H-Beam Dimensions: 12 In. x 11.5 In.

Duty: Heavy Duty
 Compression Springs: (2) 160 lbs.
 Assembly/Set-Up Time:
 10 Minutes (Approximate)
 Approximate Operating Weight: 781 lbs.
 2nd Roller Assembly 72 In.: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1411XF		SP2272B - 6 Ft. Heavy Duty Soil Pulverizer - Bar Type	3,097.00
--------	--	---	----------

SECOND ROLLER ASSEMBLY

9000		Second Roller Assembly <i>SP2272B</i> <i>5-9/16 In. diameter.</i>	898.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous Second Roller Assembly (SP2272B) <i>5-9/16 In. diameter.</i>	969.84
--	--	---	--------

FRONTIER PRODUCTS

Landscaping

SP2272B - 6 Ft. Heavy Duty Soil Pulverizer - Bar Type

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SP2284B - 7 Ft. Heavy Duty Soil Pulverizer - Bar Type Equipment for Base Machine

3-Point Hitch: Category I
 Working Width: 84 In.
 Tractor HP (Maximum): 30 to 70 HP
 Shipping Weight: 940 lbs.
 Scarifying Teeth - Rear:
 (14) 1/2 In. x 2 In. Bar Type
 Scarifying Teeth - Front:
 (15) 1/2 In. x 2 In. Bar Type
 Roller Pins: 124
 Roller Pin Size: 3/8 In. x 1 In.
 Roller Diameter: 6-5/8 In.
 Height: 39 In.
 H-Beam Dimensions: 12 In. x 11.5 In.

Duty: Heavy Duty
 Compression Springs: (2) 160 lbs.
 Assembly/Set-Up Time:
 10 Minutes (Approximate)
 Approximate Operating Weight: 875 lbs.
 2nd Roller Assembly 84 In.: Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1412XF		SP2284B - 7 Ft. Heavy Duty Soil Pulverizer - Bar Type	3,309.00
--------	--	---	----------

SECOND ROLLER ASSEMBLY

9000		Second Roller Assembly <i>SP2284B</i> <i>5-9/16 In. diameter.</i>	960.00
------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous Second Roller Assembly (SP2284B) <i>5-9/16 In. diameter.</i>	1,036.80
--	--	---	----------

FRONTIER PRODUCTS

Landscaping

SP2284B - 7 Ft. Heavy Duty Soil Pulverizer - Bar Type

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SS1022B Broadcast Spreader - Pull Type Hitch Equipment for Base Machine

Hopper Material: Steel
 Hopper Weight Capacity: 226 lbs.
 Hopper Volume Capacity: 3.5 Cubic Ft.
 Machine Weight: 62 lbs.
 Shipping Weight (Per Pair): 200 lbs.
 Swath Spread: 20 Ft.
 Hopper Width: 32 In.
 Hopper Height: 39.6 In.
 Tractor PTO HP Range: 16-30 HP
 PTO RPM: NA (Ground Driven)
 PTO Shaft Category (Heavy Duty

Shielded 1-3/8 In.): NA (Ground Driven)
 3-Point Hitch Category: Single Point
 iMatch Compatible Note: Must be Ordered from
 Factory as iMatch: NA
 (Single Point Hitch) iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3061XF		SS1022B Broadcast Spreader - Pull Type Hitch <i>226 lb. capacity. Order in multiples of two.</i>	829.00
--------	--	---	--------

HOPPER COVER

9010		Hopper Cover <i>SS1022B and SS1023B</i>	258.00
------	--	--	--------

DEFLECTOR SHIELD

9070		Deflector Shield <i>SS1022B and SS1035B</i>	103.00
------	--	--	--------

REMOTE GATE CONTROL

9080		Remote Gate Control <i>SS1022B, SS1023B and SS1035B</i>	367.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5BPAA1120		Deflector Shield (SS1022B/SS1035B)	115.36
5BP0099720		Hopper Cover (SS1022B/SS1023B)	278.64
5BP0099856		Remote Gate Control (SS1022B/SS1023B/SS1035B)	396.36

FRONTIER PRODUCTS

Landscaping

SS1022B Broadcast Spreader - Pull Type Hitch

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SS1023B Broadcast Spreader - 3-Point PTO Category I Non-iMatch Equipment for Base Machine

Hopper Material: Steel
 Hopper Weight Capacity: 226 lbs.
 Hopper Volume Capacity: 3.5 Cubic Ft.
 Machine Weight: 81 lbs.
 Shipping Weight (Per Pair): 232 lbs.
 Swath Spread: 23 Ft.
 Hopper Width: 32 In.
 Hopper Height: 31 In.
 Tractor PTO HP Range: 16-30 HP
 PTO RPM: 540 RPM
 PTO Shaft Category I (Heavy Duty)

Shielded 1-3/8 In.)
 3-Point Hitch: Category 0 and I
 iMatch Compatible Note: Must be Ordered from
 Factory as iMatch: NA
 (Single Point Hitch) iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3062XF		SS1023B Broadcast Spreader - 3-Point PTO Category I Non-iMatch <i>226 lb. capacity. Order in multiples of two.</i>	821.00
--------	--	---	--------

HOPPER COVER

9010		Hopper Cover <i>SS1022B and SS1023B</i>	258.00
------	--	--	--------

DEFLECTOR SHIELD

9070		Deflector Shield <i>SS1023B, SS1036B and SS2036B</i>	105.00
------	--	---	--------

REMOTE GATE CONTROL

9080		Remote Gate Control <i>SS1022B, SS1023B and SS1035B</i>	367.00
------	--	--	--------

TUMBLING WHEEL AGITATOR

9090		Tumbling Wheel Agitator (SS1023B) <i>SS1023B</i>	82.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

	Attachment Identifier	Description	
	5BP0099524	Miscellaneous Deflector Shield (SS1023B/SS1036B/SS2036B)	117.60
	5BP0099720	Hopper Cover (SS1022B/SS1023B)	278.64

FRONTIER PRODUCTS

Landscaping

SS1023B Broadcast Spreader - 3-Point PTO Category I Non-iMatch

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BLV11177	John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
	5BP0099856	Remote Gate Control (SS1022B/SS1023B/SS1035B)	396.36
	5BP0099979	Tumbling Style Wheel Agitator (SS1023B)	91.84

FRONTIER PRODUCTS

Landscaping

SS1035B Broadcast Spreader - Pull Type Hitch Equipment for Base Machine

Hopper Material: Steel
 Hopper Weight Capacity: 362 lbs.
 Hopper Volume Capacity: 5.6 Cubic Ft.
 Machine Weight: 84 lbs.
 Shipping Weight (Per Pair): 250 lbs.
 Swath Spread: 20 Ft.
 Hopper Width: 35 In.
 Hopper Height: 45 In.
 Tractor PTO HP Range: 16-45 HP
 PTO RPM: NA (Ground Driven)
 PTO Shaft Category (Heavy Duty

Shielded 1-3/8 In.): NA (Ground Driven)
 3-Point Hitch Category: NA (Single Point Hitch)
 iMatch Compatible Note: Must be Ordered from
 Factory as iMatch: NA
 (Single Point Hitch) iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3068XF		SS1035B Broadcast Spreader - Pull Type Hitch <i>362 lb. capacity. Order in multiples of two.</i>	1,111.00
--------	--	---	----------

HOPPER COVER

9010		Hopper Cover <i>SS1035B, SS1036B and SS2036B</i>	269.00
------	--	---	--------

DEFLECTOR SHIELD

9070		Deflector Shield <i>SS1022B and SS1035B</i>	103.00
------	--	--	--------

REMOTE GATE CONTROL

9080		Remote Gate Control <i>SS1022B, SS1023B and SS1035B</i>	367.00
------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5BPAA1120		Deflector Shield (SS1022B/SS1035B)	115.36
5BP0099721		Hopper Cover (SS1035B/SS1036B/SS2036B)	290.52
5BP0099856		Remote Gate Control (SS1022B/SS1023B/SS1035B)	396.36

FRONTIER PRODUCTS

Landscaping

SS1035B Broadcast Spreader - Pull Type Hitch

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

SS1036B Broadcast Spreader - 3-Point PTO Category I Non-iMatch Equipment for Base Machine

Hopper Material: Steel
 Hopper Weight Capacity: 362 lbs.
 Hopper Volume Capacity: 5.6 Cubic Ft.
 Machine Weight: 102 lbs.
 Shipping Weight (Per Pair): 290 lbs.
 Swath Spread: 23 Ft.
 Hopper Width: 35 In.
 Hopper Height: 34 In.
 Tractor PTO HP Range: 16-45 HP
 PTO RPM: 540 RPM
 PTO Shaft Category I (Heavy Duty)

Shielded 1-3/8 In.)
 3-Point Hitch: Category 0 and I
 iMatch Compatible Note: Must be Ordered from
 Factory as iMatch: No
 (Single Point hitch) iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3069XF		SS1036B Broadcast Spreader - 3-Point PTO Category I Non-iMatch <i>362 lb. capacity. Order in multiples of two.</i>	858.00
--------	--	---	--------

HOPPER COVER

9010		Hopper Cover <i>SS1035B, SS1036B and SS2036B</i>	269.00
------	--	---	--------

DEFLECTOR SHIELD

9070		Deflector Shield <i>SS1023B, SS1036B and SS2036B</i>	105.00
------	--	---	--------

REMOTE GATE CONTROL

9080		Remote Gate Control <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	367.00
------	--	---	--------

TUMBLING WHEEL AGITATOR

9090		Tumbling Wheel Agitator (SS1023B) <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	82.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

	Attachment Identifier	Description	List Price Suggested USD (\$)
	5BP0099524	Miscellaneous Deflector Shield (SS1023B/SS1036B/SS2036B)	117.60
	5BP0099721	Hopper Cover (SS1035B/SS1036B/SS2036B)	290.52

FRONTIER PRODUCTS

Landscaping

SS1036B Broadcast Spreader - 3-Point PTO Category I Non-iMatch

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BLV11177	John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
	5BP0099850	Remote Gate Control (SS1036B/SS2036B/SS1067B/SS2067B)	396.36
	5BP0099978	Tumbling Style Wheel Agitator (SS1036B/SS2036B/SS1067B/SS2067B)	91.84

FRONTIER PRODUCTS

Landscaping

SS1067B Broadcast Spreader - 3-Point PTO Category I Equipment for Base Machine

Hopper Material: Steel
 Hopper Weight Capacity: 678 lbs.
 Hopper Volume Capacity: 10.6 Cubic Ft.
 Machine Weight: 125 lbs.
 Shipping Weight (Per Pair): 320 lbs.
 Swath Spread: 46 Ft.
 Hopper Width: 42 In.
 Hopper Height: 40 In.
 Tractor PTO HP Range: 16-55 HP
 PTO RPM: 540 RPM
 PTO Shaft Category I (Heavy Duty

Shielded 1-3/8 In.)
 3-Point Hitch: Category I
 iMatch Compatible (Note: Must be Ordered
 from Factory as iMatch): Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3063XF		SS1067B Broadcast Spreader - 3-Point PTO Category I <i>678 lb. capacity. Order in multiples of two.</i>	932.00
--------	--	--	--------

AMS I-FEATURES

1000		iMatch Compatible <i>Leave quantity blank. The system will automatically populate the correct quantity.</i>	9.00
1010		Non-iMatch Compatible <i>Leave quantity blank. The system will automatically populate the correct quantity.</i>	In Base Price

HOPPER COVER

9010		Hopper Cover <i>SS1067B and SS2067B</i>	275.00
------	--	--	--------

DEFLECTOR SHIELD

9070		Deflector Shield <i>SS1067B and SS2067B</i>	200.00
------	--	--	--------

REMOTE GATE CONTROL

9080		Remote Gate Control <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	367.00
------	--	---	--------

TUMBLING WHEEL AGITATOR

9090		Tumbling Wheel Agitator (SS1023B) <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	82.00
------	--	---	-------

SIDEROW DISCHARGE

9100		Siderow Discharge (SS1067B and SS2067B)	419.00
------	--	---	--------

FRONTIER PRODUCTS

Landscaping

SS1067B Broadcast Spreader - 3-Point PTO Category I

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
SIDEROW DISCHARGE ...Continued...			
ATTACHMENTS FOR FIELD CONVERSION			
Miscellaneous			
5BP0099638		Deflector Shield (SS1067B/SS2067B)	216.00
5BP0099722		Hopper Cover (SS1067B, SS2067B, andSS1079P with 9Ft. Hopper)	297.00
BLV11177		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
<p><i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i></p> <p><i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i></p>			
5BP0099850		Remote Gate Control (SS1036B/SS2036B/SS1067B/SS2067B)	396.36
5BP0099458		Siderow Discharge (SS1067B/SS2067B)	452.52
5BP0099978		Tumbling Style Wheel Agitator (SS1036B/SS2036B/SS1067B/SS2067B)	91.84

FRONTIER PRODUCTS

Landscaping

SS2036B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I Non-iMatch Equipment for Base Machine

Hopper Material: Polyethylene
 Hopper Weight Capacity: 362 lbs.
 Hopper Volume Capacity: 5.6 Cubic Ft.
 Machine Weight: 102 lbs.
 Shipping Weight (Per Pair): 290 lbs.
 Swath Spread: 23 Ft.
 Hopper Width: 35 In.
 Hopper Height: 34 In.
 Tractor PTO HP Range: 16-45 HP
 PTO RPM: 540 RPM
 PTO Shaft Category I (Heavy Duty

Shielded 1-3/8 In.)
 3-Point Hitch: Category 0 and I
 iMatch Compatible Note: Must be Ordered from
 Factory as iMatch: No
 (Single Point hitch) iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3071XF		SS2036B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I Non-iMatch <i>Stainless steel bottom and nylon spreading disc. 362 lb. capacity. Order in multiples of two.</i>	1,064.00
--------	--	--	----------

HOPPER COVER

9010		Hopper Cover <i>SS1035B, SS1036B and SS2036B</i>	269.00
------	--	---	--------

DEFLECTOR SHIELD

9070		Deflector Shield <i>SS1023B, SS1036B and SS2036B</i>	105.00
------	--	---	--------

REMOTE GATE CONTROL

9080		Remote Gate Control <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	367.00
------	--	---	--------

TUMBLING WHEEL AGITATOR

9090		Tumbling Wheel Agitator (SS1023B) <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	82.00
------	--	---	-------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
	5BP0099524	Deflector Shield (SS1023B/SS1036B/SS2036B)	117.60
	5BP0099721	Hopper Cover (SS1035B/SS1036B/SS2036B)	290.52

FRONTIER PRODUCTS

Landscaping

SS2036B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I Non-iMatch
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BLV11177	John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
	5BP0099850	Remote Gate Control (SS1036B/SS2036B/SS1067B/SS2067B)	396.36
	5BP0099978	Tumbling Style Wheel Agitator (SS1036B/SS2036B/SS1067B/SS2067B)	91.84

FRONTIER PRODUCTS

Landscaping

SS2067B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I Equipment for Base Machine

Hopper Material: Polyethylene
 Hopper Weight Capacity: 678 lbs.
 Hopper Volume Capacity: 10.6 Cubic Ft.
 Machine Weight: 125 lbs.
 Shipping Weight (Per Pair): 320 lbs.
 Swath Spread: 46 Ft.
 Hopper Width: 42 In.
 Hopper Height: 40 In.
 Tractor PTO HP Range: 16-55 HP
 PTO RPM: 540 RPM
 PTO Shaft Category I (Heavy Duty

Shielded 1-3/8 In.)
 3-Point Hitch: Category 1
 iMatch Compatible (Note: Must be Ordered
 from Factory as iMatch): Optional

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3072XF		SS2067B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I <i>Stainless steel bottom and spreading disc. 678 lb. capacity. Order in multiples of two.</i>	1,383.00
--------	--	---	----------

AMS I-FEATURES

1000		iMatch Compatible <i>Leave quantity blank. The system will automatically populate the correct quantity.</i>	9.00
1010		Non-iMatch Compatible <i>Leave quantity blank. The system will automatically populate the correct quantity.</i>	In Base Price

HOPPER COVER

9010		Hopper Cover <i>SS1067B and SS2067B</i>	275.00
------	--	--	--------

DEFLECTOR SHIELD

9070		Deflector Shield <i>SS1067B and SS2067B</i>	200.00
------	--	--	--------

REMOTE GATE CONTROL

9080		Remote Gate Control <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	367.00
------	--	---	--------

TUMBLING WHEEL AGITATOR

9090		Tumbling Wheel Agitator (SS1023B) <i>SS1036B, SS2036B, SS1067B and SS2067B</i>	82.00
------	--	---	-------

SIDEROW DISCHARGE

9100		Siderow Discharge (SS1067B and SS2067B)	419.00
------	--	---	--------

FRONTIER PRODUCTS

Landscaping

SS2067B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
SIDEROW DISCHARGE ...Continued...			
ATTACHMENTS FOR FIELD CONVERSION			
Miscellaneous			
5BP0099638		Deflector Shield (SS1067B/SS2067B)	216.00
5BP0099722		Hopper Cover (SS1067B, SS2067B, andSS1079P with 9Ft. Hopper)	297.00
BLV11177		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
<p><i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i></p> <p><i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i></p>			
5BP0099850		Remote Gate Control (SS1036B/SS2036B/SS1067B/SS2067B)	396.36
5BP0099458		Siderow Discharge (SS1067B/SS2067B)	452.52
5BP0099978		Tumbling Style Wheel Agitator (SS1036B/SS2036B/SS1067B/SS2067B)	91.84

FRONTIER PRODUCTS

Landscaping

SS1079P Pendular Spreader - 3-Point PTO Category I

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FILTER GRATE ...Continued... SS1079P	
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous	
5BP0099453		Agitator Extension (SS1079P)	198.72
5BP0099913		Filter Grate (SS1079P)	525.96
5BP0099722		Hopper Cover (SS1067B, SS2067B, and SS1079P with 9Ft. Hopper)	297.00
5BP0099723		Hopper Cover (SS1079P with 12 Ft. Hopper)	298.08
5BP0099456		Hydraulic Gate Control (SS1079P)	765.72
BLV11177		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
5BP0095370		Left/Right Directional Attachment	85.12
5BP0014984		Lock Nut for Spout (SS1079P, SS1116P, SS1180P, SS1220P)	57.12
5BP0099451		Rubber Insert	126.56
5BP0099452		Salt and Sand Spout	340.20

FRONTIER PRODUCTS

Landscaping

SS1116P Pendular Spreader - 3-Point PTO Category I or II Equipment for Base Machine

Hopper Weight Capacity: 1168 lbs.
 Hopper Volume Capacity: 22.5 Cubic Ft.
 Machine Weight: 321 lbs.
 Swath Spread Range: 17-47 Ft.
 Load Height: 38 In.
 Tractor HP Range: 20-60 HP
 PTO RPM: 540 RPM
 Three Point Hitch: Category I or II

iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3065XF		SS1116P Pendular Spreader - 3-Point PTO Category I or II <i>1168 lb. capacity.</i>	3,796.00
--------	--	---	----------

HOPPER COVER

9010		Hopper Cover <i>SS1116P</i>	321.00
------	--	--------------------------------	--------

AGITATOR EXTENSION

9000		Agitator Extension <i>SS1116P, SS1180P and SS1220P</i>	184.00
------	--	---	--------

SALT AND SAND SPOUT

9020		Salt and Sand Spout (SS1079P, SS1116P, SS1180P and SS1220P)	315.00
------	--	---	--------

RUBBER INSERT

9030		Rubber Insert (SS1079P, SS1116P, SS1180P and SS1220P)	113.00
------	--	---	--------

LEFT-RIGHT DIRECTIONAL ATTACHMENT CONVERSION KIT

9040		L/R Direct Att (SS1079P, SS1116P, SS1180P and SS1220P)	76.00
------	--	--	-------

LOCK NUT FOR SPOUT

9110		Lock Nut for Spout (SS1079P, SS1116P, SS1180P, SS1220P)	51.00
------	--	---	-------

HYDRAULIC GATE CONTROL

9050		Hydraulic Gate Control (SS1079P, SS1116P, SS1180P and SS1220P)	709.00
------	--	--	--------

FILTER GRATE

9060		Filter Grate <i>SS1116P, SS1180P and SS1220P</i>	440.00
------	--	---	--------

FRONTIER PRODUCTS

Landscaping

SS1116P Pendular Spreader - 3-Point PTO Category I or II

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous	
5BP0099454		Agitator Extension (SS1116P/SS1180P/SS1220P)	198.72
5BP0095410		Filter Grill (SS1116P/SS1180P/SS1220P)	475.20
5BP0099725		Hopper Cover (SS1116P)	346.68
5BP0099457		Hydraulic Control (SS1116P/SS1180P/SS1220P)	765.72
BLV11177		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
5BP0095370		Left/Right Directional Attachment	85.12
5BP0014984		Lock Nut for Spout (SS1079P, SS1116P, SS1180P, SS1220P)	57.12
5BP0099451		Rubber Insert	126.56
5BP0099452		Salt and Sand Spout	340.20

FRONTIER PRODUCTS

Landscaping

SS1180P Pendular Spreader - 3-Point PTO Category I or II Equipment for Base Machine

Hopper Weight Capacity: 1808 lbs.
 Hopper Volume Capacity: 34.7 Cubic Ft.
 Machine Weight: 339 lbs.
 Swath Spread Range: 17-47 Ft.
 Load Height: 43 In.
 Tractor HP Range: 20-60 HP
 PTO RPM: 540 RPM
 Three Point Hitch: Category I or II

iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3066XF		SS1180P Pendular Spreader - 3-Point PTO Category I or II <i>1808 lb. capacity.</i>	4,391.00
--------	--	---	----------

HOPPER COVER

9010		Hopper Cover <i>For SS1180P.</i>	329.00
------	--	-------------------------------------	--------

AGITATOR EXTENSION

9000		Agitator Extension <i>SS1116P, SS1180P and SS1220P</i>	184.00
------	--	---	--------

SALT AND SAND SPOUT

9020		Salt and Sand Spout (SS1079P, SS1116P, SS1180P and SS1220P)	315.00
------	--	---	--------

RUBBER INSERT

9030		Rubber Insert (SS1079P, SS1116P, SS1180P and SS1220P)	113.00
------	--	---	--------

LEFT-RIGHT DIRECTIONAL ATTACHMENT CONVERSION KIT

9040		L/R Direct Att (SS1079P, SS1116P, SS1180P and SS1220P)	76.00
------	--	--	-------

LOCK NUT FOR SPOUT

9110		Lock Nut for Spout (SS1079P, SS1116P, SS1180P, SS1220P)	51.00
------	--	---	-------

HYDRAULIC GATE CONTROL

9050		Hydraulic Gate Control (SS1079P, SS1116P, SS1180P and SS1220P)	709.00
------	--	--	--------

FILTER GRATE

9060		Filter Grate <i>SS1116P, SS1180P and SS1220P</i>	440.00
------	--	---	--------

FRONTIER PRODUCTS

Landscaping

SS1180P Pendular Spreader - 3-Point PTO Category I or II

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous	
5BP0099454		Agitator Extension (SS1116P/SS1180P/SS1220P)	198.72
5BP0095410		Filter Grill (SS1116P/SS1180P/SS1220P)	475.20
5BP0099726		Hopper Cover (SS1180P)	355.32
5BP0099457		Hydraulic Control (SS1116P/SS1180P/SS1220P)	765.72
BLV11177		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
5BP0095370		Left/Right Directional Attachment	85.12
5BP0014984		Lock Nut for Spout (SS1079P, SS1116P, SS1180P, SS1220P)	57.12
5BP0099451		Rubber Insert	126.56
5BP0099452		Salt and Sand Spout	340.20

FRONTIER PRODUCTS

Landscaping

SS1220P Pendular Spreader - 3-Point PTO Category I or II Equipment for Base Machine

Hopper Weight Capacity: 2205 lbs.
 Hopper Volume Capacity: 42.4 Cubic Ft.
 Machine Weight: 343 lbs.
 Swath Spread Range: 17-47 Ft.
 Load Height: 47 In.
 Tractor HP Range: 20-60 HP
 PTO RPM: 540 RPM
 Three Point Hitch: Category I or II

iMatch Compatible: No

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3067XF		SS1220P Pendular Spreader - 3-Point PTO Category I or II <i>2205 lb. capacity.</i>	4,845.00
--------	--	---	----------

HOPPER COVER

9010		Hopper Cover <i>For SS1120P.</i>	345.00
------	--	-------------------------------------	--------

AGITATOR EXTENSION

9000		Agitator Extension <i>SS1116P, SS1180P and SS1220P</i>	184.00
------	--	---	--------

SALT AND SAND SPOUT

9020		Salt and Sand Spout (SS1079P, SS1116P, SS1180P and SS1220P)	315.00
------	--	---	--------

RUBBER INSERT

9030		Rubber Insert (SS1079P, SS1116P, SS1180P and SS1220P)	113.00
------	--	---	--------

LEFT-RIGHT DIRECTIONAL ATTACHMENT CONVERSION KIT

9040		L/R Direct Att (SS1079P, SS1116P, SS1180P and SS1220P)	76.00
------	--	--	-------

LOCK NUT FOR SPOUT

9110		Lock Nut for Spout (SS1079P, SS1116P, SS1180P, SS1220P)	51.00
------	--	---	-------

HYDRAULIC GATE CONTROL

9050		Hydraulic Gate Control (SS1079P, SS1116P, SS1180P and SS1220P)	709.00
------	--	--	--------

FILTER GRATE

9060		Filter Grate <i>SS1116P, SS1180P and SS1220P</i>	440.00
------	--	---	--------

FRONTIER PRODUCTS

Landscaping

SS1220P Pendular Spreader - 3-Point PTO Category I or II

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Miscellaneous	
5BP0099454		Agitator Extension (SS1116P/SS1180P/SS1220P)	198.72
5BP0095410		Filter Grill (SS1116P/SS1180P/SS1220P)	475.20
5BP0099727		Hopper Cover (SS1220P)	372.60
5BP0099457		Hydraulic Control (SS1116P/SS1180P/SS1220P)	765.72
BLV11177		John Deere Quik-Knect Driveline Yoke Bundle <i>Tractor Receiver Part number: BLV10953</i>	275.00
		<i>At least one tractor receiver bundle is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility.</i>	
		<i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required).</i>	
5BP0095370		Left/Right Directional Attachment	85.12
5BP0014984		Lock Nut for Spout (SS1079P, SS1116P, SS1180P, SS1220P)	57.12
5BP0099451		Rubber Insert	126.56
5BP0099452		Salt and Sand Spout	340.20

FRONTIER PRODUCTS

Landscaping

SS3067B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I Non-iMatch Equipment for Base Machine

Hopper Material: Polyethylene
Hopper Weight Capacity: 860 lbs.
Hopper Volume Capacity: 10 Cubic Ft.
Machine Weight: 128 lbs.
Shipping Weight (Per Pair): 300 lbs.
Swath Spread: 49 Ft.
Hopper Width: 42 In.
Hopper Height: 42 In.
Tractor PTO HP Range: 20-60 HP
PTO RPM: 540 RPM
PTO Shaft Category I (Heavy Duty

Shielded 1-3/8 In.)
3-Point Hitch: Category 1
iMatch Compatible: No
Ships to dealer assembled

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1621XF		SS3067B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I Non-iMatch <i>Order in multiples of two.</i>	821.00
--------	--	---	--------

FRONTIER PRODUCTS

Landscaping

SS3067B Broadcast Spreader - Poly Hopper - 3-Point PTO Category I Non-iMatch

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

PS1001 Integral Subsoiler Equipment for Base Machine

Hitch:
Lift-type, Category I,
iMatch Compatible
Working Depth:
Up to 24 In. (609.6 mm)
Transport Length:
16 In. (406.4 mm)
Transport Width:
32.5 In. (825.5 mm)
Transport Height:
49 In. (1,244.6 mm)

Tractor Engine HP Range:
25 - 45 HP
Point:
Reversible, Rectangular Sloped Point,
2.5625 In. (65.1 mm) x 12 In. (304.8 mm)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

3451XF		PS1001 Integral Subsoiler <i>Order in multiples of two.</i>	323.00
--------	--	--	--------

OPERATOR'S MANUAL AND DECALS

904M		French OM & Decal Kit (PS10)	14.00
------	--	------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

	5TITE511154	Miscellaneous French Kit - Includes Operator's Manual, Parts Catalog and Safety Decals <i>PS1001</i>	16.80
--	-------------	---	-------

FRONTIER PRODUCTS
Landscaping

PS1001 Integral Subsoiler
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

DT1136 - 3 pt. Standard Duty Trencher Equipment for Base Machine

Hitch: 3-Point Category I
and iMatch

Working Depth at 65 Degree Digging angle: 36 in.
(914.4 mm)

Chain Width: 6 in. (152.4 mm)

Working Weight: 650 lbs. (294.8 kg)

Tractor PTO HP:

15 HP (11.2 kW) Minimum

30 HP (22.3 kW) Maximum

Recommended Trenching Angle: 65 Degrees

Headshaft Height: 8.5 in. (215.9 mm)

Shipping Weight: 730 lbs. (331.1 kg)

Overall Length: 79 in. (2,006.6 mm)

Overall Width: 38 in. (965.2 mm)

Overall Height: 29 in. (736.6 mm)

Discharge Auger: 14 in. (355.6 mm)

Spoil Discharge Reach: 21 in. (533.4 mm)

540 RPM Rear PTO

Slip Clutch Overload Protection

Parking Stand: Standard

Rear Hydraulics Required

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1561XF		DT1136 - 3 pt. Standard Duty Trencher <i>Includes 36 in. boom, crumner, and chain.</i>	8,208.00
--------	--	---	----------

FRONTIER PRODUCTS

Landscaping

DT1136 - 3 pt. Standard Duty Trencher
Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

WC1103 Wood Chipper, 3-Point, PTO Drive, Gravity Feed 3 In. Capacity
Equipment for Base Machine

Using a Belt Drive System
 PTO Speed Increased from
 540 to 1380-1920 RPM's at Rotor
 (Depending on Model)
 High Speed Design Requires Less Horsepower
 than Direct Drive Models
 Double Sided A8 Tool Steel Knives
 Adjustable Hardened Anvil

SMV is Standard Equipment
 1 Year Parts and Labor Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1501XF		WC1103 Wood Chipper, 3-Point, PTO Drive, Gravity Feed 3 In. Capacity	3,850.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

904P		French Operators Manual and Decal Kit	78.00
------	--	---------------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

5PQ903177		Miscellaneous French Operators Manual & Decal Kit WC1103 Wood Chipper <i>Destination of Quebec only. Includes French safety decals and manual.</i>	50.33
-----------	--	---	-------

FRONTIER PRODUCTS

Landscaping

WC1103 Wood Chipper, 3-Point, PTO Drive, Gravity Feed 3 In. Capacity

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

WC1105 Wood Chipper, 3-Point, PTO Drive, Gravity Feed 5 In. Capacity
Equipment for Base Machine

Using a Belt Drive System
 PTO Speed Increased from
 540 to 1380-1920 RPM's at Rotor
 (Depending on Model)
 High Speed Design Requires Less Horsepower
 than Direct Drive Models
 Double Sided A8 Tool Steel Knives
 Adjustable Hardened Anvil

SMV is Standard Equipment
 1 Year Parts and Labor Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1502XF		WC1105 Wood Chipper, 3-Point, PTO Drive, Gravity Feed 5 In. Capacity	5,376.00
--------	--	--	----------

OPERATOR'S MANUAL AND DECALS

904P		French Operators Manual and Decal Kit	91.00
------	--	---------------------------------------	-------

ATTACHMENTS FOR FIELD CONVERSION

	5PQ903178	Miscellaneous French Operators Manual & Decal Kit WC1105 Wood Chipper <i>Destination of Quebec only. Includes French safety decals and manual.</i>	58.72
--	-----------	---	-------

FRONTIER PRODUCTS

Landscaping

WC1105 Wood Chipper, 3-Point, PTO Drive, Gravity Feed 5 In. Capacity

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

WC1205 Wood Chipper, 3-Point, PTO Drive, Hydraulic Feed 5 In. Capacity Equipment for Base Machine

Using a Belt Drive System
 PTO Speed Increased from
 540 to 1380-1920 RPM's at Rotor
 (Depending on Model)
 Hydraulic Feed
 High Speed Design Requires Less Horsepower
 than Direct Drive Models
 Double Sided A8 Tool Steel Knives
 Adjustable Hardened Anvil

SMV is Standard Equipment
 1 Year Parts and Labor Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1511XF		WC1205 Wood Chipper, 3-Point, PTO Drive, Hydraulic Feed 5 In. Capacity <i>Requires continuous flow from the tractor.</i>	8,721.00
--------	--	---	----------

HYDRAULICS

8000		Self-Contained Hydraulics	1,111.00
------	--	---------------------------	----------

FEEDING

8010		Auto Feed (Speed Control)	1,361.00
------	--	---------------------------	----------

OPERATOR'S MANUAL AND DECALS

904P		French Operators Manual and Decal Kit	112.00
------	--	---------------------------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

5PQ903179		French Operators Manual & Decal Kit WC1205 Wood Chipper <i>Destination of Quebec only. Includes French safety decals and manual.</i>	125.44
-----------	--	---	--------

FRONTIER PRODUCTS

Landscaping

WC1205 Wood Chipper, 3-Point, PTO Drive, Hydraulic Feed 5 In. Capacity

Continued

THIS PAGE INTENTIONALLY LEFT BLANK

FRONTIER PRODUCTS

Landscaping

WC1208 Wood Chipper, Pull Type, PTO Drive, Hydraulic Feed 8 In. Capacity Equipment for Base Machine

Using a Belt Drive System
PTO Speed Increased from
540 to 2050 RPM's at Rotor
(Depending on Model)

Hydraulic Feed
High Speed Design Requires Less Horsepower
than Direct Drive Models
Drum-Style Rotor
Double Sided A8 Tool Steel Knives

Adjustable Hardened Anvil
SMV is Standard Equipment
1 Year Parts and Labor Warranty

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

1513XF		WC1208 Wood Chipper, Pull Type, PTO Drive, Hydraulic Feed 8 In. Capacity <i>Requires continuous flow from the tractor.</i>	17,735.00
--------	--	---	-----------

HYDRAULICS

8000		Self-Contained Hydraulics	1,461.00
------	--	---------------------------	----------

FEEDING

8010		Auto Feed (Speed Control)	1,482.00
------	--	---------------------------	----------

OPERATOR'S MANUAL AND DECALS

904P		French Operators Manual and Decal Kit	112.00
------	--	---------------------------------------	--------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
	5PQ903185	French Operators Manual & Decal Kit WC1208 Wood Chipper <i>Destination of Quebec only. Includes French safety decals and manual.</i> <i>Destination of Quebec only. Includes French safety decals and manual.</i>	125.44

FRONTIER PRODUCTS

Landscaping

WC1208 Wood Chipper, Pull Type, PTO Drive, Hydraulic Feed 8 In. Capacity

Continued

THIS PAGE INTENTIONALLY LEFT BLANK
