

|                  |  |
|------------------|--|
| Vendor Name:     | Deere & Company  |
| Contact Person:  | Tamara Hebert  |
| Street Address:  | 2000 John Deere Run  |
| P.O. Box:        |  |
| City, State, Zip | Cary, NC 27513   |
| Phone #:         |  |
| Toll Free #:     | 800-358-5010, opt. 2   |
| Email Address:   | <a href="mailto:GovContractSupport@JohnDeere.com">GovContractSupport@JohnDeere.com</a> |

| Spec. Number | Information Requested  | Answer   |
|--------------|--|--|
| 3.1          | MANUFACTURER   | John Deere   |
| 3.2          | DATE AND ID. OF PRICE LIST   | 16Dec2019;<br>FR_Matl_20191216.pdf   |
| 3.3          | CATALOG SECTION TITLE  | Frontier Material Handling   |
| 3.4          | PERCENTAGE DISCOUNT FROM PRICE LIST  | 17%  |
| 3.5          | DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES<br><br>(See Special Terms and Conditions)  | 0% for incidental miscellaneous non-contract items; 17% for attachments/accessories on contract. |
| 3.6          | PRICE FOR MANUALS (1 operator's manual included at no cost, per specs)<br><b>SERVICE MANUAL</b><br><br>Digital _____ N/A<br>Paper _____ N/A<br><br><b>PARTS MANUAL</b><br><br>Digital _____ N/A<br>Paper _____ N/A<br><br><b>PRICE FOR <u>ADDITIONAL</u> OPERATIONS MANUAL</b><br><br>Digital _____ N/A<br>Paper _____ N/A   |  |
| 3.7          | PRICE FOR SET OF FLUID AND AIR FILTERS   | N/A  |
| 3.8          | STANDARD WARRANTY:   | 12 months  |
| 3.9          | <b>PERFORMANCE/EXTENDED WARRANTY OPTIONS</b><br>Offer performance/warranty options. (Add additional lines if necessary.)<br>(Specify years, miles or hours extended term covers.)<br><br>_____ No Bid<br>_____ No Bid  |  |
| 3.10         | <b>INSTALLATION - PER HOUR</b> (Hourly Shop Rate)<br>Installation services may be requested on an "as needed" basis.<br>See Special Terms and Conditions   | N/A  |
| 3.11         | <b>NEW EQUIPMENT RENTAL PROGRAM</b><br>If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.<br><br>Hourly Rental Rate: No Bid<br>Weekly Rental Rate: No Bid<br>Monthly Rental Rate: No Bid<br>Percent (%) of Rental Fee applied to purchase price: N/A<br><br>If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: ___N/A_____ |  |
| 3.12         | <b>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</b><br>(See Special Terms and Conditions.)<br>DEDUCT cost per Used Hour from the original Contract Price   | No Bid   |
| 3.13         | <b>DELIVERY STARTING POINT -</b> _____ <b>City, State, Zip</b> _____<br><br>See Special Terms and Conditions - No flat rate allowed  | Location of delivering John Deere dealer<br>\$4 per loaded mile using Google Maps<br>\$          |

FRONTIER PRODUCTS

**AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 1524 mm (60 In.)  
 Loader Series:  
 300 and 400 only (Not 500 Series)  
 Dimensions:  
 W: 1572 mm (61.9 In.) x H: 683 mm (26.9 In.) x D:  
 711 mm (28.0 In.)  
 Capacity:  
 3.69 Cubic Foot  
 Grapple Opening: 723 mm (28.45 In.)  
 Operational Weight: 163 kg (360 lbs.)  
 Shipping Weight: 175 kg (385 lbs.)

Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.

Pricing and Specifications are Recommended only and are Subject to Change without Notice.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. (Please order through parts)  
 Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2211XF |  | AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier<br><i>Reference Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,829.00 |
|--------|--|--|----------|

**TOOTH BAR**

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Tooth Bar for 4-In-1 Bucket<br><i>For AY11H-60 In. Bucket.</i> | 526.00 |
|------|--|--|--------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AY11 and AY12 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |                      |  |        |
|----------|----------------------|--|--------|
|          | <b>Miscellaneous</b> |  |        |
| 5FP10642 |                      | Tooth Bar for 60 In. 4-In-1 Bucket (AY11H) | 568.08 |

|          |                      |                                 |       |
|----------|----------------------|---------------------------------|-------|
|          | <b>Miscellaneous</b> |                                 |       |
| 5MP43054 |                      | FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |

**AY11H - 60 In. 4-In-1 Bucket for Current 300/400 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.  
 Loader Series:  
 300, 400, and 500  
 Dimensions:  
 W73.9 In. x H26.9 In. x D28.0 In.  
 Capacity:  
 4.5 Cubic Foot  
 Grapple Opening: 28.45 In.  
 Operational Weight: 425 lbs.  
 Shipping Weight: 450 lbs.

loader 3rd function oil lines and hoses.

Hydraulic functions on loader attachment require Third Function Hydraulic Lines and Hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2212XF |  | AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 3,046.00 |
|--------|--|---|----------|

### TOOTH BAR

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Tooth Bar for 4-In-1 Bucket<br><i>For AY11E-72 In. Bucket.</i> | 629.00 |
|------|--|--|--------|

### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AY11 and AY12 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|          |  |   |        |
|----------|--|---|--------|
|          |  | <b>Miscellaneous</b>                                    |        |
| 5FP10643 |  | Tooth Bar for 72 In. 4-In-1 Bucket (AY11E)              | 679.32 |
| 5MP43054 |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79  |

**AY11E - 72 In. 4-In-1 Bucket for Current 300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier**  
Equipment for Base Machine

Cutting Width: 72 In.  
 Loader Series:  
 600 and 700  
 Dimensions:  
 W72 In. x H20 In. x D29.38 In.  
 Capacity:  
 17.07 Cubic Foot  
 Grapple Opening: 34.78 In.  
 Operational Weight: 900 lbs.  
 Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2221XF |  | AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,804.00 |
|--------|--|---|----------|

**TOOTH BAR**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Tooth Bar for 4-In-1 Bucket<br><i>For AY12-72 In. Bucket.</i> | 692.00 |
|------|--|---|--------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AY11 and AY12 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>Tooth Bar for 72 In. 4-In-1 Bucket (AY12) | 747.36 |
|--|--|---|--------|

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AY12D - 72 In. 4-In-1 Bucket for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier**  
Equipment for Base Machine

Cutting Width: 78 In.  
 Loader Series:  
 600 and 700  
 Dimensions:  
 W78 In. x H20 In. x D29.38 In.  
 Capacity:  
 18.5 Cubic Foot  
 Grapple Opening: 34.78 In.  
 Operational Weight: 935 lbs.  
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2223XF |  | AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,076.00 |
|--------|--|---|----------|

**TOOTH BAR**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Tooth Bar for 4-In-1 Bucket<br><i>For AY12-78 In. Bucket.</i> | 711.00 |
|------|--|---|--------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AY11 and AY12 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>Tooth Bar for 78 In. 4-In-1 Bucket (AY12) | 767.88 |
|--|--|---|--------|

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AY12D - 78 In. 4-In-1 Bucket for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier**  
Equipment for Base Machine

Cutting Width: 72 In.  
 Loader Series:  
 Global Carrier  
 Dimensions:  
 W72 In. x H20 In. x D29.38 In.  
 Capacity:  
 17.07 Cubic Foot  
 Grapple Opening: 34.78 In.  
 Operational Weight: 900 lbs.  
 Shipping Weight: 925 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2222XF |  | AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,770.00 |
|--------|--|--|----------|

**TOOTH BAR**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Tooth Bar for 4-In-1 Bucket<br><i>For AY12-72 In. Bucket.</i> | 692.00 |
|------|--|---|--------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AY11 and AY12 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |          |   |        |
|--|----------|---|--------|
|  |          | <b>Miscellaneous</b>                      |        |
|  | 5FP33823 | Tooth Bar for 72 In. 4-In-1 Bucket (AY12) | 747.36 |
|  |          | <b>Miscellaneous</b>                      |        |
|  | 5MP43054 | FRENCH OM/DECAL-LDR ATTACHMENTS           | 76.79  |

**AY12G - 72 In. 4-In-1 Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier**  
Equipment for Base Machine

Cutting Width: 78 In.  
 Loader Series:  
 Global Carrier  
 Dimensions:  
 W78 In. x H20 In. x D29.38 In.  
 Capacity:  
 18.5 Cubic Foot  
 Grapple Opening: 34.78 In.  
 Operational Weight: 935 lbs.  
 Shipping Weight: 960 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2224XF |  | AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,040.00 |
|--------|--|--|----------|

**TOOTH BAR**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Tooth Bar for 4-In-1 Bucket<br><i>For AY12-78 In. Bucket.</i> | 711.00 |
|------|--|---|--------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AY11 and AY12 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |          |   |        |
|--|----------|---|--------|
|  |          | <b>Miscellaneous</b>                      |        |
|  | 5FP16288 | Tooth Bar for 78 In. 4-In-1 Bucket (AY12) | 767.88 |
|  |          | <b>Miscellaneous</b>                      |        |
|  | 5MP43054 | FRENCH OM/DECAL-LDR ATTACHMENTS           | 76.79  |

**AY12G - 78 In. 4-In-1 Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier**  
Equipment for Base Machine

Cutting Width: 84 In.  
 Loader Series:  
 Global Carrier  
 Dimensions:  
 W84 In. x H20 In. x D29.38 In.  
 Capacity:  
 19.93 Cubic Foot  
 Grapple Opening: 34.78 In.  
 Operational Weight: 975 lbs.  
 Shipping Weight: 1000 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2226XF |  | AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,345.00 |
|--------|--|--|----------|

**TOOTH BAR**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Tooth Bar for 4-In-1 Bucket<br><i>For AY12-84 In. Bucket.</i> | 733.00 |
|------|--|---|--------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AY11 and AY12 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |          |   |        |
|--|----------|---|--------|
|  |          | <b>Miscellaneous</b>                      |        |
|  | 5FP16193 | Tooth Bar for 84 In. 4-In-1 Bucket (AY12) | 791.64 |
|  |          | <b>Miscellaneous</b>                      |        |
|  | 5MP43054 | FRENCH OM/DECAL-LDR ATTACHMENTS           | 76.79  |

**AY12G - 84 In. 4-In-1 Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader Equipment for Base Machine

Cutting Width: 53 In.  
 Loader Series:  
 (F) 100 to 300  
 Dimensions:  
 W53.6 In. x H23.7 In. x D25.0 In.  
 Bucket Capacity:  
 Struck: 6.1 Cubic Foot  
 Heaped: 8.5 Cubic Foot  
 Clam Opening: 32 In.

Operational Weight: 280 lbs.  
 Shipping Weight: 308 lbs.  
 Warranty: 1 Year

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2371XF |  | AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,100.00 |
|--------|--|---|----------|

#### DESTINATION

|      |  |                      |               |
|------|--|----------------------|---------------|
|      |  | <b>North America</b> |               |
| 0202 |  | UNITED STATES        | No Added Cost |
| 0184 |  | CANADA               | No Added Cost |
| 0205 |  | QUEBEC               | No Added Cost |

#### OPERATOR'S MANUAL AND DECALS

|      |  |                  |               |
|------|--|------------------|---------------|
| 0409 |  | AY11F ENGLISH OM | No Added Cost |
| 0413 |  | AY11F FRENCH OM  | No Added Cost |
| 0437 |  | AY11F SPANISH OM | No Added Cost |

#### ATTACHMENTS FOR FIELD CONVERSION

|          |  |                                 |        |
|----------|--|---------------------------------|--------|
|          |  | <b>Grapples</b>                 |        |
| 5MP43126 |  | SPANISH OPERATOR'S MANUAL       | 82.05  |
|          |  | <b>Miscellaneous</b>            |        |
| 5MP76314 |  | ENGLISH OPERATOR'S MANUAL       | 15.91  |
| 5MP43052 |  | FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |

**AY11F - 53 In. 4-in-1 Bucket for 100 - 300E Series Loader**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AB16G Small Square Bale Handler for Current Loaders with Global Carrier Equipment for Base Machine

**Hydraulics:**

Single Auxiliary Hydraulic Service  
 Shipping Weight With Pallet:  
 1190 lbs.  
 Operational Weight: 1090 lbs.  
 Dimensions: 31H x 80W x 90L  
 32 Engaging Teeth

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2053XF |  | AB16G Small Square Bale Handler for Current Loaders with Global Carrier<br><i>Picks up 8 flat or 10 indexed small square bales.<br/>                 Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 7,376.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit for Models: (AB16 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|--|---|--------|

**AB16G Small Square Bale Handler for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AB17K Large Square Bale Squeeze for Global Category 2 Carrier**  
Equipment for Base Machine

Two 96 In. Arms  
110 In. Opening Width  
Capacity: Two Large Square Bales  
Hydraulics:  
Single Auxiliary  
Shipping Weight: 1875 lbs.  
Operational Weight: 1665 lbs.  
Dimensions: 68H x 91W x 99L

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2311XF |  | AB17K Large Square Bale Squeeze for Global Category 2 Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 9,479.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit for Models: (AB17K) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |          |   |        |
|--|----------|---|--------|
|  | 5MP43052 | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|----------|---|--------|

**AB17K Large Square Bale Squeeze for Global Category 2 Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AH11A Round Bale Hugger for Current 800 Series Carrier**  
 Equipment for Base Machine

Capacity:  
 1 Round Bale  
 Hydraulic Service:  
 Single Auxiliary  
 Shipping Weight with Pallet:  
 825 lbs.  
 Operational Weight:  
 725 lbs.  
 Dimensions:  
 50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2131XF |  | AH11A Round Bale Hugger for Current 800 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,506.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AH11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |  |   |        |
|----------|--|---|--------|
| 5MP43052 |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|----------|--|---|--------|

**AH11A Round Bale Hugger for Current 800 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AH11D Round Bale Hugger for Current 600/700 Series Carrier**  
Equipment for Base Machine

Capacity:  
1 Round Bale  
Hydraulic Service:  
Single Auxiliary  
Shipping Weight with Pallet:  
825 lbs.  
Operational Weight:  
725 lbs.  
Dimensions:  
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2132XF |  | AH11D Round Bale Hugger for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,432.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AH11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|--|---|--------|

**AH11D Round Bale Hugger for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AH11G Round Bale Hugger for Current Loaders with Global Carrier**  
Equipment for Base Machine

Capacity:  
1 Round Bale  
Hydraulic Service:  
Single Auxiliary  
Shipping Weight with Pallet:  
825 lbs.  
Operational Weight:  
725 lbs.  
Dimensions:  
50H x 57W x 60L

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2133XF |  | AH11G Round Bale Hugger for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,923.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AH11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|--|---|--------|

**AH11G Round Bale Hugger for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 60 In.  
 Loader Series:  
 300 and 400 Only (Not 500 Series)  
 Dimensions:  
 W60 In. x H22 In. x D32 In.  
 Capacity:  
 0.3 Cubic Foot Struck  
 0.4 Cubic Foot Heaped  
 Grapple Opening: 32.75 In.  
 Operational Weight: 540 lbs.  
 Shipping Weight: 570 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2061XF |  | AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier | 3,752.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |  |   |       |
|----------|--|---|-------|
| 5MP43054 |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|----------|--|---|-------|

**AD11H - 60 In. Debris Grapple Bucket for Current 300/400 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier**  
Equipment for Base Machine

Cutting Width: 72 In.  
 Loader Series:  
   300, 400, and 500  
 Dimensions:  
   W72 In. x H22 In. x D32 In.  
 Capacity:  
   0.4 Cubic Foot Struck  
   0.5 Cubic Foot Heaped  
 Grapple Opening: 34.5 In.  
 Operational Weight: 615 lbs.  
 Shipping Weight: 684 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2062XF |  | AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier<br><i>Hydraulic Kit 5MP107610 is required to adapt buckets to 1/2 In. body couplers. 1/2 In. body couplers are standard equipment for 500 series loader 3rd function oil lines and hoses. Order Hydraulic Kit through parts.</i><br><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,026.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AD11E - 72 In. Debris Grapple Bucket for Current 300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 76 In.  
 Loader Series:  
 600 and 700  
 Dimensions:  
 W77 In. x H29 In. x D41 In.  
 Capacity:  
 0.6 Cubic Foot Struck  
 0.7 Cubic Foot Heaped  
 Grapple Opening: 39.4 In.  
 Operational Weight: 1100 lbs.  
 Shipping Weight: 1150 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2071XF |  | AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier | 5,302.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

**DEBRIS BUCKET CUTTING EDGE KIT**

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Cutting Edge Kit (AD12 Series Only)<br><i>For 76 In. Debris Bucket</i> | 476.00 |
|------|--|--|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |  |  |        |
|----------|--|--|--------|
|          |  | <b>Miscellaneous</b>                                     |        |
| 5FP10123 |  | 76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only) | 514.08 |
| 5MP43054 |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS  | 76.79  |

**AD12D - 76 In. Debris Grapple Bucket for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 82" In.  
 Loader Series:  
 600 and 700  
 Dimensions:  
 W83 In. x H29 In. x D41 In.  
 Capacity:  
 0.7 Cubic Foot Struck  
 0.8 Cubic Foot Heaped  
 Grapple Opening: 39.4 In.  
 Operational Weight: 1150 lbs.  
 Shipping Weight: 1200 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2073XF |  | AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier | 5,619.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

**DEBRIS BUCKET CUTTING EDGE KIT**

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Cutting Edge Kit (AD12 Series Only)<br><i>For 82 In. Debris Bucket</i> | 492.00 |
|------|--|--|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |                      |  |        |
|----------|----------------------|--|--------|
|          | <b>Miscellaneous</b> |  |        |
| 5FP10089 |                      | 82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only) | 531.36 |
|          | <b>Miscellaneous</b> |  |        |
| 5MP43054 |                      | FRENCH OM/DECAL-LDR ATTACHMENTS                          | 76.79  |

**AD12D - 82 In. Debris Grapple Bucket for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 88 In.  
 Loader Series:  
 600 and 700  
 Dimensions:  
 W89 In. x H29 In. x D41 In.  
 Capacity:  
 0.85 Cubic Foot Struck  
 1.0 Cubic Foot Heaped  
 Grapple Opening: 39.4 In.  
 Operational Weight: 1200 lbs.  
 Shipping Weight: 1250 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2075XF |  | AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier | 5,803.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

**DEBRIS BUCKET CUTTING EDGE KIT**

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Cutting Edge Kit (AD12 Series Only)<br><i>For 88 In. Debris Bucket</i> | 519.00 |
|------|--|--|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |                      |  |        |
|----------|----------------------|--|--------|
|          | <b>Miscellaneous</b> |  |        |
| 5FP10124 |                      | 88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only) | 560.52 |
|          | <b>Miscellaneous</b> |  |        |
| 5MP43054 |                      | FRENCH OM/DECAL-LDR ATTACHMENTS                          | 76.79  |

**AD12D - 88 In. Debris Grapple Bucket for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 76 In.  
 Loader Series:  
   Global Carrier  
 Dimensions:  
   W77 In. x H29 In. x D39 In.  
 Capacity:  
   0.6 Cubic Foot Struck  
   0.7 Cubic Foot Heaped  
 Grapple Opening: 39.4 In.  
 Operational Weight: 1080 lbs.  
 Shipping Weight: 1130 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2072XF |  | AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,249.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

#### DEBRIS BUCKET CUTTING EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Cutting Edge Kit (AD12 Series Only)<br><i>For 76 In. Debris Bucket</i> | 476.00 |
|------|--|--|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |        |
|----------|--|--|--------|
|          |  | <b>Miscellaneous</b>                                     |        |
| 5FP10123 |  | 76 In. Debris Bucket Cutting Edge Kit (AD12 Series Only) | 514.08 |
|          |  | <b>Miscellaneous</b>                                     |        |
| 5MP43054 |  | FRENCH OM/DECAL-LDR ATTACHMENTS                          | 76.79  |

**AD12G - 76 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier**  
Equipment for Base Machine

Cutting Width: 82 In.  
 Loader Series:  
 Global Carrier  
 Dimensions:  
 W83 In. x H29 In. x D39 In.  
 Capacity:  
 0.7 Cubic Foot Struck  
 0.8 Cubic Foot Heaped  
 Grapple Opening: 39.4 In.  
 Operational Weight: 1130 lbs.  
 Shipping Weight: 1180 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2074XF |  | AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,456.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

**DEBRIS BUCKET CUTTING EDGE KIT**

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Cutting Edge Kit (AD12 Series Only)<br><i>For 82 In. Debris Bucket</i> | 492.00 |
|------|--|--|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |  |  |        |
|----------|--|--|--------|
|          |  | <b>Miscellaneous</b>                                     |        |
| 5FP10089 |  | 82 In. Debris Bucket Cutting Edge Kit (AD12 Series Only) | 531.36 |
|          |  | <b>Miscellaneous</b>                                     |        |
| 5MP43054 |  | FRENCH OM/DECAL-LDR ATTACHMENTS                          | 76.79  |

**AD12G - 82 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 88 In.  
 Loader Series:  
   Global Carrier  
 Dimensions:  
   W89 In. x H29 In. x D39 In.  
 Capacity:  
   0.85 Cubic Foot Struck  
   1.0 Cubic Foot Heaped  
 Grapple Opening: 39.4 In.  
 Operational Weight: 1180 lbs.  
 Shipping Weight: 1230 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2076XF |  | AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,694.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

#### DEBRIS BUCKET CUTTING EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Cutting Edge Kit (AD12 Series Only)<br><i>For 88 In. Debris Bucket</i> | 519.00 |
|------|--|--|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |        |
|----------|--|--|--------|
|          |  | <b>Miscellaneous</b>                                     |        |
| 5FP10124 |  | 88 In. Debris Bucket Cutting Edge Kit (AD12 Series Only) | 560.52 |
|          |  | <b>Miscellaneous</b>                                     |        |
| 5MP43054 |  | FRENCH OM/DECAL-LDR ATTACHMENTS                          | 76.79  |

**AD12G - 88 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier**  
Equipment for Base Machine

Cutting Width: 96 In.  
 Loader Series:  
 Global Carrier  
 Dimensions:  
 W96 In. x H29 In. x D39 In.  
 Capacity:  
 1.0 Cubic Foot Struck  
 1.2 Cubic Foot Heaped  
 Grapple Opening: 39.4 In.  
 Operational Weight: 1230 lbs.  
 Shipping Weight: 1280 lbs.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2078XF |  | AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,698.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AD11 and AD12 Series) | No Added Cost |
|------|--|---|---------------|

**DEBRIS BUCKET CUTTING EDGE KIT**

|      |  |  |        |
|------|--|--|--------|
| 9000 |  | Cutting Edge Kit (AD12 Series Only)<br><i>For 96 In. Debris Bucket</i> | 525.00 |
|------|--|--|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |  |  |        |
|----------|--|--|--------|
|          |  | <b>Miscellaneous</b>                                     |        |
| 5FP10125 |  | 96 In. Debris Bucket Cutting Edge Kit (AD12 Series Only) | 588.00 |
|          |  | <b>Miscellaneous</b>                                     |        |
| 5MP43054 |  | FRENCH OM/DECAL-LDR ATTACHMENTS                          | 76.79  |

**AD12G - 96 In. Debris Grapple Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.

Shipping Weight: 290 lbs.

Loader Series:

300, 400, and 500

Dimensions:

W60 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:

138 lbs.

Operational Weight: 240 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2081XF |  | AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,572.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AE11 Series) | No Added Cost |
|------|--|---|---------------|

#### BACK DRAG ATTACHMENT

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Back Drag Attachment (AE11E)<br><i>For 60 In. Free Stall Scraper.</i> | 614.00 |
|------|--|---|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |          |   |        |
|--|----------|---|--------|
|  |          | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS     | 114.24 |
|  | 5MP43052 |   |        |
|  |          | <b>Miscellaneous</b><br>60 In. Back Drag Attachment (AE11E) | 663.12 |
|  | 5FP10736 |   |        |

**AE11E - 60 In. Free Stall Scraper for Current 300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 72 In.

Shipping Weight: 315 lbs.

Loader Series:

300, 400, and 500

Dimensions:

W72 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:

161 lbs.

Operational Weight: 265 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2082XF |  | AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,820.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AE11 Series) | No Added Cost |
|------|--|---|---------------|

#### BACK DRAG ATTACHMENT

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Back Drag Attachment (AE11E)<br><i>For 72 In. Free Stall Scraper.</i> | 639.00 |
|------|--|---|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS     | 114.24 |
|  |  | <b>Miscellaneous</b><br>72 In. Back Drag Attachment (AE11E) | 690.12 |

**AE11E - 72 In. Free Stall Scraper for Current 300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 84 In.

Shipping Weight: 335 lbs.

Loader Series:  
 300, 400, and 500

Dimensions:  
 W84 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:  
 194 lbs.

Operational Weight: 285 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2083XF |  | AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,896.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AE11 Series) | No Added Cost |
|------|--|---|---------------|

**BACK DRAG ATTACHMENT**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Back Drag Attachment (AE11E)<br><i>For 84 In. Free Stall Scraper.</i> | 805.00 |
|------|--|---|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |                      |                                     |        |
|----------|----------------------|-------------------------------------|--------|
|          | <b>Miscellaneous</b> |                                     |        |
| 5MP43052 |                      | FRENCH OM/DECAL-LDR ATTACHMENTS     | 114.24 |
|          | <b>Miscellaneous</b> |                                     |        |
| 5FP10738 |                      | 84 In. Back Drag Attachment (AE11E) | 869.40 |

**AE11E - 84 In. Free Stall Scraper for Current 300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 96 In.

Shipping Weight: 355 lbs.

Loader Series:

300, 400, and 500

Dimensions:

W96 In. x H28 In. x D29 In.

Optional Bolt-on Backdrag Weight:

226 lbs.

Operational Weight: 305 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2084XF |  | AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,996.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AE11 Series) | No Added Cost |
|------|--|---|---------------|

#### BACK DRAG ATTACHMENT

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Back Drag Attachment (AE11E)<br><i>For 96 In. Free Stall Scraper.</i> | 851.00 |
|------|--|---|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|          |  |   |        |
|----------|--|---|--------|
|          |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS     | 114.24 |
| 5MP43052 |  |   |        |
|          |  | <b>Miscellaneous</b><br>96 In. Back Drag Attachment (AE11E) | 919.08 |
| 5FP10739 |  |   |        |

**AE11E - 96 In. Free Stall Scraper for Current 300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders Equipment for Base Machine

|  |  |
|--|--|
| Cutting Width 59.6<br>Moldboard Height 21<br>Moldboard Thickness 12 GA<br>Overall Depth 26.5<br>Weight 168 lbs<br>Ship Weight 180 lbs<br>Cutting Edge 1/4 x 6 Reversible<br>Angle Adjustments 5, up to 30°<br>Loader Compatibility H120, H130<br>Tractor Compatibility 1 & 2 Series, 25 HP max, 3774 | lbs max<br>Optional Equipment<br>Rubber Deflector, Plow Guides, Urethane<br>Cutting Edge & Urethane Skid Shoes |
|--|--|

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |   |          |
|--------|---|----------|
| 2401XF | AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders | 1,749.00 |
|--------|---|----------|

#### DESTINATION

|      |               |               |
|------|---------------|---------------|
| 0202 | United States | In Base Price |
| 0184 | Canada        | No Added Cost |

#### OPERATOR'S MANUAL AND DECALS

|      |                           |               |
|------|---------------------------|---------------|
| 0409 | English Operator's Manual | In Base Price |
| 0413 | French Operator's Manual  | No Added Cost |
| 0437 | Spanish Operator's Manual | No Added Cost |

#### URETHANE CUTTING EDGE KIT

|      |                           |        |
|------|---------------------------|--------|
| 9862 | Urethane Cutting Edge Kit | 487.00 |
|------|---------------------------|--------|

#### RUBBER DEFLECTOR KIT

|      |                      |        |
|------|----------------------|--------|
| 9860 | Rubber Deflector Kit | 101.00 |
|------|----------------------|--------|

#### PLOW GUIDE KIT

|      |                |        |
|------|----------------|--------|
| 9861 | Plow Guide Kit | 133.00 |
|------|----------------|--------|

#### URETHANE SKID SHOE KIT

|      |                        |        |
|------|------------------------|--------|
| 9863 | Urethane Skid Shoe Kit | 282.00 |
|------|------------------------|--------|

#### HYDRAULICS

|      |                     |        |
|------|---------------------|--------|
| 9561 | HYDRAULIC ANGLE KIT | 695.00 |
|------|---------------------|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

FRONTIER PRODUCTS

**AF10F - 60" Boom Mounted Front Blade with Manual Adjust for H120 and 220R Loaders**

Continued

| Code  | Attachment Identifier | Description                             | List Price Suggested USD (\$) |
|---|-----------------------|---|-------------------------------|
| <b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b> |                       |   |                               |
| <b>Miscellaneous</b>                                    |                       |   |                               |
|   | 5WD1044511            | AF10 Rubber Deflector Kit               | 113.12                        |
|   | 5WD1044515            | French Operator's Manual and Decal Kit  | 131.04                        |
|   | 5WD1044517            | HYDRAULIC ANGLE KIT                     | 750.60                        |
|   | 5WD1044516            | Spanish Operator's Manual and Decal Kit | 131.04                        |
|   | 5WD1044513            | Urethane Cutting Edge Kit               | 525.96                        |
| <b>Plow Guide Kit</b>                                   |                       |   |                               |
|   | 5WD1044512            | AF10 Plow Guide Kit                     | 148.96                        |
| <b>Urethane Skid Shoe Kit</b>                           |                       |   |                               |
|   | 5WD1044514            | Urethane Skid Shoe Kit                  | 304.56                        |

## FRONTIER PRODUCTS

### AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 6 Ft.

Loader Series:  
300, 400, and 500

Dimensions:

W72 In. x H23 In. x D34 In.

Operational Weight: 400 lbs.

Shipping Weight: 430 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2091XF |  | AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,526.00 |
|--------|--|---|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |   |        |
|------|--|---|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 6 Ft. AF11E</i> | 488.00 |
|------|--|---|--------|

#### HYDRAULICS

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E | 579.00 |
|------|--|---|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |            |   |        |
|--|------------|---|--------|
|  |            | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS               | 114.24 |
|  |            | <b>Miscellaneous</b><br>Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E | 625.32 |
|  | 5FPLAF6486 | Rubber Edge Kit for 6 Ft. AF11E                                       | 527.04 |

**AF11E - 6 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500  
Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 7 Ft.

Loader Series:  
300, 400, and 500

Dimensions:

W84 In. x H23 In. x D34 In.

Operational Weight: 450 lbs.

Shipping Weight: 480 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2093XF |  | AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,564.00 |
|--------|--|---|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |   |        |
|------|--|---|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 7 Ft. AF11E</i> | 523.00 |
|------|--|---|--------|

#### HYDRAULICS

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | Hydraulic angle Kit for 6 Ft. and 7 Ft. AF11E | 579.00 |
|------|--|---|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |            |   |        |
|--|------------|---|--------|
|  |            | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS               | 114.24 |
|  |            | <b>Miscellaneous</b><br>Hydraulic Angle Kit for 6 Ft. and 7 Ft. AF11E | 625.32 |
|  | 5FPLAF6487 | Rubber Edge Kit for 7 Ft. AF11E                                       | 564.84 |

**AF11E - 7 Ft. Boom Mounted Front Blade with Manual Angle for Current 300/400/500  
Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 7 Ft.  
 Loader Series:  
 600 Series Loaders  
 on 6000 Series Tractors  
 Dimensions:  
 W84 In. x H32 In. x D48 In.  
 Operational Weight: 730 lbs.  
 Shipping Weight: 780 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2092XF |  | AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier<br><i>ONLY 6000 series tractors.<br/>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,786.00 |
|--------|--|---|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 7 Ft. AF11D and AF11G</i>      | 613.00 |
| 9010 |  | Rubber Top Flap Kit<br><i>For 7 Ft. AF11D and AF11G.</i> | 232.00 |

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS           | 114.24 |
|  |  | <b>Miscellaneous</b><br>Rubber Edge Kit for 7 Ft. AF11D and AF11G | 662.04 |
|  |  | 5FPLAF6492 Rubber Top Flap Kit for 7 Ft. AF11D and AF11G          | 295.40 |

**AF11D - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700  
Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 8 Ft.  
 Loader Series:  
 600 Series Loaders  
 on 6000 Series Tractors  
 Dimensions:  
 W96 In. x H32 In. x D54 In.  
 Operational Weight: 1195 lbs.  
 Shipping Weight: 1245 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2095XF |  | AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier<br><i>ONLY 6000 series tractors.<br/>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,942.00 |
|--------|--|---|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>      | 680.00 |
| 9010 |  | Rubber Top Flap Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i> | 250.00 |

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS                         | 114.24 |
|  |  | <b>Miscellaneous</b><br>Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G | 734.40 |
|  |  | 5FPLAF6493 Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G          | 270.00 |

**AF11D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700  
Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 7 Ft.  
 Loader Series:  
 Global Carrier on 6000 Series Tractors  
 Dimensions:  
 W84 In. x H32 In. x D48 In.  
 Operational Weight: 710 lbs.  
 Shipping Weight: 760 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2094XF |  | AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier<br><i>ONLY 6000 series tractors and smaller.<br/>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,491.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 7 Ft. AF11D and AF11G</i>      | 613.00 |
| 9010 |  | Rubber Top Flap Kit<br><i>For 7 Ft. AF11D and AF11G.</i> | 232.00 |

#### ATTACHMENTS FOR FIELD CONVERSION

|            |  |   |        |
|------------|--|---|--------|
|            |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS           | 114.24 |
| 5FPLAF1551 |  | <b>Miscellaneous</b><br>Rubber Edge Kit for 7 Ft. AF11D and AF11G | 662.04 |
| 5FPLAF6492 |  | Rubber Top Flap Kit for 7 Ft. AF11D and AF11G                     | 295.40 |

**AF11G - 7 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with  
Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 8 Ft.  
 Loader Series:  
 Global Carrier on 6000 Series Tractors  
 Dimensions:  
 W96 In. x H32 In. x D54 In.  
 Operational Weight: 1175 lbs.  
 Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2096XF |  | AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier<br><i>ONLY 6000 series tractors and smaller.<br/>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,923.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>      | 680.00 |
| 9010 |  | Rubber Top Flap Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i> | 250.00 |

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS                         | 114.24 |
|  |  | <b>Miscellaneous</b><br>Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G | 734.40 |
|  |  | 5FPLAF6493 Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G          | 270.00 |

**AF11G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with  
Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 8 Ft.

Loader Series:

600 and 700

Dimensions:

W96 In. x H32 In. x D54 In.

Operational Weight: 1195 lbs.

Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2101XF |  | AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 6,572.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |   |        |
|------|--|---|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i> | 680.00 |
|------|--|---|--------|

|      |  |  |        |
|------|--|--|--------|
| 9010 |  | Rubber Top Flap Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i> | 250.00 |
|------|--|--|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |        |
|--|--|--|--------|
|  |  | <b>Miscellaneous</b><br>5MP43052 FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|--|--|--------|

|  |  |  |        |
|--|--|--|--------|
|  |  | <b>Miscellaneous</b><br>5FPLAF1552 Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G | 734.40 |
|--|--|--|--------|

|  |  |  |        |
|--|--|--|--------|
|  |  | 5FPLAF6493 Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G | 270.00 |
|--|--|--|--------|

**AF12D - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700  
Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 9 Ft.

Loader Series:

600 and 700

Dimensions:

W96 In. x H32 In. x D54 In.

Operational Weight: 1195 lbs.

Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2103XF |  | AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 7,280.00 |
|--------|--|--|----------|

### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

### RUBBER EDGE KIT

|      |  |   |        |
|------|--|---|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 9 Ft. AF12D and AF12G</i> | 742.00 |
|------|--|---|--------|

|      |  |  |        |
|------|--|--|--------|
| 9010 |  | Rubber Top Flap Kit<br><i>For 9 Ft. AF12D and AF12G.</i> | 269.00 |
|------|--|--|--------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|--|---|--------|

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>Rubber Edge Kit for 9 Ft. AF12D and AF12G | 801.36 |
|--|--|---|--------|

|  |  |   |        |
|--|--|---|--------|
|  |  | Rubber Top Flap Kit for 9 Ft. AF12D and AF12G | 314.09 |
|--|--|---|--------|

**AF12D - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700  
Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 10 Ft.

Loader Series:

600 and 700

Dimensions:

W96 In. x H32 In. x D54 In.

Operational Weight: 1195 lbs.

Shipping Weight: 1245 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2105XF |  | AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 7,331.00 |
|--------|--|---|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 10 Ft. AF12D and AF12G</i> | 807.00 |
|------|--|--|--------|

|      |  |   |        |
|------|--|---|--------|
| 9010 |  | Rubber Top Flap Kit<br><i>For 10 Ft. AF12D and AF12G.</i> | 287.00 |
|------|--|---|--------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |        |
|--|--|--|--------|
|  |  | <b>Miscellaneous</b><br>5MP43052 FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|--|--|--------|

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>5FPLAF1554 Rubber Edge Kit for 10 Ft. AF12D and AF12G | 871.56 |
|--|--|---|--------|

|  |  |   |        |
|--|--|---|--------|
|  |  | 5FPLAF6495 Rubber Top Flap Kit for 10 Ft. AF12D and AF12G | 309.96 |
|--|--|---|--------|

**AF12D - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current 600/700  
Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 8 Ft.

Loader Series:

Global Carrier

Dimensions:

W96 In. x H32 In. x D54 In.

Operational Weight: 1175 lbs.

Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2102XF |  | AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 5,856.00 |
|--------|--|---|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G</i>      | 680.00 |
| 9010 |  | Rubber Top Flap Kit<br><i>For 8 Ft. AF11D, AF11G, AF12D and AF12G.</i> | 250.00 |

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |        |
|--|--|--|--------|
|  |  | <b>Miscellaneous</b><br>5MP43052 FRENCH OM/DECAL-LDR ATTACHMENTS                           | 114.24 |
|  |  | <b>Miscellaneous</b><br>5FPLAF1552 Rubber Edge Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G | 734.40 |
|  |  | 5FPLAF6493 Rubber Top Flap Kit for 8 Ft. AF11D, AF11G, AF12D and AF12G                     | 270.00 |

**AF12G - 8 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with  
Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 9 Ft.

Loader Series:

Global Carrier

Dimensions:

W96 In. x H32 In. x D54 In.

Operational Weight: 1175 lbs.

Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2104XF |  | AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 6,554.00 |
|--------|--|---|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |  |        |
|------|--|--|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 9 Ft. AF12D and AF12G</i>      | 742.00 |
| 9010 |  | Rubber Top Flap Kit<br><i>For 9 Ft. AF12D and AF12G.</i> | 269.00 |

#### ATTACHMENTS FOR FIELD CONVERSION

|            |  |   |        |
|------------|--|---|--------|
|            |  | <b>Miscellaneous</b>                          |        |
| 5MP43052   |  | FRENCH OM/DECAL-LDR ATTACHMENTS               | 114.24 |
|            |  | <b>Miscellaneous</b>                          |        |
| 5FPLAF1553 |  | Rubber Edge Kit for 9 Ft. AF12D and AF12G     | 801.36 |
| 5FPLAF6494 |  | Rubber Top Flap Kit for 9 Ft. AF12D and AF12G | 314.09 |

**AF12G - 9 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with  
Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 10 Ft.  
 Loader Series:  
 Global Carrier  
 Dimensions:  
 W96 In. x H32 In. x D54 In.  
 Operational Weight: 1175 lbs.  
 Shipping Weight: 1225 lbs.

as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2106XF |  | AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 6,747.00 |
|--------|--|--|----------|

#### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AF11 and AF12 Series) | No Added Cost |
|------|--|--|---------------|

#### RUBBER EDGE KIT

|      |  |   |        |
|------|--|---|--------|
| 9020 |  | Rubber Edge Kit<br><i>For 10 Ft. AF12D and AF12G</i>      | 807.00 |
| 9010 |  | Rubber Top Flap Kit<br><i>For 10 Ft. AF12D and AF12G.</i> | 287.00 |

#### ATTACHMENTS FOR FIELD CONVERSION

|            |  |  |        |
|------------|--|--|--------|
|            |  | <b>Miscellaneous</b>                           |        |
| 5MP43052   |  | FRENCH OM/DECAL-LDR ATTACHMENTS                | 114.24 |
|            |  | <b>Miscellaneous</b>                           |        |
| 5FPLAF1554 |  | Rubber Edge Kit for 10 Ft. AF12D and AF12G     | 871.56 |
| 5FPLAF6495 |  | Rubber Top Flap Kit for 10 Ft. AF12D and AF12G | 309.96 |

**AF12G - 10 Ft. Boom Mounted Front Blade with Hydraulic Angle for Current Loaders  
with Global Carrier**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AM20F - 50 in. Manure Fork Equipment for Base Machine

Operating Width: 50 In.  
 Loader Series:  
 120/H120/220R/D160 (Check Compatibility Chart For  
 Complete Loader List)  
 Dimensions:  
 W50 In. x H21.13 In. x D25 In.  
 7 tines at 1.25 In. diameter solid round steel  
 Operational Weight: 141 lbs.

Shipping Weight: 178 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |                            |        |
|--------|----------------------------|--------|
| 2361XF | AM20F - 50 in. Manure Fork | 788.00 |
|--------|----------------------------|--------|

### DESTINATION

|      |               |               |
|------|---------------|---------------|
| 0202 | United States | In Base Price |
| 0184 | Canada        | No Added Cost |

### OPERATOR'S MANUAL AND DECALS

|      |                           |               |
|------|---------------------------|---------------|
| 0409 | English Operator's Manual | In Base Price |
| 0413 | French Operator's Manual  | No Added Cost |
| 0437 | Spanish Operator's Manual | No Added Cost |

### ATTACHMENTS FOR FIELD CONVERSION

|           | Operator's Manual And Decals   |       |
|-----------|--|-------|
| 5WS105009 | English Operator's Manual - AM20F Manure Fork                            | 54.88 |
| 5WS101364 | French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork  | 54.88 |
| 5WS101375 | Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork | 54.88 |

**AM20F - 50 in. Manure Fork**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AM20F - 60 in. Manure Fork**  
Equipment for Base Machine

Operating Width: 60 In.  
 Loader Series:  
 120/H120/220R/D160 (Check Compatibility Chart For  
 Complete Loader List)  
 Dimensions:  
 W60 In. x H21.13 In. x D25 In.  
 8 tines at 1.25 In. diameter solid round steel  
 Operational Weight: 167 lbs.

Shipping Weight: 204 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |                            |          |
|--------|--|----------------------------|----------|
| 2362XF |  | AM20F - 60 in. Manure Fork | 1,034.00 |
|--------|--|----------------------------|----------|

**DESTINATION**

|      |  |               |               |
|------|--|---------------|---------------|
| 0202 |  | United States | In Base Price |
| 0184 |  | Canada        | No Added Cost |

**OPERATOR'S MANUAL AND DECALS**

|      |  |                           |               |
|------|--|---------------------------|---------------|
| 0409 |  | English Operator's Manual | In Base Price |
| 0413 |  | French Operator's Manual  | No Added Cost |
| 0437 |  | Spanish Operator's Manual | No Added Cost |

**ATTACHMENTS FOR FIELD CONVERSION**

| <b>Operator's Manual And Decals</b> |  |  |       |
|-------------------------------------|--|--|-------|
| 5WS105009                           |  | English Operator's Manual - AM20F Manure Fork                            | 54.88 |
| 5WS101364                           |  | French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork  | 54.88 |
| 5WS101375                           |  | Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork | 54.88 |

**AM20F - 60 in. Manure Fork**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier**  
Equipment for Base Machine

Cutting Width: 60 In.  
 Loader Series:  
 300 and 400 Only (Not 500 Series)  
 Dimensions:  
 W60 In. x H26.5 In. x D34 In.  
 Grapple Opening: 37 In.  
 Operational Weight: 457 lbs.  
 Shipping Weight: 507 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2141XF |  | AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,875.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AM11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AM11H - 60 In. Manure Fork with Grapple for Current 300CX/400 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier**  
Equipment for Base Machine

Cutting Width: 72 In.  
 Loader Series:  
 300, 400, and 500  
 Dimensions:  
 W72 In. x H26.5 In. x D34 In.  
 Grapple Opening: 37 In.  
 Operational Weight: 471 lbs.  
 Shipping Weight: 521 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2142XF |  | AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,945.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AM11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AM11E - 72 In. Manure Fork with Grapple for Current 300CX/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier**  
Equipment for Base Machine

Cutting Width: 84 In.  
 Loader Series:  
   600 and 700  
 Dimensions:  
   W84 In. x H27.5 In. x D26 In.  
 Grapple Opening: 37 In.  
 Operational Weight: 587 lbs.  
 Shipping Weight: 637 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2143XF |  | AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 3,395.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AM11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AM11D - 84 In. Manure Fork with Grapple for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier**  
Equipment for Base Machine

Cutting Width: 84 In.  
 Loader Series:  
 Global Carrier  
 Dimensions:  
 W84 In. x H24 In. x D35 In.  
 Grapple Opening: 37 In.  
 Operational Weight: 537 lbs.  
 Shipping Weight: 587 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2144XF |  | AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 3,607.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AM11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AM11G - 84 In. Manure Fork with Grapple for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier**  
Equipment for Base Machine

Cutting Width: 96 In.  
 Loader Series:  
   Global Carrier  
 Dimensions:  
   W96 In. x H24 In. x D35 In.  
 Grapple Opening: 37 In.  
 Operational Weight: 601 lbs.  
 Shipping Weight: 651 lbs.

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2146XF |  | AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,183.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AM11 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AM11G - 96 In. Manure Fork with Grapple for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AP10F Pallet Fork Fixed Tines**  
Equipment for Base Machine

Pallet Forks ( 36 In. or 42 In. in Length):  
 Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13 In. Tines  
 (36 In. Forks or 42 In. Forks):  
 170 or 198 lbs.  
 H120, D120 Series Loaders (Check Compatibility Chart For Complete Loader List)  
 Frame Load Rating: 1250 lbs.  
 Dimensions (36 In. Forks or 42 In. Forks):  
 24.5H x 49.25W x 45L or 51L  
 Operational Weight

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |                               |        |
|--------|-------------------------------|--------|
| 2341XF | AP10F Pallet Fork Fixed Tines | 684.00 |
|--------|-------------------------------|--------|

**DESTINATION**

|      |               |               |
|------|---------------|---------------|
| 0202 | United States | In Base Price |
| 0184 | Canada        | No Added Cost |

**OPERATOR'S MANUAL AND DECALS**

|      |                           |               |
|------|---------------------------|---------------|
| 0409 | English Operator's Manual | In Base Price |
| 0413 | French Operator's Manual  | No Added Cost |
| 0437 | Spanish Operator's Manual | No Added Cost |

**PALLET TINE**

|      |                         |               |
|------|-------------------------|---------------|
| 2401 | 36 in. tines (900 lbs)  | In Base Price |
| 2400 | 42 in. tines (2000 lbs) | 77.00         |

**ATTACHMENTS FOR FIELD CONVERSION**

|           | Operator's Manual And Decals   |       |
|-----------|--|-------|
| 5WS105008 | English Operator's Manual - AP10F, AP11F Pallet Fork                     | 53.76 |
| 5WS101364 | French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork  | 54.88 |
| 5WS101375 | Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork | 54.88 |

**AP10F Pallet Fork Fixed Tines**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AP11F Pallet Fork Fixed Tines**  
Equipment for Base Machine

Pallet Forks ( 36 In. or 42 In. in Length):  
 Two - Class I Solid 1.0 In. x 3.0 or 1.18 x 3.13 In. Tines  
 120/H120/220R/D160 Loaders (Check Compatibility Chart For Complete Loader List)  
 Frame Load Rating: 2000 lbs.  
 Dimensions (36 In. Forks or 42 In. Forks):  
 24.5H x 49.38W x 44L or 50L  
 Operational Weight

(36 In. Forks or 42 In. Forks):  
 219 or 247 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |                               |        |
|--------|-------------------------------|--------|
| 2351XF | AP11F Pallet Fork Fixed Tines | 864.00 |
|--------|-------------------------------|--------|

**DESTINATION**

|      |               |               |
|------|---------------|---------------|
| 0202 | United States | In Base Price |
| 0184 | Canada        | No Added Cost |

**OPERATOR'S MANUAL AND DECALS**

|      |                           |               |
|------|---------------------------|---------------|
| 0409 | English Operator's Manual | In Base Price |
| 0413 | French Operator's Manual  | No Added Cost |
| 0437 | Spanish Operator's Manual | No Added Cost |

**PALLET TINE**

|      |                         |               |
|------|-------------------------|---------------|
| 2401 | 36 in. tines (900 lbs)  | -77.00        |
| 2400 | 42 in. tines (2000 lbs) | In Base Price |

**ATTACHMENTS FOR FIELD CONVERSION**

|           | Operator's Manual And Decals   |       |
|-----------|--|-------|
| 5WS105008 | English Operator's Manual - AP10F, AP11F Pallet Fork                     | 53.76 |
| 5WS101364 | French Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork  | 54.88 |
| 5WS101375 | Spanish Operator's Manual - AP10F, AP11F Pallet Fork & AM20F Manure Fork | 54.88 |

**AP11F Pallet Fork Fixed Tines**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AP12A Fixed Pallet Fork for Current 800 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):  
 Two - 1.57 In. x 5.12 In.  
 (600, 700, Global, and  
 800 Series Loaders)  
 Load Rating: 5500 lbs.  
 (600, 700, Global, and  
 800 Series Loaders)  
 Dimensions (42 In. Forks or 48 In. Forks):  
 37H x 60W x 54L or 60L

Operational Weight  
 (42 In. Forks or 48 In. Forks):  
 445 or 465 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2151XF |  | AP12A Fixed Pallet Fork for Current 800 Series Carrier<br><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,961.00 |
|--------|--|--|----------|

### PALLET TINE

|      |  |  |               |
|------|--|--|---------------|
| 1000 |  | 42 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | No Added Cost |
| 1010 |  | 48 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | 57.00         |

### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |       |
|----------|--|--|-------|
|          |  | <b>Miscellaneous</b>   |       |
| 5MP43053 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |

**AP12A Fixed Pallet Fork for Current 800 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):  
 Two - 1.38 In. x 4.72 In.  
 (200, 300, 400, and  
 500 Series Loaders)  
 Load Rating: 3750 lbs.  
 (200, 300, 400, and  
 500 Series Loaders)  
 Dimensions (42 In. Forks or 48 In. Forks):  
 34H x 50W x 51L or 57L

Operational Weight  
 (42 In. Forks or 48 In. Forks):  
 380 or 395 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2153XF |  | AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier<br><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,137.00 |
|--------|--|--|----------|

#### PALLET TINE

|      |  |  |               |
|------|--|--|---------------|
| 1000 |  | 42 In. Pallet Tine<br><i>Rated for 3750 lbs.</i> | No Added Cost |
| 1010 |  | 48 In. Pallet Tine<br><i>Rated for 3750 lbs.</i> | 42.00         |

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

#### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |       |
|----------|--|--|-------|
|          |  | <b>Miscellaneous</b>   |       |
| 5MP43053 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |

**AP12F Fixed Pallet Fork for Current 200/300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AP12D Fixed Pallet Fork for Current 600/700 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):  
 Two - 1.57 In. x 5.12 In.  
 (600, 700, Global, and  
 800 Series Loaders)  
 Load Rating: 5500 lbs.  
 (600, 700, Global, and  
 800 Series Loaders)  
 Dimensions (42 In. Forks or 48 In. Forks):  
 34H x 50W x 54L or 60L

Operational Weight  
 (42 In. Forks or 48 In. Forks):  
 445 or 465 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2152XF |  | AP12D Fixed Pallet Fork for Current 600/700 Series Carrier<br><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,405.00 |
|--------|--|--|----------|

### PALLET TINE

|      |  |  |               |
|------|--|--|---------------|
| 1000 |  | 42 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | No Added Cost |
| 1010 |  | 48 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | 57.00         |

### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |       |
|----------|--|--|-------|
|          |  | <b>Miscellaneous</b>   |       |
| 5MP43053 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |

**AP12D Fixed Pallet Fork for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AP12G Fixed Pallet Fork for Current Loaders with Global Carrier**  
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length):  
Two - 1.57 In. x 5.12 In.  
(600, 700, Global, and  
800 Series Loaders)  
Load Rating: 5500 lbs.  
(600, 700, Global, and  
800 Series Loaders)  
Dimensions (42 In. Forks or 48 In. Forks):  
37H x 60W x 54L or 60L

Operational Weight  
(42 In. Forks or 48 In. Forks):  
456 or 476 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2154XF |  | AP12G Fixed Pallet Fork for Current Loaders with Global Carrier<br><i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,353.00 |
|--------|--|---|----------|

**PALLET TINE**

|      |  |  |               |
|------|--|--|---------------|
| 1000 |  | 42 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | No Added Cost |
| 1010 |  | 48 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | 57.00         |

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AP12G Fixed Pallet Fork for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)**  
 Equipment for Base Machine

Pallet Forks (48 In. in Length):  
 Two - 2.00 In. x 5.00 In.  
 (Global Category 2,  
 Loader Carrier)  
 Load Rating: 10,000 lbs.  
 (Global Category 2 Carrier, H480 Loader)  
 Dimensions (48 In. Forks):  
 43H x 59W x 60L  
 Operational Weight

(48 In. Forks):  
 812 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2155XF |  | AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)<br><i>Note: 48 In Pallet Forks Included as Standard Equipment.<br/>                     Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 3,402.00 |
|--------|--|---|----------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |  |  |       |
|----------|--|--|-------|
| 5MP43053 |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|----------|--|--|-------|

**AP12K Fixed Pallet Fork for Current Loaders with Global Category 2 Carrier (H480  
Loader only)**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 360 or 375 lbs.  
 Two - 1.38 In. x 4.72 In.  
 Load Rating: 3750 lbs.  
 Dimensions (42 In. Forks or 48 In. Forks):  
 31H x 50W x 51L or 57L  
 Operational Weight  
 (42 In. Forks or 48 In. Forks):

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2162XF |  | AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier<br><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,187.00 |
|--------|--|---|----------|

#### PALLET TINE

|      |  |  |               |
|------|--|--|---------------|
| 1000 |  | 42 In. Pallet Tine<br><i>Rated for 3750 lbs.</i> | No Added Cost |
| 1010 |  | 48 In. Pallet Tine<br><i>Rated for 3750 lbs.</i> | 74.00         |

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AP13F Floating Pallet Fork for Current 200/300/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AP13D Floating Pallet Fork for Current 600/700 Series Carrier**  
Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 425 or 445 lbs.  
 Two - 1.57 In. x 5.12 In.  
 Load Rating: 5500 lbs.  
 Dimensions (42 In. Forks or 48 In. Forks):  
 34H x 50W x 54L or 60L  
 Operational Weight  
 (42 In. Forks or 48 In. Forks):

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2161XF |  | AP13D Floating Pallet Fork for Current 600/700 Series Carrier<br><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,351.00 |
|--------|--|---|----------|

**PALLET TINE**

|      |  |  |               |
|------|--|--|---------------|
| 1000 |  | 42 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | No Added Cost |
| 1010 |  | 48 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | 93.00         |

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <p><b>Miscellaneous</b><br/>                 French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks</p> | 34.72 |
|--|--|---|-------|

**AP13D Floating Pallet Fork for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AP13G Floating Pallet Fork for Current Loaders with Global Carrier Equipment for Base Machine

Pallet Forks (42 In. or 48 In. in Length): 440 or 460 lbs.  
 Two - 1.57 In. x 5.12 In.  
 Load Rating: 5500 lbs.  
 Dimensions (42 In. Forks or 48 In. Forks):  
 32H x 49W x 52L or 58L  
 Operational Weight  
 (42 In. Forks or 48 In. Forks):

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2163XF |  | AP13G Floating Pallet Fork for Current Loaders with Global Carrier<br><i>Note: Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,291.00 |
|--------|--|--|----------|

#### PALLET TINE

|      |  |  |               |
|------|--|--|---------------|
| 1000 |  | 42 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | No Added Cost |
| 1010 |  | 48 In. Pallet Tine<br><i>Rated for 5500 lbs.</i> | 93.00         |

#### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AP13G Floating Pallet Fork for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)**  
Equipment for Base Machine

Pallet Forks (48 In. in Length):  
Two - 2.0 In. x 5.0 In.  
Load Rating: 10,000 lbs.  
Dimensions:  
42H x 62W x 61L  
Operational Weight  
773 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2331XF |  | AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480 Loader only)<br><i>Note: Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 3,365.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14 Bale Spear and AP12 and AP13 Pallet Forks | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |  |       |
|--|--|--|-------|
|  |  | <p><b>Miscellaneous</b><br/>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks</p> | 34.72 |
|--|--|--|-------|

**AP13K Floating Pallet Fork for Current Loaders with Global Category 2 Carrier (H480  
Loader only)**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier**  
Equipment for Base Machine

Cutting Width: 55 In.  
 Loader Series:  
 300 and 400 Only (Not 500 Series)  
 Dimensions:  
 W54.8 In. x H22 In. x D23 In.  
 Capacity:  
 0.32 Cubic Foot  
 Tine Diameter: 1-1/8 In.  
 Tine Length: 22 In.

Operational Weight: 282 lbs.  
 Shipping Weight: 352 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2171XF |  | AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier<br><i>Tine spacing is 2 In. on 55 In. model.</i><br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,798.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AR10 and AR12 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|          |                      |                                 |       |
|----------|----------------------|---------------------------------|-------|
| 5MP43054 | <b>Miscellaneous</b> | FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|----------|----------------------|---------------------------------|-------|

**AR10H - 55 In. Rock Bucket for Current 300/400 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 60 In.

Loader Series:  
300, 400, and 500

Dimensions:

W68.4 In. (W65.9 In.) x H21.7 In. x D45 In.

Capacity:

0.82 Cubic Foot

Optional Hydraulic Grapple - Opening:  
60 In.

Optional Hydraulic Grapple - Weight:  
375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:  
585 lbs. (458 lbs.)

Shipping Weight:

670 lbs. (550 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2172XF |  | AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,493.00 |
|--------|--|---|----------|

### TINE SPACING

|      |  |                    |               |
|------|--|--------------------|---------------|
| 1000 |  | 2 In. Tine Spacing | In Base Price |
| 1010 |  | 3 In. Tine Spacing | -200.00       |

### GRAPPLES

|      |  |   |          |
|------|--|---|----------|
| 9050 |  | Grapple Attachment for Rock Bucket<br><i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i> | 2,767.00 |
|------|--|---|----------|

### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AR10 and AR12 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

| <b>Miscellaneous</b> |  |  |          |
|----------------------|--|--|----------|
| 5MP43054             |  | FRENCH OM/DECAL-LDR ATTACHMENTS  | 76.79    |
| 5MP106503            |  | Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths<br><i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.<br/>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i> | 3,063.96 |
| 5MP103533            |  | Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment<br><i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>   | 146.72   |

FRONTIER PRODUCTS

**AR10E - 66 In. Rock Bucket for Current 300/400/500 Series Carrier**

Continued

| Code | Attachment Identifier | Description   | List Price Suggested USD (\$) |
|------|-----------------------|---|-------------------------------|
|      | 5MP106524             | <b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b><br>Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment<br><i>Fittings compatible with 300 and 400 series loaders.</i> | 126.56                        |

## FRONTIER PRODUCTS

### AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier Equipment for Base Machine

Cutting Width: 75 In.  
 Loader Series:  
 300, 400, and 500  
 Dimensions:  
 W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.  
 Capacity:  
 0.89 Cubic Foot  
 Optional Hydraulic Grapple - Opening:  
 60 In.  
 Optional Hydraulic Grapple - Weight:  
 375 lbs.  
 Tine Diameter: 1-1/8 In.  
 Tine Length: 39 In.  
 Operational Weight:  
 632 lbs. (528 lbs.)

Shipping Weight:  
 707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### **BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2174XF |  | AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,719.00 |
|--------|--|---|----------|

#### **TINE SPACING**

|      |  |                    |               |
|------|--|--------------------|---------------|
| 1000 |  | 2 In. Tine Spacing | In Base Price |
| 1010 |  | 3 In. Tine Spacing | -272.00       |

#### **GRAPPLES**

|      |  |   |          |
|------|--|---|----------|
| 9050 |  | Grapple Attachment for Rock Bucket<br><i>Fits AR10E models with 66 In. and 75 In. working widths and used on 300/400/500 series loaders. Includes Grapple Attachment and Hydraulic Kit.</i> | 2,767.00 |
|------|--|---|----------|

#### **OPERATOR'S MANUAL AND DECALS**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AR10 and AR12 Series) | No Added Cost |
|------|--|--|---------------|

#### **ATTACHMENTS FOR FIELD CONVERSION**

| <b>Miscellaneous</b> |  |  |          |
|----------------------|--|--|----------|
| 5MP43054             |  | FRENCH OM/DECAL-LDR ATTACHMENTS  | 76.79    |
| 5MP106503            |  | Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths<br><i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.<br/>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i> | 3,063.96 |
| 5MP103533            |  | Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment<br><i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>   | 146.72   |

FRONTIER PRODUCTS

**AR10E - 75 In. Rock Bucket for Current 300/400/500 Series Carrier**

Continued

| Code | Attachment Identifier | Description   | List Price Suggested USD (\$) |
|------|-----------------------|---|-------------------------------|
|      | 5MP106524             | <b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b><br>Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment<br><i>Fittings compatible with 300 and 400 series loaders.</i> | 126.56                        |

# FRONTIER PRODUCTS

## AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 75 In.

Loader Series:  
600 and 700

Dimensions:

W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.

Capacity:

0.89 Cubic Foot

Optional Hydraulic Grapple - Opening:  
60 In.

Optional Hydraulic Grapple - Weight:  
375 lbs.

Tine Diameter: 1-1/8 In.

Tine Length: 39 In.

Operational Weight:  
632 lbs. (528 lbs.)

Shipping Weight:

707 lbs. (603 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2173XF |  | AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,893.00 |
|--------|--|---|----------|

### TINE SPACING

|      |  |                    |               |
|------|--|--------------------|---------------|
| 1000 |  | 2 In. Tine Spacing | In Base Price |
| 1010 |  | 3 In. Tine Spacing | -262.00       |

### GRAPPLES

|      |  |  |          |
|------|--|--|----------|
| 9060 |  | Grapple Attachment for Rock Bucket<br><i>Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit.</i> | 2,782.00 |
|------|--|--|----------|

### OPERATOR'S MANUAL AND DECALS

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AR10 and AR12 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

| <b>Miscellaneous</b> |  |  |          |
|----------------------|--|--|----------|
| 5MP43054             |  | FRENCH OM/DECAL-LDR ATTACHMENTS  | 76.79    |
| 5MP106503            |  | Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths<br><i>No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.<br/>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics.</i> | 3,063.96 |
| 5MP103533            |  | Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment<br><i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i>   | 146.72   |

**AR10D - 75 In. Rock Bucket for Current 600/700 Series Carrier**

Continued

# FRONTIER PRODUCTS

## AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 75 In.  
 Loader Series:  
   Global Carrier  
 Dimensions:  
   W74.7 In. (W74.4 In.) x H21.7 In. x D45 In.  
 Capacity:  
   0.89 Cubic Foot  
 Optional Hydraulic Grapple - Opening:  
   60 In.  
 Optional Hydraulic Grapple - Weight:  
   375 lbs.  
 Tine Diameter: 1-1/8 In.  
 Tine Length: 39 In.  
 Operational Weight:  
   739 lbs. (619 lbs.)

Shipping Weight:  
 814 lbs. (694 lbs.)

Hydraulic functions on loader attachment require third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2175XF | AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier | Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. | 3,083.00 |
|--------|--|---|----------|

### TINE SPACING

|      |                    |  |               |
|------|--------------------|--|---------------|
| 1000 | 2 In. Tine Spacing |  | In Base Price |
| 1010 | 3 In. Tine Spacing |  | -163.00       |

### GRAPPLES

|      |                                    |   |          |
|------|------------------------------------|---|----------|
| 9060 | Grapple Attachment for Rock Bucket | Fits AR10D, and AR10G models with 66 In. and 75 In. working widths and used on 600/700 series loaders as well as loaders with global carriers. Includes Grapple Attachment and Hydraulic Kit. | 2,782.00 |
|------|------------------------------------|---|----------|

### OPERATOR'S MANUAL AND DECALS

|      |   |  |               |
|------|---|--|---------------|
| 9200 | French Operators Manual and Decal Kit(AR10 and AR12 Series) |  | No Added Cost |
|------|---|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|           |  |  |          |
|-----------|--|--|----------|
|           | <b>Miscellaneous</b>   |  |          |
| 5MP43054  | FRENCH OM/DECAL-LDR ATTACHMENTS  |  | 76.79    |
| 5MP106503 | Grapple Attachment for Rock Bucket Fits AR10E, AR10D, and AR10G Models with 66 In. and 75 In. Working Widths | No Hydraulic included when ordered as AFC. Order 5MP103533 for hydraulics.<br>No Hydraulic included when ordered as AFC. Order either 5MP106524 or 5MP103533 for hydraulics. | 3,063.96 |

FRONTIER PRODUCTS

**AR10G - 75 In. Rock Bucket for Current Loaders with Global Carrier**

Continued

| Code      | Attachment Identifier                                   | Description  | List Price Suggested USD (\$) |
|-----------|---|--|-------------------------------|
| 5MP103533 | <b>ATTACHMENTS FOR FIELD CONVERSION ...Continued...</b> | Hydraulic Kit for use with 5MP106503 Rock Bucket Grapple Attachment<br><i>Fitting compatible with 500, 600 and 700 series loaders as well as loaders with global carrier that do not have the multicoupler installation.</i> | 146.72                        |

FRONTIER PRODUCTS

**AR12A - 84 In. Rock Bucket for Current 800 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 84 In.  
 Loader Series: 800  
 Dimensions:  
 W85 In. x H35 In. x D61 In.  
 Capacity:  
 1.02 Cubic Foot  
 Tine Diameter: 1-5/8 In.  
 Tine Length: 46 In.

Operational Weight: 1536 lbs.  
 Shipping Weight: 1666 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2181XF |  | AR12A - 84 In. Rock Bucket for Current 800 Series Carrier<br><i>Tine spacing is 3 In. on AR12 series rock buckets.<br/>                     Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 7,468.00 |
|--------|--|---|----------|

**OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AR10 and AR12 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |          |   |       |
|--|----------|---|-------|
|  | 5MP43054 | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|----------|---|-------|

**AR12A - 84 In. Rock Bucket for Current 800 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 84 In.

Loader Series:

600 and 700

Dimensions:

W82.7 In. x H35 In. x D61 In.

Capacity:

1.02 Cubic Foot

Tine Diameter: 1-5/8 In.

Tine Length: 46 In.

Operational Weight: 1561 lbs.

Shipping Weight: 1691 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2182XF |  | AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier<br><i>Tine spacing is 3 In. on AR12 series rock buckets.<br/>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 7,607.00 |
|--------|--|--|----------|

### OPERATOR'S MANUAL AND DECALS

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AR10 and AR12 Series) | No Added Cost |
|------|--|---|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AR12D - 84 In. Rock Bucket for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 84 In.

Loader Series:  
Global Carrier

Dimensions:

W82.7 In. x H35 In. x D61 In.

Capacity:

1.02 Cubic Foot

Tine Diameter: 1-5/8 In.

Tine Length: 46 In.

Operational Weight: 1481 lbs.

Shipping Weight: 1611 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### **BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2183XF |  | AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier<br><i>Tine spacing is 3 In. on AR12 series rock buckets.<br/>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 7,185.00 |
|--------|--|---|----------|

#### **OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AR10 and AR12 Series) | No Added Cost |
|------|--|---|---------------|

#### **ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AR12G - 84 In. Rock Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier Equipment for Base Machine

Cutting Width: 93 In.  
 Loader Series:  
   Global Carrier  
 Dimensions:  
   W94 In. x H35 In. x D61 In.  
 Capacity:  
   1.17 Cubic Foot  
 Tine Diameter: 1-5/8 In.  
 Tine Length: 46 In.

Operational Weight: 1623 lbs.  
 Shipping Weight: 1753 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### **BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2186XF |  | AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier<br><i>Tine spacing is 3 In. on AR12 series rock buckets.<br/>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 7,061.00 |
|--------|--|---|----------|

#### **OPERATOR'S MANUAL AND DECALS**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit(AR10 and AR12 Series) | No Added Cost |
|------|--|---|---------------|

#### **ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |
|--|--|---|-------|

**AR12G - 93 In. Rock Bucket for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier**  
 Equipment for Base Machine

Cutting Width: 60 In.  
 Loader Series:  
 300CX and 400 Only (Not 500 Series)  
 Dimensions:  
 W60 In. x H23 In. x D38.8 In.  
 Grapple Opening: 27 In.  
 Operational Weight: 381 lbs.

Shipping Weight: 421 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2271XF |  | AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 2,330.00 |
|--------|--|--|----------|

**PARKING STAND KIT**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | AV20 Series Parking Stand Kit - Bolt On | 174.00 |
|------|--|---|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |           |   |        |
|--|-----------|---|--------|
|  | 5WS811395 | <b>Miscellaneous</b><br>AV20 Series Parking Stand Kit - Bolt On | 187.92 |
|--|-----------|---|--------|

**AV20H Root Grapple - 60 In. for Current 300/400 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier**  
Equipment for Base Machine

Cutting Width: 62 In.  
Loader Series:  
400CX and 500 Only  
Dimensions:  
W62 In. x H25 In. x D54 In.  
Grapple Opening: 50 In.  
Operational Weight: 818 lbs.

Shipping Weight: 858 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2272XF |  | AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 3,804.00 |
|--------|--|--|----------|

**PARKING STAND KIT**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | AV20 Series Parking Stand Kit - Bolt On | 174.00 |
|------|--|---|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |           |   |        |
|--|-----------|---|--------|
|  | 5WS811395 | <b>Miscellaneous</b><br>AV20 Series Parking Stand Kit - Bolt On | 187.92 |
|--|-----------|---|--------|

**AV20E Root Grapple - 62 In. for Current 400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier Equipment for Base Machine

Cutting Width: 77 In.  
Loader Series:  
600 and 700  
Dimensions:  
W77 In. x H25 In. x D15 In.  
Grapple Opening: 50 In.  
Operational Weight: 1,000 lbs.

Shipping Weight: 1,040 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2273XF |  | AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,504.00 |
|--------|--|--|----------|

### PARKING STAND KIT

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | AV20 Series Parking Stand Kit - Bolt On | 174.00 |
|------|--|---|--------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |           |   |        |
|--|-----------|---|--------|
|  | 5WS811395 | <b>Miscellaneous</b><br>AV20 Series Parking Stand Kit - Bolt On | 187.92 |
|--|-----------|---|--------|

**AV20D Root Grapple - 77 In. for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier**  
 Equipment for Base Machine

Cutting Width: 77 In.  
 Loader Series:  
 Global Carriers  
 Dimensions:  
 W77 In. x H25 In. x D15 In.  
 Grapple Opening: 50 In.  
 Operational Weight: 972 lbs.

Shipping Weight: 1012 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |          |
|--------|--|---|----------|
| 2274XF |  | AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 4,410.00 |
|--------|--|---|----------|

**PARKING STAND KIT**

|      |  |   |        |
|------|--|---|--------|
| 9000 |  | AV20 Series Parking Stand Kit - Bolt On | 174.00 |
|------|--|---|--------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |           |   |        |
|--|-----------|---|--------|
|  | 5WS811395 | <b>Miscellaneous</b><br>AV20 Series Parking Stand Kit - Bolt On | 187.92 |
|--|-----------|---|--------|

**AV20G Root Grapple - 77 In. for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AV20F - 53 In. Root Grapple for 100 - 300E Series Loader**  
Equipment for Base Machine

Cutting Width: 60 In.  
 Loader Series:  
 (F) 100 to 300  
 Dimensions:  
 W53 In. x H25 In. x D23.8 In.  
 Grapple Opening: 36 In.  
 Operational Weight: 191 lbs.  
 Shipping Weight: 219 lbs.  
 Upper grapple tine qty: 4  
 Upper grapple tine spacing: 8.5

Lower grapple tine qty: 7  
 Lower grapple tine spacing: 8.5  
 Warranty: 1 Year

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2381XF |  | AV20F - 53 In. Root Grapple for 100 - 300E Series Loader<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 1,570.00 |
|--------|--|--|----------|

**DESTINATION**

|      |  |               |               |
|------|--|---------------|---------------|
| 0202 |  | UNITED STATES | No Added Cost |
| 0184 |  | CANADA        | No Added Cost |

**OPERATOR'S MANUAL AND DECALS**

|      |  |                  |               |
|------|--|------------------|---------------|
| 0409 |  | AV20F ENGLISH OM | No Added Cost |
| 0413 |  | AV20F FRENCH OM  | No Added Cost |
| 0437 |  | AV20F SPANISH OM | No Added Cost |

**ATTACHMENTS FOR FIELD CONVERSION**

|          |                      |                                 |       |
|----------|----------------------|---------------------------------|-------|
|          | <b>Grapples</b>      |                                 |       |
| 5MP43126 |                      | SPANISH OPERATOR'S MANUAL       | 82.05 |
|          | <b>Miscellaneous</b> |                                 |       |
| 5MP76314 |                      | ENGLISH OPERATOR'S MANUAL       | 15.91 |
|          | <b>Miscellaneous</b> |                                 |       |
| 5MP43054 |                      | FRENCH OM/DECAL-LDR ATTACHMENTS | 76.79 |

**AV20F - 53 In. Root Grapple for 100 - 300E Series Loader**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AG10G Silage Defacer for Current Loaders with Global Carrier**  
Equipment for Base Machine

Shipping Weight: 870 lbs.  
 Non-Sizing Cutting Tooth  
 Motor Shaft: 1.5 In.  
 Motor Chain Type: 80-ASA  
 Equipment Weight: 735 lbs.  
 Cutting Width: 96 In.  
 Bearing: Greaseable Spherical Type  
 Tooth Material:  
 50,000 Yield Strength Material

third function hydraulic lines and hoses on loader as well as a tractor with (3) SCV's. Please reference the loader and tractor sales information for additional information.

Hydraulic functions on loader attachment require

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2113XF |  | AG10G Silage Defacer for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i> | 6,688.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |   |               |
|------|--|---|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AG10 Series) | No Added Cost |
|------|--|---|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |        |
|--|--|---|--------|
|  |  | <b>Miscellaneous</b><br>FRENCH OM/DECAL-LDR ATTACHMENTS | 114.24 |
|--|--|---|--------|

**AG10G Silage Defacer for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AG11S Silage Defacer for Skid Steers**

Equipment for Base Machine

Non-Sizing Cutting Tooth  
Bearing: Greaseable Spherical Type  
Motor Shaft: 1.5 In.  
Cutting Width: 96 In.  
Drive System: 80 ASA Chain

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

---

|        |  |  |          |
|--------|--|--|----------|
| 2121XF |  | AG11S Silage Defacer for Skid Steers<br><i>Unit has reduced reach to address skid steers with limited lift capacity.</i> | 7,464.00 |
|--------|--|--|----------|

---

**AG11S Silage Defacer for Skid Steers**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AG12S Silage Defacer for Skid Steers**

Equipment for Base Machine

Non-Sizing Cutting Tooth  
Bearing: Greaseable Spherical Type  
Motor Shaft: 1.5 In.  
Cutting Width: 96 In.  
Drive System: 80 ASA Chain

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |                                      |          |
|--------|--|--------------------------------------|----------|
| 2122XF |  | AG12S Silage Defacer for Skid Steers | 7,961.00 |
|--------|--|--------------------------------------|----------|

**AG12S Silage Defacer for Skid Steers**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.  
 Approximate 44 In. Usable Length  
 Stabilizing Spears:  
 One - 20 In. x 1.25 In.  
 Capacity:  
 One Large Round Bale (2000 lbs.)  
 Dimensions: 21H x 50W x 52L  
 (300, 400, and 500 Series Loaders)

Operational Weight: 125 lbs.  
 (300, 400, and 500 Series Loaders)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |  |        |
|--------|--|--|--------|
| 2002XF |  | AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 590.00 |
|--------|--|--|--------|

#### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB11E Single Tine Bale Spear for Current 300CX/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AB11D Single Tine Bale Spear for Current 600/700 Series Carrier Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.  
 Approximate 44 In. Usable Length  
 Stabilizing Spears:  
 One - 20 In. x 1.25 In.  
 Capacity:  
 One Large Round Bale (2000 lbs.)  
 Dimensions: 24H x 50W x 56L  
 (600 and 700 Series Loaders)

Operational Weight: 170 lbs.  
 (600 and 700 Series Loaders)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### **BASE MACHINE**

|        |  |   |        |
|--------|--|---|--------|
| 2001XF |  | AB11D Single Tine Bale Spear for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: DM00, DM01; 2L - JDLA; 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador, and U.S.</i> | 813.00 |
|--------|--|---|--------|

#### **OPERATOR'S MANUAL AND DECAL KIT**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

#### **ATTACHMENTS FOR FIELD CONVERSION**

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB11D Single Tine Bale Spear for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AB11G Single Tine Bale Spear for Current Loaders with Global Carrier Equipment for Base Machine

Primary Spear: One - 49 In. x 2 In.  
 Approximate 44 In. Usable Length  
 Stabilizing Spears:  
 One - 20 In. x 1.25 In.  
 Capacity:  
 One Large Round Bale (2000 lbs.)  
 Dimensions: 20H x 46W x 54L  
 (Global Series Loaders)

Operational Weight: 138 lbs.  
 (Global Series Loaders)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |        |
|--------|--|---|--------|
| 2003XF |  | AB11G Single Tine Bale Spear for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 774.00 |
|--------|--|---|--------|

#### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB11G Single Tine Bale Spear for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In.  
(Approximate 44 In. Usable Length)  
Capacity:  
One Large Round Bale (2500 lbs.)  
or One Large Square Bale (2500 lbs.)  
Dimensions: 21H x 50W x 52L  
(300CX, 400, and 500 Series Loaders)  
Operational Weight: 155 lbs.

(300CX, 400, and 500 Series Loaders)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### **BASE MACHINE**

|        |  |   |        |
|--------|--|---|--------|
| 2013XF |  | AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 788.00 |
|--------|--|---|--------|

#### **OPERATOR'S MANUAL AND DECAL KIT**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

#### **ATTACHMENTS FOR FIELD CONVERSION**

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB12E Three Tine Bale Spear for Current 300CX/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AB12D Three Tine Bale Spear for Current 600/700 Series Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (600 and 700 Series Loaders)  
 (Approximate 44 In. Usable Length)  
 Capacity:  
 One Large Round Bale (2500 lbs.)  
 or One Large Square Bale (2500 lbs.)  
 Dimensions: 24H x 50W x 56L  
 (600 and 700 Series Loaders)  
 Operational Weight: 210 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |   |        |
|--------|--|---|--------|
| 2012XF |  | AB12D Three Tine Bale Spear for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 972.00 |
|--------|--|---|--------|

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB12D Three Tine Bale Spear for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AB12G Three Tine Bale Spear for Current Loaders with Global Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (Global Series Loaders)  
 (Approximate 44 In. Usable Length)  
 Capacity:  
 One Large Round Bale (2500 lbs.)  
 or One Large Square Bale (2500 lbs.)  
 Dimensions: 20H x 46W x 54L  
 (Global Series Loaders)  
 Operational weight: 173 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |        |
|--------|--|--|--------|
| 2014XF |  | AB12G Three Tine Bale Spear for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 900.00 |
|--------|--|--|--------|

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB12G Three Tine Bale Spear for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AB12A Three Tine Bale Spear for Current 800 Series Carrier Equipment for Base Machine

Primary Spears: Three - 49 In. x 2 In. (800 Series Loaders)  
 (Approximate 44 In. Usable Length)  
 Capacity:  
 One Large Round Bale (2500 lbs.)  
 or One Large Square Bale (2500 lbs.)  
 Dimensions: 25H x 55W x 58L  
 (800 Series Loaders)  
 Operational weight: 255 lbs.

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2011XF |  | AB12A Three Tine Bale Spear for Current 800 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 1,161.00 |
|--------|--|---|----------|

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB12A Three Tine Bale Spear for Current 800 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

---

**AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier**  
Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.  
(Approximate 46 In. Usable Length)  
Stabilizing Spears:  
Two - 20 In. x 1.25 In.  
Capacity:  
One Large Round Bale (2500 lbs.)  
Dimensions: 20H x 49W x 56L  
(300, 400, and 500 Series Loaders)

Operational Weight: 165 lbs.  
(300, 400, and 500 Series Loaders)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |   |        |
|--------|--|---|--------|
| 2022XF |  | AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i><br><i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 773.00 |
|--------|--|---|--------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB13E Heavy Duty Single Tine Bale Spear for Current 300CX/400/500 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.  
(Approximate 46 In. Usable Length)  
Stabilizing Spears:  
Two - 20 In. x 1.25 In.  
Capacity:  
One Large Round Bale (2500 lbs.)  
Dimensions: 24H x 50W x 59L  
(600 and 700 Series Loaders)

Operational Weight: 215 lbs.  
(600 and 700 Series Loaders)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |        |
|--------|--|--|--------|
| 2021XF |  | AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.<br/>                     Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA,<br/>                     22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina;<br/>                     Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 917.00 |
|--------|--|--|--------|

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB13D Heavy Duty Single Tine Bale Spear for Current 600/700 Series Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.  
(Approximate 46 In. Usable Length)  
Stabilizing Spears:  
Two - 20 In. x 1.25 In.  
Capacity:  
One Large Round Bale (2500 lbs.)  
Dimensions: 23H x 46W x 56L  
(Global Series Loaders)

Operational Weight: 185 lbs.  
(Global Series Loaders)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### **BASE MACHINE**

|        |  |  |        |
|--------|--|--|--------|
| 2023XF |  | AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier<br><i>Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 921.00 |
|--------|--|--|--------|

#### **OPERATOR'S MANUAL AND DECAL KIT**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

#### **ATTACHMENTS FOR FIELD CONVERSION**

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB13G Heavy Duty Single Tine Bale Spear for Current Loaders with Global Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only)**  
Equipment for Base Machine

Primary Spear: One - 53 In. x 2.25 In.  
(Approximate 46 In. Usable Length)  
Stabilizing Spears:  
Two - 20 In. x 1.25 In.  
Capacity:  
One Large Round Bale (3000 lbs.)  
Dimensions: 29H x 59W x 63L  
(Global Category 2 Carrier, H480 Loader)

Operational Weight: 331 lbs.  
(Global Category 2 Carrier, H480 Loader)

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2164XF |  | AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2 Carrier (H480 Loader only)<br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 1,093.00 |
|--------|--|--|----------|

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB13K Heavy Duty Single Tine Bale Spear for Current Loaders with Global Category 2  
Carrier (H480 Loader only)**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

---

## AB14A - Bale Spear Equipment for Base Machine

Primary Spears:  
Two - 49 In. x 2 In.  
Stabilizing Spears:  
Two - 28 In. x 1.25 In.  
Shipping Weight: 465 lbs.  
Operational Weight: 390 lbs.  
Dimensions: 17H x 25W x 70L

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2031XF |  | <b>AB14A - Bale Spear</b><br><i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 1,799.00 |
|--------|--|--|----------|

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |       |
|----------|--|--|-------|
| 5MP43053 |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|----------|--|--|-------|

**AB14A - Bale Spear**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

---

## AB14D - Bale Spear Equipment for Base Machine

Primary Spears:  
Two - 49 In. x 2 In.  
Stabilizing Spears:  
Two - 28 In. x 1.25 In.  
Shipping Weight: 465 lbs.  
Operational Weight: 390 lbs.  
Dimensions: 17H x 25W x 70L

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2032XF |  | AB14D - Bale Spear<br><i>Handles (2) 6 Ft. or less round bales with 700 series loaders OR (1) 4 x 8 square bale with 600 and 700 series loaders.<br/>                     Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.<br/>                     Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA,<br/>                     22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina;<br/>                     Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 1,535.00 |
|--------|--|---|----------|

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB14D - Bale Spear**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AB14G - Bale Spear Equipment for Base Machine

Primary Spears:  
Two - 49 In. x 2 In.  
Stabilizing Spears:  
Two - 28 In. x 1.25 In.  
Shipping Weight: 465 lbs.  
Operational Weight: 390 lbs.  
Dimensions: 17H x 25W x 70L

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |  |  |          |
|--------|--|--|----------|
| 2033XF |  | AB14G - Bale Spear<br><i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Carrier. Option is not compatible with Global Category II Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 1,485.00 |
|--------|--|--|----------|

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |       |
|----------|--|--|-------|
| 5MP43053 |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|----------|--|--|-------|

**AB14G - Bale Spear**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Spear Options:

Two - 53 In. x 2.2 In.

Two - 41 In. x 2.2 In.

Stabilizing Spears:

Two - 20 In. x 1.25 In.

Capacity: Two Large Round Bales / One Large Square Bale

Shipping Weight: 436 lbs.

Operational Weight: 511 lbs.

Dimensions: 29H x 81W x 61L

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |   |          |
|--------|--|---|----------|
| 2291XF |  | AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier<br><i>Handles (2) 6 Ft. or less round bales or (1) 4 x 8 square bale on loaders with Global Category 2 Carrier.</i><br><i>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.</i><br><i>Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 1,921.00 |
|--------|--|---|----------|

#### BALE SPEAR LENGTH

|      |  |  |        |
|------|--|--|--------|
| 2410 |  | 41 In. Bale Spear<br><i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i> | 304.00 |
| 2411 |  | 53 In. Bale Spear<br><i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i> | 320.00 |

#### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

#### ATTACHMENTS FOR FIELD CONVERSION

|  |  |  |       |
|--|--|--|-------|
|  |  | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|--|-------|

**AB14K Heavy Duty Bale Spear for Loaders with Global Category 2 Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## AB15A - Bale Spear Equipment for Base Machine

Two Primary Bottom Spear Options:  
 Four - 53 In. x 2.2 In.  
 Four - 41 In. x 2.2 In.  
 Top Stabilizing Spears:  
 Two - 28 In. x 1.25 In.  
 Capacity: Two Large Square Bales  
 Operational Weight: 808 lbs.  
 Shipping Weight: 873 lbs.

Dimensions: 60H x 72W x 60L

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

### BASE MACHINE

|        |                    |   |          |
|--------|--------------------|---|----------|
| 2041XF | AB15A - Bale Spear | <i>Handles two large 4 x 8 square bales for use with 800 series loaders. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 4,745.00 |
|--------|--------------------|---|----------|

### BALE SPEAR LENGTH

|      |                   |   |        |
|------|-------------------|---|--------|
| 2410 | 41 In. Bale Spear | <i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i> | 632.00 |
| 2411 | 53 In. Bale Spear | <i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i> | 663.00 |

### OPERATOR'S MANUAL AND DECAL KIT

|      |  |  |               |
|------|--|--|---------------|
| 9200 | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) |  | No Added Cost |
|------|--|--|---------------|

### ATTACHMENTS FOR FIELD CONVERSION

|          |  |  |       |
|----------|--|--|-------|
| 5MP43053 | <b>Miscellaneous</b><br>French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks |  | 34.72 |
|----------|--|--|-------|

**AB15A - Bale Spear**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

FRONTIER PRODUCTS

**AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier**  
Equipment for Base Machine

Two Primary Bottom Spear Options:  
 Four - 53 In. x 2.2 In.  
 Four - 41 In. x 2.2 In.  
 Top Stabilizing Spears:  
 Two - 28 In. x 1.25 In.  
 Capacity: Two Large Square Bales  
 Operational Weight: 800 lbs.  
 Shipping Weight: 875 lbs.

Dimensions: 69H x 72W x 60L

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

**BASE MACHINE**

|        |  |  |          |
|--------|--|--|----------|
| 2301XF |  | AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global Category 2 Carrier<br><i>Handles two large 4 x 8 square bales on loaders with Global Category 2 Carrier. Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility. Available for the following countries and/or Units: U.S.; DM00, DM01, 2L - JDLA, 22-France; 27-Germany; 31-England; 32-Spain; 4P-Poland; 41-Italy; 48-JDIN; Argentina; Canada, Quebec, Chile, Mexico, Paraguay, El Salvador.</i> | 4,009.00 |
|--------|--|--|----------|

**BALE SPEAR LENGTH**

|      |  |  |        |
|------|--|--|--------|
| 2410 |  | 41 In. Bale Spear<br><i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i> | 632.00 |
| 2411 |  | 53 In. Bale Spear<br><i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i> | 663.00 |

**OPERATOR'S MANUAL AND DECAL KIT**

|      |  |  |               |
|------|--|--|---------------|
| 9200 |  | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series) | No Added Cost |
|------|--|--|---------------|

**ATTACHMENTS FOR FIELD CONVERSION**

|  |  |   |       |
|--|--|---|-------|
|  |  | <b>Miscellaneous</b><br>5MP43053 French Operator's Manual and Decal Kit for AB11, AB12, AB13, AB14, and AB15 Bale Spears and AP12 and AP13 Pallet Forks | 34.72 |
|--|--|---|-------|

**AB15K Heavy Duty Bale Spear for 2 Large Square Bales for Loaders with Global  
Category 2 Carrier**  
Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

## FRONTIER PRODUCTS

### AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier Equipment for Base Machine

Two Primary Bottom Spear Options:  
 Four - 53 In. x 2.2 In.  
 Four - 41 In. x 2.2 In.  
 Top Stabilizing Spears:  
 Two - 20 In. x 1.25 In.  
 Capacity: Three Large Square Bales  
 Operational Weight: 931 lbs.  
 Shipping Weight: 1,062 lbs.

Dimensions: 116H x 72W x 61L

| Code  | Attachment Identifier | Description  | List Price Suggested USD (\$) |
|---|-----------------------|--|-------------------------------|
| Select One Code From Each Required Category |                       |  |                               |
| <b>BASE MACHINE</b>                         |                       |  |                               |
| 2321XF                                      |                       | AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier<br><i>Handles three large 4 x 4 x 8 square bales on loaders with Global Category 2 Carrier.<br/>Reference Frontier Loader Attachment Compatibility Chart for specific loader compatibility.<br/>Available for the following countries and/or Units: U.S., Canada, QC.</i> | 5,569.00                      |
| <b>BALE SPEAR LENGTH</b>                    |                       |  |                               |
| 2410  |                       | 41 In. Bale Spear<br><i>For use with 3 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>   | 632.00                        |
| 2411  |                       | 53 In. Bale Spear<br><i>For use with 4 Ft. x 4 Ft. x 8 Ft. Square Bales.</i>   | 663.00                        |
| <b>OPERATOR'S MANUAL AND DECAL KIT</b>      |                       |  |                               |
| 9200  |                       | French Operators Manual and Decal Kit (AB11, AB12, AB13 and AB14 Series)   | No Added Cost                 |

**AB18K Bale Spear for 3 Large Square Bales for Loaders with Global Category 2 Carrier**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---

# FRONTIER PRODUCTS

## Carrier Adapters

### SA20F Skid Steer Carrier Adapter Equipment for Base Machine

Loader Compatibility:

120R, 220R, 300E

Effective Dimensions: W49.4 In. x H18.2 In. x D3.4 In.

Weight capacity: 1,500 lbs.

Operational Weight: 78 lbs.

Shipping Weight: 87 lbs.

Warranty: 1 Year

| Code | Attachment Identifier | Description | List Price Suggested USD (\$) |
|------|-----------------------|-------------|-------------------------------|
|------|-----------------------|-------------|-------------------------------|

Select One Code From Each Required Category

#### BASE MACHINE

|        |  |                                  |        |
|--------|--|----------------------------------|--------|
| 8001XF |  | SA20F Skid Steer Carrier Adapter | 725.00 |
|--------|--|----------------------------------|--------|

#### DESTINATION

|      |  |               |               |
|------|--|---------------|---------------|
| 0202 |  | UNITED STATES | No Added Cost |
| 0184 |  | CANADA        | No Added Cost |
| 0205 |  | QUEBEC CANADA | No Added Cost |

#### OPERATOR'S MANUAL AND DECALS

|      |  |                         |               |
|------|--|-------------------------|---------------|
| 0409 |  | SA20F English OM        | No Added Cost |
| 0413 |  | SA20F French OM/Decals  | No Added Cost |
| 0437 |  | SA20F Spanish OM/Decals | No Added Cost |

FRONTIER PRODUCTS

Carrier Adapters

---

**SA20F Skid Steer Carrier Adapter**

Continued

---

THIS PAGE INTENTIONALLY LEFT BLANK

---