

Vendor Name:	Trueman Welters Inc
Contact Person:	Seth Strehler
Street Address:	1600 Highway 55 east
P.O. Box:	
City, State, Zip	Buffalo,Mn<55313
Phone #:	763-682-2200
Toll Free #:	n/a
Email Address:	seth@welters.net

Spec. Number	Information Requested	Answer
3.1	MANUFACTURER	New Holland
3.2	DATE AND ID. OF PRICE LIST	Oct 9 2019 No 19-56a
3.3	CATALOG SECTION TITLE	WorkMaster 95 105 120
3.4	PERCENTAGE DISCOUNT FROM PRICE LIST	14%
3.5	DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES (See Special Terms and Conditions)	0.0%
3.6	PRICE FOR MANUALS (1 operator's manual included at no cost, per specs) SERVICE MANUAL	Digital \$ 150.00 Paper \$ 450.00
	PARTS MANUAL	Digital free online Paper n/a
	PRICE FOR <u>ADDITIONAL</u> OPERATIONS MANUAL	Digital \$ 100.00 Paper \$ 150.00
3.7	PRICE FOR SET OF FLUID AND AIR FILTERS	\$750.00
3.8	STANDARD WARRANTY:	12 month / 2000 hours
3.9	PERFORMANCE/EXTENDED WARRANTY OPTIONS Offer performance/warranty options. (Add additional lines if necessary.) (Specify years, miles or hours extended term covers.) _____	n/a \$
3.10	<u>INSTALLATION - PER HOUR</u> (Hourly Shop Rate) Installation services may be requested on an "as needed" basis. See Special Terms and Conditions	\$119.00
3.11	<u>NEW EQUIPMENT RENTAL PROGRAM</u> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.  Hourly Rental Rate: no bid Weekly Rental Rate: no bid Monthly Rental Rate: no bid Percent (%) of Rental Fee applied to purchase price: no bid  If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____	
3.12	<u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u> (See Special Terms and Conditions.) DEDUCT cost per Used Hour from the original Contract Price	No Bid
3.13	<u>DELIVERY STARTING POINT -</u> City, State, Zip See Special Terms and Conditions - No flat rate allowed	Buffalo,Mn <55313 3.50 per mile
	Minimum Delivery Charge	\$250.00



## WORKMASTER™ Series Tractor Index

<u>EQUIPMENT DESCRIPTION</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
<u>Index</u>	01/01/20	1
<u>Models</u>		
WORKMASTER 95, 105, 120 STANDARD CAB	01/01/20	2
WORKMASTER 95, 105, 120 A LA CARTE CAB	01/01/20	6
WORKMASTER 95, 105, 120 STANDARD ROPS	01/01/20	11
WORKMASTER 95, 105, 120 POULTRY NSL/NO LOADER	01/01/20	15
WORKMASTER 95, 105, 120 LOW PROFILE ALL PURPOSE	01/01/20	21
WORKMASTER 95, 105, 120 ROPS MOWING	01/01/20	26
WORKMASTER 95, 105, 120 A LA CARTE ROPS	01/01/20	31
TIRE CHART	01/01/20	36



**WORKMASTER 95-120 A LA CARTE CAB  
US PRICE LIST**

### Standard Equipment

**KEY SELLING POINTS:**

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

**Workmaster 95**

97 Gross Engine hp  
78 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 105**

112 Gross Engine hp  
92 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 120**

120 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**ALL MODELS:**

- Tier B Emissions Compliant:  
(CEGR + SCR + CUC)
- Electronic Injection Bosch  
High-pressure Common Rail System
- Electric Engine Shutoff
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Powercore Dry Air Cleaner
- Under Hood Muffler
- Vertical Exhaust
- 29 gal Fuel Tank
- 2.9 gal DEF Tank
- 2 function mid mount valve & joystick

**TRANSMISSION:**

LH side steering column mounted  
Power Shuttle  
12 Forward and 12 Reverse Speeds  
Creeper ready  
(4) Synchronized Gears  
(3) Non-synchronized Ranges  
(2) clutches, 5 wet disc plates  
FWD - 19 mph (30 KPH)  
Speed varies with tire selection  
Hand Operated Park Brake

**STEERING/BRAKES:**

Hydrostatic Power Steering  
Brakes- Hydraulically assisted wet disc

**4WD FRONT AXLE:**

Limited Slip  
Electro-Hydraulic engagement standard  
Tread Width: 63.8 in. to 72.9 in.

**REAR AXLE**

Flange Type  
Tread Width: 63.9 in. to 79.7 in.

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps  
Implement Pump: 16.9 gpm (64 L)  
Steering Pump: 9.7 gpm (37 L)  
Total Flow: 26.6 gpm (101 L)  
(2) Open Center Remote Valves with  
Detent & Kickout on #2 &  
Float on #1

**REAR DIFFERENTIAL LOCK:**

Mechanically Engaged

**PTO:**

Fully Independent  
Flip-up PTO Shaft Guard  
540 RPM hydraulic wet clutch  
Electronic engagement  
1-3/8 in. 6 splines



**WORKMASTER 95-120 A LA CARTE CAB  
US PRICE LIST**

**Standard Equipment**

**3-POINT LIFT SYSTEM:**

Right hand console mounted  
lever control  
Mechanical Draft Control  
3,200 Pounds Lift Capacity  
Category I/II Combi Ball Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 900 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
30 amp power plug  
12V power socket (cigarette lighter)

**INSTRUMENTATION:**

Digital /Analog Instrumentation with  
warning lights for turn signals, high  
beam, work lights, side lights,  
rear PTO, 4WD, differential lock,  
low fuel, alternator, oil pressure,  
brake fluid, grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,  
ground speed, battery, hours &  
DEF level percentage

**LIGHTING:**

Front: (2) Halogen Headlights  
(2) cab mounted worklights  
Rear: (2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**TIRES:**

12.4x24 R1 Front  
18.4X30 R1 Rear

**OPERATOR PROTECTIVE STRUCTURE:**

CAB MODELS  
ROPS protected, 4 post, flat deck  
platform with heat and air  
conditioning, tinted windshield,  
retractable sun screen, front wiper  
and washer, rear wiper and washer,  
two doors with locks, two external  
mirrors, hinged rear window (opens  
completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered air suspension,  
operator's presence sensor,  
retractable seat belt and arm rests  
Instructor Seat  
Suspended pedals  
Radio, speakers, and antenna

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies

**LOADER:**

632TL NON SELF-LEVELING  
Maximum Lift Height @  
pivot pin: 134.5"  
Dump Clearance @ 45 deg: 98.4"  
Digging Depth: 5.1"  
Lift Capacity @ 800mm: 2,028 LBS  
Breakout Force @ 800mm: 3,102 LBS  
Reach @ Max Lift Height @ 45  
deg: 37.8"  
Reach @ Ground Level: 87.4"  
Bucket Rollback Angle: 40 degrees  
Bucket Dump Angle: 53 degrees  
Skid Steer style bucket attach  
84" bucket



**WORKMASTER 95-120 A LA CARTE CAB  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Cab	MFD	6,768 LB	9058106P10	\$74,495.00
WORKMASTER 105 TIER4	Cab	MFD	7,936 LB	9060368P10	\$77,395.00
WORKMASTER 120 TIER4	Cab	MFD	7,253 LB	9063176P10	\$80,995.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**OPERATOR PLATFORM**

SD\_T9200 OPERATOR STRUCTURE #1

Cab				
762204	HVAC CAB 2 REMOTE PS <b>Cab with TWO rear remotes includes:</b> - Blacked out vent panel - 2 rear view mirrors - Air suspension seat - Bluetooth radio - Rear wiper/wwasher - 12x12 powershuttle transmission			No Charge
762205	HVAC CAB 3 REMOTE PS <b>Cab with THREE rear remotes includes:</b> - Blacked out vent panel - 2 rear view mirrors - Air suspension seat - Bluetooth radio - Rear wiper/wwasher - 12x12 powershuttle transmission  DELATED OPTION WILL NOT BE AVAILABLE UNTIL MID 2020 AT THE EARLIEST		9000624P00	\$800.00



**WORKMASTER 95-120 A LA CARTE CAB  
US PRICE LIST**

**TIRES**

FRONT

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag					
	8220701	11.2 - 24 <b>Requires 16.9-30 rear tires</b>		(900046P80)	(\$60.00)
	8230506	FRONT 12.4 - 24 <b>Requires 18.4-30 rear tires</b>			No Charge
	8230505	13.6 -24 <b>Requires 16.9-34 rear tires</b>		9000171P60	\$220.00
4WD Front Tires - Ind					
	8230503	FRONT 12.5 - 18 <b>Requires 19.5L-24 rear tires</b>		9000546P00	\$700.00

REAR

SD\_T4950 REAR WHEELS AND TIRES

Rear tires - Ag					
	8930602	REAR 16.9 - 30 <b>Requires 11.2-24 4WD front or 7.50-16 2WD front</b>		9000234P00	\$300.00
	8930605	REAR 18.4 - 30 <b>Requires 12.4-24 4WD front or 10.0-16 2WD front</b>			No Charge
	8930601	REAR 16.9 - 34 <b>Requires 13.6-24 4WD front or 10.0-16 2WD front</b>		(900109P20)	(\$140.00)
Rear tires - Ind					
	8930603	REAR 19.5 - 24 <b>Requires 12.5/80-18 4WD front tires</b>		9000487P50	\$625.00

**LOADER**

LOADER

SD\_T8110 LOADER BRACKETS

	345324	L/ LOADER FOR MMV <b>Mid Mount Valve and Joystick ONLY.</b>		(905070P00)	(\$6,500.00)
	343422	LOADER READY 343422 <b>Complete loader ready includes:</b> - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard		(901154P40)	(\$1,480.00)
	762057	TL632 FULL NS762057 <b>632TL Non self leveling loader with 84" SSL Bucket</b>			No Charge



**WORKMASTER 95-120 A LA CARTE CAB  
US PRICE LIST**

**PTO**

REAR PTO

SD\_T8010 PTO

	759271	540 RPM W CAP			No Charge
	759272	540-540E RPM W CAP		9000354P90	\$455.00
	759273	540-1000 RPM W CAP		9000413P40	\$530.00

**WEIGHTS**

FRONT WEIGHTS

SD\_T2151 WEIGHT PACK

	342070	110KgFCW/10X40-510kg <b>Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs</b>		9000975P00	\$1,250.00
	342069	110KgFC W/8X40-430kg <b>Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs</b>		9000780P00	\$1,000.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

	762028	2X55or32Kg EACH SIDE <b>2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires</b>		9000491P40	\$630.00
	759650	4X55or32Kg EACH SIDE <b>4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires</b>		9000982P80	\$1,260.00

**OPERATOR'S MANUALS**

SD\_T9805 OPERATOR MANUAL (SE

	342076	French (Canada)			No Charge
	342077	Spanish			No Charge



**WORKMASTER 95-120 STANDARD ROPS FASTPICK  
US PRICE LIST**

### Standard Equipment

**KEY SELLING POINTS:**

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

**Workmaster 95**

97 Gross Engine hp  
 78 PTO hp @ 2300 rpm  
 4 Cyl Turbocharged Engine  
 207cu in (3.4 L) Displacement

**Workmaster 105**

112 Gross Engine hp  
 92 PTO hp @ 2300 rpm  
 4 Cyl Turbocharged Engine  
 207cu in (3.4 L) Displacement

**Workmaster 120**

120 Gross Engine hp  
 100 PTO hp @ 2300 rpm  
 4 Cyl Turbocharged Engine  
 207cu in (3.4 L) Displacement

**ALL MODELS:**

- Tier B Emissions Compliant:  
(CEGR + SCR + CUC)
- Electronic Injection Bosch  
High-pressure Common Rail System
- Electric Engine Shutoff
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Powercore Dry Air Cleaner
- Under Hood Muffler
- Horizontal Rearward Exhaust
- 24 gal Fuel Tank
- 2.9 gal DEF Tank
- 2 function mid mount valve & joystick

**TRANSMISSION:**

LH side steering column mounted  
 Power Shuttle  
 Creeper ready  
 12 Forward and 12 Reverse Speeds  
 (4) Synchronized Gears  
 (3) Non-synchronized Ranges  
 (2) clutches, 5 wet disc plates  
 FWD - 19 mph (30 KPH) speed may vary  
 Hand Operated Park Brake

**STEERING/BRAKES:**

Hydrostatic Power Steering  
 Brakes- Hydraulically assisted wet disc

**4WD FRONT AXLE:**

Limited Slip  
 Electro-Hydraulic engagement standard  
 Tread Width: 66.5 in. to 72.9 in.

**REAR AXLE**

Flange Type  
 Tread Width: 63.8 in. to 79.5 in.

**HYDRAULIC SYSTEM:**

Open Center System  
 Dual Gear Pumps  
 Implement Pump: 16.9 gpm (64 L)  
 Steering Pump: 9.7 gpm (37 L)  
 Total Flow: 26.6 gpm (101 L)  
 (2) Open Center Remote Valves with  
 Detent & Kickout on #2  
 Float on #1

**REAR DIFFERENTIAL LOCK:**

Mechanically Engaged

**PTO:**

Fully Independent  
 Flip-up PTO Shaft Guard  
 540 RPM hydraulic wet clutch  
 Electronic engagement  
 1-3/8 in. 6 splines



**WORKMASTER 95-120 STANDARD ROPS FASTPICK  
US PRICE LIST**

### Standard Equipment

**3-POINT LIFT SYSTEM:**

Right hand console mounted  
lever control  
Mechanical Draft Control  
3,200 Pounds Lift Capacity  
Category I/II Combi Ball Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
30 amp power plug  
12V power socket (cigarette lighter)

**INSTRUMENTATION:**

Digital /Analog Instrumentation with  
warning lights for turn signals, high  
beam, work lights, side lights,  
rear PTO, 4WD, differential lock,  
low fuel, alternator, oil pressure,  
brake fluid, grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,  
ground speed, battery, hours &  
DEF level percentage

**LIGHTING:**

Front: (2) Halogen Headlights  
Rear: (1) Right hand fender  
mounted worklights  
Turn Signals/Flashers/Rear Lights

**TIRES:**

12.4x24 R1 Front  
18.4X30 R1 Rear

**OPERATOR PROTECTIVE STRUCTURE:**

**ROPS MODELS**

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Low profile air suspension seat,  
operator's presence sensor, and  
retractable seat belts  
Suspended pedals  
Locking brake pedals

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies

**LOADER:**

**632TL NON SELF-LEVELING**

Maximum Lift Height @  
pivot pin: 134.5"  
Dump Clearance @ 45 deg: 98.4"  
Digging Depth: 5.1"  
Lift Capacity @ 800mm: 2,028 LBS  
Breakout Force @ 800mm: 3,102 LBS  
Reach @ Max Lift Height @ 45  
deg: 37.8"  
Reach @ Ground Level: 87.4"  
Bucket Rollback Angle: 40 degrees  
Bucket Dump Angle: 53 degrees  
Skid Steer bucket attach  
84" bucket



**WORKMASTER 95-120 STANDARD ROPS FASTPICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB	9046694P70	\$59,865.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB	9048956P70	\$62,765.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB	9051764P70	\$66,365.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

XF9913X	Standard ROPS Fast Pick <b>ROPS Standard Fast Pick pricing includes:</b> 2 rear remotes 632LA NSL loader with SSL quick attach and 84" bucket  <b>Allows for choice of the following:</b> <b>Tires:</b> 18.4-30 R1 rear with 12.4-24 R1 front OR 16.4-34 R1 rear with 13.6-24 R1 front <b>PTO:</b> 540 OR 540/1000 RPM <b>Rear weights:</b> 4 rear wheel weights OR NO rear wheel weights		(902886P00)	(\$3,700.00)
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------	--------------

**TIRES**

FRONT

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag				
8230506	FRONT 12.4 - 24			No Charge
	<b>Requires 18.4-30 rear tires</b>			



**WORKMASTER 95-120 STANDARD ROPS FASTPICK  
US PRICE LIST**

	8230505	13.6 -24 <b>Requires 16.9-34 rear tires</b>		9000171P60	\$220.00
--	---------	------------------------------------------------	--	------------	----------

REAR

SD\_T4950 REAR WHEELS AND TIRES

Rear tires - Ag					
	8930605	REAR 18.4 - 30 <b>Requires 12.4-24 4WD front or 10.0-16 2WD front</b>			No Charge
	8930601	REAR 16.9 - 34 <b>Requires 13.6-24 4WD front or 10.0-16 2WD front</b>		(900109P20)	(\$140.00)

**PTO**

REAR PTO

SD\_T8010 PTO

	759271	540 RPM W CAP			No Charge
	759273	540-1000 RPM W CAP		9000413P40	\$530.00

**WEIGHTS**

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

	762028	2X55or32Kg EACH SIDE <b>2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires</b>		9000491P40	\$630.00
--	--------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9805 OPERATOR MANUAL (SE)

	342076	French (Canada)			No Charge
	342077	Spanish			No Charge



**WORKMASTER 95-120 AP LOW PRO FAST PICK  
US PRICE LIST**

### Standard Equipment

**KEY SELLING POINTS:**

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

**Workmaster 95**

97 Gross Engine hp  
78 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 105**

112 Gross Engine hp  
92 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 120**

120 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**ALL MODELS:**

Tier B Emissions Compliant:  
(CEGR + SCR + CUC)  
Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Powercore Dry Air Cleaner  
Under Hood Muffler  
Horizontal Rearward Exhaust  
24 gal Fuel Tank  
2.9 gal DEF Tank  
2 function mid mount valve & joystick

**TRANSMISSION:**

LH side steering column mounted  
Power Shuttle  
Creeper ready  
12 Forward and 12 Reverse Speeds  
(4) Synchronized Gears  
(3) Non-synchronized Ranges  
(2) clutches, 5 wet disc plates  
FWD - 19 mph (30 KPH) speed may vary  
Hand Operated Park Brake

**STEERING/BRAKES:**

Hydrostatic Power Steering  
Brakes- Hydraulically assisted wet disc

**4WD FRONT AXLE:**

Limited Slip  
Electro-Hydraulic engagement standard  
Tread Width: 63.8 in. to 71.6 in.

**REAR AXLE**

Flange Type  
Tread Width: 63.9 in. to 79.7 in.

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps  
Implement Pump: 16.9 gpm (64 L)  
Steering Pump: 9.7 gpm (37 L)  
Total Flow: 26.6 gpm (101 L)  
(2) Open Center Remote Valves with  
Detent & Kickout on #2  
Float on #1

**REAR DIFFERENTIAL LOCK:**

Mechanically Engaged

**PTO:**

Fully Independent  
Flip-up PTO Shaft Guard  
540 RPM hydraulic wet clutch  
Electronic engagement  
1-3/8 in. 6 splines



**WORKMASTER 95-120 AP LOW PRO FAST PICK  
US PRICE LIST**

### Standard Equipment

**3-POINT LIFT SYSTEM:**

Right hand console mounted  
lever control  
Mechanical Draft Control  
3,200 Pounds Lift Capacity  
Category I/II Combi Ball Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
30 amp power plug  
12V power socket (cigarette lighter)

**INSTRUMENTATION:**

Digital /Analog Instrumentation with  
warning lights for turn signals, high  
beam, work lights, side lights,  
rear PTO, 4WD, differential lock,  
low fuel, alternator, oil pressure,  
brake fluid, grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,  
ground speed, battery, hours &  
DEF level percentage

**LIGHTING:**

Front: (2) Halogen Headlights  
Rear: (1) Right hand fender  
mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:**

ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Low profile air suspension seat,  
operator's presence sensor, and  
retractable seat belts  
Suspended pedals  
Locking brake pedals

**TIRES:**

11.5/80-15.3 R1 Front  
500/60-22.5 R1 Rear  
OR  
12.5/80-18 R4 Front  
19.5L24 R4 Rear  
OR  
11.2-24 Front  
16.9x30 Rear

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies



**WORKMASTER 95-120 AP LOW PRO FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB	9046694P70	\$59,865.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB	9048956P70	\$62,765.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB	9051764P70	\$66,365.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

XF9917X	<p>Low Profile All Purpose Fast P <b>Low Profile All Purpose Fast Pick</b></p> <p><b>Allows for choice of the following:</b></p> <p><b>Tires:</b>            16.9-30 R1 rear with 11.2-24 R1 front OR            19.5L27 R4 rear with 12.5-80/18 R4 front OR            500/60-22.5 R1 rear with 11.5/80-15.3 R1 front</p> <p><b>Rear Remotes:</b>            2 or 3 remotes</p> <p><b>PTO:</b>            540 OR 540/1000 RPM</p> <p><b>Rear weights:</b>            4 rear wheel weights OR NO rear wheel weights</p> <p><b>Front weights:</b>            8, 10 OR NO front weights</p> <p><b>Mid mount valve / loader:</b>            NO mid mount valve or loader OR            Mid mount valve with NO brackets &amp; NO Loader OR            Complete loader ready (mid mount valve, hoses and brackets)</p>		(902886P00)	(\$3,700.00)
---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------	--------------



**WORKMASTER 95-120 AP LOW PRO FAST PICK  
US PRICE LIST**

**TIRES**

FRONT

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag					
	8220701	11.2 - 24 <b>Requires 16.9-30 rear tires</b>		(900046P80)	(\$60.00)
	8811501	11.5/80-15.3 <b>Requires 500/60-22.5 rear tires (ROPS ONLY)</b>		9000546P00	\$700.00
4WD Front Tires - Ind					
	8230503	FRONT 12.5 - 18 <b>Requires 19.5L-24 rear tires</b>		9000546P00	\$700.00

REAR

SD\_T4950 REAR WHEELS AND TIRES

Rear tires - Ag					
	8930602	REAR 16.9 - 30 <b>Requires 11.2-24 4WD front or 7.50-16 2WD front</b>		9000234P00	\$300.00
	8310501	500/60-22.5 <b>Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)</b>		9000487P50	\$625.00
Rear tires - Ind					
	8930603	REAR 19.5 - 24 <b>Requires 12.5/80-18 4WD front tires</b>		9000487P50	\$625.00

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

	762052	2 REMOTE 762052 <b>2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2</b>			No Charge
	762053	3 REMOTE 762053 <b>3 rear remotes for Open Platform with foldable ROPS Float on remote 1 &amp; 3 Extend and retract detent and kick-out on remote 2</b>		9000624P00	\$800.00



**WORKMASTER 95-120 AP LOW PRO FAST PICK  
US PRICE LIST**

**LOADER**

LOADER

SD\_T8110 LOADER BRACKETS

	343422	<b>LOADER READY 343422</b> <b>Complete loader ready includes:</b> - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard		(901154P40)	(\$1,480.00)
	762057	<b>TL632 FULL NS762057</b> <b>632TL Non self leveling loader with 84" SSL Bucket</b>			No Charge

**PTO**

REAR PTO

SD\_T8010 PTO

	759271	540 RPM W CAP			No Charge
	759273	540-1000 RPM W CAP		9000413P40	\$530.00

**WEIGHTS**

FRONT WEIGHTS

SD\_T2151 WEIGHT PACK

	342070	110KgFCW/10X40-510kg <b>Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs</b>		9000975P00	\$1,250.00
	342069	110KgFC W/8X40-430kg <b>Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs</b>		9000780P00	\$1,000.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

	762028	2X55or32Kg EACH SIDE <b>2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires</b>		9000491P40	\$630.00
--	--------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------	----------



**WORKMASTER 95-120 AP LOW PRO FAST PICK  
US PRICE LIST**

**OPERATOR'S MANUALS**

SD\_T9805 OPERATOR MANUAL (SE

	342076	French (Canada)			No Charge
	342077	Spanish			No Charge



**WORKMASTER 95-120 POULTRY FAST PICKS  
US PRICE LIST**

**Standard Equipment**

**KEY SELLING POINTS:**

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

**Workmaster 95**

97 Gross Engine hp  
 78 PTO hp @ 2300 rpm  
 4 Cyl Turbocharged Engine  
 207cu in (3.4 L) Displacement

**Workmaster 105**

112 Gross Engine hp  
 92 PTO hp @ 2300 rpm  
 4 Cyl Turbocharged Engine  
 207cu in (3.4 L) Displacement

**Workmaster 120**

120 Gross Engine hp  
 100 PTO hp @ 2300 rpm  
 4 Cyl Turbocharged Engine  
 207cu in (3.4 L) Displacement

**ALL MODELS:**

- Tier B Emissions Compliant:  
 (CEGR + SCR + CUC)  
 Engine Reversing Fan  
 Electronic Injection Bosch  
 High-pressure Common Rail System  
 Electric Engine Shutoff  
 Hand and Foot Throttle Controls  
 Grid Heater Starting Aid  
 Powercore Dry Air Cleaner  
 Under Hood Muffler  
 Horizontal Rearward Exhaust  
 24 gal Fuel Tank  
 2.9 gal DEF Tank  
 2 function mid mount valve & joystick

**TRANSMISSION:**

LH side steering column mounted  
 Power Shuttle  
 Creeper ready  
 12 Forward and 12 Reverse Speeds  
 (4) Synchronized Gears  
 (3) Non-synchronized Ranges  
 (2) clutches, 5 wet disc plates  
 FWD - 19 mph (30 KPH) speed may vary  
 Hand Operated Park Brake

**STEERING/BRAKES:**

Hydrostatic Power Steering  
 Brakes- Hydraulically assisted wet disc

**4WD FRONT AXLE:**

Limited Slip  
 Electro-Hydraulic engagement standard  
 Tread Width: 63.8 in. to 68.5 in.

**REAR AXLE**

Flange Type  
 Tread Width: 64.8 in. to 72.7 in.

**HYDRAULIC SYSTEM:**

Open Center System  
 Dual Gear Pumps  
 Implement Pump: 16.9 gpm (64 L)  
 Steering Pump: 9.7 gpm (37 L)  
 Total Flow: 26.6 gpm (101 L)  
 (2) Open Center Remote Valves with  
 Detent & Kickout on #2  
 Float on #1

**REAR DIFFERENTIAL LOCK:**

Mechanically Engaged

**PTO:**

Fully Independent  
 Flip-up PTO Shaft Guard  
 540 RPM hydraulic wet clutch  
 Electronic engagement  
 1-3/8 in. 6 splines



**WORKMASTER 95-120 POULTRY FAST PICKS  
US PRICE LIST**

**Standard Equipment**

**3-POINT LIFT SYSTEM:**

Right hand console mounted  
lever control  
Mechanical Draft Control  
3,200 Pounds Lift Capacity  
Category I/II Combi Ball Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
30 amp power plug  
12V power socket (cigarette lighter)

**INSTRUMENTATION:**

Digital /Analog Instrumentation with  
warning lights for turn signals, high  
beam, work lights, side lights,  
rear PTO, 4WD, differential lock,  
low fuel, alternator, oil pressure,  
brake fluid, grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,  
ground speed, battery, hours &  
DEF level percentage

**LIGHTING:**

Front: (2) Halogen Headlights  
Rear: (1) Right hand fender  
mounted worklights  
Turn Signals/Flashers/Rear Lights

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox

**TIRES:**

11.5/80-15.3 R1 Front  
500/60-22.5 R1 Rear  
OR  
12.5/80-18 R4 Front  
19.5L24 R4 Rear

**OPERATOR PROTECTIVE STRUCTURE:**

ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Low profile air suspension seat,  
operator's presence sensor, and  
retractable seat belts  
Suspended pedals  
Locking brake pedals

**WARRANTY:**

New Holland Standard Warranty Applies

**LOADER:**

632TL NON SELF-LEVELING  
Maximum Lift Height @  
pivot pin: 134.5"  
Dump Clearance @ 45 deg: 98.4"  
Digging Depth: 5.1"  
Lift Capacity @ 800mm: 2,028 LBS  
Breakout Force @ 800mm: 3,102 LBS  
Reach @ Max Lift Height @ 45  
deg: 37.8"  
Reach @ Ground Level: 87.4"  
Bucket Rollback Angle: 40 degrees  
Bucket Dump Angle: 53 degrees  
Skid Steer bucket attach  
84" bucket



**WORKMASTER 95-120 POULTRY FAST PICKS  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB	9046694P70	\$59,865.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB	9048956P70	\$62,765.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB	9051764P70	\$66,365.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

XF9915X	Poultry NSL Loader Fast Pick <b>Poultry NSL Loader Fast Pick pricing includes:</b> Reversing engine fan 632LA NSL loader with SSL quick attach and 84" bucket  <b>Allows for choice of the following:</b> <b>Tires:</b> 19.5L27 R4 rear with 12.5-80/18 R4 front OR 500/60-22.5 R1 rear with 11.5/80-15.3 R1 front <b>Rear Remotes:</b> 2 or 3 remotes <b>PTO:</b> 540 OR 540/1000 RPM <b>Rear weights:</b> 4 rear wheel weights OR NO rear wheel weights		(900429P00)	(\$550.00)
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------	------------



**WORKMASTER 95-120 POULTRY FAST PICKS  
US PRICE LIST**

		XF9916X	Poultry NO Loader Fast Pick <b>Poultry NSL Loader Fast Pick pricing includes:</b> <b>Reversing engine fan</b> <b>Less loader and mid mount valve</b>  <b>Allows for choice of the following:</b> <b>Tires:</b> <b>19.5L27 R4 rear with 12.5-80/18 R4 front OR</b> <b>500/60-22.5 R1 rear with 11.5/80-15.3 R1 front</b> <b>Rear Remotes:</b> <b>2 or 3 remotes</b> <b>PTO:</b> <b>540 OR 540/1000 RPM</b> <b>Rear weights:</b> <b>4 rear wheel weights OR NO rear wheel weights</b>		(906653P40)	(\$8,530.00)
--	--	---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------	--------------

**TIRES**

FRONT

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag						
		8811501	11.5/80-15.3 <b>Requires 500/60-22.5 rear tires (ROPS ONLY)</b>		9000546P00	\$700.00
4WD Front Tires - Ind						
		8230503	FRONT 12.5 - 18 <b>Requires 19.5L-24 rear tires</b>		9000546P00	\$700.00

REAR

SD\_T4950 REAR WHEELS AND TIRES

Rear tires - Ag						
		8310501	500/60-22.5 <b>Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)</b>		9000487P50	\$625.00
Rear tires - Ind						
		8930603	REAR 19.5 - 24 <b>Requires 12.5/80-18 4WD front tires</b>		9000487P50	\$625.00

**WORKMASTER 95-120 POULTRY FAST PICKS  
US PRICE LIST**

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

	762052	2 REMOTE 762052 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
	762053	3 REMOTE 762053 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2		9000624P00	\$800.00

**PTO**

REAR PTO

SD\_T8010 PTO

	759271	540 RPM W CAP			No Charge
	759273	540-1000 RPM W CAP		9000413P40	\$530.00

**WEIGHTS**

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

	762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5  2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires		9000491P40	\$630.00
--	--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9805 OPERATOR MANUAL (SE

	342076	French (Canada)			No Charge
	342077	Spanish			No Charge



**WORKMASTER 95-120 ROPS MOWING FAST PICK  
US PRICE LIST**

### Standard Equipment

**KEY SELLING POINTS:**

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

**Workmaster 95**

97 Gross Engine hp  
78 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 105**

112 Gross Engine hp  
92 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 120**

120 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**ALL MODELS:**

- Tier B Emissions Compliant:  
(CEGR + SCR + CUC)
- Electronic Injection Bosch  
High-pressure Common Rail System
- Electric Engine Shutoff
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Powercore Dry Air Cleaner
- Under Hood Muffler
- Horizontal Rearward Exhaust
- 24 gal Fuel Tank
- 2.9 gal DEF Tank
- 2 function mid mount valve & joystick

**TRANSMISSION:**

LH side steering column mounted  
Power Shuttle  
Creeper ready  
12 Forward and 12 Reverse Speeds  
(4) Synchronized Gears  
(3) Non-synchronized Ranges  
(2) clutches, 5 wet disc plates  
FWD - 19 mph (30 KPH) speed may vary  
Hand Operated Park Brake

**STEERING/BRAKES:**

Hydrostatic Power Steering  
Brakes- Hydraulically assisted wet disc

**4WD FRONT AXLE:**

Limited Slip  
Electro-Hydraulic engagement standard  
Tread Width: 66.5 in. to 72.9 in.

**REAR AXLE**

Flange Type  
Tread Width: 63.8 in. to 79.5 in.

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps  
Implement Pump: 16.9 gpm (64 L)  
Steering Pump: 9.7 gpm (37 L)  
Total Flow: 26.6 gpm (101 L)  
(3) Open Center Remote Valves with  
Detent & Kickout on #2  
Float on #1 & #3

**REAR DIFFERENTIAL LOCK:**

Mechanically Engaged

**PTO:**

Fully Independent  
Flip-up PTO Shaft Guard  
540 RPM hydraulic wet clutch  
Electronic engagement  
1-3/8 in. 6 splines



**WORKMASTER 95-120 ROPS MOWING FAST PICK  
US PRICE LIST**

**Standard Equipment**

**3-POINT LIFT SYSTEM:**

Right hand console mounted  
lever control  
Mechanical Draft Control  
3,200 Pounds Lift Capacity  
Category I/II Combi Ball Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
30 amp power plug  
12V power socket (cigarette lighter)

**INSTRUMENTATION:**

Digital /Analog Instrumentation with  
warning lights for turn signals, high  
beam, work lights, side lights,  
rear PTO, 4WD, differential lock,  
low fuel, alternator, oil pressure,  
brake fluid, grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,  
ground speed, battery, hours &  
DEF level percentage

**LIGHTING:**

Front: (2) Halogen Headlights  
Rear: (1) Right hand fender  
mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:**

**ROPS MODELS**

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Low profile air suspension seat,  
operator's presence sensor, and  
retractable seat belts  
Suspended pedals  
Locking brake pedals

**TIRES:**

12.4x24 R1 Front  
18.4X30 R1 Rear

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies



**WORKMASTER 95-120 ROPS MOWING FAST PICK  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB	9046694P70	\$59,865.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB	9048956P70	\$62,765.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB	9051764P70	\$66,365.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

XF9918X	ROPS Mowing Fast Pick <b>ROPS Mowing Fast Pick</b> 3 rear remotes NO mid mount valve or loader  Allows for choice of the following: <b>Tires:</b> 18.4-30 R1 rear with 12.4-24 R1 front OR 16.4-34 R1 rear with 13.6-24 R1 front <b>PTO:</b> 540 OR 540/1000 RPM <b>Rear weights:</b> 4, 8 OR NO rear wheel weights <b>Front weights:</b> 8, 10 OR NO front weights <b>Mid mount valve / loader:</b> NO mid mount valve or loader OR Mid mount valve with NO brackets & NO Loader OR Complete loader ready (mid mount valve, hoses and brackets)		(908486P40)	(\$10,880.00)
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	-------------	---------------



**WORKMASTER 95-120 ROPS MOWING FAST PICK  
US PRICE LIST**

**TIRES**

FRONT

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag					
	8230506	FRONT 12.4 - 24 <b>Requires 18.4-30 rear tires</b>			No Charge
	8230505	13.6 -24 <b>Requires 16.9-34 rear tires</b>		9000171P60	\$220.00

REAR

SD\_T4950 REAR WHEELS AND TIRES

Rear tires - Ag					
	8930605	REAR 18.4 - 30 <b>Requires 12.4-24 4WD front or 10.0-16 2WD front</b>			No Charge
	8930601	REAR 16.9 - 34 <b>Requires 13.6-24 4WD front or 10.0-16 2WD front</b>		(900109P20)	(\$140.00)

**LOADER**

LOADER

SD\_T8110 LOADER BRACKETS

	345324	L/ LOADER FOR MMV <b>Mid Mount Valve and Joystick ONLY.</b>		9001154P40	\$1,480.00
	343422	LOADER READY 343422 <b>Complete loader ready includes:</b> - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard		9005070P00	\$6,500.00

**PTO**

REAR PTO

SD\_T8010 PTO

	759271	540 RPM W CAP			No Charge
	759272	540-540E RPM W CAP		9000354P90	\$455.00
	759273	540-1000 RPM W CAP		9000413P40	\$530.00



**WORKMASTER 95-120 ROPS MOWING FAST PICK  
US PRICE LIST**

**WEIGHTS**

FRONT WEIGHTS

SD\_T2151 WEIGHT PACK

	342070	110KgFCW/10X40-510kg <b>Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs</b>		9000975P00	\$1,250.00
	342069	110KgFC W/8X40-430kg <b>Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs</b>		9000780P00	\$1,000.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

	762028	2X55or32Kg EACH SIDE <b>2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires</b>		9000491P40	\$630.00
	759650	4X55or32Kg EACH SIDE <b>4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires</b>		9000982P80	\$1,260.00

**OPERATOR'S MANUALS**

SD\_T9805 OPERATOR MANUAL (SE

	342076	French (Canada)			No Charge
	342077	Spanish			No Charge



**WORKMASTER 95-120 A LA CARTE ROPS  
US PRICE LIST**

**Standard Equipment**

**KEY SELLING POINTS:**

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

**Workmaster 95**

97 Gross Engine hp  
78 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 105**

112 Gross Engine hp  
92 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**Workmaster 120**

120 Gross Engine hp  
100 PTO hp @ 2300 rpm  
4 Cyl Turbocharged Engine  
207cu in (3.4 L) Displacement

**ALL MODELS:**

- Tier B Emissions Compliant:  
(CEGR + SCR + CUC)
- Electronic Injection Bosch  
High-pressure Common Rail System
- Electric Engine Shutoff
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Powercore Dry Air Cleaner
- Under Hood Muffler
- Horizontal Rearward Exhaust
- 24 gal Fuel Tank
- 2.9 gal DEF Tank
- 2 function mid mount valve & joystick

**TRANSMISSION:**

LH side steering column mounted  
Power Shuttle  
Creeper ready  
12 Forward and 12 Reverse Speeds  
(4) Synchronized Gears  
(3) Non-synchronized Ranges  
(2) clutches, 5 wet disc plates  
FWD - 19 mph (30 KPH) speed may vary  
Hand Operated Park Brake

**STEERING/BRAKES:**

Hydrostatic Power Steering  
Brakes- Hydraulically assisted wet disc

**4WD FRONT AXLE:**

Limited Slip  
Electro-Hydraulic engagement standard  
Tread Width: 63.8 in. to 72.9 in.

**REAR AXLE**

Flange Type  
Tread Width: 63.9 in. to 79.7 in.

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps  
Implement Pump: 16.9 gpm (64 L)  
Steering Pump: 9.7 gpm (37 L)  
Total Flow: 26.6 gpm (101 L)  
(2) Open Center Remote Valves with  
Detent & Kickout on #2  
Float on #1

**REAR DIFFERENTIAL LOCK:**

Mechanically Engaged

**PTO:**

Fully Independent  
Flip-up PTO Shaft Guard  
540 RPM hydraulic wet clutch  
Electronic engagement  
1-3/8 in. 6 splines



**WORKMASTER 95-120 A LA CARTE ROPS  
US PRICE LIST**

### Standard Equipment

**3-POINT LIFT SYSTEM:**

Right hand console mounted  
lever control  
Mechanical Draft Control  
3,200 Pounds Lift Capacity  
Category I/II Combi Ball Ends  
Telescopic Stabilizers  
Flexible Lower Link Ends

**ELECTRICAL:**

(1) 800 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
30 amp power plug  
12V power socket (cigarette lighter)

**INSTRUMENTATION:**

Digital /Analog Instrumentation with  
warning lights for turn signals, high  
beam, work lights, side lights,  
rear PTO, 4WD, differential lock,  
low fuel, alternator, oil pressure,  
brake fluid, grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,  
ground speed, battery, hours &  
DEF level percentage

**TIRES:**

12.4x24 R1 Front  
18.4X30 R1 Rear

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem  
Toolbox

**LIGHTING:**

Front: (2) Halogen Headlights  
Rear: (1) Right hand fender  
mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:**

**ROPS MODELS**

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Low profile air suspension seat,  
operator's presence sensor, and  
retractable seat belts  
Suspended pedals  
Locking brake pedals

**WARRANTY:**

New Holland Standard Warranty Applies

**LOADER:**

**632TL NON SELF-LEVELING**

Maximum Lift Height @  
pivot pin: 134.5"  
Dump Clearance @ 45 deg: 98.4"  
Digging Depth: 5.1"  
Lift Capacity @ 800mm: 2,028 LBS  
Breakout Force @ 800mm: 3,102 LBS  
Reach @ Max Lift Height @ 45  
deg: 37.8"  
Reach @ Ground Level: 87.4"  
Bucket Rollback Angle: 40 degrees  
Bucket Dump Angle: 53 degrees  
Skid Steer bucket attach  
84" bucket



**WORKMASTER 95-120 A LA CARTE ROPS  
US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TIER4	Rops	MFD	7,451 LB	9046694P70	\$59,865.00
WORKMASTER 105 TIER4	Rops	MFD	7,451 LB	9048956P70	\$62,765.00
WORKMASTER 120 TIER4	Rops	MFD	7,936 LB	9051764P70	\$66,365.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**TIRES**

FRONT

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag				
	8220701	11.2 - 24 <b>Requires 16.9-30 rear tires</b>		(900046P80) (\$60.00)
	8230506	FRONT 12.4 - 24 <b>Requires 18.4-30 rear tires</b>		No Charge
	8230505	13.6 -24 <b>Requires 16.9-34 rear tires</b>		9000171P60 \$220.00
	8811501	11.5/80-15.3 <b>Requires 500/60-22.5 rear tires (ROPS ONLY)</b>		9000546P00 \$700.00
4WD Front Tires - Ind				
	8230503	FRONT 12.5 - 18 <b>Requires 19.5L-24 rear tires</b>		9000546P00 \$700.00

REAR

SD\_T4950 REAR WHEELS AND TIRES

Rear tires - Ag				
	8930602	REAR 16.9 - 30 <b>Requires 11.2-24 4WD front or 7.50-16 2WD front</b>		9000234P00 \$300.00
	8930605	REAR 18.4 - 30 <b>Requires 12.4-24 4WD front or 10.0-16 2WD front</b>		No Charge



**WORKMASTER 95-120 A LA CARTE ROPS  
US PRICE LIST**

	8930601	REAR 16.9 - 34 <b>Requires 13.6-24 4WD front or 10.0-16 2WD front</b>		(900109P20)	(\$140.00)
	8310501	500/60-22.5 <b>Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)</b>		9000487P50	\$625.00
Rear tires - Ind					
	8930603	REAR 19.5 - 24 <b>Requires 12.5/80-18 4WD front tires</b>		9000487P50	\$625.00

**HYDRAULICS**

REAR REMOTES

SD\_T8270 REAR REMOTES

	762052	2 REMOTE 762052 <b>2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2</b>			No Charge
	762053	3 REMOTE 762053 <b>3 rear remotes for Open Platform with foldable ROPS Float on remote 1 &amp; 3 Extend and retract detent and kick-out on remote 2</b>		9000624P00	\$800.00

**LOADER**

LOADER

SD\_T8110 LOADER BRACKETS

	345324	L/ LOADER FOR MMV <b>Mid Mount Valve and Joystick ONLY.</b>		(905070P00)	(\$6,500.00)
	343422	LOADER READY 343422 <b>Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard</b>		(901154P40)	(\$1,480.00)
	762057	TL632 FULL NS762057 <b>632TL Non self leveling loader with 84" SSL Bucket</b>			No Charge

**PTO**

REAR PTO

SD\_T8010 PTO

	759271	540 RPM W CAP			No Charge
	759272	540-540E RPM W CAP		9000354P90	\$455.00
	759273	540-1000 RPM W CAP		9000413P40	\$530.00



**WORKMASTER 95-120 A LA CARTE ROPS  
US PRICE LIST**

**WEIGHTS**

FRONT WEIGHTS

SD\_T2151 WEIGHT PACK

	342070	110KgFCW/10X40-510kg <b>Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs</b>		9000975P00	\$1,250.00
	342069	110KgFC W/8X40-430kg <b>Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs</b>		9000780P00	\$1,000.00

REAR WHEEL WEIGHTS

SD\_T4960 WHEEL WEIGHTS

	762028	2X55or32Kg EACH SIDE <b>2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires</b>		9000491P40	\$630.00
	759650	4X55or32Kg EACH SIDE <b>4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5</b>  <b>4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires</b>		9000982P80	\$1,260.00

**OPERATOR'S MANUALS**

SD\_T9805 OPERATOR MANUAL (SE

	342076	French (Canada)			No Charge
	342077	Spanish			No Charge

**WORKMASTER 95, 105 & 120 Tire Chart**

Tire Type	Application	Rear Tires		Matching 4WD Front Tires	
		Tire	Order Code	Tire	Order Code
<b>Bias</b>	<b>Agricultural - R1</b>	16.9-30	8930602	11.2-24	8220701
		18.4-30	8930605	12.4-24	8230506
		16.9-34	8930601	13.6-24	8230505
<b>Specialty</b>	<b>Agricultural - R1</b>	500/60-22.5	8310501	11.5/80-15.3	8811501
	<b>Industrial - R4</b>	19.5L24	8930603	12.5/80-18	8290904