

Vendor Name:	Trueman Welters
Contact Person:	Seth Strehler
Street Address:	1600 Highway 55 east
P.O. Box:	
City, State, Zip	Buffalo, Mn-55313
Phone #:	763-682-2200
Toll Free #:	n/a
Email Address:	seth@welters.net

Spec. Number	Information Requested	Answer
3.1	MANUFACTURER	Case IH
3.2	DATE AND ID. OF PRICE LIST	PL-100 FA Rev 5 Jan.2,2020
3.3	CATALOG SECTION TITLE	Farmall A Series 55A,65A,75A CAB
3.4	PERCENTAGE DISCOUNT FROM PRICE LIST	14%
3.5	DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES (See Special Terms and Conditions)	NO BID
3.6	PRICE FOR MANUALS (1 operator's manual included at no cost, per specs) SERVICE MANUAL	Digital \$150.00 Paper \$750.00
	PARTS MANUAL	Digital Free on Line Paper N/A
	PRICE FOR <u>ADDITIONAL</u> OPERATIONS MANUAL	Digital \$100.00 Paper \$250.00
3.7	PRICE FOR SET OF FLUID AND AIR FILTERS	\$500.00
3.8	STANDARD WARRANTY:	24 Month/2000 Hours
3.9	<u>PERFORMANCE/EXTENDED WARRANTY OPTIONS</u> Offer performance/warranty options. (Add additional lines if necessary.) (Specify years, miles or hours extended term covers.) _____ _____	NO BID NO BID
3.10	<u>INSTALLATION - PER HOUR</u> (Hourly Shop Rate) Installation services may be requested on an "as needed" basis. See Special Terms and Conditions	\$119.00
3.11	<u>NEW EQUIPMENT RENTAL PROGRAM</u> If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions. Hourly Rental Rate: NO BID Weekly Rental Rate: NO BID Monthly Rental Rate: NO BID Percent (%) of Rental Fee applied to purchase price: NO BID If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____	
3.12	<u>VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM</u> (See Special Terms and Conditions.) DEDUCT cost per Used Hour from the original Contract Price	NO BID
3.13	<u>DELIVERY STARTING POINT -</u> City, State, Zip See Special Terms and Conditions - No flat rate allowed	Buffalo, Mn 55313 \$3.50 Per Loaded Mile \$250.00 Minimum



FARMALL® UTILITY A SERIES TRACTORS TABLE OF CONTENTS

FARMALL® UTILITY 55A, 65A, 75A SERIES TRACTORS

FARMALL 55A TRACTOR

Standard Features	1
Price List	4

FARMALL 65A TRACTOR

Standard Features	11
Price List	11

FARMALL 75A TRACTOR

Standard Features	21
Price List	21

PURCHASE PROTECTION.....	33
--------------------------	----

**FARMALL 55A
US PRICE LIST**

Standard Equipment

<p>ENGINE:</p> <p>Farmall 55A</p> <p>54 Gross Engine hp</p> <p>43 PTO hp @ 2300 rpm</p> <p>3 Cyl Turbocharged Engine</p> <p>179 cu in (2.9 L) Displacement</p> <p>Tier 4 B/Final Emissions Compliant: (CEGR + DOC)</p> <p>Electronic Injection Bosch</p> <p>High-pressure Common Rail System</p> <p>Electric Engine Shutoff</p> <p>Hand and Foot Throttle Controls</p> <p>Grid Heater Starting Aid</p> <p>Powercore Dry Air Cleaner</p> <p>Under Hood Muffler</p> <p>Vertical Exhaust</p> <p>21.6 gal Fuel Tank</p> <p>EXHAUST:</p> <p>Under Hood Muffler with Vertical Exhaust</p> <p>TRANSMISSION:</p> <p>LH side steering column mounted</p> <p>Mechanical Shuttle</p> <p>8 Forward and 8 Reverse Speeds</p> <p>(4) Synchronized Gears</p> <p>(2) Non-synchronized Ranges</p> <p>11 Inch Single Dry Disk Clutch</p> <p>19 mph (30 KPH)</p> <p>Power Shuttle (Optional)</p> <p>12 Forward and 12 Reverse Sp.</p> <p>(4) Synchronized Gears</p> <p>(3) Non-Synchronized Ranges</p> <p>(2) Clutches; (5) Wet Disk Plates</p> <p>25 MPH (40KPH)</p> <p>Speed varies with tire selection</p> <p>Hand Operated Park Brake</p> <p>FRONT AXLE:</p> <p>2WD:</p> <p>Inverted "U" axle design</p> <p>6,614 lbs. (3000 kg)</p>	<p>restricted (dynamic) axle capacity</p> <p>5,291 lbs. (2400 kg)</p> <p>unrestricted (static) axle capacity</p> <p>Turning radius of 144 in.</p> <p>(3650mm) without brakes</p> <p>FRONT AXLE: (cont.)</p> <p>Track widths from 54 in. (1362 mm)</p> <p>to 69 in. (1762 mm) with adjustable rims and axle</p> <p>MFD: (Optional)</p> <p>Limited Slip</p> <p>Electro-Hydraulic engagement standard</p> <p>Adjustable Tread Width from 51.5 in.</p> <p>to 79.4 in.</p> <p>REAR AXLE:</p> <p>Flange Type</p> <p>Adjustable Tread Width 60.1 in.</p> <p>to 76.0 in.</p> <p>TIRES:</p> <p>2WD:</p> <p>7.50-16 F-2 Front</p> <p>16.9X30 R-1 Rear</p> <p>MFD:</p> <p>11.2x24 R1 Front</p> <p>16.9X30 R1 Rear</p> <p>HYDRAULIC SYSTEM:</p> <p>Open Center System</p> <p>Dual Gear Pumps</p> <p>Implement Pump: 12.5 gpm (47.7 L)</p> <p>Steering Pump: 7.6 gpm (28.7 L)</p> <p>Total Flow: 20.1 gpm (76.4 L)</p> <p>(2) Open Center Remote Valves with Detent & Kickout on #2</p> <p>PTO:</p> <p>Fully Independent</p> <p>Flip-up PTO Shaft Guard</p> <p>4WD power shuttle:</p> <p>-540 RPM hydraulic wet clutch</p>
---	---

**FARMALL 55A
US PRICE LIST**

Standard Equipment

-Electronic engagement
-Wet clutch
1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower links
and telescoping stabilizers
4300 lbs. Lift Capacity at 24 inches
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake
Gauges for fuel level, engine temperature and tachometer
Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,
(cont.)
front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibily roof panel (openable)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt, arm rests
Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL

STANDARD FEATURES:

Quick attach design(Skid Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:

L610 NON SELF-LEVELING
Maximum Lift Height @ pivot pin: 132"

**FARMALL 55A
US PRICE LIST**

Standard Equipment

Dump Clearance @ 45 deg: 99"
Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 130"
Dump Clearance @ 45 deg: 97"
Digging Depth: 6"
Lift Capacity @ 800mm: 3,153 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 61 degrees
(Not compatible with 2WD tractors)

FARMALL 55A
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 55A TRACTOR	Cab	55 HP	2WD	6,173 LB	9024852P36	\$31,862.00
FARMALL 55A TRACTOR	Cab	55 HP	MFD	6,173 LB	9028904P46	\$37,057.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FARMALL 55A
US PRICE LIST**

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD_T8500 SEAT

		338379	FABRIC W/ MECH SUSPE Standard equipment for cab			No Charge
		342240	FABRIC W/AIR SUSPENS		9000401P70	\$515.00

SD_T9200 OPERATOR STRUCTURE #1

		333606	CAB FIX SCREEN OPEN			No Charge
--	--	--------	---------------------	--	--	-----------

RADIO

SD_T9160 RADIO READY

		330777	Radio ready - for cab CAB only			No Charge
		342174	RADIO W/BLUETOOTH CAB only		9000201P24	\$258.00

SEAT

SD_T8520 INSTRUCTIONAL SEAT

		332865	INSTRUCTIONAL SEAT		9000292P50	\$375.00
--	--	--------	--------------------	--	------------	----------

ENGINE

EXHAUST SYSTEMS

SD_T1510 ENGINE EXHAUST

		390466	EXHAUST A PILLAR GS			No Charge
		391151	Vertical Exhaust w/Guard			No Charge

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

		393280	30 KPH. 8x8 (30KPH)			No Charge
		337280	40 KPH 12x12 (40KPH)		9001558P44	\$1,998.00

SD_T2810 TRANSMISSION

		759317	MECH SHUT.W/MECH PTO			No Charge
		759318	POWER SHUT W/SERVO		9001621P62	\$2,079.00

**FARMALL 55A
US PRICE LIST**

SD_T3230 CREEPER or Interlock

	391111	L/CREEP F/MEC TRANSM			No Charge
	330112	CREEP 20+20 F/MEC TR		9000626P34	\$803.00

HITCH

SD_T8130 3 POINT HITCH CONTROL

	391035	Less 3 Pt Hitch Ground Control			No Charge
	332035	Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch		9000195P00	\$250.00

SD_T8200 HITCH

	390831	Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24"			No Charge
	332785	MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24"		9000354P90	\$455.00

SD_T8960 DRAWBAR AND 3 POINT HITCH

	390259	FIX END LOWER LINKS.			No Charge
	334316	FLEXIBLE ENDS		9000201P24	\$258.00

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

	335413	2 Rem. Valve (1 S/D)			No Charge
	335640	3 REMOTE VALVE		9000626P34	\$803.00

MID-MOUNT VALVES

SD_T8280 MID-MOUNT VALVES

	390124	Less Mid-Mount			No Charge
	336125	2Mid-Mount w/MecJoy L/CPL		9000968P76	\$1,242.00

PTO

SD_T8010 PTO

	743565	540 RPM PTO			No Charge
	743566	540/540E PTO		9000418P08	\$536.00

**FARMALL 55A
US PRICE LIST**

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8199801	Non-Return Ship Wheels - 2WD		(900210P60)	(\$270.00)
	8111301	7.50-16 6PR For 2WD			No Charge
	8290904	12.5/80-18 10PR R4 For MFD 12.5/80 X 18 (R-4) Industrial		9000290P16	\$372.00
	8299801	Non-Return Ship Wheels - 4WD Shipping Wheels MFD		(900595P14)	(\$763.00)
	8232304	11.2 x 24 6PR R1 11.2X24 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8225201	9.5L-15 9.5L-15 For 2WD		9000113P88	\$146.00
	8203401	12.4R20 A8 12.4R20 Ag Tread (R-1W) Radial For MFD		9000287P04	\$368.00

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

	8399801	Non-Returnable Shipping Wheel Shipping Wheels		(901152P06)	(\$1,477.00)
	8355304	16.9-30 6PR R1 16.9X30 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8391904	19.5L-24 10 PR R4 19.5L X 24 (R-4) Industrial		9000410P28	\$526.00
	8352401	16.9R28 A8 16.9R28 Ag Tread (R-1W) Radial		9000450P84	\$578.00

FENDERS

SD_T8740 FRONT FENDERS

	390860	Less Front Fenders			No Charge
	744674	Dynamic Fenders		9000542P88	\$696.00

**FARMALL 55A
US PRICE LIST**

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

	391489	Less Loader Bracket Does not include Loader Mounting Brackets or Loader.			No Charge
	344743	LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9005981P82	\$7,669.00
	344739	LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9005981P82	\$7,669.00
	344742	LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9006838P26	\$8,767.00
	344738	LOADER-MSL.2F.SSLWGG L610 Self Leveling Loader with Skidsteer Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9006838P26	\$8,767.00

BUCKET

SD_T8140 BUCKET

	XT8140X	Less Bucket			No Charge
	336749	72" BUCKET EU T.A.		9000418P08	\$536.00

**FARMALL 55A
US PRICE LIST**

	336748	72" Bucket		9000418P08	\$536.00
--	--------	------------	--	------------	----------

OTHER EQUIPMENT

SD_T2150 FRONT BALLAST

	390215	Less Front Carrier and Weights			No Charge
	330183	FRONT WEIGHT 8X30KG		9000819P00	\$1,050.00

SD_T4961 REAR BALLAST

	XT4961X	Standard less rear ballast			No Charge
	330470	4 x 110 lb Rear Wheel Weights		9000476P58	\$611.00

**FARMALL 65A
US PRICE LIST**

Standard Equipment

<p>ENGINE:</p> <p>Farmall 65A 64 Gross Engine hp 51 PTO hp @ 2300 rpm 3 Cyl Turbocharged Engine 179 cu in (2.9 L) Displacement</p> <p>Tier B Emissions Compliant: (CEGR + DOC)</p> <p>Electronic Injection Bosch High-pressure Common Rail System Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Powercore Dry Air Cleaner Under Hood Muffler Vertical Exhaust 21.6 gal Fuel Tank</p> <p>EXHAUST:</p> <p>Under Hood Muffler with Vertical Exhaust</p> <p>TRANSMISSION:</p> <p>LH side steering column mounted Mechanical Shuttle 8 Forward and 8 Reverse Speeds (4) Synchronized Gears (2) Non-Synchronized Ranges 11 Inch Single Dry Disk Clutch 19 mph (30 KPH) Power Shuttle (Optional) 12 Forward and 12 Revers Sp. (4) Synchronized Gears (3) Non-Synchronized Ranges (2) Clutches; (5) Wet Disk Plates 25 MPH (40KPH) Speed varies with tire selection Hand Operated Park Brake</p> <p>FRONT AXLE:</p> <p>2WD: Inverted "U" axle design 6,614 lbs. (3000 kg)</p>	<p>restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes</p> <p>2WD: (Continued) Track widths from 54 in. (1362 mm) to 69 in. (1762 mm) with adjustable rims and axle</p> <p>MFD: (Optional) Limited Slip Electro-Hydraulic engagement standard Adjustable Tread Width from 51.5 in. to 79.4 in.</p> <p>REAR AXLE: Flange Type Adjustable Tread Width 60.1 in. to 76.0 in.</p> <p>TIRES:</p> <p>2WD: 7.50-16 F-2 Front 16.9X30 R-1 Rear</p> <p>MFD: 11.2x24 R1 Front 16.9X30 R1 Rear</p> <p>HYDRAULIC SYSTEM: Open Center System Dual Gear Pumps Implement Pump: 12.5 gpm (47.7 L) Steering Pump: 7.6 gpm (28.7 L) Total Flow: 20.1 gpm (76.4 L) (2) Open Center Remote Valves with Detent & Kickout on #2</p> <p>PTO: Fully Independent Flip-up PTO Shaft Guard 4WD power shuttle: -540 RPM hydraulic wet clutch</p>
--	---

**FARMALL 65A
US PRICE LIST**

Standard Equipment

-Electronic engagement
-Wet clutch
1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower links
and telescoping stabilizers
4300 lbs. Lift Capacity at 24 inches
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake
Gauges for fuel level, engine temperature and tachometer
Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,

CAB MODELS (continued)

front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibily roof panel (openable)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt, arm rests
Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL

STANDARD FEATURES:

Quick attach design(Skid Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:

L610 NON SELF-LEVELING
Maximum Lift Height @ pivot pin: 132"
Dump Clearance @ 45 deg: 99"

**FARMALL 65A
US PRICE LIST**

Standard Equipment

Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING
Maximum Lift Height @

pivot pin: 130"
Dump Clearance @ 45 deg: 97"
Digging Depth: 6"
Lift Capacity @ 800mm: 3,153 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 61 degrees
(Not compatible with 2WD tractors)

FARMALL 65A
US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 65A TRACTOR	Cab	65 HP	2WD	6,239 LB	9026857P74	\$34,433.00
FARMALL 65A TRACTOR	Cab	65 HP	MFD	6,239 LB	9030909P84	\$39,628.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FARMALL 65A
US PRICE LIST**

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD_T8500 SEAT

		338379	FABRIC W/ MECH SUSPE Standard equipment for cab			No Charge
		342240	FABRIC W/AIR SUSPENS		9000401P70	\$515.00

SD_T9200 OPERATOR STRUCTURE #1

		333606	CAB FIX SCREEN OPEN			No Charge
--	--	--------	---------------------	--	--	-----------

RADIO

SD_T9160 RADIO READY

		330777	Radio ready - for cab CAB only			No Charge
		342174	RADIO W/BLUETOOTH CAB only		9000201P24	\$258.00

SEAT

SD_T8520 INSTRUCTIONAL SEAT

		332865	INSTRUCTIONAL SEAT		9000292P50	\$375.00
--	--	--------	--------------------	--	------------	----------

ENGINE

EXHAUST SYSTEMS

SD_T1510 ENGINE EXHAUST

		390466	EXHAUST A PILLAR GS			No Charge
		391151	Vertical Exhaust w/Guard			No Charge

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

		393280	30 KPH. 8x8 (30KPH)			No Charge
		337280	40 KPH 12x12 (40KPH)		9001558P44	\$1,998.00

SD_T2810 TRANSMISSION

		759317	MECH SHUT.W/MECH PTO			No Charge
		759318	POWER SHUT W/SERVO		9001621P62	\$2,079.00

**FARMALL 65A
US PRICE LIST**

SD_T3230 CREEPER or Interlock

		391111	L/CREEP F/MEC TRANSM			No Charge
		330112	CREEP 20+20 F/MEC TR		9000626P34	\$803.00

HITCH

SD_T8130 3 POINT HITCH CONTROL

		391035	Less 3 Pt Hitch Ground Control			No Charge
		332035	Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch		9000195P00	\$250.00

SD_T8200 HITCH

		390831	Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24"			No Charge
		332785	MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24"		9000354P90	\$455.00

SD_T8960 DRAWBAR AND 3 POINT HITCH

		390259	FIX END LOWER LINKS.			No Charge
		334316	FLEXIBLE ENDS		9000201P24	\$258.00

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

		335413	2 Rem. Valve (1 S/D)			No Charge
		335640	3 REMOTE VALVE		9000626P34	\$803.00

MID-MOUNT VALVES

SD_T8280 MID-MOUNT VALVES

		390124	Less Mid-Mount			No Charge
		336125	2Mid-Mount w/MecJoy L/CPL		9000968P76	\$1,242.00

PTO

SD_T8010 PTO

		743565	540 RPM PTO			No Charge
		743566	540/540E PTO		9000418P08	\$536.00

**FARMALL 65A
US PRICE LIST**

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8199801	Non-Return Ship Wheels - 2WD		(900210P60)	(\$270.00)
	8111301	7.50-16 6PR For 2WD			No Charge
	8290904	12.5/80-18 10PR R4 For MFD 12.5/80 X 18 (R-4) Industrial		9000290P16	\$372.00
	8299801	Non-Return Ship Wheels - 4WD Shipping Wheels MFD		(900595P14)	(\$763.00)
	8232304	11.2 x 24 6PR R1 11.2X24 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8225201	9.5L-15 9.5L-15 For 2WD		9000113P88	\$146.00
	8203401	12.4R20 A8 12.4R20 Ag Tread (R-1W) Radial For MFD		9000287P04	\$368.00

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

	8399801	Non-Returnable Shipping Wheel Shipping Wheels		(901152P06)	(\$1,477.00)
	8355304	16.9-30 6PR R1 16.9X30 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8391904	19.5L-24 10 PR R4 19.5L X 24 (R-4) Industrial		9000410P28	\$526.00
	8352401	16.9R28 A8 16.9R28 Ag Tread (R-1W) Radial		9000450P84	\$578.00

FENDERS

SD_T8740 FRONT FENDERS

	390860	Less Front Fenders			No Charge
	744674	Dynamic Fenders		9000542P88	\$696.00

FARMALL 65A
US PRICE LIST

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

	391489	Less Loader Bracket Does not include Loader Mounting Brackets or Loader.			No Charge
	344743	LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9005981P82	\$7,669.00
	344739	LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9005981P82	\$7,669.00
	344742	LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9006838P26	\$8,767.00
	344738	LOADER-MSL.2F.SSLWGG L610 Self Leveling Loader with Skidsteer Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9006838P26	\$8,767.00

BUCKET

SD_T8140 BUCKET

	XT8140X	Less Bucket			No Charge
	336749	72" BUCKET EU T.A.		9000418P08	\$536.00

**FARMALL 65A
US PRICE LIST**

	336748	72" Bucket		9000418P08	\$536.00
--	--------	------------	--	------------	----------

OTHER EQUIPMENT

SD_T2150 FRONT BALLAST

	390215	Less Front Carrier and Weights			No Charge
	330183	FRONT WEIGHT 8X30KG		9000819P00	\$1,050.00

SD_T4961 REAR BALLAST

	XT4961X	Standard less rear ballast			No Charge
	330470	4 x 110 lb Rear Wheel Weights		9000476P58	\$611.00

**FARMALL 75A
US PRICE LIST**

Standard Equipment

<p>ENGINE:</p> <p>Farmall 75A 74 Gross Engine hp 60 PTO hp @ 2300 rpm 3 Cyl Turbocharged Engine 179 cu in (2.9 L) Displacement</p> <p>Tier B Emissions Compliant: (CEGR + DOC)</p> <p>Electronic Injection Bosch High-pressure Common Rail System Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Powercore Dry Air Cleaner Under Hood Muffler Vertical Exhaust 21.6 gal Fuel Tank</p> <p>EXHAUST:</p> <p>Under Hood Muffler with Vertical Exhaust</p> <p>TRANSMISSION:</p> <p>LH side steering column mounted Mechanical Shuttle 8 Forward and 8 Reverse Speeds (4) Synchronized Gears (2) Non-synchronized Ranges 11 Inch Single Dry Disk Clutch 19 mph (30 KPH) Power Shuttle (Optional) 12 Forward and 12 Reverse Sp. (4) Synchronized Gears (3) Non- Synchronized Ranges (2) Clutches; (5) Wet Disk Plates 25 MPH (40KPH) Speed varies with tire selection Hand Operated Park Brake</p> <p>FRONT AXLE:</p> <p>2WD: Inverted "U" axle design 6,614 lbs. (3000 kg)</p>	<p>restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes</p> <p>2WD: (Continued) Track widths from 54 in. (1362 mm) to 69 in. (1762 mm) with adjustable rims and axle</p> <p>MFD: (Optional) Limited Slip Electro-Hydraulic engagement standard Adjustable Tread Width from 51.5 in. to 79.4 in.</p> <p>REAR AXLE: Flange Type Adjustable Tread Width 60.1 in. to 76.0 in.</p> <p>TIRES:</p> <p>2WD: 7.50-16 F-2 Front 16.9X30 R-1 Rear</p> <p>MFD: 11.2x24 R1 Front 16.9X30 R1 Rear</p> <p>HYDRAULIC SYSTEM: Open Center System Dual Gear Pumps Implement Pump: 12.5 gpm (47.7 L) Steering Pump: 7.6 gpm (28.7 L) Total Flow: 20.1 gpm (76.4 L) (2) Open Center Remote Valves with Detent & Kickout on #2</p> <p>PTO: Fully Independent Flip-up PTO Shaft Guard 4WD power shuttle: -540 RPM hydraulic wet clutch</p>
--	---

**FARMALL 75A
US PRICE LIST**

Standard Equipment

-Electronic engagement
-Wet clutch
1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower links
and telescoping stabilizers
4300 lbs. Lift Capacity at 24 inches
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake
Gauges for fuel level, engine temperature and tachometer
Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,

CAB MODELS (Continued)

front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibily roof panel (openable)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt, arm rests
Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

NON-CAB MODELS

2-Post Foldable ROPS with ISO and mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts, arm rests
Suspended pedals
Locking brake pedals
No Instructor seat

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL

**FARMALL 75A
US PRICE LIST**

Standard Equipment

STANDARD FEATURES:

Quick attach design(Skid

Steer or Euro style)

4-Bar bucket linkage

Bucket level indicator

Parking stands

Grill guard

(Not compatible with 2WD tractors)

SPECIFICATIONS:

L610 NON SELF-LEVELING

Maximum Lift Height @

pivot pin: 132"

Dump Clearance @ 45 deg: 99"

Digging Depth: 5"

Lift Capacity @ 800mm: 1,828 LBS

Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 58 degrees

(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING

Maximum Lift Height @

pivot pin: 130"

Dump Clearance @ 45 deg: 97"

Digging Depth: 6"

Lift Capacity @ 800mm: 3,153 LBS

Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 61 degrees

(Not compatible with 2WD tractors)

**FARMALL 75A
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 75A TRACTOR	Rops	75 HP	2WD	6,173 LB	9022987P38	\$29,471.00
FARMALL 75A TRACTOR	Rops	75 HP	MFD	6,173 LB	9027039P48	\$34,666.00
FARMALL 75A TRACTOR	Cab	75 HP	2WD	6,173 LB	9028863P12	\$37,004.00
FARMALL 75A TRACTOR	Cab	75 HP	MFD	6,173 LB	9032915P22	\$42,199.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FARMALL 75A
US PRICE LIST**

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD_T8500 SEAT

		338379	FABRIC W/ MECH SUSPE Standard equipment for cab			No Charge
		342240	FABRIC W/AIR SUSPENS		9000401P70	\$515.00

SD_T9200 OPERATOR STRUCTURE #1

		344781	2 POST FOLDABLE ROPS			No Charge
		333606	CAB FIX SCREEN OPEN			No Charge
		344764	CANOPY (FOPS) ROPS Only		9000683P28	\$876.00

RADIO

SD_T9160 RADIO READY

		XT9160X	Standard less radio ready ROPS only			No Charge
		330777	Radio ready - for cab CAB only			No Charge
		342174	RADIO W/BLUETOOTH CAB only		9000201P24	\$258.00

SEAT

SD_T8520 INSTRUCTIONAL SEAT

		390865	Less Instructional Seat			No Charge
		332865	INSTRUCTIONAL SEAT		9000292P50	\$375.00

ENGINE

EXHAUST SYSTEMS

SD_T1510 ENGINE EXHAUST

		330150	Horizontal exhaust w/ guard Non-cab only Not allowed with loaders		9000120P90	\$155.00
		390466	EXHAUST A PILLAR GS			No Charge
		391151	Vertical Exhaust w/Guard			No Charge

**FARMALL 75A
US PRICE LIST**

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

		393280	30 KPH. 8x8 (30KPH)			No Charge
		337280	40 KPH 12x12 (40KPH)		9001558P44	\$1,998.00

SD_T2810 TRANSMISSION

		759317	MECH SHUT.W/MECH PTO			No Charge
		759318	POWER SHUT W/SERVO		9001621P62	\$2,079.00

SD_T3230 CREEPER or Interlock

		391111	L/CREEP F/MEC TRANSM			No Charge
		330112	CREEP 20+20 F/MEC TR		9000626P34	\$803.00

HITCH

SD_T8130 3 POINT HITCH CONTROL

		391035	Less 3 Pt Hitch Ground Control			No Charge
		332035	Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch		9000195P00	\$250.00

SD_T8200 HITCH

		390831	Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24"			No Charge
		332785	MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24"		9000354P90	\$455.00

SD_T8960 DRAWBAR AND 3 POINT HITCH

		390259	FIX END LOWER LINKS.			No Charge
		334316	FLEXIBLE ENDS		9000201P24	\$258.00

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

		335413	2 Rem. Valve (1 S/D)			No Charge
		335640	3 REMOTE VALVE		9000626P34	\$803.00

**FARMALL 75A
US PRICE LIST**

MID-MOUNT VALVES

SD_T8280 MID-MOUNT VALVES

	390124	Less Mid-Mount			No Charge
	336125	2Mid-Mount w/MecJoy L/CPL		9000968P76	\$1,242.00

PTO

SD_T8010 PTO

	743565	540 RPM PTO			No Charge
	743566	540/540E PTO		9000418P08	\$536.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8199801	Non-Return Ship Wheels - 2WD		(900210P60)	(\$270.00)
	8111301	7.50-16 6PR For 2WD			No Charge
	8290904	12.5/80-18 10PR R4 For MFD 12.5/80 X 18 (R-4) Industrial		9000290P16	\$372.00
	8299801	Non-Return Ship Wheels - 4WD Shipping Wheels MFD		(900595P14)	(\$763.00)
	8232304	11.2 x 24 6PR R1 11.2X24 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8225201	9.5L-15 9.5L-15 For 2WD		9000113P88	\$146.00
	8203401	12.4R20 A8 12.4R20 Ag Tread (R-1W) Radial For MFD		9000287P04	\$368.00

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

	8399801	Non-Returnable Shipping Wheel Shipping Wheels		(901152P06)	(\$1,477.00)
	8355304	16.9-30 6PR R1 16.9X30 Ag Tread (R-1) Bias Ply For MFD			No Charge
	8391904	19.5L-24 10 PR R4 19.5L X 24 (R-4) Industrial		9000410P28	\$526.00

**FARMALL 75A
US PRICE LIST**

	8352401	16.9R28 A8 16.9R28 Ag Tread (R-1W) Radial		9000450P84	\$578.00
--	---------	---	--	------------	----------

FENDERS

SD_T8740 FRONT FENDERS

	390860	Less Front Fenders			No Charge
	744674	Dynamic Fenders		9000542P88	\$696.00

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

	391489	Less Loader Bracket Does not include Loader Mounting Brackets or Loader.			No Charge
	344743	LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9005981P82	\$7,669.00
	344739	LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9005981P82	\$7,669.00
	344742	LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9006838P26	\$8,767.00

**FARMALL 75A
US PRICE LIST**

	344738	LOADER-MSL.2F.SSLWGG L610 Self Leveling Loader with Skidsteer Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors)		9006838P26	\$8,767.00
--	--------	--	--	------------	------------

BUCKET

SD_T8140 BUCKET

	XT8140X	Less Bucket			No Charge
	336749	72" BUCKET EU T.A.		9000418P08	\$536.00
	336748	72" Bucket		9000418P08	\$536.00

OTHER EQUIPMENT

SD_T2150 FRONT BALLAST

	390215	Less Front Carrier and Weights			No Charge
	330183	FRONT WEIGHT 8X30KG		9000819P00	\$1,050.00

SD_T4961 REAR BALLAST

	XT4961X	Standard less rear ballast			No Charge
	330470	4 x 110 lb Rear Wheel Weights		9000476P58	\$611.00