

**INSTRUCTIONS FOR DOWNLOADING AND SUBMITTING AN EXCEL® PRICE SCHEDULE ONLY  
WHEN RESPONDING TO A SWIFT EVENT**

**STEP**

- 1 A Price Schedule in Excel® (.xls) is attached to the "Line Details" of the Event. You must "download" and save the Excel Price Schedule to your desktop before you can begin filling in your offer and complete the Price Schedule. You must "upload/attach" the completed Price Schedule where directed in the Line Details section of the Event.
- 2 Responses will only be accepted on the Price Schedule included with the Event in Microsoft Excel® 97-2003 Workbook (.xls), or Microsoft Excel®2010 Workbook (.xlsx). **The State reserves the right to reject any Price Schedule not submitted in .xls or .xlsx format.**
- 3 When you have completed your entire response, you must 'upload/attach' the completed Price Schedule and select the 'I HAVE ATTACHED MY PRICE SCHEDULE' check box where directed in the Line Details section of the Event. **DO NOT SELECT 'I DECLINE TO BID ON THIS LINE'**. Selecting this box may cause your response to be rejected.
- 4 If you're having trouble submitting or attaching your Price Schedule, call the Help Desk at 651-201-8100 - Option No.1

**SUBMIT PRICES USING THE PRICE SCHEDULE PROVIDED WITH THE EVENT**

The Price Schedule must be returned in the Excel® format.

**"DO NOT" SUBMIT EXCEL PRICE SCHEDULES AS PDF FILES.**

**The State reserves the right to reject responses if the Excel Price Sheets are submitted as PDF files or any other format not supported by SWIFT.**



**EXHIBIT D**  
**AFTERMARKET TRACTOR, COMPACT LOADER,**  
**WHEEL LOADER ATTACHMENTS**  
**Discount Off List Pricing Info**  
**Specification 3.0**

<b>Vendor Name:</b>	<b>Titan Machinery Inc</b>
<b>Contact Person:</b>	Andy Bethel
<b>Street Address:</b>	644 East Beaton Drive
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	West Fargo, ND 58078
<b>Phone #:</b>	952-445-5400
<b>Toll Free #:</b>	800-795-9274
<b>Email Address:</b>	952-445-0365

<u>SPEC NUMBER</u>	<u>INFORMATION REQUESTED</u>	<u>ANSWER</u>
8.1	<u>MANUFACTURER:</u>	MB
8.2	<u>ATTACHMENT DESCRIPTION:</u>	Attachments
8.3	<u>PERCENT DISCOUNT (%) TO BE APPLIED TO LIST:</u>	12%
8.4	<u>DATE AND/OR I.D. OF PRICE LIST:</u>	1/1/2020
8.5	<u>STANDARD WARRANTY TERM</u> (Months/Years):	1 year
8.6	<u>DELIVERY CHARGES: (NO FLAT RATE ALLOWED)</u>	
8.6.1	<u>DELIVERY STARTING POINT:</u> (City) (State, Zip Code)	New Holstein WI, 53061
8.6.2	<u>PRICE PER LOADED MILE:</u>	\$ 2.00
8.6.3	<u>MINIMUM DELIVERY CHARGE:</u>	\$ 250.00
8.7	<u>INSTALLATION SERVICES - \$ PER HOUR</u> (Shop Rate): Installation services may be requested on an "as needed" basis.	\$ 132.50





**Standard model ARMT 5' (60')**

**Base Price \$6,880**

**Available Options**

<b>Broom Width</b>	
6-foot (72") Broom	<input type="checkbox"/> \$130
7-foot (84") Broom	<input type="checkbox"/> \$250
8-foot (96") Broom	<input type="checkbox"/> \$380
9-foot (108") Broom	<input type="checkbox"/> \$500

<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0

<b>Method of Swing</b>	
Hydraulic Swing Cylinder or Mechanical Swing	<input type="checkbox"/> \$0

<b>Optional Equipment</b>	
Deflector (number of feet needed x \$35/ft) -	0 FT <input type="checkbox"/> 0
45 Gallon Sprinkler System (Customer mounting location)	<input type="checkbox"/> \$1,290



## Standard model HC-SNB 6' (72")

Available Options	Base Price	\$12,250
<b>Blower Width</b>		
7-foot (84") Blower	<input type="checkbox"/>	\$250
8-foot (96") Blower	<input type="checkbox"/>	\$450
<b>Hydraulic Hose Kit</b>		
Hose Kit with Flat Face Coupler (customer must specify coupler size needed)	<input type="checkbox"/>	\$350
<b>Mounting Kit</b>		
Custom Mount Design Fee	<input type="checkbox"/>	\$2,500
<b>Optional Equipment</b>		
Truck loading chute	<input type="checkbox"/>	\$3,500



## Standard model HD-SNB

### Available Options

Base price \$8,850

Blower Width		
72" Blower	<input type="checkbox"/>	\$100
78" Blower	<input type="checkbox"/>	\$150
84" Blower	<input type="checkbox"/>	\$200

Hydraulic Hose Kit		
Hose Kit with Flat Face Disconnects (skid steer application)	<input type="checkbox"/>	\$245

Mounting Kit		
Custom Mount Design Fee	<input type="checkbox"/>	\$2,500

Optional Equipment		
Truck loading chute (overall height of chute and blower is 135")	<input type="checkbox"/>	\$3,500
Hydraulic chute deflector	<input type="checkbox"/>	\$300
Independent Hydraulic system (IHS)	<input type="checkbox"/>	\$2,520
(Includes rear 540 PTO, hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to blower)		
Required if tractor/loader auxiliary hydraulic system cannot supply 21 GPM @ 2,000 psi		
Sight Indicators	<input type="checkbox"/>	\$80
Pin On Mount (Only applies if previously designed by M-B)	<input type="checkbox"/>	\$360

---



**Standard model FLB 5'(60")**

**Base Price \$4,480**

**Available Options**

<b>Broom Width</b>	
6-foot (72") Broom with 15.8 cu. ft. Hopper	<input type="checkbox"/> \$210
7-foot (84") Broom with 18.2 cu. ft. Hopper	<input type="checkbox"/> \$420

<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0

<b>Dual Motor Size</b>	
Low Flow (8 - 11 GPM)	<input type="checkbox"/> \$105

<b>Optional Equipment</b>	
45 Gallon Sprinkler System (Customer provides tank mounting location) <i>12 Volt    24 Volt</i>	<input type="checkbox"/> \$1,355
Gutter broom, single	<input type="checkbox"/> \$1,760
Second Gutter Broom	<input type="checkbox"/> \$1,350
Sight Indicators	<input type="checkbox"/> \$85

--	--



# mb

**\*Standard model HL 5' (60")**

Base price \$5,840

**Available Options**

<b>Broom Width</b>	
6-foot (72") Broom	<input type="checkbox"/> \$105
7-foot (84") Broom	<input type="checkbox"/> \$210
8-foot (96" <i>dual motors, 25-45 GPM</i> ) Broom	<input type="checkbox"/> \$870

<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0

<b>Motor Size</b>	
<b>5-7 foot HL</b>	
Optional Dual Motor (20 - 44 GPM)	<input type="checkbox"/> \$555
Low Flow (8 - 11 GPM)	<input type="checkbox"/> \$105
Dual Low Flow (15 - 24 GPM; 6400 in.lbs torque)	<input checked="" type="checkbox"/> \$710
<b>8 foot HL</b>	
Low Flow (10 - 22 GPM)	<input type="checkbox"/> \$210

<b>Method of Swing</b>	
Electric/Hydraulic Swing (non-reversible) (Valve, swing cylinder, 14 pin harness, and swing cylinder hoses, MAX 40GPM)	<input checked="" type="checkbox"/> \$1,355
<u>Universal Control Box</u>	<input type="checkbox"/> \$325
7 pin adapter	<input type="checkbox"/> \$775

<b>Loader Mounting Kit</b>	
No Mounting (Mounting provided by customer)	<input type="checkbox"/> <del>(\$105)</del>
Pin On Mount (Only applies if previously designed by MB)	<input type="checkbox"/> \$1,050
Custom Mount Design Fee	<input type="checkbox"/> \$2,625

<b>Independent Hydraulic system (IHS)</b>	
Independent Hydraulic system (IHS) (Includes rear 540 PTO hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom, oil cooler) Required if tractor/loader auxiliary hydraulic system cannot supply 8 GPM @ 2,000 psi	<input type="checkbox"/> \$2,520
<b>IHS Options:</b>	
Tank Location	
Front (Tank mounts on broom mounting frame)	<input type="checkbox"/> \$160

<b>Optional Equipment</b>	
Deflector (number of feet needed x \$35/ft)	0 FT <input checked="" type="checkbox"/> 0
45 Gallon Sprinkler System (mounted on the brush hood) 12 Volt	<input type="checkbox"/> \$1,355
150 Gallon Three-Point Mount Sprinkler System 12 Volt	<input type="checkbox"/> \$2,290
Hose Kit (skid steer application)	<input checked="" type="checkbox"/> \$250
Sight Indicators	<input type="checkbox"/> \$85
Oil Cooler with Fan	<input type="checkbox"/> \$1,000





# mb

## Standard model HL-SB 5' (60")

Base price \$7,350

### Available Options

Broom Width	
6-foot (72" dual motors, 20-44 GPM) Broom	<input type="checkbox"/> \$105
7-foot (84" dual motors, 20-44 GPM) Broom	<input type="checkbox"/> \$210
8-foot (96" dual motors, 20-44 GPM) Broom	<input type="checkbox"/> \$315

Brush Filament	
Poly (Polypropylene)	<input type="checkbox"/> \$0

Motor Size	
Dual Low Flow (16-28 GPM; 6400 in.lbs torque)	<input type="checkbox"/> \$710

Method of Swing	
Electric/Hydraulic Swing (Standard) (Valve, swing cylinder, 14 pin harness, and swing cylinder hoses, MAX 40GPM)	<input type="checkbox"/> \$0
Universal Control Box	<input type="checkbox"/> \$325
7 pin adapter	<input type="checkbox"/> \$775

Loader Mounting Kit	
Skid Steer	<input type="checkbox"/> \$0

Optional Equipment	
Deflector (number of feet needed x \$35/ft)	0 FT <input type="checkbox"/> 0
tbd Gallon Sprinkler System (mounted on the brush hood) 12 Volt	<input type="checkbox"/> \$1,355



## Standard model HLP 6'(72")

Base Price \$7,550

### Available Options

Broom Width	
7-foot (84") Broom	<input type="checkbox"/> \$390
8-foot (96" dual motors) Broom	<input type="checkbox"/> \$1,375

Brush Filament	
Poly (Polypropylene)	<input type="checkbox"/> \$0

Motor Size	
<b>6-7 foot</b>	
Standard Single Motor (for prime mover with 12 to 20 GPM)	<input checked="" type="checkbox"/> \$0
Optional Dual Motor (25 - 45 GPM)	<input type="checkbox"/> \$555
Low Flow (8 - 11 GPM)	<input type="checkbox"/> \$105
Dual Low Flow (15 - 24 GPM)	<input type="checkbox"/> \$710
<b>8 foot</b>	
Standard Dual Motor (for prime mover with 25 to 45 GPM) - add \$0	<input type="checkbox"/> \$0
Low Flow (15 - 24 GPM)	<input type="checkbox"/> \$210

Method of Swing	
Electric/Hydraulic Swing	<input type="checkbox"/> \$1,355
Manual Swing - add \$0	<input type="checkbox"/> \$0
Pin On Mount (Only applies if previously designed by M-B)	<input type="checkbox"/> \$1,290

Loader Mounting Kit	
No Mounting (Mounting provided by customer)	<input type="checkbox"/> -\$105
Quick Coupler Mounting for loaders (Does not include cost of coupler) (Hook and Pin) -	<input type="checkbox"/> \$1,050
Mounting Frame with Pin-on ears (Customer may be required to provide dimensions) (Pin only) -	<input type="checkbox"/> \$1,050
Custom Mount Design Fee -	<input type="checkbox"/> \$2,625

Independent Hydraulic system (IHS)	
Independent Hydraulic system (IHS)	<input type="checkbox"/> \$2,520
(Includes rear 540 PTO, hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom)	
Required if tractor/loader auxiliary hydraulic system cannot supply 8 GPM @ 2,000 psi	
<b>IHS Options:</b>	
Tank Location	
Front (Tank mounts on broom mounting frame)	<input type="checkbox"/> \$160

Optional Equipment	
Deflector (number of feet needed x \$35/ft)	0 FT <input checked="" type="checkbox"/> \$0
45 Gallon Sprinkler System (Customer provides tank mounting location)	<input type="checkbox"/> \$1,355
12 Volt 24 Volt	
150 Gallon Three-point Mount Sprinkler System	<input type="checkbox"/> \$2,290
<i>(cannot be used with three-point hydraulic tank)</i>	
Sight Indicators	<input type="checkbox"/> \$85



**Standard model LB 5'(60")**

**Base Price \$5,995**

**Available Options**

<b>Broom Width</b>	
6-foot (72") Broom with 14.3 cu. ft. Hopper	<input type="checkbox"/> \$200
7-foot (84") Broom with 16.1 cu. ft. Hopper	<input type="checkbox"/> \$400
8-foot (96" dual motor) Broom with 18.3 cu. ft. Hopper	<input type="checkbox"/> \$900

<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0

<b>Motor Size</b>	
Low Flow (8 - 11 GPM)	<input type="checkbox"/> \$105

<b>Optional Dual Motor Size</b>	
Standard (for prime mover with 20-44 GPM)	<input type="checkbox"/> \$525
Low Flow (for prime mover with 10-22 GPM)	<input type="checkbox"/> \$685

<b>Loader Mounting Kit (please inquire if your coupler style is not shown)</b>	
Mounting Frame with Pin-on Ears	<input type="checkbox"/> \$2,835
Euro Coupler or Skid Steer Quick Coupler	<input type="checkbox"/> \$0
Quick Attach Frame with ACS Pro or Caterpillar Coupler	<input type="checkbox"/> \$2,310
Pin On Mount (Only applies if previously designed by M-B)	<input type="checkbox"/> \$1,575
Quick Attach Frame with FFC Coupler (Customer may be required to provide dimensions)	<input type="checkbox"/> \$1,575
Quick Attach Frame with Volvo Coupler	<input type="checkbox"/> \$2,100
None (blank bucket)	<input type="checkbox"/> \$0
Custom Mount Design Fee	<input type="checkbox"/> \$2,625

<b>Independent Hydraulic system (IHS)</b>	
Independent Hydraulic system (IHS) (Includes rear 540 PTO, hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom) Required if tractor/loader auxiliary hydraulic system cannot supply 8 GPM @ 2,000 psi	<input type="checkbox"/> \$2,520

<b>Optional Equipment</b>	
45 Gallon Sprinkler System (mounted on the brush hood)	<input type="checkbox"/> \$1,355
150 Gallon Sprinkler System (Customer provides tank mounting location)	<input type="checkbox"/> \$2,290
12 Volt    24 Volt    Cannot be mounted on hood	
Gutter broom, single	<input type="checkbox"/> \$1,760
Right Side Second Gutter Broom	<input type="checkbox"/> \$1,350
Hydraulic Dump (Dumps by reversing hydraulic flow)	<input type="checkbox"/> \$370
Sight Indicators	<input type="checkbox"/> \$85





**Standard model LLB 7'(84")**

**Base Price \$20,680**

**Available Options**

<b>Broom Width</b>	
8-foot (96") Broom with 37.5 cu. ft. Hopper	<input type="checkbox"/> \$1,425
9-foot (108") Broom with 42 cu. ft. Hopper	<input type="checkbox"/> \$2,570
<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0
<b>Dual Motor Size</b>	
Low Flow (16 - 28 GPM)	<input type="checkbox"/> \$210
<b>Loader Mounting Kit (please inquire if your coupler style is not shown)</b>	
Quick Attach From with ACS Pro 2000 or CAT Fusion	<input type="checkbox"/> \$3,570
Quick Attach Frame with JRB Coupler	<input type="checkbox"/> \$3,045
Quick Attach Frame with Volvo Coupler or Cat IT	<input type="checkbox"/> \$2,310
Mounting Frame with Pin-on Ears (Customer may be required to provide dimensions)	<input type="checkbox"/> \$1,575
Custom Mount Design Fee	<input type="checkbox"/> \$2,625
<b>Optional Equipment</b>	
45 Gallon Sprinkler System (Customer provides tank mounting location)	<input type="checkbox"/> \$1,355
Pin On Mount (Only applies if previously designed by M-B)	
150 Gallon Sprinkler System (Customer provides tank mounting location)	<input type="checkbox"/> \$2,290
12 Volt    24 Volt <i>Cannot be mounted on hood</i>	
Gutter broom, single	<input type="checkbox"/> \$2,510
Second Gutter Broom	<input type="checkbox"/> \$2,300

--



# mb

**\*Standard model SHL 4'(48")**

**Base Price \$4,690**

**Available Options**

<b>Broom Width</b>	
5-foot (60") Broom	<input type="checkbox"/> \$160
6-foot (72") Broom	<input type="checkbox"/> \$265
7-foot (84") Broom	<input type="checkbox"/> \$475

<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0

<b>Motor Size</b>	
Low Flow (8 - 11 GPM)	<input type="checkbox"/> \$105

<b>Method of Swing</b>	
Electric/Hydraulic Swing (non-reversible) (Valve, swing cylinder, 14 pin harness ,and swing cylinder hoses, MAX 40GPM)	<input type="checkbox"/> \$1,290
Universal Control Box (Adapts to 14 pin harness)	<input type="checkbox"/> \$325
7 Pin Adapter	<input type="checkbox"/> \$775

<b>Loader Mounting Kit</b>	
No Mounting (Mounting provided by customer)	<input type="checkbox"/> <del>(\$105)</del>
Pin On Mount (Only applies if previously designed by M-B)	<input type="checkbox"/> \$1,050
Mini Skid Steer (Toro Dingo)	<input type="checkbox"/> \$0
Custom Mount Design Fee	<input type="checkbox"/> \$2,625

<b>Independent Hydraulic system (IHS)</b>	
Independent Hydraulic system (IHS) (Includes rear 540 PTO, hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom) Required if tractor/loader auxiliary hydraulic system cannot supply 8 GPM @ 2,000 psi	<input type="checkbox"/> \$2,520
<b>IHS Options:</b>	
Tank Location	
Front (Tank mounts on broom mounting frame)	<input type="checkbox"/> \$160

<b>Optional Equipment</b>	
Deflector (number of feet needed x \$35/ft)	0 FT <input type="checkbox"/> 0
45 Gallon Sprinkler System (can not be mounted on the brush hood) 12 Volt 24 Volt	<input type="checkbox"/> \$1,355
Hose Kit (skid steer application)	<input type="checkbox"/> \$250
Sight Indicators	<input type="checkbox"/> \$85



**Standard model TKH-L 7'(84")**

**Base Price \$11,660**

**Available Options**

<b>Broom Width</b>	
8-foot (96") Broom -	<input type="checkbox"/> \$135
9-foot (108") Broom -	<input type="checkbox"/> \$265
11-foot (132") Broom -	<input type="checkbox"/> \$395
12-foot (144") Broom -	<input type="checkbox"/> \$880
	<input type="checkbox"/> \$1,015

<b>Brush Filament</b>	
Poly (Polypropylene) - add \$0	<input type="checkbox"/> \$0

<b>Dual Motor Size</b>	
Low Flow (16 - 24 GPM) -	<input type="checkbox"/> \$210

<b>Method of Swing</b>	
Electric/Hydraulic Swing with reverse rotation capabilities from loader- (Valve, swing cylinder, control box with harness, and swing cylinder hoses, MAX 40GPM)	<input type="checkbox"/> \$1,290

<b>Loader Mounting Kit (please inquire if your coupler style is not shown)</b>	
Quick Attach Frame with ACS Pro 2000 or CAT Fusion -	<input type="checkbox"/> \$3,730
Quick Attach Frame with JRB 416	<input type="checkbox"/> \$3,150
Quick Attach Frame with Volvo Coupler	<input type="checkbox"/> \$2,100
Quick Attach Frame with CAT IT	<input type="checkbox"/> \$2,575
Quick Attach Frame with Euro Style Coupler	<input type="checkbox"/> \$1,575
Mounting Frame with Pin-on Ears	<input type="checkbox"/> \$1,575
Custom Mount Design Fee	<input type="checkbox"/> \$2,625

<b>Optional Equipment</b>	
Deflector (number of feet needed x \$35/ft) -	0 FT <input type="checkbox"/> 0
Spary Bar Only with Nozzles (number of feet needed x \$50/ft) -	0 FT <input type="checkbox"/> 0
150 Gallon Three-Point Mount Sprinkler System (12 or 24 Volt)	<input type="checkbox"/> \$2,290
45 Gallon Sprinkler System (mounted on the brush hood)	<input type="checkbox"/> \$1,355
Parallel Arm Flotation System	<input type="checkbox"/> \$2,100
Oil Cooler with Fan	<input type="checkbox"/> \$2,100

--

--



## Standard model HT 5'(60")

Base Price \$5,980

### Available Options

Broom Width	
6-foot (72") Broom	<input type="checkbox"/> \$165
7-foot (84") Broom	<input type="checkbox"/> \$335
8-foot (96" dual motors; 25 to 40 GPM) Broom	<input type="checkbox"/> \$910

Brush Filament	
Poly (Polypropylene)	<input type="checkbox"/> \$0

Motor Size	
<b>5-7 Foot</b>	
Optional Dual Motor (for prime mover with 25 to 40 GPM)	<input type="checkbox"/> \$555
Low Flow (for prime mover with 8 to 11 GPM)	<input type="checkbox"/> \$105
Dual Low Flow (for prime mover with 15 to 24 GPM)	<input type="checkbox"/> \$765
<b>8 Foot</b>	
Low Flow (for prime mover with 15 to 24 GPM)	<input type="checkbox"/> \$210

Method of Swing	
Manual Swing	<input type="checkbox"/> \$0
Electric/Hydraulic Swing and Lift (Valve and control box actuate the swing and lift cylinder)	<input type="checkbox"/> \$1,260
Pin On Mount (Only applies if previously designed by M-B)	

Mounting Kit	
Custom Mount Design (This applies to mounts not previously designed by M-B)	<input type="checkbox"/> \$2,625
No Mount	<input type="checkbox"/> (\$105)

Independent Hydraulic system (IHS)	
Independent Hydraulic system (IHS) <i>(Includes Rear 540 PTO hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom, oil cooler)</i>	<input type="checkbox"/> \$2,520
<b>IHS Options:</b>	
Tank Location	
Front Tank (mounts on broom mounting frame)	<input type="checkbox"/> \$160

Optional Equipment	
Deflector (number of feet needed x \$35/ft) -	0 FT <input type="checkbox"/> 0
45 Gallon Sprinkler System (Customer provides tank mounting location)	<input type="checkbox"/> \$1,355
12 Volt 24 Volt	
150 Gallon Three-point Mount Sprinkler System <i>(cannot be used with three-point hydraulic tank)</i>	<input type="checkbox"/> \$2,290
Sight Indicators	<input type="checkbox"/> \$85
Oil Cooler with Fan	<input type="checkbox"/> \$1,000



**Standard model HTP - 6'(72")**

**Base Price \$7,395**

**Available Options**

<b>Broom Width</b>	
7-foot (84") Broom	<input type="checkbox"/> \$390
8-foot (96" Dual Motors) Broom	<input type="checkbox"/> \$1,375

<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0

<b>Motor Size</b>	
<b>6-7 Foot</b>	
Optional Dual Motor (for prime mover with 20 to 44 GPM)	<input type="checkbox"/> \$555
Low Flow (for prime mover with 8 to 16 GPM)	<input type="checkbox"/> \$105
Dual Low Flow (for prime mover with 16 to 28 GPM)	<input type="checkbox"/> \$710
<b>8 Foot</b>	
Low Flow (for prime mover with 16 to 28 GPM)	<input type="checkbox"/> \$210

<b>Method of Swing</b>	
Manual Swing	<input type="checkbox"/> \$0
Electric/Hydraulic Swing and Lift (Valve and control box actuate the swing cylinder)	<input type="checkbox"/> \$1,260
Pin On Mount (Only applies if previously designed by M-B)	<input type="checkbox"/> \$1,605

<b>Mounting Kit</b>	
Custom Mount Design (This applies to mounts not previously designed by MB)	<input type="checkbox"/> \$2,625
No Mount	<input type="checkbox"/> (\$105)

<b>Independent Hydraulic system (IHS)</b>	
Independent Hydraulic system (IHS)	<input type="checkbox"/> \$2,520
(Includes Rear 540 PTO hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom)	
<i>Required if tractor/loader auxiliary hydraulic system cannot supply 8 GPM @ 2,000 psi</i>	
<b>IHS Options:</b>	
Tank Location	
Front Tank (mounts on broom mounting frame)	<input type="checkbox"/> \$160

<b>Optional Equipment</b>	
Deflector (number of feet needed x \$35/ft) -	0 FT <input type="checkbox"/> 0
45 Gallon Sprinkler System (Customer provides tank mounting location)	<input type="checkbox"/> \$1,355
12 Volt 24 Volt	
150 Gallon Three-point Mount Sprinkler System	<input type="checkbox"/> \$2,290
<i>(cannot be used with three-point hydraulic tank)</i>	
Sight Indicators	<input type="checkbox"/> \$85



# mb

## Standard model RHT 6'(72")

Base Price \$6,145

### Available Options

<b>Broom Width</b>	
7-foot (84") Broom -	<input type="checkbox"/> \$175
8-foot (96" dual motors; 20 - 44 GPM) Broom	<input type="checkbox"/> \$910

<b>Brush Filament</b>	
Poly (Polypropylene) - add \$0	<input type="checkbox"/> \$0

<b>Motor Size</b>	
<b>6-7 Foot</b>	
Optional Dual Motor (for prime mover with 20 - 44 GPM)	<input type="checkbox"/> \$555
Low Flow (for prime mover with 8 to 11 GPM)	<input type="checkbox"/> \$105
Dual Low Flow (for prime mover with 16 - 28 GPM)	<input type="checkbox"/> \$765
<b>8 Foot</b>	
Low Flow (for prime mover with 16 - 28 GPM)	<input type="checkbox"/> \$210

<b>Method of Swing</b>	
Manual Swing - add \$0	<input type="checkbox"/> \$0
Electric/Hydraulic Swing (Valve and control box actuate the swing cylinder) Max 30 GPM	<input type="checkbox"/> \$1,080

<b>Independent Hydraulic system (IHS)</b>	<input type="checkbox"/> \$2,520
<i>(Includes Rear 540 PTO hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom)</i>	

<b>Optional Equipment</b>	
Deflector (number of feet needed x \$35/ft) -	0 FT <input type="checkbox"/> 0
45 Gallon Sprinkler System (Customer provides tank mounting location)	<input type="checkbox"/> \$1,355
12 Volt 24 Volt	
Sight Indicators	<input type="checkbox"/> \$85



**Standard model SHT 5'(60")**

**Base price \$4,790**

**Available Options**

<b>Broom Width</b>	
6-foot (72") Broom	<input type="checkbox"/> \$160
7-foot (84") Broom	<input type="checkbox"/> \$370

<b>Brush Filament</b>	
Poly (Polypropylene)	<input type="checkbox"/> \$0

<b>Motor Size</b>	
Low Flow (8 - 11 GPM)	<input type="checkbox"/> \$105

<b>Method of Swing</b>	
Manual Swing	<input type="checkbox"/> \$0
Electric/Hydraulic Swing and Lift (Valve and control box actuate the swing and lift cylinders) <i>Max 30GPM. Required if tractor does not have remote available for lift and swing functions.</i>	<input type="checkbox"/> \$1,260

<b>Mounting Kit</b>	
No Mounting (Mounting provided by customer)	<input type="checkbox"/> \$105
Custom Mount Design Fee (This applies to mounts not previously designed by MB)	<input type="checkbox"/> \$2,625

Pin On Mount (Only applies if previously designed by M-B)	
Independent Hydraulic system (IHS) <i>(Includes Rear 540 PTO hydraulic pump, relief valve, 3-point hydraulic reservoir and hoses to broom)</i>	<input type="checkbox"/> \$2,520
<b>IHS Options:</b>	
Tank Location	
Front Tank (mounts on broom mounting frame)	<input type="checkbox"/> \$160

<b>Optional Equipment</b>	
Deflector (number of feet needed x \$35/ft) -	0 FT <input type="checkbox"/> 0
45 Gallon Sprinkler System (can not be hood mounted) 12 Volt 24 Volt	<input type="checkbox"/> \$1,355
Sight Indicators	<input type="checkbox"/> \$85



# mb

## Standard model TKH-T 7'(84")

Base Price \$11,660

### Available Options

Broom Width	
8-foot (96") Broom	<input type="checkbox"/> \$135
9-foot (108") Broom	<input type="checkbox"/> \$265
10-foot (120") Broom	<input type="checkbox"/> \$395
11-foot (132") Broom	<input type="checkbox"/> \$880
12-foot (144") Broom	<input type="checkbox"/> \$1,015

Brush Filament	
Poly (Polypropylene)	<input type="checkbox"/> \$0

Dual Motor Size	
Low Flow (16 - 24 GPM)	<input type="checkbox"/> \$210

Method of Swing (Typically operated by tractor controls)	
Electric/Hydraulic Swing (Valve and control box with harness; MAX 40GPM)	<input type="checkbox"/> \$1,290

Mounting Kit	
Custom Mount Design Fee	<input type="checkbox"/> \$2,625

Optional Equipment	
Deflector (number of feet needed x \$35/ft) -	0 FT <input type="checkbox"/> 0
Spray Bary Only with Nozzles (number of feet needed x \$50/ft)	0 FT <input type="checkbox"/> 0
150 Gallon Three-Point Mount Sprinkler System (Cannot be mounted to brush hood or used with rear 3 Point mounted TKH)	<input type="checkbox"/> \$2,290
45 Gallon Sprinkler System (mounted on the brush hood)	<input type="checkbox"/> \$1,355
Parallel Arm Flootation System	<input type="checkbox"/> \$2,100
Oil Cooler with Fan	<input type="checkbox"/> \$1,000

--

--