

**INSTRUCTIONS FOR DOWNLOADING AND SUBMITTING AN EXCEL® PRICE SCHEDULE ONLY  
WHEN RESPONDING TO A SWIFT EVENT**

**STEP**

- 1 A Price Schedule in Excel® (.xls) is attached to the "Line Details" of the Event. You must "download" and save the Excel Price Schedule to your desktop before you can begin filling in your offer and complete the Price Schedule. You must "upload/attach" the completed Price Schedule where directed in the Line Details section of the Event.
- 2 Responses will only be accepted on the Price Schedule included with the Event in Microsoft Excel® 97-2003 Workbook (.xls), or Microsoft Excel®2010 Workbook (.xlsx). **The State reserves the right to reject any Price Schedule not submitted in .xls or .xlsx format.**
- 3 When you have completed your entire response, you must 'upload/attach' the completed Price Schedule and select the 'I HAVE ATTACHED MY PRICE SCHEDULE' check box where directed in the Line Details section of the Event. **DO NOT SELECT 'I DECLINE TO BID ON THIS LINE'**. Selecting this box may cause your response to be rejected.
- 4 If you're having trouble submitting or attaching your Price Schedule, call the Help Desk at 651-201-8100 - Option No.1

**SUBMIT PRICES USING THE PRICE SCHEDULE PROVIDED WITH THE EVENT**

The Price Schedule must be returned in the Excel® format.

**"DO NOT" SUBMIT EXCEL PRICE SCHEDULES AS PDF FILES.**

**The State reserves the right to reject responses if the Excel Price Sheets are submitted as PDF files or any other format not supported by SWIFT.**



**EXHIBIT D**  
**AFTERMARKET TRACTOR, COMPACT LOADER,**  
**WHEEL LOADER ATTACHMENTS**  
**Discount Off List Pricing Info**  
**Specification 3.0**

<b>Vendor Name:</b>	<b>Titan Machinery Inc</b>
<b>Contact Person:</b>	Andy Bethel
<b>Street Address:</b>	644 East Beaton Drive
<b>P.O. Box:</b>	
<b>City, State, Zip</b>	West Fargo, ND 58078
<b>Phone #:</b>	952-445-5400
<b>Toll Free #:</b>	800-795-9274
<b>Email Address:</b>	952-445-0365

<u>SPEC NUMBER</u>	<u>INFORMATION REQUESTED</u>	<u>ANSWER</u>
8.1	<u>MANUFACTURER:</u>	Teamco/Snowblast
8.2	<u>ATTACHMENT DESCRIPTION:</u>	Snow Blowers
8.3	<u>PERCENT DISCOUNT (%) TO BE APPLIED TO LIST:</u>	10%
8.4	<u>DATE AND/OR I.D. OF PRICE LIST:</u>	1-May-20
8.5	<u>STANDARD WARRANTY TERM</u> (Months/Years):	2 year
8.6	<u>DELIVERY CHARGES: (NO FLAT RATE ALLOWED)</u>	
8.6.1	<u>DELIVERY STARTING POINT:</u> (City) (State, Zip Code)	Tea SD, 57064
8.6.2	<u>PRICE PER LOADED MILE:</u>	\$ 2.00
8.6.3	<u>MINIMUM DELIVERY CHARGE:</u>	\$ 250.00
8.7	<u>INSTALLATION SERVICES - \$ PER HOUR</u> (Shop Rate): Installation services may be requested on an "as needed" basis.	\$ 132.50





Prices Effective: May 1, 2020

Manufacture of **SNOWBLAST** Snowblowers

**“Snowblast” Specifications and Prices** (Dual Spout Models)

<b>Model:</b>	<b>8600A</b>	<b>9600A</b>	<b>10800A</b>	<b>12900A</b>
Cutting Width	8 ft. (96")	9 ft. (108")	10 ft. (120")	12 ft. (144")
Cutting Height	4 ft. (48")	5 ft. (60")	5 1/2 ft. (66")	6-1/2 ft. (78")
Operating Horsepower	90-180 HP	120-275 HP	200-375 HP	250-425 HP
Output Fan Shafts and Bearings	2-1/4"	2-7/16"	3"	3-7/16"
Drive Chain	80	80-2	80-3	80-4
Drive Chain System	Oil Bath	Oil Bath	Oil Bath	Oil Bath
Fan Backs	3/8"	3/8"	3/8"	3/8"
Fan Paddles	3/8"	3/8"	3/8"	3/8"
Paddles per Fan	6	6	8	9
Fan Liners	1/4"	1/4"	1/4"	1/4"
Snowblower Housing	7 Ga.	7 Ga.	7 Ga.	7 Ga.
Number of Spouts	2	2	2	2
Spout Backs	7 Ga.	7 Ga.	7 Ga.	7 Ga.
Spout Sides	10 Ga.	10 Ga.	10 Ga.	10 Ga.
Skid Shoes	10" x 10" x 3/4"			
Cutting Edge	Bolt-On	Bolt-On	Bolt-On	Bolt-On
Hitch (CAT)	II/III	II/III	III/IV/IVN	III/IV/IVN
Weight (Approx.)	3400 lbs.	4300 lbs.	6,700 lbs.	9,600 lbs.

**PRICE LIST**

<b>MODEL</b>	<b>WIDTH</b>	<b>DESCRIPTION</b>	<b>APPX. WT.</b>	<b>SUGST. PRICE (USD)</b>
<b>8600A</b>	8 Ft.	Six Blade Fans & Twin Spouts	3400 lbs.	\$ <b>19,067.00</b>
<b>9600A</b>	9 Ft.	Six Blade Fans & Twin Spouts	4300 lbs.	\$ <b>28,325.00</b>
<b>10800A</b>	10 Ft.	Eight Blade Fans & Twin Spouts	6700 lbs.	\$ <b>36,486.00</b>
<b>12900A</b>	12 Ft.	Nine Blade Fans & Twin Spouts	9600 lbs.	\$ <b>51,823.00</b>

**NOTE:** All Models come standard with Skid Shoes, Bolt-On Cutting Edge, Wing Ready, Spout Rotation Cylinder and Hoses with Pioneer Style Tips.

**PART #**

**Main Driveline Options for 8600A & 9600A** (Select one) 55 Series

PTO-8005	1000RPM 1-3/8" x 21 Spline Yoke (Short PTO)	48 lbs.	NC
PTO-8013	1000RPM 1-3/4" x 20 Spline Yoke (Short PTO)	50 lbs.	NC
PTO-8017	1000RPM 1-3/4" x 20 Spline Yoke (Long PTO)	54 lbs.	NC

**Main Driveline Options for 10800A & 12900A** (Select one) 77 Series

PTO-8019	1000 RPM 1-3/4" x 20 Spline Yoke (Short PTO)	85 lbs.	NC
PTO-8033	1000 RPM 1-3/4" x 20 Spline Yoke (Long PTO)	90 lbs.	NC

**OPTIONS**

PRT-T00786044	8600A 6" Bolt On Extension on Each Side	475 lbs.	\$ <b>1,945.00</b>
PRT-T00786032	9600A 6" Bolt On Extension on Each Side	525 lbs.	\$ <b>2,010.00</b>
PRT-T00786447	10800A 9" Bolt On Extension on Each Side	725 lbs.	\$ <b>2,466.00</b>
PRT-T00786654	12900A 9" Bolt On Extension on Each Side	825 lbs.	\$ <b>3,057.00</b>
PRT-T00786895	Hydraulic Spout Flippers (8600A & 9600A)	100 lbs.	\$ <b>1,945.00</b>
PRT-T00786890	Hydraulic Spout Flippers (10800A & 12900A)	100 lbs.	\$ <b>1,945.00</b>
	Special Paint Colors (Other than Red & Black or Green & Black)		\$ <b>606.00</b>



Prices Effective: May 1, 2020

Manufacture of **SNOWBLAST** Snowblowers

## SNOWBLAST “AR” Series SNOWBLOWER

*(Tractor PTO Powered, Truck loading, Single Spout Models)*

### PRICE LIST

<b>Model:</b>	<b>8600AR</b> (Single Spout)	<b>8650AR</b> (Single Spout)
Cutting Width	96”	102”
Cutting Height	48”	51”
Operating Horsepower	90-180	120-275
Hitch	CAT II-III Quick Hitch	CAT II-III Quick Hitch
Skid Shoes	Adjustable with Replaceable pads	Adjustable with Replaceable pads
Skid Shoe Dimensions	¾” x 10” x 10”	¾” x 10” x 10”
Cutting Edge	Bolt-On	Bolt-On
Input Shaft and Bearings	1-15/16”	2-7/16”
Output Fan Shaft and Bearings	2-1/4”	2-7/16”
Fan Style	Helical Ribbon	Helical Ribbon
Fan Backs	3/8”	3/8”
Fan Paddles	3/8”	3/8”
Paddles per Fan	6	6
Fan Liners	1/4”	1/4”
Snowblower Housing	7 Ga.	7 Ga.
Number of Spouts	1 (truck loading capability)	1 (truck loading capability)
Spout Opening	14” x 20”	14” x 20”
Spout Sections	3	3
Spout Backs	7 Ga.	7 Ga.
Spout Sides	10 Ga.	10 Ga.
Minimum Height	134”	137”
Weight (Approx.)	4100 lbs.	4600 lbs.

### PRICES

<u>MODEL</u>	<u>DESCRIPTION</u>	<u>APPX. WT.</u>	<u>SUGST. PRICE</u>
<b>8600AR</b>	8 Ft. W/Truck Loading Spout	4100	\$ 32,816.00
<b>8650AR</b>	8-1/2 Ft W/ Truck Loading Spout	4600	\$ 38,294.00

PRT-T00787068

Std. Truck Loading Spout

Included in Base Machine Price

**PTO: MAIN DRIVELINE OPTIONS: (SELECT ONE)**

PTO-8005	1000RPM 1-3/8” x 21 Spline Yoke	48	NC
PTO-8013	1000RPM 1-3/4” x 20 Spline Yoke	50	NC
PTO-8017	1000RPM 1-3/4” x 20 Spline Yoke (6” longer shaft)	55	NC

**OPTIONS:**

- Integrated Side Flairs to Widen Snowblower an additional 6 inches. (8600AR & 8650AR)	\$ 1,015.00
- Caster Wheels in place of Skid Shoes.	\$ 2,969.00
- Special Paint Colors.	\$ 629.00

# SNOWBLAST PRICES

## SKID LOADER & SMALLER 3-POINT PTO SERIES SNOWBLOWERS

5/1/2020

(USD)

			SKID LOADER SNOWBLOWERS	List Price		
Model	Width/Height	Fans	Description	List Price		
4400AR	50"/ 31"	2	Skid Steer Snowblower, Includes spout control and cavitation valve (*must order additional harness)	\$11,472.00		
5400AR	62"/ 31"	2	Skid Steer Snowblower, Includes spout control and cavitation valve (*must order additional harness)	\$12,520.00		
6600AR	74"/ 37"	2	Skid Steer Snowblower, Includes spout control and cavitation valve (*must order additional harness)	\$13,652.00		
7600ARM	86"/ 43"	2	Skid Steer Snowblower, Includes spout control and cavitation valve (*must order additional harness)	\$17,494.00		

### Options for above Snowblowers

*Standard harness with 2 switches to operate spout rotate and spout deflector.	\$485.00		
*Custom made harness for specific model skid loader to allow using skid loader factory controls to operate spout rotation and spout deflector. Available for most models.	\$485.00		
Control Harness to operate snowblower if skid loader is a <b>Bobcat CANbus System</b> .	\$1,058.00		
5400AR Side Extensions: <u>68"</u> or <u>74"</u> Total Cutting Width.	\$954.00		
6600AR Side Extensions: <u>80"</u> or <u>86"</u> Total Cutting Width.	\$954.00		
7600ARM Side Extensions: <u>92"</u> or <u>98"</u> Total Cutting Width.	\$1,140.00		
Cat II Hitch in place of Std. CAT I Hitch.	\$485.00		
Turn-Over Spout. (Manual adjust)	\$690.00		

### Parts Available:

Shear Bolts for 5400AR, 6600AR and 7600ARM.	\$5.46		
Bolt-On Cutting Edge. (Replacement Parts; Bolt-on edge is Std. )	\$345.00		
Poly Chute Liner (option) 4400AR, 5400AR & 6600AR	\$190.00		
Poly Chute Liner (option) 7600ARM	\$235.00		
PTO Conversion Kit: PTO Assembly, Relief & All Hoses (440AR & 5400ARM)	\$860.00		
PTO Conversion Kit: PTO Assembly, Relief & All Hoses (6600AR & 7600ARM)	\$985.00		

**Note:** Hydraulic Quick Couplers are not provided with snowblower since they can vary by skid loader make/model.

(USD)

			3 PT. 540 RPM TRACTOR SNOWBLOWERS	List Price		
Model	Width/Height	Fans	Description	List Price		
4400AR	50"/ 31"	2	3 Pt. 540 RPM Snowblower, Includes hydraulic spout rotation & Hydraulic Capper (Tractor must have 2 Hyd spools)	\$8,245.00		
5400AR	62"/ 31"	2	3 Pt. 540 RPM Snowblower, Includes hydraulic spout rotation & Hydraulic Capper (Tractor must have 2 Hyd spools)	\$9,170.00		
6600AR	74"/ 37"	2	3 Pt. 540 RPM Snowblower, Includes hydraulic spout rotation & Hydraulic Capper (Tractor must have 2 Hyd spools)	\$9,970.00		
7600ARM	86"/ 43"	2	3 Pt. 540 RPM Snowblower, Includes hydraulic spout rotation & Hydraulic Capper (Tractor must have 2 Hyd spools)	\$12,120.00		