

**BOSS SANDERS/SPREADERS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 4.0**

FILE NO. T763-02192020

Vendor Name:	Bert's Truck Equipment, Inc
Contact Person:	Jim McLaughlin, Fleet Sales
Street Address:	3804 Hwy 75 North
P.O. Box:	336
City, State, Zip	Moorhead, MN 56560
Phone #:	218-233-8681
Toll Free #:	800-232-3787
Fax #:	218-233-9548
Email Address:	jimmc@bertsonline.com
Website:	www.bertsonline.com

Version of Excel used: **Excel 2013**

4.0

SANDERS

Manufacturer	Boss Spreaders
Make	Various Models
Warranty Length (In days, months, or years)	2 Year Limited Warranty
4.1 Date & I.D. of Price List	March 15th, 2020
4.2 Discount to be applied to Price List (see note below) *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.3 Cost to assemble sander	See Price Schedule
4.4 Installation of Sander	See price schedule
4.5 Price of ICC bumper under ride protection	See price schedule
4.6 Installation of ICC bumper under ride protection	See price schedule
4.7 Per Hour Shop Rate	\$ 110.00
4.8 Price per loaded mile for delivery Delivery Starting Point Address	\$ 2.00 Moorhead, Mn 56560

3/15/2020

Boss Tailgate Spreaders		
4.01	TGS 300 - 3 cu. ft. Tailgate Spreader w/ 2" Slide-In Attachment	\$ 1,105.00
4.02	TGS 600 - 6 cu. ft. Tailgate Spreader w/ Slide-In Attachment	\$ 1,569.00
4.03	TGS 600 - 6 cu. ft. Tailgate Spreader w/ RT3 Attachment	\$ 1,698.00
4.04	TGS 1100 - 11 cu. ft. Tailgate Spreader w/ Slide-In Attachment	\$ 1,825.00
4.05	TGS 1100 - 11 cu. ft. Tailgate Spreader w/ RT3 Attachment	\$ 1,953.00
4.06	TGS 800 - 8 cu. ft. Tailgate Spreader 2 Stage w/ Slide-In Attachment	\$ 2,829.00
4.07	TGS 800 - 8 cu. ft. Tailgate Spreader 2 Stage w/ RT3 Attachment	\$ 2,956.00
ExactPath Drop Spreaders		
4.08	ExactPath 2.5 - 2.5 cu ft Drop Spreader w/ 3-point Hitch Attachment	\$ 2,851.00
4.09	ExactPath 2.5 - 2.5 cu ft Drop Spreader w/ Bed Mount Attachment	\$ 2,851.00
4.1	ExactPath 2.5 - 2.5 cu ft Drop Spreader w/Toro Groundsmaster Attachment	\$ 2,892.00
4.11	ExactPath 6.0 - 6 cu ft Drop Spreader w/ 3-point Hitch Attachment	\$ 3,060.00
4.12	ExactPath 6.0 - 6 cu ft Drop Spreader w/ Bed Mount Attachment	\$ 3,060.00
4.13	ExactPath 6.0 - 6 cu ft Drop Spreader w/Toro Groundsmaster Attachment	\$ 3,101.00
SPREADER ASSEMBLY, QUICKCUBE		
4.14	CUBE ASSEMBLY 1/2 CU YD,QUICKCUBE	\$ 5,263.00
Boss V-Box Spreaders		
Hopper Spreaders ("B" Revision)		
4.15	VBX 3000 - 3' V-Box Spreader, Auger	\$ 3,782.00
4.16	VBX 6500 - 6.5' V-Box Spreader, Auger	\$ 5,740.00
4.17	VBX 6500 - 6.5' V-Box Spreader, Pintle Chain	\$ 5,902.00
4.18	VBX 8000 - 8' V-Box Spreader, Auger	\$ 6,628.00
4.19	VBX 8000 - 8' V-Box Spreader, Pintle Chain	\$ 6,676.00
4.2	VBX 9000 - 9' V-Box Spreader, Auger	\$ 7,518.00
4.21	VBX 9000 - 9' V-Box Spreader, Pintle Chain	\$ 7,679.00
Forge Stainless Steel Hopper Spreaders (Base Model)		
4.22	Forge 1.0 Hopper Spreader, Auger	\$ 4,643.00
4.23	Forge 1.0 Hopper Spreader, Pintle	\$ 4,812.00
4.24	Forge 1.5 Hopper Spreader, Auger	\$ 5,073.00
4.25	Forge 1.5 Hopper Spreader, Pintle	\$ 5,228.00
4.26	Forge 2.0 Hopper Spreader, Auger	\$ 5,261.00
	Forge 2.0 Hopper Spreader, Pintle	\$ 5,410.00
4.27	Forge 2.0 Hopper Spreader, Long Bed, Auger	\$ 5,598.00
	Forge 2.0 Hopper Spreader, Long Bed, Pintle	\$ 5,753.00

4.28	Installation of Tailgate Spreaders	\$	365.00
4.29	Installtion of Boss V-Box Spreader	\$	475.00
4.3	Installtion of Boss Prewet system	\$	475.00
	Options		
4.31	INVERTED V,W/HARDWARE,VBX 6500	\$	231.00
4.32	INVERTED V,W/HARDWARE,VBX 8000 - 9000	\$	318.00
4.33	VIBRATOR KIT,DUAL,VBOX,VBX	\$	305.00
4.34	KIT-HOPPER EXTENSION,0.5 YD,FORGE 2.0	\$	262.00
4.35	KIT-LIGHT,FORGE	\$	219.00
4.36	TARP W/ BUNGEEES,1.5-2.0 YD,FORGE	\$	193.00
4.37	TARP W/ BUNGEEES,FORGE,1.0	\$	154.00
4.38	KIT-INVERTED V,1.5-2.0 YD,FORGE	\$	228.00
4.39	INVERTED V,W/HARDWARE,FORGE 1.0	\$	170.00
4.4	VIBRATOR KIT,SINGLE,VBOX,FORGE	\$	167.00
	Pre-Wet System		
4.41	KIT-PRE-WET,60 GALLONS	\$	1,335.00
4.42	DISPLAY CONTROL,SPREADER,P-W RDY	\$	445.00
	Pro-Lid Hardcover System*		
4.43	COVER ASSY,VBS,6500	\$	634.00
4.44	COVER ASSY,VBS,8000	\$	680.00
4.45	COVER ASSY,VBS,9000	\$	304.00
	Manufactures Standard Two year Warranty		
	Cost per mile for pick-up or Delivery to or from Moorhead, MN	\$	2.00
	(Maximum charge per unit for pick-up/delivery one way \$ 425.00)		

Body and Equipment By:
Bert's Truck Equipment Inc.
Jim McLaughlin, Commercial Fleet Sales
3804 Hwy 75 North
Moorhead, MN 56560
800-232-3787, 218-233-8681
Fax 218-233-9548
Email: jimmc@bertsonline.com
Web Site: www.bertsonline.com

**SWENSON SANDERS/SPREADERS
BASE UNIT REQUIREMENTS
SPECIFICATION NO. 4.0**

FILE NO. T763-02192020

Vendor Name:	Bert's Truck Equipment, Inc
Contact Person:	Jim McLaughlin, Fleet Sales
Street Address:	3804 Hwy 75 North
P.O. Box:	336
City, State, Zip	Moorhead, MN 56560
Phone #:	218-233-8681
Toll Free #:	800-232-3787
Fax #:	218-233-9548
Email Address:	jimmc@bertsonline.com
Website:	www.bertsonline.com

Version of Excel used: **Excel 2013**

4.0

SANDERS

Manufacturer	Swenson Spreaders
Make	Various Models
Warranty Length (In days, months, or years)	One Year limited Warranty
4.1 Date & I.D. of Price List	March 15th, 2020
4.2 Discount to be applied to Price List (see note below) *Note: The "Discount to be Applied to Price List" must be a numeric percentage, which may include 0%. Not listing a numeric percentage may result in your bid being rejected.	0%
4.3 Cost to assemble sander	See Price Schedule
4.4 Installation of Sander	See price schedule
4.5 Price of ICC bumper under ride protection	See price schedule
4.6 Installation of ICC bumper under ride protection	See price schedule
4.7 Per Hour Shop Rate	\$ 110.00
4.8 Price per loaded mile for delivery Delivery Starting Point Address	\$ 2.00 Moorhead, Mn 56560

3/15/2020

4.00 **Swenson Stainless "PV Economy" Steel Insert Spreaders**

Standard Feature

PV series spreaders are designed to be mounted in the bed of a pick up, dump bed or flat bed truck for use in areas where larger vehicles can not go

- 12,500 lbs tensile strength self cleaning pintle chain for improved conveyor performance
- 45 degree slope on hopper sides to insure materials flow to the conveyor
- Inverted vee forming located over the conveyor chain reduces the load on conveyor chain and helps prevent tunneling
- Top screens to prevent larger chunks and debris from entering hopper
- Shielded high center stop light is installed on spreader to meet federal lighting requirements
- Spinner frame works for pick up or dump box mounting applications
- Durable 13" polyurethane disc for greater life and improved spread pattern
- 3 adjustable external spinner baffles to restrict size of spread pattern
- 4' - 30' spread pattern

Standard features:

- Top screens
- Inverted vee
- Center lift point
- Replaceable bolt-in conveyor floor
- In cab controls (engine drive) (OPTINONAL)
- **Wireless Control (gas models) Wired Control Electric Models**
- Heavy duty engine shroud

Swenson 00004-308-0412

- 8 ft self contained spreader
- 50" width
- Hopper is constructed with 14 ga corrosion resistant stainless steel sides
- Battery cables and hold downs will be supplied for mounting and hooking up the battery and ends for a durable light weight unit
- Drop N Lock top screen - one piece side hinged - No tools required to remove
- 14 ga stainless steel replaceable bolt-in conveyor floor
- 14 ga SS bolt-in replaceable chain shields
- Hopper provides 2.0 cubic yards of capacity
- NO BATTERY IS SUPPLIED WITH UNIT

Capacity: 2.0 cu yds Color: Stainless steel

4.01	PV358ESTS (Drive: 11 HP Honda, Hopper material: Stainless steel)	\$	6,445.00
4.02	Electric Dual Motors ILO 11 HP Honda deduct	\$	(200.00)
Select Series			
4.03	8' Swenson PV Select series (Honda engiine)	\$	7,695.00
4.04	8' Swenson PV Select Select (Dual Motor Electric)	\$	7,145.00

MDV select SERIES**Medium Duty Vee Box**

- MDV series spreaders are designed to be mounted in a dump bed or on a flat bed truck utilizing the 15,000 lbs - 20,000 lbs rated vehicles to stay below the federal CDL
- WIRELESS controls for gas driven spreaders
- 12,500 lbs tensile strength self cleaning pintle chain for improved conveyor performance
- 45 degree slope on hopper sides to insure materials flow to the conveyor
- Inverted vee forming located over the conveyor chain reduces the load on conveyor chain and helps prevent tunneling
- 4 section hinged top screens to prevent larger chunks and debris from entering hopper
- 24" tall swing up spinner frame provided positions disc closer to ground to reduce amount of material striking other vehicles
- Durable 13" polyurethane disc for greater life and improved spread pattern
- 2 adjustable internal spinner baffles to adjust spread pattern from left to right
- 3 adjustable external spinner baffles to restrict size of spread pattern
- No battery is supplied with unit

9 and 10' self contained spreader

- Hopper provides 4.0 cubic yard capacity
- WIRELESS controls for gas driven spreaders
- Hopper is constructed with 12 ga corrosion resistant stainless steel sides and ends for a durable light weight unit
- 12 ga stainless steel replaceable bolt in conveyor floor
- Battery cables and hold down will be supplied for mounting and connecting the battery
- No battery is supplied with unit

Capacity: 4. & 4.5cu. yds. Color: Stainless Steel

4.05	9' MDV Select SS, Honda Engine , Hopper Material: Stainless Steel	\$	8,945.00
4.06	10' MDV Select SS, Honda Engine , Hopper Material: Stainless Steel	\$	9,115.00
4.07	9' MDV Select SS, Hydraulic Drive , Hopper Material: Stainless Steel	\$	6,160.00
4.08	10' MDV Select SS, Hydraulic Drive , Hopper Material: Stainless Steel	\$	6,270.00
4.09	9' MDV Select SS, Dual Electric Drive , Hopper Material: Stainless Steel	\$	8,180.00
4.10	10' MDV Select SS, Dual Electric Drive , Hopper Material: Stainless Steel	\$	8,360.00
4.11	6" SS Side Extension kit	\$	725.00
4.12	Vibrator Kit	\$	425.00
4.13	Battery Harness Kit	\$	460.00
4.14	12V Battery, and storage Box	\$	130.00
3.10	Battery Seperator installed	\$	355.00
4.15	Tie Down Kit (Buy1496505)	\$	60.00
4.16	Tarp Kit for Stainless steel Spreaders	\$	350.00

4.17	Installation of Swenson Spreaders (Gas Powered & hydraulic units) does not include labor for the hydraulics	\$	475.00
4.18	Installation of Swenson Spreaders (Electric and Hydraulic Units)	\$	905.00

Body and Equipment By:
Bert's Truck Equipment Inc.
Jim McLaughlin, Commercial Fleet Sales
3804 Hwy 75 North
Moorhead, MN 56560
800-232-3787, 218-233-8681
Fax 218-233-9548
[Email: jimmc@bertsonline.com](mailto:jimmc@bertsonline.com)
Web Site: www.bertsonline.com