

3.0 Van Bodies

Vendor Name:	Crysteel Truck Equipment
Person:	Josh Taylor
Street Address:	1130 - 73 Avenue N.E.
P.O. Box:	
City, State, Zip:	Fridley, MN 55432
Phone #:	763-571-1902
Toll Free #:	800-795-1280
Fax #:	763-571-5091
Email Address:	jtaylor@crysteeltruck.com
Website:	www.crysteeltruck.com
<i>Version of Excel used:</i> Microsoft Excel 2010	

3.0	VAN BODY		
	Make		Ohnsorg Truck Bodies & Accessories
	Warranty		3 years
		Date & I.D. of Price List	7/30/2019
		Discount to be applied to Price List* (see note below)	0%
		Installation of Van Body as per spec 2.2	Included
		Price of FMVSS 108 lighting package	Included
		Installation of FMVSS 108 lighting package	Included
		Price of ICC bumper under ride protection	Included
		Installation of ICC bumper under ride protection	Included
	Delivery		
		Delivery Starting Point Address	Belle Plaine, MN 56011
		Price per loaded mile for delivery	\$2.75
		Delivery Time Frame in calendar days ARO	15-80 days
	Shop Rate per hour		
		Repair Shop Labor rate	\$90.00
		Body Shop Labor rate	\$90.00

3.0 VAN
BOD
Y

Ohnsorg Truck Bodies 12' Van Body

LONGSILLS - 4" structural channel
 CROSSMEMBERS - 4" formed 10 ga galv. channel 16" on centers and gusseted to long sills
 POSTS - Aluminum tube posts 16" on centers
 EXTERIOR SIDING - Dual Bonded rivetless pre-painted white .040 aluminum exterior panels
 REAR FRAME - Stainless steel with 3/16" stainless steel rear door sill tube and grab handles on each side
 REAR DOOR - ¼" Whiting quarterplate overhead dry-freight door with rust free package, MS lock, weather seals
 MARKER LIGHTS - LED ICC marker lights and reflectors
 ROOF - 1 piece aluminum roof with anti-snap galvanized roof bows 24" on centers
 FRONT CORNERS - Aluminum vertical & horizontal aerodynamic designed radius front corners with cast aluminum corner caps
 FLOOR - 1-1/8" laminated all oak floor with drain trough and flush entry into rear of body
 UNDERCOATING - Underside of floor undercoated
 INSIDE LINING - 1/2" plywood on front wall and 3/8" on sides full height
 BUMPER - 4" ICC bumper
 MUD FLAPS - 1 set installed – not to exceed 6" from bottom of mud flap to ground when vehicle is empty
 MOUNTING - Mounted on appropriate C.A. chassis

Price for 12' long x 85" high x 8' wide \$ 11,519.87
Price for 12' long x 91" high x 8' wide \$ 11,747.88

Warranty	3 years
Installation of Van Body	Included
Price of FMVSS 108 light package	Included
Installation of FMVSS 108 light package	Included
Price of ICC bumper under ride protection	Included
Options:	
Crossmembers 12" on centers	\$ 258.50
Recessed E-track row on both sides	\$ 161.73
12" x 12 gauge smooth scuff liner on sides and front	\$ 381.78
Translucent roof in lieu of aluminum	No Charge
Dome light with switch in cab (if applicable) or in rear	\$ 1,609.31
Low Mount Configuration: Wheel wells, 1-1/2" flat x ½" long sill with 3" crossmember	\$ 1,959.27
Single swing side door (up to 48" wide) with cam style lock and stainless-steel hinges	\$ 159.08
Full open rear swing doors with cam style lock and stainless hinges	\$ 246.57

10' walk ramp with spring lift assist	\$	246.57
12' walk ramp with spring lift assist	\$	452.04
14' walk ramp with spring lift assist	\$	111.35
6" long sill required on some walk ramp installs add	\$	253.19
9.5" open style grip strut step bumper	\$	636.30
DEF Fuel filler if required	\$	715.84
6" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$	587.25
12" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$	874.91
Half-moon rubber dock bumpers (1 each side in rear)	\$	178.96
LED recessed stop/tail/turn and reverse lights recessed in rear corner posts with license plate light and bracket mounted under body	\$	417.57
Forklift Reinforcements: Crossmembers 6" on center in rear 3' and Reinforcement front wall	\$	417.57
Cutaway Mount: Fastened to bulkhead, solid bulkhead and additional clearance lights	\$	1,193.06
Cutaway Mount: Fastened to bulkhead, sliding door in bulkhead and additional clearance lights	\$	1,802.85
Cutaway Mount: 6" setback for seating comfort	\$	656.18
Delivery starting point		Belle Plaine, MN 56011
Price per loaded mile for delivery	\$	2.75

**State of Minnesota
Pricing Page**

3.0
VAN
BOD
Y

Ohnsorg Truck Bodies 12' Van Body

LONGSILLS - 4" structural channel
 CROSSMEMBERS - 4" formed 10 ga galv. channel 16" on centers and gusseted to long sills
 POSTS - Aluminum tube posts 16" on centers
 EXTERIOR SIDING - Dual Bonded rivetless pre-painted white .040 aluminum exterior panels
 REAR FRAME - Stainless steel with 3/16" stainless steel rear door sill tube and grab handles on each side
 REAR DOOR - ¼" Whiting quarterplate overhead dry-freight door with rust free package, MS lock, weather seals
 MARKER LIGHTS - LED ICC marker lights and reflectors
 ROOF - 1 piece aluminum roof with anti-snap galvanized roof bows 24" on centers
 FRONT CORNERS - Aluminum vertical & horizontal aerodynamic designed radius front corners with cast aluminum corner caps
 FLOOR - 1-1/8" laminated all oak floor with drain trough and flush entry into rear of body
 UNDERCOATING - Underside of floor undercoated
 INSIDE LINING - 1/2" plywood on front wall and 3/8" on sides full height
 BUMPER - 4" ICC bumper
 MUD FLAPS - 1 set installed – not to exceed 6" from bottom of mud flap to ground when vehicle is empty
 MOUNTING - Mounted on appropriate C.A. chassis

Price for 14' long x 85" high x 8' wide \$ 12,111.10
Price for 14' long x 91" high x 8' wide \$ 12,454.63

Warranty	3 years
Installation of Van Body	Included
Price of FMVSS 108 light package	Included
Installation of FMVSS 108 light package	Included
Price of ICC bumper under ride protection	Included
Options:	
Crossmembers 12" on centers	\$ 258.50
Recessed E-track row on both sides	\$ 190.89
12" x 12 gauge smooth scuff liner on sides and front	\$ 429.50
Translucent roof in lieu of aluminum	No Charge
Dome light with switch in cab (if applicable) or in rear	\$ 1,609.31
Low Mount Configuration: Wheel wells, 1-1/2" flat x ½" long sill with 3" crossmember	\$ 1,959.27
Single swing side door (up to 48" wide) with cam style lock and stainless-steel hinges	\$ 159.08
Full open rear swing doors with cam style lock and stainless hinges	\$ 246.57
10' walk ramp with spring lift assist	\$ 246.57

12' walk ramp with spring lift assist	\$ 452.04
14' walk ramp with spring lift assist	\$ 111.35
6" long sill required on some walk ramp installs add	\$ 253.19
9.5" open style grip strut step bumper	\$ 636.30
DEF Fuel filler if required	\$ 715.84
6" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 587.25
12" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 874.91
Half-moon rubber dock bumpers (1 each side in rear)	\$ 178.96
LED recessed stop/tail/turn and reverse lights recessed in rear corner posts with license plate light and bracket mounted under body	\$ 417.57
Forklift Reinforcements: Crossmembers 6" on center in rear 3' and Reinforcement front wall	\$ 417.57
Cutaway Mount: Fastened to bulkhead, solid bulkhead and additional clearance lights	\$ 1,193.06
Cutaway Mount: Fastened to bulkhead, sliding door in bulkhead and additional clearance lights	\$ 1,802.85
Cutaway Mount: 6" setback for seating comfort	\$ 656.18
	Belle
Delivery starting point	Plaine, MN
	56011
Price per loaded mile for delivery	\$ 2.75

3.0 **VAN**
BODY

Ohnsorg Truck Bodies 12' Van Body

- LONGSILLS - 4" structural channel
- CROSSMEMBERS - 4" formed 10 ga galv. channel 16" on centers and gusseted to long sills
- POSTS - Aluminum tube posts 16" on centers
- EXTERIOR SIDING - Dual Bonded rivetless pre-painted white .040 aluminum exterior panels
- REAR FRAME - Stainless steel with 3/16" stainless steel rear door sill tube and grab handles on each side
- REAR DOOR - 1/4" Whiting quarterplate overhead dry-freight door with rust free package, MS lock, weather seals
- MARKER LIGHTS - LED ICC marker lights and reflectors
- ROOF - 1 piece aluminum roof with anti-slag galvanized roof bows 24" on centers
- FRONT CORNERS - Aluminum vertical & horizontal aerodynamic designed radius front corners with cast aluminum corner caps
- FLOOR - 1-1/8" laminated all oak floor with drain trough and flush entry into rear of body
- UNDERCOATING - Underside of floor undercoated
- INSIDE LINING - 1/2" plywood on front wall and 3/8" on sides full height
- BUMPER - 4" ICC bumper
- MUD FLAPS - 1 set installed – not to exceed 6" from bottom of mud flap to ground when vehicle is empty
- MOUNTING - Mounted on appropriate C.A. chassis

Price for 16' long x 85" high x 8' wide \$ 12,761.98
Price for 16' long x 91" high x 8' wide \$ 13,142.63

Warranty	3 years
Installation of Van Body	Included
Price of FMVSS 108 light package	Included
Installation of FMVSS 108 light package	Included
Price of ICC bumper under ride protection	Included

Options:

Crossmembers 12" on centers	\$ 344.66
Recessed E-track row on both sides	\$ 213.43
12" x 12 gauge smooth scuff liner on sides and front	\$ 477.23
Translucent roof in lieu of aluminum	No Charge
Dome light with switch in cab (if applicable) or in rear	\$ 1,609.31
Low Mount Configuration: Wheel wells, 1-1/2" flat x 1/2" long sill with 3" crossmember	\$ 1,959.27
Single swing side door (up to 48" wide) with cam style lock and stainless-steel hinges	\$ 159.08
Full open rear swing doors with cam style lock and stainless hinges	\$ 246.57
10' walk ramp with spring lift assist	\$ 246.57

12' walk ramp with spring lift assist	\$ 452.04
14' walk ramp with spring lift assist	\$ 111.35
6" long sill required on some walk ramp installs add	\$ 253.19
9.5" open style grip strut step bumper	\$ 636.30
DEF Fuel filler if required	\$ 715.84
6" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 587.25
12" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 874.91
Half-moon rubber dock bumpers (1 each side in rear)	\$ 178.96
LED recessed stop/tail/turn and reverse lights recessed in rear corner posts with license plate light and bracket mounted under body	\$ 417.57
Forklift Reinforcements: Crossmembers 6" on center in rear 3' and Reinforcement front wall	\$ 417.57
Cutaway Mount: Fastened to bulkhead, solid bulkhead and additional clearance lights	\$ 1,193.06
Cutaway Mount: Fastened to bulkhead, sliding door in bulkhead and additional clearance lights	\$ 1,802.85
Cutaway Mount: 6" setback for seating comfort	\$ 656.18
	Belle
Delivery starting point	Plaine, MN
	56011
Price per loaded mile for delivery	\$ 2.75

**State of Minnesota
Pricing Page**

**3.0 VAN
BODY**

Ohnsorg Truck Bodies 12' Van Body

- LONGSILLS - 4" structural channel
- CROSSMEMBERS - 4" formed 10 ga galv. channel 16" on centers and gusseted to long sills
- POSTS - Aluminum tube posts 16" on centers
- EXTERIOR SIDING - Dual Bonded rivetless pre-painted white .040 aluminum exterior panels
- REAR FRAME - Stainless steel with 3/16" stainless steel rear door sill tube and grab handles on each side
- REAR DOOR - ¼" Whiting quarterplate overhead dry-freight door with rust free package, MS lock, weather seals
- MARKER LIGHTS - LED ICC marker lights and reflectors
- ROOF - 1 piece aluminum roof with anti-slag galvanized roof bows 24" on centers
- FRONT CORNERS - Aluminum vertical & horizontal aerodynamic designed radius front corners with cast aluminum corner caps
- FLOOR - 1-1/8" laminated all oak floor with drain trough and flush entry into rear of body
- UNDERCOATING - Underside of floor undercoated
- INSIDE LINING - 1/2" plywood on front wall and 3/8" on sides full height
- BUMPER - 4" ICC bumper
- MUD FLAPS - 1 set installed – not to exceed 6" from bottom of mud flap to ground when vehicle is empty
- MOUNTING - Mounted on appropriate C.A. chassis

Price for 18' long x 85" high x 8' wide	\$ 13,579.89
Price for 18' long x 91" high x 8' wide	\$ 13,924.55
Price for 18' long x 97" high x 8' wide	\$ 15,285.97

Warranty	3 years
Installation of Van Body	Included
Price of FMVSS 108 light package	Included
Installation of FMVSS 108 light package	Included
Price of ICC bumper under ride protection	Included
Options:	
Crossmembers 12" on centers	\$ 430.83
Recessed E-track row on both sides	\$ 233.31
12" x 12 gauge smooth scuff liner on sides and front	\$ 524.95
Translucent roof in lieu of aluminum	No Charge
Dome light with switch in cab (if applicable) or in rear	\$ 1,609.31
Low Mount Configuration: Wheel wells, 1-1/2" flat x ½" long sill with 3" crossmember	\$ 1,959.27
Single swing side door (up to 48" wide) with cam style lock and stainless-steel hinges	\$ 159.08
Full open rear swing doors with cam style lock and stainless hinges	\$ 246.57

10' walk ramp with spring lift assist	\$ 246.57
12' walk ramp with spring lift assist	\$ 452.04
14' walk ramp with spring lift assist	\$ 111.35
6" long sill required on some walk ramp installs add	\$ 253.19
9.5" open style grip strut step bumper	\$ 636.30
DEF Fuel filler if required	\$ 715.84
6" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 587.25
12" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 874.91
Half-moon rubber dock bumpers (1 each side in rear)	\$ 178.96
LED recessed stop/tail/turn and reverse lights recessed in rear corner posts with license plate light and bracket mounted under body	\$ 417.57
Forklift Reinforcements: Crossmembers 6" on center in rear 3' and Reinforcement front wall	\$ 417.57
Cutaway Mount: Fastened to bulkhead, solid bulkhead and additional clearance lights	\$ 1,193.06
Cutaway Mount: Fastened to bulkhead, sliding door in bulkhead and additional clearance lights	\$ 1,802.85
Cutaway Mount: 6" setback for seating comfort	\$ 656.18
	Belle
	Plaine, MN
Delivery starting point	56011
Price per loaded mile for delivery	\$ 2.75

3.0 VAN
BOD
Y

Ohnsorg Truck Bodies 12' Van Body

LONGSILLS - 4" structural channel
 CROSSMEMBERS - 4" formed 10 ga galv. channel 16" on centers and gusseted to long sills
 POSTS - Aluminum tube posts 16" on centers
 EXTERIOR SIDING - Dual Bonded rivetless pre-painted white .040 aluminum exterior panels
 REAR FRAME - Stainless steel with 3/16" stainless steel rear door sill tube and grab handles on each side
 REAR DOOR - ¼" Whiting quarterplate overhead dry-freight door with rust free package, MS lock, weather seals
 MARKER LIGHTS - LED ICC marker lights and reflectors
 ROOF - 1 piece aluminum roof with anti-slag galvanized roof bows 24" on centers
 FRONT CORNERS - Aluminum vertical & horizontal aerodynamic designed radius front corners with cast aluminum corner caps
 FLOOR - 1-1/8" laminated all oak floor with drain trough and flush entry into rear of body
 UNDERCOATING - Underside of floor undercoated
 INSIDE LINING - 1/2" plywood on front wall and 3/8" on sides full height
 BUMPER - 4" ICC bumper
 MUD FLAPS - 1 set installed – not to exceed 6" from bottom of mud flap to ground when vehicle is empty
 MOUNTING - Mounted on appropriate C.A. chassis

Price for 20' long x 85" high x 8' wide \$ 14,729.21
Price for 20' long x 91" high x 8' wide \$ 15,108.34
Price for 20' long x 97" high x 8' wide \$ 16,187.40

Warranty	3 years
Installation of Van Body	Included
Price of FMVSS 108 light package	Included
Installation of FMVSS 108 light package	Included
Price of ICC bumper under ride protection	Included
Options:	
Crossmembers 12" on centers	\$ 430.83
Recessed E-track row on both sides	\$ 254.52
12" x 12 gauge smooth scuff liner on sides and front	\$ 572.67
Translucent roof in lieu of aluminum	No Charge
Dome light with switch in cab (if applicable) or in rear	\$ 1,609.31
Low Mount Configuration: Wheel wells, 1-1/2" flat x ½" long sill with 3" crossmember	\$ 1,959.27
Single swing side door (up to 48" wide) with cam style lock and stainless-steel hinges	\$ 159.08
Full open rear swing doors with cam style lock and stainless hinges	\$ 246.57

10' walk ramp with spring lift assist	\$ 246.57
12' walk ramp with spring lift assist	\$ 452.04
14' walk ramp with spring lift assist	\$ 111.35
6" long sill required on some walk ramp installs add	\$ 253.19
9.5" open style grip strut step bumper	\$ 636.30
DEF Fuel filler if required	\$ 715.84
6" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 587.25
12" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 874.91
Half-moon rubber dock bumpers (1 each side in rear)	\$ 178.96
LED recessed stop/tail/turn and reverse lights recessed in rear corner posts with license plate light and bracket mounted under body	\$ 417.57
Forklift Reinforcements: Crossmembers 6" on center in rear 3' and Reinforcement front wall	\$ 417.57
Cutaway Mount: Fastened to bulkhead, solid bulkhead and additional clearance lights	\$ 1,193.06
Cutaway Mount: Fastened to bulkhead, sliding door in bulkhead and additional clearance lights	\$ 1,802.85
Cutaway Mount: 6" setback for seating comfort	\$ 656.18
	Belle
	Plaine, MN
Delivery starting point	56011
Price per loaded mile for delivery	\$ 2.75

**State of Minnesota
Pricing Page**

**3.0 VAN
BODY**

Ohnsorg Truck Bodies 12' Van Body

LONGSILLS - 4" structural channel
 CROSSMEMBERS - 4" formed 10 ga galv. channel 16" on centers and gusseted to long sills
 POSTS - Aluminum tube posts 16" on centers
 EXTERIOR SIDING - Dual Bonded rivetless pre-painted white .040 aluminum exterior panels
 REAR FRAME - Stainless steel with 3/16" stainless steel rear door sill tube and grab handles on each side
 REAR DOOR - 1/4" Whiting quarterplate overhead dry-freight door with rust free package, MS lock, weather seals
 MARKER LIGHTS - LED ICC marker lights and reflectors
 ROOF - 1 piece aluminum roof with anti-snap galvanized roof bows 24" on centers
 FRONT CORNERS - Aluminum vertical & horizontal aerodynamic designed radius front corners with cast aluminum corner caps
 FLOOR - 1-1/8" laminated all oak floor with drain trough and flush entry into rear of body
 UNDERCOATING - Underside of floor undercoated
 INSIDE LINING - 1/2" plywood on front wall and 3/8" on sides full height
 BUMPER - 4" ICC bumper
 MUD FLAPS - 1 set installed – not to exceed 6" from bottom of mud flap to ground when vehicle is empty
 MOUNTING - Mounted on appropriate C.A. chassis

Price for 22' long 85" high x 8' wide \$ 16,033.62
Price for 22' long 91" high x 8' wide \$ 16,452.52
Price for 22' long 97" high x 8' wide \$ 17,274.41

Warranty	3 years
Installation of Van Body	Included
Price of FMVSS 108 light package	Included
Installation of FMVSS 108 light package	Included
Price of ICC bumper under ride protection	Included
Options:	
Crossmembers 12" on centers	\$ 516.99
Recessed E-track row on both sides	\$ 277.06
12" x 12 gauge smooth scuff liner on sides and front	\$ 620.39
Translucent roof in lieu of aluminum	No Charge
Dome light with switch in cab (if applicable) or in rear	\$ 1,609.31
Low Mount Configuration: Wheel wells, 1-1/2" flat x 1/2" long sill with 3" crossmember	\$ 1,959.27
Single swing side door (up to 48" wide) with cam style lock and stainless-steel hinges	\$ 159.08
Full open rear swing doors with cam style lock and stainless hinges	\$ 246.57

10' walk ramp with spring lift assist	\$ 246.57
12' walk ramp with spring lift assist	\$ 452.04
14' walk ramp with spring lift assist	\$ 111.35
6" longsill required on some walk ramp installs add	\$ 253.19
9.5" open style grip strut step bumper	\$ 636.30
DEF Fuel filler if required	\$ 715.84
6" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 587.25
12" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 874.91
Half-moon rubber dock bumpers (1 each side in rear)	\$ 178.96
LED recessed stop/tail/turn and reverse lights recessed in rear corner posts with license plate light and bracket mounted under body	\$ 417.57
Forklift Reinforcements: Crossmembers 6" on center in rear 3' and Reinforcement front wall	\$ 417.57
Cutaway Mount: Fastened to bulkhead, solid bulkhead and additional clearance lights	\$ 1,193.06
Cutaway Mount: Fastened to bulkhead, sliding door in bulkhead and additional clearance lights	\$ 1,802.85
Cutaway Mount: 6" setback for seating comfort	\$ 656.18
	Belle Plaine, MN 56011
Delivery starting point	
Price per loaded mile for delivery	\$ 2.75

**3.0 VAN
BODY**

Ohnsorg Truck Bodies 12' Van Body

LONGSILLS - 4" structural channel
 CROSSMEMBERS - 4" formed 10 ga galv. channel 16" on centers and gusseted to long sills
 POSTS - Aluminum tube posts 16" on centers
 EXTERIOR SIDING - Dual Bonded rivetless pre-painted white .040 aluminum exterior panels
 REAR FRAME - Stainless steel with 3/16" stainless steel rear door sill tube and grab handles on each side
 REAR DOOR - ¼" Whiting quarterplate overhead dry-freight door with rust free package, MS lock, weather seals
 MARKER LIGHTS - LED ICC marker lights and reflectors
 ROOF - 1 piece aluminum roof with anti-snap galvanized roof bows 24" on centers
 FRONT CORNERS - Aluminum vertical & horizontal aerodynamic designed radius front corners with cast aluminum corner caps
 FLOOR - 1-1/8" laminated all oak floor with drain trough and flush entry into rear of body
 UNDERCOATING - Underside of floor undercoated
 INSIDE LINING - 1/2" plywood on front wall and 3/8" on sides full height
 BUMPER - 4" ICC bumper
 MUD FLAPS - 1 set installed – not to exceed 6" from bottom of mud flap to ground when vehicle is empty
 MOUNTING - Mounted on appropriate C.A. chassis

Price for 24' long x 85" high x 8' wide \$ 17,497.11
Price for 24' long x 91" high x 8' wide \$ 17,950.48
Price for 24' long x 97" high x 8' wide \$ 18,012.78

Warranty	3 years
Installation of Van Body	Included
Price of FMVSS 108 light package	Included
Installation of FMVSS 108 light package	Included
Price of ICC bumper under ride protection	Included

Options:

Crossmembers 12" on centers	\$ 603.16
Recessed E-track row on both sides	\$ 298.27
12" x 12 gauge smooth scuff liner on sides and front	\$ 668.12
102" wide body application (Not applicable on all chassis)	\$ 209.45
Translucent roof in lieu of aluminum	No Charge
Dome light with switch in cab (if applicable) or in rear	\$ 1,609.31
Low Mount Configuration: Wheel wells, 1-1/2" flat x ½" long sill with 3" crossmember	\$ 1,959.27
Single swing side door (up to 48" wide) with cam style lock and stainless-steel hinges	\$ 159.08
Full open rear swing doors with cam style lock and stainless hinges	\$ 246.57

10' walk ramp with spring lift assist	\$ 246.57
12' walk ramp with spring lift assist	\$ 452.04
14' walk ramp with spring lift assist	\$ 111.35
6" long sill required on some walk ramp installs add	\$ 253.19
9.5" open style grip strut step bumper	\$ 636.30
DEF Fuel filler if required	\$ 715.84
6" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 587.25
12" channel framed dock extension with 1/8" steel diamond tread overlay on top	\$ 874.91
Half-moon rubber dock bumpers (1 each side in rear)	\$ 178.96
LED recessed stop/tail/turn and reverse lights recessed in rear corner posts with license plate light and bracket mounted under body	\$ 417.57
Forklift Reinforcements: Crossmembers 6" on center in rear 3' and Reinforcement front wall	\$ 417.57
Cutaway Mount: Fastened to bulkhead, solid bulkhead and additional clearance lights	\$ 1,193.06
Cutaway Mount: Fastened to bulkhead, sliding door in bulkhead and additional clearance lights	\$ 1,802.85
Cutaway Mount: 6" setback for seating comfort	\$ 656.18
	Belle
Delivery starting point	Plaine, MN
	56011
Price per loaded mile for delivery	\$ 2.75