

Vendor Name:	Truck Utilities Inc
Contact Person:	Paul Warner
Street Address:	2370 English Street
P.O. Box:	
City, State, Zip	St Paul, MN 55109
Phone #:	651-393-2274
Toll Free #:	800-869-1075
Fax #:	651-484-0076
Email Address:	paulw@truckutilities.com
Website:	www.truckutilities.com
<i>Version of Excel used:</i> 97-2003 Excel	

2.0 UTILITY /SERVICE BODY

Make	Alum-Line
Warranty	Five (5) year
Date & I.D. of Price List	Fixed Price Below
Discount to be applied to Price List* (see note below)	0.00%
Installation of Utility/Service Body as per spec 2.0	\$985.00
Price of FMVSS 108 lighting package	\$0.00
Price of ICC bumper under ride protection	\$0.00
Installation of ICC bumper under the protection	\$0.00
Delivery Starting Point Address	St Paul, MN 55109
Price per loaded mile for delivery	\$3.00
Shp Rate for Mechanical work	\$115.00
Body Sop Rate	\$115.00

Alum-Line standard body equipment to include five year warranty, all aluminum smooth construction, heavy-duty .125 aircraft grade aluminum, 3" I-beam floor frame on 12" centers, 3" I-beam mounting sills included. Recessed doors with interlocking seals. Rubber mounted LED seal beam stop, turn and LED marker lights.

2.1	Alum-Line 108" - standard body for single rear wheel 60" CA application, 111" long, 82" wide, 40" high - 15" compartment depth	\$ 14,747.00
2.2	Alum-Line 108" STD Dual - Standard body for dual rear wheel 60" CA	\$ 15,855.00
2.3	1 adjustable shelf vertical	\$ 341.00
2.4	1 adjustable shelf horizontal	\$ 360.00
2.5	1 fixed shelf in vertical or horizontal	\$ 80.00
2.6	Standard shelf package contains two adjustable shelves in each	\$ 1,942.00
2.7	Pullout shelf with dividers mounted middle of compartment	\$ 504.00
2.8	6" step aluminum bumper with v-cut	\$ 682.00
2.9	False floor 5" tall with a dividing wall	\$ 1,107.00
2.10	Add 10" top floor with four dividers	\$ 1,407.00
2.11	9' telescopic roof	\$ 2,100.00
2.12	Interior compartment lights	\$ 126.00
2.13	48" overall compartment height, 16" overall compartment depth	\$ 845.00
2.14	9' enclosed longsill compartment with rear door	\$ 997.00

2.15 Aluminum rock guards (two)

\$ 430.00

2.0 Utility Service Body

2.16 Cargo tie downs (each)

\$ 70.00

Vendor Name:	Truck Utilities Inc
Contact Person:	Paul Warner
Street Address:	2370 English Street'
P.O. Box:	
City, State, Zip:	St Paul, MN 55109
Phone #:	651-393-2274
Toll Free #:	800-869-1075
Fax #:	651-484-0076
Email Address:	paulw@truckutilities.com
Website:	www.truckutilities.com

Version of Excel used: **97-2003 Excel**

2.0 UTILITY /SERVICE BODY

Make	BrandFX
Manufacturers Standard Warranty (Months, Years)	One (1) year
Date & I.D. of Price List	Fixed Price Below
Discount to be applied to Price List* (see note below)	0.00%
Installation of Utility/Service Body as per spec 2.0	\$985.00
Price of FMVSS 108 lighting package	\$
Price of ICC bumper under ride protection	\$
Installation of ICC bumper under the protection	\$
Delivery Starting Point Address	St Paul, MN 55109
Price per loaded mile for delivery	\$3.00
Shop Rate for Mechanical Work	Per Hour \$115.00
Body Shop Rate	Per Hour \$115.00

BrandFX Composite Bodies

2.1	40 LS BrandFX Body - Length: 81" / Height: 42" / Depth: 15" / Width: 82-3/4", tailgate & bumper	\$ 7,642.00
2.2	56 MLS BrandFX Body - Length: 96" / Height: 36" / Depth: 15" / Width: 78-3/4", tailgate & bumper	\$ 7,536.00
2.3	56 LS BrandFX Body - Length: 96" / Height: 42" / Depth: 15" / Width: 82-3/4", tailgate & bumper	\$ 7,642.00
2.4	56 DUAL LS BrandFX Body - Length: 96" / Height: 42" / Depth: 20" / Width: 94"	\$ 7,593.00
2.5	60 LS BrandFX Body - Length: 108" / Height: 42" / Depth: 15" / Width: 82-3/4"	\$ 7,657.00
2.6	60 DUAL LS BrandFX Body - Length: 108" / Height: 42" / Depth: 20" / Width: 94"	\$ 7,804.00
2.7	60 T BrandFX Body - Length: 107" / Height: 48" / Depth: 20" / Width: 94"	\$ 10,473.00
2.8	84 DLS XS BrandFX Body - Length: 124.125" / Height: 42" / Depth: 20" / Width: 94"	\$ 9,409.00
2.9	84 DLP XS BrandFX Body - Length: 126" / Height: 40" / Depth: 20" / Width: 94"	\$ 9,317.00
2.10	84 LS BrandFX Body - Length: 132" / Height: 42" / Depth: 20" / Width: 94"	\$ 9,398.00
2.11	84 T BrandFX Body - Length: 132" / Height: 48" / Depth: 20" / Width: 94"	\$ 12,785.00
2.12	93 T BrandFX Body - Length: 144" / Height: 48" / Depth: 18" / Width: 94"	\$ 13,699.00
2.13	102 T BrandFX Body - Length: 150" / Height: 48" / Depth: 18" / Width: 94"	\$ 14,800.00
2.14	108 T BrandFX Body - Length: 156" / Height: 48" / Depth: 18" / Width: 94"	\$ 15,435.00

2.15	120 T BrandFX Body - Length: 168" / Height: 87" / Depth: 48" / Width: 90"	\$	17,009.00
2.16	BrandFX Spring Mounting Kit	\$	66.00

BrandFX Composite Body Base Model Specifications

Vinyl rock guards
 Heavy duty black poly gas fill cup
 Automotive grade bubble gasket
 Bright white gel coat exterior
 Bright white interiors to reflect light
 LED Exterior lighting package (excludes backup lights)
 Flow-through ventilation system
 Light adapter for specified chassis
 Non-skid compartment tops
 Included ICC lighting
 One piece molded doors with automotive finish both sides
 Recessed door jams
 3/16" smooth aluminum bulkhead
 3/16" smooth aluminum tail skirt
 Steel rear mounting brackets
 1/8" steel tread plate floor
 (40LS & 56LS SRW Bodies come standard with aluminum tread)
 Stainless steel hinges and hardware
 Automotive style dual rotary latch
 Vinyl coated stainless steel cable door stops

BrandFX Composite Body Compartment options

2.17	Shelving Pkg 1 Standard shelving package for all bodies up to 108" length: (2) adj fiberglass shelves with removable dividers in each front vertical comp (1) fixed fiberglass shelf with removable dividers in streetside horizontal comp (2) adjustable fiberglass shelves with removable dividers in curbside rear comp (3) locking swivel hooks in streetside rear compartment (1-2-0)	\$	1,126.00
2.18	Shelving Pkg 2 Standard shelving package for all 132" length bodies: (3) adjustable shelves with removable dividers in each front vertical compartment. (3) adjustable shelves with removable dividers in 2nd vertical compartment. (1) fixed shelf with removable dividers in streetside horizontal compartment. (18) eighteen drawer cabinet in curbside horizontal compartment. (3) adjustable shelves with removable dividers in curbside rear compartment. (3) locking swivel hooks in streetside rear compartment (1-2-0)	\$	2,609.00
2.19	Shelf 1 (1) adjustable fiberglass shelf	\$	147.00
2.20	Shelf 2 (2) adjustable fiberglass shelves	\$	217.00
2.21	Shelf 3 (3) adjustable fiberglass shelves	\$	288.00
2.22	Shelf 4 (4) adjustable fiberglass shelves	\$	358.00
2.23	Drawer Pullout drawer on slides *ONLY AVAILABLE IN HORIZONTALS**STANDARD SIZES ONLY	\$	163.00
2.24	Drawer Div Divider pack for pullout drawers (4 dividers)	\$	66.00
2.25	Shelf Div Divider pack for fiberglass shelves (4 dividers)	\$	20.00

2.0 Utility Service Body

2.26	Drawer 8 (8) drawer metal cabinet installed	\$ 368.00
2.27	Drawer 9 (9) drawer metal cabinet installed. ***NOT AVAILABLE IN 56LS***	\$ 369.00
2.28	Drawer 12 (12) drawer metal cabinet installed (2 rows of 6). ***NOT AVAILABLE IN 56LS***	\$ 401.00
2.29	Drawer 18 (18) drawer metal cabinet installed. ***NOT AVAILABLE IN 56LS***	\$ 433.00
2.30	Hotstick Hotstick door with thru shelf	\$ 448.00
2.31	Shelf Full Full length fiberglass shelf	\$ 233.00
2.32	Door Stop Over center spring door stops for vertical doors (per compartment)	\$ 60.00
2.33	Hook Locking swivel hook (per hook)	\$ 33.00
2.34	Vent Compartment vent in door and (1) vent in floor	\$ 80.00
2.35	Rope Light 1 Fibreglo flexible tubular lighting (per compartment)	\$ 49.00
2.36	Rope Light 2 Fibreglo flexible tubular lighting on 3 sides of compartment (per compartment)	\$ 87.00
2.37	Light Guard Interior light guards QTY (2)	\$ 129.00
2.38	Outrigger cutout, each compartment	\$ 235.00

BrandFX Composite Body Flooring options

2.39	Tread Floor 3/16" aluminum treadplate floor (60LS, 60DLS, 84LS, 84DLPXS)	Included in base price
2.40	Smooth Floor 3/16" smooth aluminum floor with non-skid coating (N/A on 56MLS)	\$269.00
2.41	Non-Skid Non-skid coating painted on steel treadplate floor	\$453.00
2.42	60T Floor 3/16" aluminum treadplate (no coating) / smooth with coating on floor (60T)	\$715/\$569
2.43	84T Floor 3/16" aluminum treadplate (no coating) / smooth with coating on floor (84T)	\$883/\$674
2.44	93T Floor 3/16" aluminum treadplate (no coating) / smooth with coating on floor (93T)	\$962/\$770
2.45	102T Floor 3/16" aluminum treadplate (no coating) / smooth with coating on floor (102T)	\$1003/\$800
2.46	108T Floor 3/16" aluminum treadplate (no coating) / smooth with coating on floor (108T)	\$1042/\$832
2.47	120T Floor 3/16" aluminum treadplate (no coating) / smooth with coating on floor (120T)	\$1123/\$896
2.48	Aerial floor cutout	\$ 288.00

BrandFX Composite Body Crane Reinforcements

2.49	Crane 10 Crane reinforcement for 10,000 ft. lb. crane. Understructure long sills to be 4" C channels	\$ 1,306.00
------	--	-------------

front and rear. Cross members of 2" and 4" square tubing. Reinforce reinforcing tubes to be 4" x 4" x 1/4". Mounting requires (4) shear plates per side. Crane tower to have 5/8" top plate

2.0 Utility Service Body

2.50	Crane 25 Crane reinforcement for 25,000 ft. Lb. crane.	\$	2,394.00
2.51	Crane 36, Crane reinforcement of 36,000 ft. lb. crane	\$	5,225.00

Understructure long sills to be 4" x 4" x 1/4" square tubing. Cross members at front and rear to be 4" x 4" x 1/4" tube. All

intermediate cross members to be 4" x 4" x 3/8". Crane tower to have 5/8" top plate. Mounting requires (4) shear plates per side

BrandFX Composite Body Exterior Accessories

2.52	Cask Aluminum water cask holder	\$	128.00
2.53	Cone Aluminum cone holder (vertical storage).	\$	106.00
2.54	Vice Table Pipe vice table and rest	\$	237.00
2.55	Shovel 85 Punched aluminum shovel basket 8" H x 15" W x 85" L. Shorten basket at N/C	\$	457.00
2.56	Shovel 94 Punched aluminum shovel basket 8" H x 20" W x 94" L	\$	509.00
2.57	Shovel 120 Punched aluminum shovel basket 8" H x 20" W x 120" L	\$	630.00
2.58	Rack Punched aluminum head ache rack. ***ONLY AVAIL ON 40LS, 56LS, 60LS SRW BODIES***	\$	518.00
2.59	Hotstick Hotstick door only	\$	216.00
2.60	Wheel Chock Wheel chock holder in fender	\$	135.00
2.61	Fuel Filler Extra black poly recessed fuel tank filler (required for dual tanks)	\$	50.00
2.62	Rock Guards Aluminum rock guards at front of body (both sides)	\$	60.00
2.63	Roll Deck Roll deck - 1,200 lb capacity cargo drawer. 1" lip	\$	1,115.00
2.64	Pad Holder Outrigger pad holder (aluminum)	\$	80.00

BrandFX Composite Body Tie Down Options

2.65	Wall Tiedown Loadwall tie down (each)	\$	50.00
2.66	Floor Tiedown Recessed floor tie down (each)	\$	72.00

BrandFX Composite Body Tailgate Options

2.67	Taligate 10" aluminum tailgate with automotive style latch. Incl w/ 40LS and 56LS SRW	\$	315.00
2.68	Tailboard 6" drop in plastic tailboard	\$	67.00

2.69	Tailboard Brackets Tailboard brackets only - aluminum	Price Page	\$	64.00
------	---	------------	----	-------

2.0 Utility Service Body

BrandFX Composite Body Bumper Options

2.70	SW Galv Bumper Galvanized sure step with ball plate. - Single rear wheel		\$	533.00
2.71	DW Galv Bumper Galvanized sure step with ball plate. - Dual rear wheel		\$	590.00
2.72	SW Galv Bumper - Pintle Galvanized sure step with pintle recess. - Single rear wheel		\$	533.00
2.73	DW Galv Bumper - Pintle Galvanized sure step with pintle recess. - Dual rear wheel		\$	583.00
2.74	Bumper Deduct Bumper Deduct for 40LS SRW and 56LS SRW Std Bumpers		\$	(378.00)
2.75	Vise Plate Vise plate		\$	163.00

BrandFX Composite Body Load bed and Compartment Top options

2.76	40/56 Wall Load wall liner, aluminum (per side) BFXB 40 & 56		\$	261.00
2.77	60 Wall Load wall liner, aluminum (per side) BFXB 60		\$	292.00
2.78	84 Wall Load wall liner, aluminum (per side) BFXB 84		\$	361.00
2.79	60T Wall Load wall liner, aluminum (per side) BFXB 60T		\$	429.00
2.80	84T Wall Load wall liner, aluminum (per side) BFXB 84T		\$	528.00
2.81	93T Wall Load wall liner, aluminum (per side) BFXB 93T		\$	577.00
2.82	102T Wall Load wall liner, aluminum (per side) BFXB 102T		\$	600.00
2.83	108T Wall Load wall liner, aluminum (per side) BFXB 108T		\$	627.00
2.84	120T Wall Load wall liner, aluminum (per side) BFXB 120T		\$	676.00
2.85	40/56 SW Top Compartment top aluminum treadbrite (per side) BFXB 40 & 56 SRW		\$	187.00
2.86	56 DW Top Compartment top aluminum treadbrite (per side) BFXB 56 DRW		\$	233.00
2.87	60 SW Top Compartment top aluminum treadbrite (per side) BFXB 60 SRW		\$	198.00
2.88	60 DW Top Compartment top aluminum treadbrite (per side) BFXB 60 DRW		\$	260.00
2.89	84 Top Compartment top aluminum treadbrite (per side) BFXB 84		\$	319.00
2.90	60T Top Compartment top aluminum treadbrite (per side) BFXB 60T		\$	157.00
2.91	84T Top Compartment top aluminum treadbrite (per side) BFXB 84T		\$	194.00
2.91	96 Flip Top Flip-top for 96" body (per side)		\$	532.00
2.93	108 Flip Top Flip-top for 108" body (per side)		\$	590.00
2.94	132 Flip Top Flip-top for 132" body (per side)		\$	731.00
2.95	60T Flip Top BFXB 60T standard flip top compartment (per side)		\$	600.00

2.96	84T Flip Top BFXB 84T standard flip top (curbside only) (Service Body)	\$	882.00
------	--	----	--------

BrandFX Composite Body hinge/latch options

2.97	D-Latch Stainless steel 3-point D-ring latch (price per door)	\$	145.00
2.98	Master Lock 40/56/60 Rod-lock system. BFXB40/56/60	\$	490.00
2.99	Master Lock 84 Rod-lock system. BFXB84LS	\$	616.00
2.100	Rod-lock system. Line Bodies.	\$	740.00
2.101	Electric door locks (6 doors)	\$	1,292.00
2.102	Electric door locks (7 doors)	\$	1,505.00
2.103	Electric door locks (8 doors)	\$	1,721.00
2.104	Electric door locks (6 doors) with key fob	\$	1,659.00
2.105	Electric door locks (7 doors) with key fob	\$	1,874.00
2.106	Electric door locks (8 doors) with key fob	\$	2,090.00
2.107	Electric door locks, Line bodies (each door)	\$	214.00

BrandFX Composite Body Roll Top options

2.108	Roll Top 40 Fiberglass roll top with double rear doors for BFXB 40	\$	1,510.00
2.109	Roll Top 56 Fiberglass roll top with double rear doors for BFXB 56	\$	1,510.00
2.110	Roll Top 60 Fiberglass roll top with double rear doors for BFXB 60 (Service Body)	\$	1,700.00
2.111	Roll Top 60T Fiberglass roll top with double rear doors for BFXB 60T (Line Body)	\$	1,700.00
2.112	Roll Top 84 Fiberglass roll top with double rear doors for BFXB 84 (Service Body)	\$	1,861.00
2.113	Roll Top 84T Fiberglass roll top with double rear doors for BFXB 84T (Line Body)	\$	1,861.00
2.114	Roll Top Bi 40 Fiberglass roll top with bi-fold flip-up rear door and tailgate for: BFXB 40	\$	1,169.00
2.115	Roll Top Bi 56 Fiberglass roll top with bi-fold flip-up rear door and tailgate for: BFXB 56 and BFXB60	\$	1,169.00
2.116	Roll Top Gel Non-standard gelcoat roll top	\$	182.00
2.117	Roll Top Paint Painted roll top	\$	433.00

BrandFX Composite Body Transverse Compartment options

2.118	Transverse Transverse open to both sides	\$	481.00
2.119	Cage / 1 drawer 1 Cage & one drawer-pull one side (curbside only), full width	\$	654.00
2.120	Cage / 2 drawer 1 Cage & two drawers-pull one side (curbside only), full width	\$	1,160.00
2.121	Cage / 3 drawer 1 Cage & three drawers-pull one side (curbside only), full width	\$	1,666.00

		2.0 Utility Service Body	
2.122	Cage / 1 drawer 2 Cage & one drawer-pull both sides, full width	\$	700.00
2.123	Cage / 2 drawer 2 Cage & two drawers-pull both sides, full width	\$	1,201.00
2.124	Cage / 3 drawer 2 Cage & three drawers-pull both sides, full width	\$	1,707.00
2.125	1 Drawer 1 Div Divider set for Pull One Way (Curbside Only) Drawers	\$	248.00
2.126	1 Drawer 2 Div Divider set for Pull Both Way Drawers	\$	248.00
2.127	Div Egg Egg crate dividers	\$	330.00
2.128	Tran Shelf Sm Fixed transverse shelf-bed width - mid height	\$	187.00
2.129	Tran Shelf Lg Fixed transverse shelf-full width - mid height	\$	238.00

BrandFX Composite Body Canopy top options

2.130	Canopy 56 BFXB 56 canopy with double rear doors. (Standard white only) 14", 34", 46"	\$	3,287.00
2.131	Canopy 60 BFXB 60 canopy with double rear doors. (Standard white only) 34", 46"	\$	4,580.00
2.132	Canopy 84 BFXB 84 canopy with double rear doors. (Standard white only) 34", 46"	\$	5,022.00
2.133	Canopy Gel Non-metallic color gelcoat for canopy	\$	853.00
2.134	Canopy Paint Metallic color paint for Superstructure	\$	2,560.00
2.135	Dome Light Furnish and install two (2) dome lights with switch at rear	\$	185.00
2.136	Shelf Full length fiberglass shelf with fiberglass dividers (each)	\$	293.00
2.137	Switch at rear of canopy	\$	55.00
2.138	Window Side Side windows (each)	\$	119.00
2.139	Window Front Canopy front window - 10" x 42"	\$	137.00
2.140	Window Rear Two (2) canopy rear windows, one (1) per door - 10" x 27"	\$	262.00
2.141	Ext Height Extended canopy height (60" to 78"). Avail on 84"LS Body Only	\$	2,211.00
2.142	Ladder Rack Canopy style ladder rack (front & rear)	\$	647.00
2.143	Paint 56 Paint canopy in lieu of gelcoat - 56 series body	\$	2,559.00
2.144	Paint 60 Paint canopy in lieu of gelcoat - 60 series body	\$	2,559.00
2.145	Paint 84 Paint canopy in lieu of gelcoat - 84 series body	\$	2,559.00

BrandFX Composite Body Ladder Rack options

2.146	Ladder Rack Bow Bow style ladder rack (aluminum).	\$	452.00
2.147	Ladder Rack Hor Horizontal aluminum ladder rack with roller	\$	425.00

	Price Page	
2.148	Ladder Rack OC Ladder rack over center lock.	\$ 119.00
2.0 Utility Service Body		
2.149	PVC Pipe Rack 6" PVC tube with aluminum end caps.	\$ 354.00
BrandFX Composite Body Steps and Grab Handle options		
2.150	Grab Handle Stainless steel grab handle (each).	\$ 50.00
2.151	Step Cable stirrup step (each).	\$ 118.00
BrandFX Composite Body Misc options		
2.152	Del Rear Delete rear compartment and extend floor (Line Body)	\$ 484.00
2.153	Tailshelf 18 18" aluminum treadplate tailshelf	\$ 916.00
2.154	Tailshelf 24 24" aluminum treadplate tailshelf	\$ 939.00
2.155	Tailshelf 30 30" aluminum treadplate tailshelf	\$ 970.00
2.156	30" aluminum treadplate tailshelf w/ curbside integrated walkup steps	\$ 1,181.00
2.157	Grab Handle Pool type grab rail on tailshelf	\$ 132.00
BrandFX Composite Body Gelcoat options		
2.158	Gel Service Body Non metallic color gelcoat. (Service Body)	\$ 585.00
2.159	Gel Line Body Non metallic color gelcoat. (Line Body)	\$ 712.00
2.160	Paint Service Body Paint body in lieu of gelcoat. (Service Body)	\$ 2,561.00
2.161	Paint Line Body Paint body in lieu of gelcoat. (Line Body)	\$ 3,413.00
BrandFX Composite Inserts and Toppers		
2.162	8' Brand FX Topper, GM, Ford, Dodge longbed, white, dbl rear doors, flip-up sides	\$ 5,376.00
2.163	6.5' Brand FX Topper, GM, Ford, Dodge shortbed, white, dbl rear doors, flip-up sides	\$ 5,123.00
2.164	5'7" Brand FX Topper, Chevy Hybrid shortbed, white, dbl rear doors, flip-up sides	\$ 5,123.00
2.165	8' Brand FX WorkPod Std height or Plus Top, white, dbl rear doors, flip-up sides	\$ 6,388.00
2.166	6.5' Brand FX WorkPod Std height or Plus top, white, dbl rear doors, flip-up sides	\$ 6,388.00
2.167	5'7" Brand FX WorkPod, Chevy Hybrid Shortbed, white, dbl rear doors, flip-up sides	\$ 6,388.00
BrandFX Composite Body Compartment options		
2.168	Paint Topper Paint to match chassis - topper	\$ 941.00
2.169	Paint Insert Paint to match chassis - insert	\$ 1,172.00
2.170	Single Door Single Rear Door in lieu of std	Not Available
2.171	Window Sgl Window for single rear door	Not Available

2.0 Utility Service Body

2.172	Window Dbl Windows for double rear door	\$	316.00
2.173	Window Side Window for side door (EA)	\$	159.00
2.174	Window Blk Window for bulkhead	\$	159.00
2.175	Dome 2 dome lights with switch at rear	\$	191.00
2.176	Shelf 18 18" Shelf With Punched Aluminum Enclosed Compartment	\$	524.00
2.177	Shelf 12/18 12" & 18" Shelves With Punched Aluminum Enclosed Compartment	\$	797.00
2.178	Shelf 15 15" Shelf With Punched Aluminum Enclosed Compartment	\$	511.00
2.179	Shelf 12/15 12" & 15" Shelves With Punched Aluminum Enclosed Compartment	\$	785.00
2.180	Div Divider packs for shelves (per pack)	\$	22.00
2.181	Rolldeck 1,200 lb capacity rolldeck (1" Lip)	\$	1,083.00
2.182	8 Drawer 8 drawer metal cabinet	\$	364.00
2.183	9 Drawer 9 drawer metal cabinet	\$	370.00
2.184	12 Drawer 12 drawer metal cabinet	\$	401.00
2.185	18 Drawer 18 drawer metal cabinet	\$	433.00
2.186	Ladder Rack Aluminum bow style ladder rack	\$	457.00
2.187	Ladder Rack Sgl Single Rotation Ladder Rack (Single Tilt Down)	\$	1,877.00
2.188	Ladder Rack Dbl Double Rotation Ladder Rack (Double Tilt Down)	\$	2,203.00
2.189	Ladder Rack Cmp Dual Clamp Down Ladder Rack	\$	1,007.00
2.190	DEF tank fill spout installation	\$	103.00
2.191	Relocate chassis reverse sensors	\$	237.00
2.192	Relocate chassis back-up camera	\$	367.00
2.193	Aluminum floor structure 56LS	\$	176.00

Vendor Name:	Truck Utilities Inc
Contact Person:	Paul Warner
Street Address:	2370 English Street
P.O. Box:	
City, State, Zip:	St Paul, MN 55109
Phone #:	651-393-2274
Toll Free #:	800-869-1075
Fax #:	651-484-0076
Email Address:	paulw@truckutilities.com
Website:	www.truckutilities.com

Version of Excel used: **97-2003 Excel**

2.0 UTILITY /SERVICE BODY

Make	IMT
Warranty	One (1) Year
Date & I.D. of Price List	Fixed Price Below
Discount to be applied to Price List* (see note below)	0%
Installation of Utility/Service Body as per spec 2.0	\$1,765.00
Price of FMVSS 108 lighting package	\$0.00
Price of ICC bumper under ride protection	\$0.00
Installation of ICC bumper under the protection	\$0.00
Price per loaded mile for delivery	\$3.00
Delivery Starting Point Address	St. Paul, MN 55109
Shp Rate for Mechanical work	\$115.00
Body Sop Rate	\$115.00

2.1 Dominator DSC20: 9' medium duty galvanized steel crane body with standard right rear crane mount, 14" step bumper with hitch receiver tube, standard 44" high compartments, body installation kit, understructure undercoated. Designed to accept up to and including 20,000 foot/pound rated crane for 60" CA, 10,500 - 17,500 lb GVW chassis. 9 R STD L STD	\$ 11,800.00
---	--------------

2.2 Dominator DSC20: 9' medium duty galvanized steel crane body with standard right rear crane mount, 14" step bumper with hitch receiver tube, 44" high compartments with the right front 1st compartment raised to 60", body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with switch panel (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 20,000 foot/pound rated crane for 60" CA, 10,500 lb GVW – 17,500 lb GVW Chassis. 9 R RSD1 L STD	\$ 12,793.00
--	--------------

2.3 Dominator DSC20: 11' medium duty galvanized steel crane body with standard right rear crane mount, 14" step bumper with hitch receiver tube, 44" high compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with switch panel (uninstalled), primed and undercoated. Designed to accept up to and including 20,000 foot/pound rated crane for 84" CA, 10,500 lb GVW – 19,500 lb GVW Chassis. 11 R STD L STD	\$ 12,900.00
---	--------------

2.4 Dominator DSC20: 11' medium duty galvanized steel crane body with standard right rear crane mount, 14" step bumper with hitch receiver tube, 44" high compartments with the right front 1st and 2nd compartments raised to 60", body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with switch panel (uninstalled), primed and undercoated. Designed to accept up to and including 20,000 foot/pound rated crane for 84" CA, 10,500 lb GVW – 19,500 lb GVW Chassis. 11 R RSD 1-2 L STD	\$ 13,874.00
---	--------------

Item #	Description	Price
2.5	<p>Dominator DSC20: 11' medium duty galvanized steel crane body with standard right rear crane mount, 14" step bumper with hitch receiver tube, 44" high compartments with the left front 1st and 2nd compartments raised to 60", body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with switch panel (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 20,000 foot/pound rated crane for 84" CA, 10,500 lb GVW – 19,500 lb GVW Chassis. 11 R STD L RSD 1-2</p>	<p style="text-align: right;">\$ 14,286.00</p>
2.6	<p>Dominator DSC20: 11' medium duty galvanized steel crane body with standard right rear crane mount, 14" step bumper with hitch receiver tube, 44" high compartments with the right front and left front 1st and 2nd compartments raised to 60", body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with switch panel (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 20,000 foot/pound rated crane for 84" CA, 10,500 lb GVW – 19,500 lb GVW Chassis. 11 R RSD 1-2 L RSD 1-2</p>	<p style="text-align: right;">\$ 14,646.00</p>
2.7	<p>Dominator I: 9' heavy duty galvanized steel crane body with standard right rear crane mount, 21" workbench bumper with through compartment, 1/4" plate work surface and recess for pintle hitch and hitch receiver tube, 44" high compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box, body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 38,000 foot/pound rated crane for 84" CA, 15,500 - 19,500 lb GVW chassis. Front drop down outrigger, rear manual out, power down outriggers. 9' Standard Body - 44"H sidepacks</p>	<p style="text-align: right;">\$ 17,200.00</p>
2.8	<p>Dominator I: 9' heavy duty galvanized steel crane body with standard right rear crane mount, 21" workbench bumper with through compartment, 1/4" plate work surface and recess for pintle hitch and hitch receiver tube, 44" high compartments with the right front 1st vertical compartment raised to 60", a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 7500 lb maximum capacity crane for 60" CA, 11,000 lb GVW – 17,500 lb GVW Chassis. 9' RF Raised Body - RF 1st raised to 60"H</p>	<p style="text-align: right;">\$ 17,771.00</p>
2.9	<p>Dominator I: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 21" workbench bumper with through compartment, 1/4" plate work surface and recess for pintle hitch and hitch receiver tube, 44" high compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box, body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 38,000 foot/pound rated crane for 84" CA, 15,500 - 19,500 lb GVW chassis. Front drop down outrigger, rear manual out, power down outriggers. 11' Standard Body - 44"H sidepacks</p>	<p style="text-align: right;">\$ 18,058.00</p>
2.10	<p>Dominator I: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 21" workbench bumper with through compartment, 1/4" plate work surface and recess for pintle hitch and hitch receiver tube, 44" high compartments with the right front 1st and 2nd compartments raised to 60", a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 7500 lb maximum capacity crane for 84" CA, 15,000 lb GVW – 19,500 lb GVW Chassis. 11' RF Raised Body - RF 1st & 2nd raised to 60"H</p>	<p style="text-align: right;">\$ 18,917.00</p>

Item ID	Description	Price
2.11	Dominator I: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 21" workbench bumper with through compartment, 1/4" plate work surface and recess for pintle hitch and hitch receiver tube, 44" high compartments with the left front 1st and 2nd compartments raised to 60", a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 7500 lb maximum capacity crane for 84" CA, 15,000 lb GVW – 19,500 lb GVW Chassis. 11' Body LF Raised - LF 1st & 2nd raised to 60"	\$ 18,917.00
2.12	Dominator I: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 21" workbench bumper with through compartment, 1/4" plate work surface and recess for pintle hitch and hitch receiver tube, 44" high compartments with the right front and left front 1st and 2nd compartments raised to 60", a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 7500 lb maximum capacity crane for 84" CA, 15,000 lb GVW – 19,500 lb GVW Chassis. 11' Body RF & LF Raised - RF & LF 1st & 2nd raised to 60"	\$ 19,490.00
2.13	Dominator I: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 21" workbench bumper with through compartment, 1/4" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 60"H compartments except the crane box which is 22"D x 52"H and the left hand sidepack has all 22"D x 60"H compartments, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 7,500 lb maximum capacity crane for 84" CA, 15,000 lb GVW – 19,500 lb GVW Chassis. 11' Body Right & Left Sidepack raised to 60in CrnCmpt52inH	\$ 20,064.00
2.14	Dominator II: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment, 5/16" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 52"H compartments and the left hand sidepack has all 22"D x 52"H compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 10,000 pound maximum capacity crane for 84" CA, 26,000 lb GVW-33,000 lb GVW Chassis. Dom 2 11' Body Standard - 52" Sidepacks	\$ 20,350.00
2.15	Dominator II: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment, 5/16" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 60"H front 1st and 2nd vertical compartments with the remaining compartments 22"D x 52"H and the left hand sidepack has all 22"D x 52"H compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 10,000 pound maximum capacity crane for 84" CA, 26,000 lb GVW-33,000 lb GVW Chassis. Dom 2 11' RF Raised Body - RF 1st & 2nd raised to 60"	\$ 21,210.00

Price Page
2.0 Utility Service Body

Item #	Description	Price
2.16	<p>Dominator II: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment, 5/16" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 60"H front 1st and 2nd vertical compartments with the remaining compartments 22"D x 52"H and the left hand sidepack has 22"D x 60"H front 1st and 2nd vertical compartments with the remaining compartments are 22"D x 52"H, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 10,000 pound maximum capacity crane for 84" CA, 26,000 lb GVW-33,000 lb GVW Chassis. Dom 2 11' RF & LF Raised Body - RF & LF 1st & 2nd Raised to 60" H</p>	<p style="text-align: right;">\$ 22,071.00</p>
2.17	<p>Dominator II: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment, 5/16" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 60"H front 1st and 2nd vertical compartments with the remaining compartments 22"D x 52"H and the left hand sidepack has all 22"D x 60"H compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 10,000 foot/pound rated crane for 84" CA, 26,000 lb. GVW-33,000 lb. GVW Chassis. Dom 2 11' RF Raised / Left Side Raised Body - RF 1st & 2nd raised to 60" with left sidepack all raised to 60"</p>	<p style="text-align: right;">\$ 23,503.00</p>
2.18	<p>Dominator II: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment, 5/16" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 60"H compartments except the crane box which is 22"D x 52"H and the left hand sidepack has all 22"D x 60"H compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 10,000 pound maximum capacity crane for 84" CA, 26,000 lb GVW-33,000 lb GVW Chassis. Dom 2 11' Right & Left Sidepack raised to 60in CrnCmpt52inH</p>	<p style="text-align: right;">\$ 24,073.00</p>
2.19	<p>IMT Dominator II, 13' (3.9 m), heavy duty galvanized steel crane body with 22"D x 52"H right and left side packs, raised right front 1st and 2nd compartments to 60", standard right rear crane mount, 24" (60.9 cm) workbench bumper with through compartment and a receiver tube for hitch insert and pintle hitch mounting plate, body installation kit, prime paint and undercoated. The body shall be designed to accept up to and including a 75,000 ft-lb (10.4 tm) rated crane on a 108" (274.3 cm) CA chassis with a 26,000 lb (11,793.4 kg) minimum GVW rating. Dom 2 13' RF Raised Body - RF 1st & 2nd raised to 60" H</p>	<p style="text-align: right;">\$ 23,845.00</p>
2.20	<p>IMT Dominator II, 14' (4.3 m), heavy duty galvanized steel crane body with 22"D x 52"H right and left side packs, right and left 1st and 2nd compartments raised to 60", standard right rear crane mount, 24" (60.9 cm) workbench bumper with through compartment and a receiver tube for hitch insert and pintle hitch mounting plate, body installation kit, prime paint and undercoated. The body shall be designed to accept up to and including a 75,000 ft-lb (10.4 tm) rated crane on a 120" (304.8 cm) CA chassis with a 26,000 lb (11,793.4 kg) minimum GVW rating. Dom 2 14' RF & LF Raised Body - RF & LF 1st & 2nd Raised to 60" H</p>	<p style="text-align: right;">\$ 24,648.00</p>

2.0 Utility Service Body

2.21	<p>Dominator II: 14' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment, 5/16" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 60"H front 1st and 2nd vertical compartments with the remaining compartments 22"D x 52"H and the left hand sidepack has all 22"D x 60"H compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 10,000 pound maximum capacity crane for 120" CA, 26,000 lb GVW-33,000 lb GVW Chassis. Dom 2 14' RF Raised / Left side raised body - RF 1st & 2nd raised to 60" H with left sidepack all raised to 60" H</p>	<p>\$ 26,196.00</p>
2.22	<p>Dominator II: 14' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment, 5/16" plate work surface and recess for pintle hitch and hitch receiver tube, the right hand sidepack has 22"D x 60"H compartments except the crane box which is 22"D x 52"H and the left hand sidepack has all 22"D x 60"H compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 10,000 pound maximum capacity crane for 120" CA, 26,000 lb GVW-33,000 lb GVW Chassis. Dom 2 14' Right & Left Sidepack raised to 60in CrnCmpt52inH</p>	<p>\$ 26,654.00</p>
2.23	<p>Dominator III: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment and recess for pintle hitch, the right hand sidepack has 24"D compartments and the left hand sidepack has all 22"D compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 12,000 pound maximum capacity crane for 84" CA, 33,000 lb. GVW Chassis. D3S3 11 R RSD1-2 L ALL 60</p>	<p>\$ 23,503.00</p>
2.24	<p>Dominator III: 11' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment and recess for pintle hitch, the right hand sidepack has 24"D compartments and the left hand sidepack has all 22"D compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 12,000 pound maximum capacity crane for 84" CA, 33,000 lb. GVW Chassis. D3S3 11 R ALL 60 L ALL 60 CrnCmpt52</p>	<p>\$ 24,073.00</p>
2.25	<p>Dominator III: 14' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with through compartment and recess for pintle hitch, the right hand sidepack has 24"D compartments and the left hand sidepack has all 22"D compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 12,000 pound maximum capacity crane for 120" CA, 33,000 lb. GVW Chassis. D3S3 14 R RSD1-2 L ALL 60</p>	<p>\$ 26,196.00</p>

	Price
2.26 Dominator III: 14' heavy duty galvanized steel crane body with standard right rear crane mount, 24" workbench bumper with three tie downs, one riser for pintle hitch, the right hand sidepack has 24"D compartments and the left hand sidepack has all 22"D compartments, body installation kit, a fully integrated and sealed electrical system incorporating an automotive style harness system with power and function distribution panel located in the crane box (uninstalled), body exterior primed, inside of compartments painted with IMT compartment coat and understructure undercoated. Designed to accept up to and including 12,000 pound maximum capacity crane for 120" CA, 33,000 lb. GVW Chassis. D3S3 14 R ALL 60 L ALL 60 CrnCmpt52	\$ 26,654.00
2.27 Ford and Chevrolet installation kit for 9' and 11' bodies up to 19,500 lb GVW, DOM I	\$ 416.00
2.28 10" fold down tailgate with single hand latch (Required)	\$ 654.00
2.29 Aluminum rock guards at front of body	\$ 344.00
2.30 Master lock system for 9' and 11' body (DSC, DOM I)	\$ 742.00
2.31 Master lock system for 11', 13', 14' (DOM II, DOM III)	\$ 815.00
2.32 Telescopic roof 26" height, 9' and 11' body (DSC20, DOM I, DOM II)	\$ 2,473.00
2.33 Telescopic roof 43" height, 9' and 11' body (DSC20, DOM I, DOM II), w/o crane riser	\$ 2,763.00
2.34 Telescopic roof 26" height, 13' and 14' body DOM II	\$ 3,020.00
2.35 Telescopic roof 43" height, 13' and 14' body DOM II	\$ 3,316.00
2.36 High intensity canopy ceiling lights, non factory	\$ 467.00
2.37 Compartment cut out for welder	\$ 140.00
2.38 Rear manual out and drop down outriggers (DSC20 body)	\$ 478.00
2.39 Rear manual out and crank down outrigger (DSC20 body)	\$ 930.00
2.40 Rear manual out crank down outrigger (DOM I body)	\$ 2,150.00
2.41 Rear manual out power down outrigger (DOM I body)	\$ 4,181.00
2.42 Rear power out power down outrigger (DOM I body)	\$ 5,068.00
2.43 Rear power out power down outrigger (DOM II)	\$ 5,310.00
2.44 Front left drop stabilizer (DSC20, DOM I, DOM II)	\$ 312.00
2.45 Front right pull out drop down stabilize (DSC20, DOM I, DOM II)	\$ 645.00
2.46 Headache rack, factory installed	\$ 257.00
2.47 High intensity LED compartment lights, each compartment. Factory installed	\$ 110.00
2.48 Two LED work lights, 50 watt with mounting, factory installed	\$ 317.00
2.49 Light reel kit 12 volt, factory installed	\$ 290.00
2.50 Pintle ball combination with 2" removable ball for hitch receiver mounting. Factory installed	\$ 170.00
2.51 Vise mounting bracket - bolt on	\$ 215.00

	Price	Page
2.52	Tank bracket - Oxy/Acet 2 tanks - front wall mounted in vented compartment	\$ 242.00
2.0 Utility Service Body		
2.53	Tank bracket - Oxy/Acet 3 tanks - front wall mounted in vented compartment	\$ 306.00
2.54	Compartment divider kit, factory installed	\$ 352.00
2.55	Adjustable shelf vertical compartment, each	\$ 140.00
2.56	3"H divided adjustable shelf vertical compartment, each	\$ 166.00
2.57	Adjustable shelf horizontal compartment, each	\$ 150.00
2.58	3"H divided adjustable shelf horizontal compartment, each	\$ 215.00
2.59	Painted drawer kit LV1 or RV1, 26Wx41H 1-7"/2-5"/5-3" factory installed	\$ 2,177.00
2.60	Painted drawer kit LV2 or RV2, 13Wx41H 1-7"/2-5"/5-3" factory installed	\$ 1,995.00
2.61	Painted drawer kit LR, 13Wx41H 1-7"/2-5"/5-3" factory installed	\$ 1,995.00
2.62	Flexible bumper mounted step, factory installed	Discontinued
2.63	Slide out step, bumper mounted, factory installed	\$ 350.00
2.64	Additional chassis leaf spring kit, DOM I and DOM II	\$ 1,032.00
2.65	ICC safety kit	\$ 135.00
2.66	Chock holders, curbside only. Factory	\$ 199.00
2.67	Adjustable hook kit, bolt in - includes two hooks	\$ 134.00
2.68	Boom support - 1015/2020/2820/6000/7500	\$ 567.00
2.69	Boom support - 3203i/4004i/5005i/6006i	\$ 752.00
2.70	Class A paint colors:Includes White and Tan colors	\$ 1,800.00
2.71	Class B paint colors: Includes Black, Blue, Gray, Green and Silver colors	\$ 2,327.00
2.72	Class C paint colors: Includes Red, Orange, Yellow and all Metallic colors	\$ 3,827.00
2.73	Class D paint colors: Includes special Ford and Dodge paint codes. (DSC20, DOMII)	\$ 5,520.00
2.74	DOM tailshelf on DSC20 in lieu of standard rear bumper	\$ 1,424.00
2.75	Oxygen/Acetylene hose reel with 1/4" x 50' hose	\$ 1,039.00
2.76	Oxy/Acet hose kit, from tanks to reel	\$ 160.00
2.77	LED back up lights	\$ 190.00
2.78	Remote control Go Lite	\$ 822.00
2.79	Spartan remote light	\$ 955.00
2.80	Whelen S360 DAP Super Strobe	\$ 567.00
2.81	Whelen L31HF	\$ 960.00

2.0 Utility Service Body

2.82	Whelen 2EA00 ZAR	\$ 360.00
2.83	Whelen 2FA00 ZAR	\$ 360.00
2.84	Whelen 502000 AU 500 Series Amber	\$ 244.00
2.85	Whelen 50A00 FAR LED strobes	\$ 244.00
2.86	Bettes 32 work light	\$ 371.00
2.87	Whelen PAR36 LED work light	\$ 632.00
2.88	Dimensions 1200 W pure sine wave inverter	\$ 2,254.00
2.89	Dimensions 1800 W pure sine wave inverter	\$ 2,731.00
2.90	Dimensions 2400 W pure sine wave inverter	\$ 3,416.00
2.91	Dimensions 3000 W pure sine wave inverter	\$ 4,578.00
2.92	Dimensions 3600 W pure sine wave inverter	\$ 5,065.00
2.93	Engine throttle kicker for inverter	\$ 652.00
2.94	Group 31 battery, each	\$ 398.00
2.95	Dimensions battery charger option added to an above inverter	\$ 329.00
2.96	1200 lumens LED work light - round	\$ 276.00
2.97	1800 lumens LED work light - rectangular	\$ 300.00
2.98	LED 4" round or oval amber strobe, pair. Switch in cab	\$ 625.00
2.99	L32 HAF LED strobe light	\$ 750.00
2.100	Crane riser, used with 43" canopy roof	\$ 1,292.00
2.101	Safe Guard, anti-slip overlay, per square foot	\$ 47.00
2.102	Back up camera, 7" color LCD screen	\$ 1,421.00
2.103	Acari drill-less cab strobe mount	\$ 525.00
2.104	Whelen TAL85 w/ control in cab	\$ 1,865.00
2.105	Roll up door, front compartment. Increases compartment height 12"	\$ 5,147.00
2.106	Increase compartment depth above load bed floor on front compartments, right of left side. Each	\$ 725.00
2.107	False full length false floor in load be area, divided into sections for support.	\$ 3,010.00
2.108	Sign storage, one full compartment	\$ 3,748.00
2.109	Sign storage, half compartment	\$ 2,252.00
2.110	Extension cable for TAL85	\$ 346.00
2.111	Whelen R2LPHPA amber strobe LED, 360-degree	\$ 860.00

2.0 Utility Service Body

1.112	Whelen M4 split color LED strobe, surface mount, 14" H, 50" W, front post, 12v	\$ 875.00
2.113	Relocate chassis reverse sensors	\$ 240.00
2.114	Relocate chassis back-up camera	\$ 340.00
2.115	IMT installed aux fuel port in chasss fuel tank (26k GVW and higher)	\$ 1,092.00
2.116	IMT auxillary bulk head to the rear of hydraulic res	\$ 500.00

Vendor Name:	Truck Utilities Inc
Contact Person:	Paul Warner
Street Address:	2370 English Street
P.O. Box:	
City, State, Zip	St Paul, MN 55109
Phone #:	651-393-2274
Toll Free #:	800-869-1075
Fax #:	651-484-0076
Email Address:	paulw@truckutilities.com
Website:	www.truckutilities.com

Version of Excel used: **97-2003 Excel**

2.0 UTILITY /SERVICE BODY

Make	Knapheide
Warranty	One (1) Year
Date & I.D. of Price List	Fixed Price Below
Discount to be applied to Price List* (see note below)	0%
Installation of Utility/Service Body as per spec 2.0	\$985.00
Price of FMVSS 108 lighting package	\$0.00
Price of ICC bumper under ride protection	\$0.00
Installation of ICC bumper under the protection	\$0.00
Delivery Starting Point Address	\$3.00
Price per loaded mile for delivery	St. Paul, MN 55109
Shp Rate for Mechanical work	\$115.00
Body Sop Rate	\$115.00

KNAPHEIDE STEEL UTILITY SERVICE BODIES AND OPTIONS:

Body shell constructed of 14 gauge two-sided A-40 galvanized steel, 12 gauge treadplate floor with 1-3/8" return flange on each side, 50,000 psi yield 11 gauge high strength steel crossills, 14 gauge two-sided A-40 galvanized steel tailgate with coated chains, 20 gauge two-side A-40 galvanized steel doors - two panel construction with reinforcing hat post. Stainless steel continuous hinges with 1/8" stainless steel pin. Two stage paddle locks, HD zinc die-cast with brushed chrome finish, with locks keyed alike. Two stage door striker affixed to door frame with screws - adjustable style. Double spring over center door retainers. Automotive style neoprene bulb seal weather-stripping. Body is completely immersed in electrodeposition gray epoxy primer paint featuring a zinc phosphate precoat and seal. Prime paint is oven cured to provide hard durable finish. Body is completely undercoated by manufacturer, using minimum 3 mils of petroleum based undercoating or equivalent. Painted a mid-gloss one color white polyurethane. Slammable tailgate. Flush mount light kit included. Standard shelving package included. LED stop, tail, and turn lights standard

2.1	Knapheide 596J, 696J, or 796J service body - Bodies to fit 56"CA single wheel chassis. 96" long, 49" bed width, 14-1/2" compartment depth, 40" compartment height.	\$ 5,985.00
2.2	Knapheide 596FJ, 696FJ, or 796FJ service body - Bodies to fit 56"CA single wheel chassis. 96" long, 49" bed width, 14-1/2" compartment depth, 37" compartment height.	\$ 6,930.00
2.3	Knapheide 696D54J service body - Bodies to fit 56"CA dual wheel chassis. 96" long, 49" bed width, 14-1/2" compartment depth, 40" compartment height.	\$ 6,510.00
2.4	Knapheide 5108LPJ, 6108LPJ, or 7108LPJ service body - Bodies to fit 60"CA single wheel low profile chassis. 107" long, 49" bed width, 14-1/2" compartment depth, 36" compartment height.	\$ 6,510.00
2.5	Knapheide 5108J, 6108J, or 7108J service body - Bodies to fit 60"CA single wheel chassis. 107" long, 49" bed width, 14-1/2" compartment depth, 40" compartment height.	\$ 6,510.00
2.6	Knapheide 5108FJ, 6108FJ, or 7108FJ service body - Bodies to fit only Ford F-350 60"CA single wheel chassis. 107" long, 49" bed width, 14-1/2" compartment depth, 37-1/4" compartment height. Flip top compartments.	\$ 7,560.00

	Price	Page	
2.7	Knapheide 5108DJ, 6108DJ, or 7108DJ service body - Bodies to fit 60"CA dual wheel chassis. 107" long, 49" bed width, 20" compartment depth, 40" compartment height.	2.0 Utility Service Body	\$ 7,245.00
2.8	Knapheide 5108D54J, 6108D54J, or 7108D54J service body - Bodies to fit 60"CA dual wheel chassis. 54" load bed - 107" long, 54" bed width, 20" compartment depth, 40" compartment height.		\$ 7,350.00
2.9	Knapheide 5108D54FJ, 6108D54FJ, or 7108D54FJ service body - Bodies to fit 60"CA dual wheel chassis. 54" load bed, flip top compartments - 107" long, 54" bed width, 20" compartment depth, 37-1/4" compartment height.		\$ 8,190.00
2.10	Knapheide 5132D54J, 6132D54J, or 7132D54J service body - Bodies to fit 84"CA dual wheel chassis. 54" load bed - 132" long, 54" bed width, 20" compartment depth, 40" compartment height.		\$ 9,345.00
2.11	Knapheide 5132D54FJ, 6132D54FJ, or 7132D54FJ service body - Bodies to fit 84"CA dual wheel chassis. 54" load bed, flip top compartments - 132" long, 54" bed width, 20" compartment depth, 37-1/4" compartment height.		\$ 10,920.00
2.12	Knapheide 5157D54J, 6157D54J, or 7157D54J service body - Bodies to fit 108"CA dual wheel chassis. 54" load bed - 157" long, 54" bed width, 20" compartment depth, 40" compartment height.		\$ 12,810.00
2.13	Knapheide 6133HC service body - Bodies to fit 84"CA dual wheel chassis. 94" wide, 133" long, 18" compartment depth, 50" compartment height.		\$ 9,900.00
2.14	Knapheide 6147HC service body - Bodies to fit 102"CA dual wheel chassis. 94" wide, 147" long, 18" compartment depth, 50" compartment height.		\$ 12,700.00
2.15	Knapheide 6155HC service body - Bodies to fit 108"CA dual wheel chassis. 94" wide, 155" long, 18" compartment depth, 50" compartment height.		\$ 13,500.00
2.16	Knapheide 6165HC service body - Bodies to fit 120"CA dual wheel chassis. 94" wide, 165" long, 18" compartment depth, 50" compartment height.		\$ 14,100.00
2.17	Chevrolet pickup with box removed, add for special fuel filler adapter kit		\$ 200.00
2.18	LED backup lights		\$ 200.00
2.19	Back up alarm		\$ 200.00
2.20	Factory cab guard, painted white		\$ 800.00
2.21	Side mount ladder racks - Knapheide style		\$ 375.00
2.22	Over head ladder racks - Knapheide style		\$ 600.00
2.23	Aluminum rock guards on front of body		\$ 250.00
2.24	60" raised curbside front vertical compartment for torch set - Only available on 20" deep compartment bodies		\$ 800.00
2.25	Bottle gas retainer kit for front compartment		\$ 570.00
2.26	Bottle gas drop well and retainer kit, TU installed		\$ 700.00
2.27	Bottle gas retainer for cargo area, TU installed		\$ 360.00
2.28	Louvered vents for compartments with bottle gas, installed		\$ 180.00

	Price Page	
2.29	Cargo ties in load bed area, 2,000 lb rated, 4 ties	\$ 330.00
2.0 Utility Service Body		
2.30	Cargo ties in load bed area, 2,000 lb rated, 6 ties	\$ 440.00
2.31	Material rail with sliding hooks in cargo area	\$ 200.00
2.32	Material rail with sliding hooks in vertical compartment	\$ 200.00
2.33	Combo swivel hooks in vertical compartment	\$ 200.00
2.34	Spare tire retainer in cargo area	\$ 100.00
2.35	Add one adjustable divider shelf vertical compartment	\$ 80.00
2.36	Add one divider shelf in horizontal compartment	\$ 130.00
2.37	Add one pull out shelf on slides, vertical compartment - Factory installed	\$ 410.00
2.38	Add one pull out shelf on slides, horizontal compartment - Factory installed	\$ 460.00
2.39	9 drawer cabinet, installed	\$ 320.00
2.40	18 drawer cabinet, installed	\$ 470.00
2.41	Compartment light, six installed with dash switch	\$ 460.00
2.42	Compartment light, eight installed with dash switch	\$ 520.00
2.43	LED strip lighting, 36" strip, TU installed each	\$ 100.00
2.44	Paint single stage other than white, service body	\$ 1,100.00
2.45	Paint base coat clear coat, service body	\$ 2,200.00
2.46	Paint special effect pigments, service body	\$ 3,200.00
2.47	Vertical overlapping doors, each	\$ 160.00
2.48	Flip top compartment one side (For bodies without flip top compartments)	\$ 900.00
2.49	Master lock system, factory installed	\$ 430.00
2.50	Electric door locks, factory installed	\$ 1,120.00
2.51	78" standard treadplate or galvi-grip with recess	\$ 460.00
2.52	89" standard treadplate or galvi-grip with recess	\$ 510.00
2.53	94" standard treadplate or galvi-grip with recess	\$ 570.00
2.54	Mud flaps	\$ 140.00
2.55	61" standard canopy roof for 108" body installed at factory	\$ 4,830.00
2.56	61" standard canopy roof for 108" body, full width full height, installed at factory	\$ 6,250.00
2.57	61" standard canopy roof for 132" body installed at factory	\$ 5,775.00
2.58	61" standard canopy roof for 132" body, full width full height, installed at factory	\$ 7,560.00

2.0 Utility Service Body

2.59	Paint single stage other than white, canopy	\$ 1,130.00
2.60	Paint base coat clear coat, canopy	\$ 1,400.00
2.61	Paint special effects pigments, canopy	\$ 1,900.00
2.62	Paint interior of canopy single stage white, factory	\$ 1,100.00
2.63	Invert canopy shelf and punched for Sortimo S-BOXX tacks, each. Factory installed	\$ 160.00
2.64	Canopy shelf insert, punched for Sortimo S-BOXX tracks, each. Loose	\$ 240.00
2.65	Treadplate overlay on tailgate	\$ 130.00
2.66	Corner mounted crane reinforcement (Up to 3,500lb capacity crane)	\$ 1,600.00
2.67	Adjustable mechanic vice bracket	\$ 210.00
2.68	Strobe light on stand	\$ 320.00
2.69	Vortex lining (8' Body): Floor, sides, front wall, tailgate, top of compartments	\$ 1,200.00
2.70	Vortex lining (9' Body): Floor, sides, front wall, tailgate, top of compartments	\$ 1,300.00
2.71	Vortex lining (11' Body): Floor, sides, front wall, tailgate, top of compartments	\$ 1,600.00
2.72	Chrome grab handles (2)	\$ 230.00
2.73	T-Handle single point twist latch, zinc, each	\$ 70.00
2.74	T-Handle single point twist latch, stainless steel, each	\$ 70.00
2.75	T-Handle three point twist latch, zinc, each	\$ 130.00
2.76	T-Handle three point twist latch, stainless steel, each	\$ 130.00
2.77	Steel shovel basket, 48" long	\$ 570.00
2.78	Steel shovel basket, 60" long	\$ 600.00
2.79	Steel shovel basket, 72" long	\$ 620.00
2.80	Steel shovel basket, 96" long	\$ 800.00
2.81	Aluminum shovel basket, 48" long	\$ 740.00
2.82	Aluminum shovel basket, 60" long	\$ 760.00
2.83	Aluminum shovel basket, 72" long	\$ 850.00
2.84	Aluminum shovel basket, 96" long	\$ 1,130.00
2.85	E-Track, per foot, both sides of body	\$ 60.00
2.86	Custom TU ladder rack, painted steel or aluminum	\$ 2,500.00
2.87	Over cab ladder rack, Knapheide, painted steel	\$ 2,300.00
2.88	RS-3 three step pullout ladder	\$ 270.00

2.0 Utility Service Body

2.89	RS-2 two step pullout ladder	\$ 260.00
2.90	Receiver type mechanic vice bracket	\$ 240.00
2.91	Trade in new pickup box	\$ (500.00)
2.92	Wheel chock holders, each	\$ 440.00
2.93	Structural sub-floor, per foot	\$ 185.00
2.94	LED canopy dome lights, each	\$ 195.00
2.95	Aerial cutout in floor	\$ 240.00
2.96	Body shortened for aerial outrigers	\$ 400.00
2.97	Outrigger housing built into front or rear compartments, each compartment	\$ 475.00
2.98	30" tailshelf with right side access steps. Left side of tailshelf will have access door with access to compartment in tailshelf	\$ 2,520.00
2.99	Rear sidepack/CR door (hot stick door), factory installed, each	\$ 180.00
2.100	Side door for 96"L x 22"H canopy, 12" single door, each	\$ 960.00
2.101	Side door for 96"L x 32"H canopy, 18" single door, each	\$ 1,310.00
2.102	Two 12" doors for 108 and 132 canopy 22-28", per side	\$ 1,870.00
2.103	Two 18" doors for 108 and 132 canopy 32-38", per side	\$ 2,170.00
2.104	Cone holder	\$ 240.00
2.105	Treadplate reinforcement in compartment floor, each compt	\$ 150.00
2.106	Horizontal compartment modified to 44.75" wide	\$ 530.00
2.107	Paint interior of compartments including inside of doors Knapheide white	\$ 850.00
2.108	2"x4" tubular floor structure in lieu of formed channel	\$ 600.00
2.109	2"x6" tubular floor structure in lieu of formed channel	\$ 950.00
2.110	Increase compartment depth to 22" in lieu of 18" for standard HC bodies	\$ 1,800.00
2.111	Increase compartment depth to 24" in lieu of 18" for standard HC bodies	\$ 2,230.00
2.112	Bus style heater (chassis coolant supplied) mounted in cargo area	\$ 2,171.00
2.113	sky lights in canopy roof (each)	\$ 335.00
2.114	Relocate chassis reverse sensors	\$ 240.00
2.115	Relocate chassis back-up camera	\$ 340.00

KNAPHEIDE STEEL ENCLOSED UTILITY SERVICE BODY (KUVcc) TO INCLUDE:

Body shell constructed of 14 gauge two-sided A-40 galvanized steel, 12 gauge treadplate floor with 1-3/8" return flange on each side, 50,000 psi yield 11 gauge high strength steel body, 20 gauge A-40 galvanized steel tailgate with coated chains, 20 gauge two-side A-40 galvanized steel doors - two panel construction with reinforcing hat post. Stainless steel continuous hinges with 1/8" stainless steel pin. Two stage paddle locks, with locks keyed alike. Two stage door striker affixed to door frame with screws - adjustable style. Double spring over center door retainers. Automotive style neoprene bulb seal weatherstripping. Body is completely immersed in electrodeposition gray epoxy primer paint featuring a zinc phosphate precoat and seal. Prime paint is oven cured to provide hard durable finish. Body is completely undercoated by manufacturer, using minimum 3 mils of undercoating.

Painted a mid-gloss one color white polyurethane. Standard shelving package included. Double panel rear doors with zinc plated latch, windows and guards. Two rear access doors with zinc plated latches. 9" x 30" bulkhead window. Master lock system for all side doors. Grab handle right rear inside cargo area. Flush light kit and two interior lights. Bumper not included. LED stop, tail, and turn lights standard

KNAPHEIDE STEEL ENCLOSED UTILITY SERVICE BODIES (KUVcc) AND OPTIONS:

2.116	Model KC96U1478J, OAL 97-1/4", OAH 62", OAW 78", CA 56"	\$ 10,600.00
2.117	Model KC96L1478J, OAL 97-1/4", OAH 68", OAW 78", CA 56"	\$ 10,950.00
2.118	Model KC96M1478J, OAL 97-1/4", OAH 78", OAW 78", CA 56"	\$ 11,460.00
2.119	Model KC108U1478J, OAL 107-1/4", OAH 62", OAW 78", CA 60"	\$ 11,770.00
2.120	Model KC108L1478J, OAL 107-1/4", OAH 68", OAW 78", CA 60"	\$ 12,190.00
2.121	Model KC108M1478J, OAL 107-1/4", OAH 78", OAW 78", CA 60"	\$ 12,760.00
2.122	Model KC96U2094J, OAL 97-1/4", OAH 62", OAW 94", CA 56"	\$ 11,700.00
2.123	Model KC96L2094J, OAL 97-1/4", OAH 68", OAW 94", CA 56"	\$ 12,070.00
2.124	Model KC96M2094J, OAL 97-1/4", OAH 78", OAW 94", CA 56"	\$ 12,560.00
2.125	Model KC96H2094J, OAL 97-1/4", OAH 90", OAW 94", CA 56"	\$ 13,080.00
2.126	Model KC108L2089J, OAL 107-1/4", OAH 68", OAW 89", CA 60"	\$ 12,390.00
2.127	Model KC108M2089J, OAL 107-1/4", OAH 78", OAW 89", CA 60"	\$ 12,970.00
2.128	Model KC108H2089J, OAL 107-1/4", OAH 90", OAW 89", CA 60"	\$ 13,570.00
2.129	Model KC108L2094J, OAL 107-1/4", OAH 68", OAW 94", CA 60"	\$ 12,540.00
2.130	Model KC108M2094J, OAL 107-1/4", OAH 78", OAW 94", CA 60"	\$ 13,110.00
2.131	Model KC108H2094J, OAL 107-1/4", OAH 90", OAW 94", CA 60"	\$ 13,720.00
2.132	Model KC132L2089J, OAL 133-1/4", OAH 68", OAW 89", CA 84"	\$ 14,150.00
2.133	Model KC132M2089J, OAL 133-1/4", OAH 78", OAW 89", CA 84"	\$ 14,840.00
2.134	Model KC132H2089J, OAL 133-1/4", OAH 90", OAW 89", CA 84"	\$ 15,070.00
2.135	Model KC132L2094J, OAL 133-1/4", OAH 68", OAW 94", CA 84"	\$ 14,300.00
2.136	Model KC132M2094J, OAL 133-1/4", OAH 78", OAW 94", CA 84"	\$ 14,950.00
2.137	Model KC132H2094J, OAL 133-1/4", OAH 90", OAW 94", CA 84"	\$ 15,650.00

2.138 Paint single stage other than white, KUVcc body Price Page

\$ 1,800.00

2.0 Utility Service Body

2.139 Paint base coat clear coat, KUVcc body

\$ 3,500.00

2.140 Paint special effects pigments, KUVcc body

\$ 5,000.00