

**EXHIBIT D**  
**TURF MANAGEMENT EQUIPMENT**  
**DISCOUNT OFF LIST PRICING PAGE**  
Specification 3.0

Vendor Name:	LANO EQUIPMENT, INC. - ANOKA	
Contact Person:	SCOTT FAHEY	
Street Address:	6140 HYW 10 NW	
P.O. Box:		
City, State, Zip	ANOKA, MN 55303	
Phone #:	612-223-0510	
Toll Free #:	888-448-5266	
Email Address:	scott_f@lanoequip.com	
Website:	www.lanoequip.com	www.kubota.com

Spec. Number	Information Requested	Answer
<b>3.1</b>	<b><u>Catalog Info</u></b>	
3.1.1	<b>Manufacturer:</b>	KUBOTA
		W/SZ Series Commercial Walk Behind & Stand-On Mowers
3.1.2	<b>Date / Pricelist ID:</b>	JANUARY 20TH 2020
<b>3.2</b>	<b><u>Percentage Discount from Price List</u></b>	14% Discount
<b>3.3</b>	<b><u>Discount off List Price for Related Parts and Accessories</u></b> (See Special Terms and Conditions)	10% Discount
<b>3.4</b>	<b><u>Price for Additional Set of Fluid and Air Filters</u></b>	\$220
		\$1,350
<b>3.5</b>	<b><u>Warranty</u></b>	2 YEARS FULL MACHINE 1 YEAR ADDITIONAL \$660 2 YEAR ADDITIONAL \$1,200
<b>3.6</b>	<b><u>Vendor Owned Rental Return Or Demo Equipment Program</u></b> (See Solicitation Special Terms and Conditions.) <b>DEDUCT Cost per Used Hour from the Original Contract Price:</b>	\$
<b>3.7</b>	<b><u>Price for Additional Manuals</u></b> (One each included at no cost, per specs)	
	<b><u>Additional Service Manual</u></b>	
	Digital	\$ 65.00
	Paper	\$ 95.00
	<b><u>Additional Parts Manual</u></b>	
	Digital	ONLINE @KUBOTA.COM
	Paper	\$ -
	<b><u>Additional Operation Manual</u></b>	
	Digital	ONLINE @KUBOTA.COM
	Paper	\$ 29.00
<b>3.8</b>	<b><u>Delivery</u></b> (See Special Terms and Conditions - No Flat Rate Allowed)	
	<b>City:</b>	ANOKA
	<b>State:</b>	MN
	<b>ZIP:</b>	55303
	<b>Price Per Loaded Mile:</b>	\$2.00
	<b>Minimum Delivery Charge (If Applicable):</b>	\$120.00
<b>3.9</b>	<b><u>Installation - Per Hour</u></b> (Hourly Shop Rate): Installation services may be requested on an "as needed" basis. (See special terms and conditions.)	\$125.00

## W/SZ Series Commercial Walk Behind & Stand-On Mowers

### **WHOLEGOODS PRICE LIST EFFECTIVE January 20, 2020**

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of January 20, 2020.

NOTE: Tire prices appear per piece.

# KUBOTA

PAGE NUMBER	MODEL	GROSS ENGINE H.P. ①		SUGGESTED LIST PRICE
3-4	WG6-21	5.5		\$1,278.00
3-4	WGC6-21	5.5		\$1,436.00
3-5	WG14NC-36	14.5		\$4,099.00
3-5	WG14-36	14.5		\$3,923.00
3-6	WH15NC-48	15		\$6,199.00
3-6	WH15-48	15		\$6,045.00
3-7	WHF19NC-52	19		\$7,699.00
3-7	WHF19-52	19		\$7,519.00
3-8	CWB Series Matching Chart			
3-9	CWB Series Implement and Attachments			
3-10	SZ19NC-36	19		\$8,099.00
3-10	SZ19-36	19		\$7,899.00
3-11	SZ22NC-48	22		\$8,999.00
3-11	SZ22-48	22		\$8,699.00
3-12	SZ26NC-52	26		\$9,599.00
3-12	SZ26-52	26		\$9,299.00
3-13	SZ26NC-61	26		\$9,899.00
3-14	SZ Series Matching Chart			
3-15	SZ Series Implement and Attachments			

① The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

NC Models - Not for sale in California

# KUBOTA

## WG6-21 / WGC6-21

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FJ 180 KAI  
 +5.5 Gross HP @ 3400 rpm  
 4 Cycle - Over Head Valve (OHV)  
 179cc Displacement  
 Starting - Recoil  
 Air Filter - Paper filter with foam precleaner  
 Full Pressure Lubrication  
 Spin on Replaceable Oil Filter  
 Crankshaft - 1" (Zone Start) / 7/8" (BBC)

### FLUID CAPACITY

Fuel Tank 2 qts  
 Crankcase w/ Filter 0.8 qt

### TIRES AND WHEEL

Front 9 x 2.25 - 7 Turf - No flat  
 Rear 9 x 2.25 - 7 Turf - No flat  
 Replaceable Rubber Tire  
 Replaceable Sealed Ball Bearings  
 Independent Wheel Adjustment

### OPERATING FEATURES

21" Fixed Deck mower  
 Dual Element Air Filter  
 Replaceable Steel Deck Guards

### SAFETY EQUIPMENT

Operator Presence Control (OPC)

### MOWER

21" High Vac Cast Aluminum Deck  
 3/4"-4.0" Cut Height, Adjustable  
 1/4" Increments  
 2.5 (3.1cu ft) Bu Bag Capacity  
 Mulch Plug Standard

### TRANSMISSION

Self-Propelled, Rear Wheel Drive, Gear Driven  
 3 Speed Gear box - belt driven  
 Steel Cut Gears with Internal Spring Clutch  
 Full Ball Bearing Construction  
 1st Gear: 2.4 mph  
 2nd Gear: 3.3 mph  
 3rd Gear: 4.1 mph

### DIMENSIONS

Height 33"-44"  
 Length 62"  
 Width Overall 22.5"  
 Wheelbase: 26"

### Weight

Zone Start 131 lbs  
 Blade Brake Clutch 134 lbs

### HANDLE BAR SYSTEM

1" Heavy Wall One Piece Tubing  
 Easily Adjustable for comfort  
 WG6 - Throttle Fixed Speed  
 WGC6 - Throttle Variable Speed - Remote

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

WG6-21	21" Commercial Walk Behind - Zone Start 21" Cast Aluminum Commercial Deck	131 lbs	\$1,278.00
WGC6-21	21" Commercial Walk Behind - Blade Brake Clutch 21" Cast Aluminum Commercial Deck	136 lbs	\$1,436.00

### Optional Accessory

SC-4175821 Kit- Engine Guard

Order from Parts Department

## WG14NC-36 / WG14-36

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FS481V  
+14.5 Gross HP @ 3600 rpm  
603cc Displacement

### TRANSMISSION

Peerless Gear box  
5 Speed with Reverse assist  
Forward Speed: 0 - 5.1 mph  
Reverse Speed: Assist only

### STEERING / MOTION CONTROL

Pistol grip with  
Adjustable control force

### FLUID CAPACITY

Fuel Tank 5.2 gal  
Crankcase w/ Filter 2.1 qts

### TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat  
Rear 13 x 6.5- 6 Turf - 4 ply

### DIMENSIONS

Height 41"  
Length 76"  
Width Overall  
Chute up 36.5"  
Chute down 49"  
Wheelbase 36"

### POWER TAKE OFF

Electric PTO - 125 ft-lb  
Belt drive mower

### OPERATING FEATURES

36" Fixed Deck mower  
Dual Element Air Filter  
Drum Brakes  
1" Deck Spindles  
Electric Clutch

### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

### MOWERS

36" Fixed Cutting Width Deck  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Fabricated 7 Gauge Steel Top  
& Side Skirts  
4.75" Deep Design  
Flexible Discharge Cover  
2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

<b>WG14NC-36</b>	<b>Commercial Walk Behind - Gear Drive</b> 36" Fabricated Fixed Commercial Deck	630 lbs	\$4,099.00
<b>WG14-36</b>	<b>** Commercial Walk Behind - Gear Drive</b> 36" Fabricated Fixed Commercial Deck	630 lbs	\$3,923.00

**\*\* - LIMITED AVAILABILTIY**

**NC model - Not for sale in California**

## WH15NC-48 / WH15-48

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FS541V  
+15 Gross HP @ 3600 rpm  
603cc Displacement

### TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

Forward Speeds 0 - 6 mph  
Reverse Speeds 0 - 3.5 mph

### STEERING / MOTION CONTROL

Twin Lever Hydro Control  
Adjustable control force

### FLUID CAPACITY

Fuel Tank 5.2 gal  
Crankcase w/ Filter 2.1 qts

### TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat  
Rear 16 x 7.5- 6 Turf - 4 ply

### DIMENSIONS

Height 47"  
Length 76"  
Width Overall  
Chute up 48.5  
Chute down 61"  
Wheelbase 36"

### POWER TAKE OFF

Electric PTO - 125 ft-lb  
Belt drive mower

### OPERATING FEATURES

48" Fixed Deck mower  
Dual Element Air Filter  
Hydrostatic Braking  
1" Deck Spindles  
Electric Clutch  
Separate Parking Brake

### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

### MOWERS

48" Fixed Cutting Width Deck  
1.38-4.63" Cut Height, Adjustable  
1/4" Increments  
Fabricated 7 Gauge Steel  
& Side Skirts  
4.75" Deep Design  
Flexible Discharge Cover  
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

<b>WH15NC-48</b>	<b>Commercial Walk Behind - Hydro drive</b> 48" Fabricated Fixed Commercial Deck	825 lbs	\$6,199.00
<b>WH15-48</b>	<b>** Commercial Walk Behind - Hydro drive</b> 48" Fabricated Fixed Commercial Deck	825 lbs	\$6,045.00

**\*\* - LIMITED AVAILABILTIY**

**NC model - Not for sale in California**

## WHF19NC-52 / WHF19-52

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FX600V  
+19 Gross HP @ 3600 rpm  
603cc Displacement

### TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

Forward Speeds 0 - 6 mph  
Reverse Speeds 0 - 3.5 mph

### STEERING / MOTION CONTROL

Twin Lever Hydro Control  
Adjustable control force

### FLUID CAPACITY

Fuel Tank 5.2 gal  
Crankcase w/ Filter 2.1 qts

### TIRES AND WHEELS

Front 11 x 4 - 5 Smooth - Pneumatic  
Rear 18 x 7.5- 8 Turf - 4 ply

### DIMENSIONS

Height 47"  
Length 76"  
Width Overall  
Chute up 52.5"  
Chute down 64"  
Wheelbase 42"

### POWER TAKE OFF

Electric PTO - 175 ft-lb  
Belt drive mower

### OPERATING FEATURES

52" Floating Deck mower  
Dual Element Air Filter  
Hydrostatic Braking  
1" Deck Spindles  
Electric Clutch  
Separate Parking Brake

### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

### MOWERS

52" Floating Cutting Width Deck  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Fabricated 10 Gauge Steel Top,  
7 Gauge Side Skirts w/  
3 Gauge Reinforcement  
4.75" Deep Design  
Flexible Discharge Cover  
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

<b>WHF19NC-52</b>	<b>Commercial Walk Behind - Hydro drive</b> 52" Fabricated Floating Commercial Deck	970 lbs	\$7,699.00
<b>WHF19-52</b>	<b>** Commercial Walk Behind - Hydro drive</b> 52" Fabricated Floating Commercial Deck	970 lbs	\$7,519.00

**\*\* - LIMITED AVAILABILTIY**

**NC model - Not for sale in California**

# KUBOTA

## W Series Commercial Walk Behind Implements and Attachments

### W SERIES COMMERCIAL WALK BEHIND IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	WG6-21 / WGC6-21	WG14NC-36 / WG14-36	WH15NC-48 / WH15-48	WHF19NC-52 / WHF19-52
<b>Blades*</b>				
Replacement blade (1 blade)	SC-4174803	SC-112111-01		SC-112111-02
<b>Attachments</b>				
Mulch Kit	-	WMK36	WMK48	WMK52
Discharge Plate	-	WBP36	WBP48	WBP52
Cold Start Kit	-	-	WCS00	
Walk Behind Weight Kit	-	WWK01	-	
Grass Catcher Adapter Kit	-			WGCB02
Engine Guard Kit	SC-4175821	-		
<b>Tires*</b>				
Front Semi-Pneumatic Caster Tire/Wheel Assembly	-	SC-4172272		SC-4172270
Rear Turf Tire/Wheel Assembly	-	SC-4172268	SC-4172269	SC-4172271
Front Wheel Assembly	SC-4175729	-		
Rear Wheel Assembly	SC-4175728	-		

\*Order through Parts Department

**NC models - Not for sale in California**

## W Series Commercial Walk Behind Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Mulch Kits</b>			
WMK36	Mulch Kit for WG14-36 (36" Fixed Deck Only)	21 lbs	\$172.00
WMK48	Mulch Kit for WH15-48 (48" Fixed Deck Only)	26 lbs	\$250.00
WMK52	Mulch Kit for WH19-52 (52" Floating Deck Only)	40 lbs	\$250.00
<b>Discharge Plate</b>			
WBP36	Discharge Plate for WG14-36 (36" Fixed Deck Only)	12 lbs	\$53.00
WBP48	Discharge Plate for WH15-48 (48" Fixed Deck Only)	5 lbs	\$53.00
WBP52	Discharge Plate for WH19-52 (52" Floating Deck Only)	12 lbs	\$53.00
<b>Cold Start Kit</b>			
WCS00	Cold start kit for Hydro units	23 lbs	\$37.00
<b>Grass Catcher Adapter Kit</b>			
WGCB02	Grass Catcher Adapter Kit for WH19-52 (52" Floating Deck Only)	7 lbs	\$62.00
<b>Walk Behind Weight Kit</b>			
WWK01	Weight Kit for WG14-36 (36" Fixed Deck Only)	26 lbs	\$184.00

These prices and specifications pertain to the State of Minnesota bid. F.O.B. KTC designated dealership

**Engine Guard Kit**

SC-4175821 Engine Guard Kit for WG6-21/WGC6-21

**KUBOTA**  
Model from Parts Department

---

# KUBOTA

## SZ19NC-36 / SZ19-36

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FX600V  
19HP @ 3600 rpm  
603cc Displacement

### FLUID CAPACITY

Fuel Tank 5.1 gal  
Crankcase w/ Filter 2.1 qts  
Transaxle 2 qts

### OPERATING FEATURES

Zero Turn Radius  
Ergonomic Cushion Pad  
Dual Element Air Filter  
Fuel Valve & Reserve  
Lever-Type Throttle Control & Choke  
Adjustable Dampen Control Levers  
Tool-Less Adjustable  
Front Reference Bar  
Tool-Less Adjustable  
Control Lever Tracking Adjustment

### TRANSMISSION

Hydro-Gear ZT-3100  
Integrated 10cc pump and 16cc motor  
Internal Parking Brake  
Forward Speeds 0 - 9 mph  
Reverse Speeds 0 - 4 mph

### DIMENSIONS

Height 45"  
Length 62.5"  
Width Overall 35.5"  
Wheelbase 47.25"

### STEERING / MOTION CONTROL

(2) Hydro Hand Levers  
Hydraulic Dampened  
(3) Position Damper Adjustment

### POWER TAKE OFF

Electric PTO - 125 ft-lb  
Belt Drive Mower

### SAFETY EQUIPMENT

Key Switch Shut Off Control  
Lever Safety Switch  
Parking Brake Safety Switch

### TIRES AND WHEELS

Front 11 x 4 - 5 Semi-Pneumatic (Flat-Free)  
Rear 20 x 8 - 10 Turf - 4 ply

### MOWER DECK

36" Floating Cutting Width Deck  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Fabricated 7 Gauge Steel Top  
& Side Skirts w/  
3 Gauge Reinforcement  
4.75" Deep Design  
Flexible Discharge Cover  
Maintenance-Free Sealed Spindles  
2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

<b>SZ19NC-36</b>	<b>Commercial Stand-On Mower</b> 36" Fabricated Floating Commercial Deck	630 lbs	\$8,099.00
<b>SZ19-36</b>	<b>** Commercial Stand-On Mower</b> 36" Fabricated Floating Commercial Deck	630 lbs	\$7,899.00

**\*\* - LIMITED AVAILABILTIY**

**NC model - Not for sale in California**

## SZ22NC-48 / SZ22-48

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FX691V  
22HP @ 3600 rpm  
726cc Displacement

### FLUID CAPACITY

Fuel Tank 6.5 gal  
Crankcase w/ Filter 2.1 qts  
Transaxle 2 qts

### OPERATING FEATURES

Zero Turn Radius  
Ergonomic Cushion Pad  
Large Operator Platform  
Dual Element Air Filter  
Fuel Gauge  
Lever-Type Throttle Control & Choke  
Adjustable Dampen Control Levers  
Tool-Less Adjustable  
Front Reference Bar  
Tool-Less Adjustable  
Control Lever Tracking Adjustment

### TRANSMISSION

Hydro-Gear ZT-3600 (NC Model)  
Hydro-Gear ZT-3400  
Integrated 12cc pump and 16cc motor  
Internal Parking Brake  
Forward Speeds 0 - 10.5 mph  
Reverse Speeds 0 - 4 mph

### DIMENSIONS

Height 45.75"  
Length 63.75"  
Width Overall 48.875"  
Wheelbase 46"

### POWER TAKE OFF

Electric PTO - 200 ft-lb  
Belt Drive Mower

### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

### STEERING / MOTION CONTROL

(2) Hydro Hand Levers  
Hydraulic Dampened  
(3) Position Damper Adjustment

### TIRES AND WHEELS

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free) (NC Model)  
Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)  
Rear 23 x 8.5- 12 Turf - 4 ply

### MOWER DECK

48" Floating Cutting Width Deck  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Fabricated 10 Gauge Steel Top,  
7 Gauge Side Skirts w/  
3 Gauge Reinforcement  
4.75" Deep Design  
Flexible Discharge Cover  
Maintenance-Free Sealed Spindles  
3 Blades

+ Manufacturer Estimate

ORDER	DESCRIPTION	APPROX.	SUGGESTED
CODE		SHIP WT.	LIST PRICE

\*\*\* STANDARD MACHINE \*\*\*

<b>SZ22NC-48</b>	<b>Commercial Stand-On Mower</b> 48" Fabricated Floating Commercial Deck	825 lbs	\$8,999.00
<b>SZ22-48</b>	<b>** Commercial Stand-On Mower</b> 48" Fabricated Floating Commercial Deck	825 lbs	\$8,699.00

**\*\* - LIMITED AVAILABILTIY**

**NC model - Not for sale in California**

# KUBOTA

## SZ26NC-52 / SZ26-52

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FT730V-EFI  
26 HP @ 3600 rpm  
726cc Displacement

### FLUID CAPACITY

Fuel Tank 6.5 gal  
Crankcase w/ Filter 2.1 qts  
Transaxle 2 qts

### OPERATING FEATURES

Zero Turn Radius  
Ergonomic Cushion Pad  
Large Operator Platform  
Vertical Air Filtration  
Fuel Gauge  
Dial-Type Throttle Control  
Adjustable Dampen Control Levers  
Tool-Less Adjustable  
Front Reference Bar  
Tool-Less Adjustable  
Control Lever Tracking Adjustment

### TRANSMISSION

Hydro-Gear ZT-3600  
Integrated 12cc pump and 16cc motor  
Internal Parking Brake  
Forward Speeds 0 - 11 mph  
Reverse Speeds 0 - 4 mph

### DIMENSIONS

Height 45.75"  
Length 63.75"  
Width Overall 53.875"  
Wheelbase 46"

### STEERING / MOTION CONTROL

(2) Hydro Hand Levers  
Hydraulic Dampened  
(3) Position Damper Adjustment

### POWER TAKE OFF

Electric PTO - 200 ft-lb  
Belt Drive Mower

### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

### TIRES AND WHEELS

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free) (NC Model)  
Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)  
Rear 23 x 10.5- 12 Turf - 4 ply

### MOWER DECK

52" Floating Cutting Width Deck  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Fabricated 10 Gauge Steel Top,  
7 Gauge Side Skirts w/  
3 Gauge Reinforcement  
4.75" Deep Design  
Flexible Discharge Cover  
Maintenance-Free Sealed Spindles  
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

<b>SZ26NC-52</b>	<b>Commercial Stand-On Mower</b> 52" Fabricated Floating Commercial Deck	970 lbs	\$9,599.00
<b>SZ26-52</b>	<b>** Commercial Stand-On Mower</b> 52" Fabricated Floating Commercial Deck	970 lbs	\$9,299.00

\*\* - LIMITED AVAILABILTIY

**NC model - Not for sale in California**

## SZ26-61

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

### ENGINE

Kawasaki FT730V-EFI  
26 HP @ 3600 rpm  
726cc Displacement

### FLUID CAPACITY

Fuel Tank 6.5 gal  
Crankcase w/ Filter 2.1 qts  
Transaxle 2 qts

### OPERATING FEATURES

Zero Turn Radius  
Ergonomic Cushion Pad  
Large Operator Platform  
Vertical Air Filtration  
Fuel Gauge  
Dial-Type Throttle Control  
Adjustable Dampen Control Levers  
Tool-Less Adjustable  
Front Reference Bar  
Tool-Less Adjustable  
Control Lever Tracking Adjustment

### TRANSMISSION

Hydro-Gear ZT-3600  
Integrated 12cc pump and 16cc motor  
Internal Parking Brake  
Forward Speeds 0 - 11 mph  
Reverse Speeds 0 - 4 mph

### DIMENSIONS

Height 45.75"  
Length 63.75"  
Width Overall 62"  
Wheelbase 46"

### STEERING / MOTION CONTROL

(2) Hydro Hand Levers  
Hydraulic Dampened  
(3) Position Damper Adjustment

### POWER TAKE OFF

Electric PTO - 200 ft-lb  
Belt Drive Mower

### SAFETY EQUIPMENT

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

### TIRES AND WHEELS

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free)  
Rear 23 x 10.5- 12 Turf - 4 ply

### MOWER DECK

61" Floating Cutting Width Deck  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Fabricated 10 Gauge Steel Top,  
7 Gauge Side Skirts w/  
3 Gauge Reinforcement  
4.75" Deep Design  
Flexible Discharge Cover  
Maintenance-Free Sealed Spindles  
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

SZ26NC-61	Commercial Stand-On Mower 61" Fabricated Floating Commercial Deck	1030 lbs	\$9,899.00
-----------	--	----------	------------

NC model - Not for sale in California

# KUBOTA

## SZ Series Commercial Stand-On Implements and Attachments

### SZ SERIES COMMERCIAL STAND-ON IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	SZ19NC-36 / SZ19-36	SZ22NC-48 / SZ22-48	SZ26NC-52 / SZ26-52	SZ26NC-61
<b>Blades*</b>				
Replacement Standard Blade (1 blade)	SC-112111-08	SC-112111-01	SC-112111-02	SC-112111-03
Standard LaserEdge Blade (1 blade)	SC-112111-08-LE	SC-112111-01-LE	SC-112111-02-LE	SC-112111-03-LE
Replacement Mulch Kit Blade (1 blade)	SC-2722543-08	SC-2722543-01	SC-2722543-02	SC-2722543-03
<b>Attachments</b>				
Mulch Kit	SMK36	SMK48	SMK52	SMK61
Discharge Plate	SBP36	SBP48	SBP52	SBP61
Weight Kit	SWK36		SWK48	
Striping Kit	-	SSK48		SSK52-61
<b>Tires*</b>				
Front Semi-Pneumatic Caster Tire/Wheel Assembly	SC-4173793		SC-4177672	
Rear Turf Tire/Wheel Assembly	SC-4176240	SC-4176242		SC-4176243
18" Michelin Tweel (Airless Tire)	77700-10537		-	
22" Michelin Tweel (Airless Tire)	-		77700-11095	
*Order through Parts Department				
<b>NC models - Not for sale in California</b>				

## SZ Series Commercial Stand-On Implements and Attachments

ORDER CODE	DESCRIPTION	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Mulch Kits</b>			
SMK36	Mulch Kit for SZ19-36 (36" Model Only)	21 lbs	\$177.00
SMK48	Mulch Kit for SZ22-48 (48" Model Only)	26 lbs	\$250.00
SMK52	Mulch Kit for SZ26-52 (52" Model Only)	40 lbs	\$250.00
SMK61	Mulch Kit for SZ26-61 (61" Model Only)	1 lbs	\$250.00
<b>Discharge Plate</b>			
SBP36	Discharge Plate for SZ19-36 (36" Model Only)	12 lbs	\$53.00
SBP48	Discharge Plate for SZ22-48 (48" Model Only)	20 lbs	\$53.00
SBP52	Discharge Plate for SZ26-52 (52" Model Only)	12 lbs	\$53.00
SBP61	Discharge Plate for SZ26-61 (61" Model Only)	1 lbs	\$53.00
<b>Deck Lift Assist Kit</b>			
SZLA01	Deck Lift Assist Kit for SZ22-48 & SZ25-52 (48"/52"/61" Model Only)	1 lbs	\$44.00
<b>Striping Kits</b>			
SSK48	Striping Kit - 48" Stand-On	7 lbs	\$79.00
SSK52-61	Striping Kit - 52"-61" Stand-On	8 lbs	\$79.00
<b>Weight Kit</b>			
SWK36	Weight Kit for SZ19-36 (36" Model Only)	26 lbs	\$133.00
SWK48	Weight Kit for SZ22-48/SZ26-52/SZ26-61 (48"/52"/61" Model Only)	40 lbs	\$179.00
<b>Tires</b>			
77700-10537	18" Michelin Tweel (Airless Tire)	17 lbs	\$333.00

These prices and specifications pertain to the State of Minnesota bid. F.O.B. KTC designated dealership

77700-11095 (36" Model Only)  
22" Michelin Tweel (Airless Tire)  
(48"/52"/61" Models Only)

**KUBOTA**  
Order from Parts Department  
25 lbs \$433.00  
Order from Parts Department

---

# SZ Series Commercial Stand-On Implements and Attachments

---

## SZ SERIES COMMERCIAL STAND-ON IMPLEMENTS AND ATTACHMENT MATCHING CHART