

Vendor Name: **United Truck Body Co., Inc.**
 Contact Person: **Heidi Herstad**
 Street Address: **5219 Miller Trunk Hwy**
 P.O. Box:
 City, State, Zip: **Duluth, MN 55811**
 Phone #: **218-729-6000**
 Toll Free #: **1-800-782-3443**
 Fax #: **218-729-6001**
 Email Address: **heidi@unitedtruckbody.com**
 Website: **unitedtruckbody.com**

7.0 SANDERS

Make	Henderson
Warranty	1 Year Parts and Labor
Date & I.D. of Price List	6/1/2011
Discount to be applied to Price List	6%
Cost to assemble sander - complete assembly cost	See Price List Amounts
Installation of sander - complete install cost	See Price List Amounts

7.1 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

See Special Terms and Conditions
 DEDUCT cost per Used Hour from the original Contract Price. N/A

7.2 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES

(See Special Terms and Conditions) N/A

7.3 DELIVERY STARTING POINT -

CITY, STATE, ZIP CODE:	Duluth, MN 55811
PRICE PER LOADED MILE:	\$1.90

7.0 Henderson FSP Salt/Sander Spreader

Item #	Length	Overall Length	Body Width	Capacity Struck (cu. Yd.)	Weight (lbs)	Mild		Stainless Steel 304	
						List Price Installed	Labor to install	List Price Uninstalled	Labor to install
7.1	6'	89-1/4"	50½	1.5	645	\$3,262.00	\$450.00	\$4,703.00	\$450.00
7.2	8'	113-1/4"	50½	2	760	\$3,302.00	\$450.00	\$4,804.00	\$450.00

Item #	OPTIONAL EQUIPMENT	UTB PRICE INSTALLED			
		6'	8'	9'	10'
	Battery System Options:				
7.3	Vehicle battery wiring harness I.L.O. std. spreader battery kit	\$46.00	\$46.00	\$46.00	\$46.00
	Holddown Kits:				
7.4	Four nylon straps w/ ratchet hold downs	\$55.00	\$55.00	\$55.00	\$55.00
	Inverted Vee Options:				
7.5		\$83.00	\$88.00	\$97.00	\$101.00
7.6	Mild Steel				
7.7	Unpainted Stainless Steel	\$166.00	\$188.00	\$227.00	\$252.00
	Screen Options:				
7.8	Standard top grate screens	\$205.00	\$226.00	\$335.00	\$377.00
	H.D. top grate screen, 3/8" rod x 3/8" rod	\$300.00	\$348.00	\$505.00	\$557.00
	Side Extension Options:				
7.9	6" Side extension, bolt-on - Mild Steel	\$238.00	\$260.00	\$270.00	\$284.00
7.10	6" Side extension, bolt-on - Stainless Steel	\$497.00	\$529.00	\$538.00	\$549.00
7.11	12" Side extension, bolt-on - Mild Steel	\$281.00	\$305.00	\$310.00	\$315.00
7.12	12" Side extension, bolt-on - Stainless Steel	\$608.00	\$656.00	\$672.00	\$690.00
	Chute & Spinner Options:				
7.13	12" Longer spinner chute ILO std. Mild Steel	\$76.00	\$76.00	\$76.00	\$76.00
7.14	12" Longer spinner chute ILO std. Stainless Steel	\$131.00	\$131.00	\$131.00	\$131.00
7.15	Deduct -spinner chute assembly Mild Steel	-\$172.00	-\$172.00	-\$172.00	-\$172.00
7.16	Deduct -spinner chute assembly Stainless Steel	-\$183.00	-\$183.00	-\$183.00	-\$183.00
7.17	Center high-mtd stop lamp kit (CHMSL)	\$59.00	\$59.00	\$59.00	\$59.00
7.18	Premium control console (tach & hour meter)	\$147.00	\$147.00	\$147.00	\$147.00
7.19	11 HP Honda engine ILO standard	\$491.00	\$491.00	\$491.00	\$491.00
	Hydraulic In Lieu Of Gas:				
7.20	Deduct - hydraulic motor ILO engine	-\$794.00	-\$794.00	-\$794.00	-\$794.00
7.21	Deduct - dual hydraulic motor in lieu of engine	-\$626.00	-\$626.00	-\$626.00	-\$626.00
	Hydraulic Valve Controls:				
7.22					
7.23	2FFL12 single flow control valve	\$427.00	\$427.00	\$427.00	\$427.00
7.24	2FFL12 dual flow control valve	\$452.00	\$452.00	\$452.00	\$452.00
7.25	Fittings, swivels, & stand for control valve	\$280.00	\$280.00	\$280.00	\$280.00
	Paint Options:				
7.26	Deduct - prime paint only (mild steel only)	-\$76.00	-\$76.00	-\$76.00	-\$76.00
7.27	Highway yellow paint (mild steel only)	\$63.00	\$63.00	\$63.00	\$63.00

STANDARD FEATURES

- | | |
|--|--|
| <ul style="list-style-type: none"> · 10.5 Horsepower I/C Briggs & Stratton engine · Completely enclosed in-cab control console w/rocker switches for electric throttle control, electric clutch on/off, & engine start. · 12 ga sides · 14 ga ends | <ul style="list-style-type: none"> · All stainless stel units are non-metallic/non-corrosive stainless steel. · Spreader battery kit (includes battery tray, box and cable · All surfaces are high pressure cleaned and |
|--|--|

- 12 ga feed gate
 - 12 ga sills
 - 10 ga floor
 - 14" chain conveyer
 - ¼" x ¾" across bars on 5" spacing.
 - Std length spinner chute w/polyurethane spinner.
- degreased w/phosphate solution before powder coat HWY orange paint. (mild steel units only)
 - Stainless steel units unpainted.
 - Battery **not included**
 - Hold downs **not included**

7.0 Henderson HPS-Lite Salt/Sander Spreader

Item #	Length	Overall Length	Body Width	Capacity Struck (cu. Yd.)	Weight (lbs)	Mild		Stainless Steel	
						List Price Uninstalled	Labor hrs to Install	List Price Uninstalled	Labor to Install
7.28	8'	113-1/4"	46 ¾"	1.8	640	\$3,164.00	\$450.00	\$4,264.00	\$450.00

Item #	OPTIONAL EQUIPMENT	UTB PRICE
	Battery System Options:	8'
7.29	Vehicle battery wiring harness kit I.L.O. standard spreader battery kit	\$46.00
7.30	Engine Options:	\$491.00
7.31	11 H.P. Honda engine ILO standard	
7.32	Holddown Kits:	\$55.00
	Four nylon straps w/ ratchet hold downs	
7.33	Inverted Vee Options:	\$88.00
7.34	Mild Steel	
7.35	Stainless Steel	\$188.00
7.36	Screen Options: Top grate screens	\$226.00
7.37	Chute & Spinner Options:	\$76.00
	12" Longer spinner chute ILO std. Mild Steel	
7.38	12" Longer spinner chute ILO std. Stainless Steel	\$131.00

STANDARD FEATURES

- 10.5 Horsepower I/C Briggs & Stratton engine
 - Completely enclosed in-cab control console w/rocker switches for electric throttle control, electric clutch on/off, & engine start.
 - 14" chain conveyer
 - ¼" x ¾" across bars on 5" spacing.
 - All stainless stel units are non-metallic/non-corrosive stainless steel.
- All surfaces are high pressure cleaned and degreased w/phosphate solution before powder coat HWY orange paint. (mild steel units only)
 - Stainless steel units unpainted.
 - Spreader battery kit (includes battery tray, box and cable)
 - Battery **not included**
 - Hold downs **not included**

7.0 Henderson FSM (Medium Duty) P Salt/Sander Spreader

Item #	Length	Body Width	Body Height	Capacity Struck (cu. Yd.)	Weight (lbs)	Mild		Stainless Steel	
						List Price Uninstalled	Labor to install	List Price Uninstalled	Labor to install
7.39	8'	70"	39"	3	905	\$4,094.00	\$525.00	\$6,004.00	\$525.00
7.40	9'	70"	43"	4	979	\$4,342.00	\$525.00	\$6,391.00	\$525.00
7.41	10'	70"	43"	4.5	1041	\$4,468.00	\$525.00	\$6,597.00	\$525.00

Item #	OPTIONAL EQUIPMENT	UTB PRICE INSTALLED		
		8'	9'	10'
	Battery System Options:			
7.42	Vehicle battery wiring harness I.L.O. std. spreader battery kit	\$50.00	\$50.00	\$50.00
	Holddown Kits:			
7.43	Four nylon straps w/ ratchet hold downs	\$59.00	\$59.00	\$59.00
	Screen Options:			
7.44	Standard top grate screens	\$239.00	\$356.00	\$398.00
	H.D. top grate screen, 3/8" rod x 3/8" rod	\$369.00	\$536.00	\$587.00
7.45	Trunnion latch for tailgate	\$150.00	\$150.00	\$150.00
	Deduct-spinner chute assembly - Mild	-\$252.00	-\$252.00	-\$252.00
7.46	Deduct-spinner chute assembly - Stainless Steel	-\$414.00	-\$414.00	-\$414.00
7.47	Center high-mounted stop lamp kit (CHMSL)	\$63.00	\$63.00	\$63.00
7.48	Premium control console (tach & hour meter)	\$147.00	\$147.00	\$147.00
7.49	11 H.P. Honda engine in lieu of standard	\$517.00	\$517.00	\$517.00
	Side Extension Options:			
7.50	6" Side extension, bolt-on - Mild Steel	\$287.00	\$294.00	\$296.00
7.51	6" Side extension, bolt-on - Stainless Steel	\$555.00	\$564.00	\$575.00
7.52	12" Side extension, bolt-on - Mild Steel	\$338.00	\$342.00	\$347.00
7.53	12" Side extension, bolt-on - Stainless Steel	\$715.00	\$730.00	\$748.00
	Hydraulic In Lieu Of Gas:			
7.54	Deduct - hydraulic motor ILO engine	-\$832.00	-\$832.00	-\$832.00
7.55	Deduct - dual hydraulic motor in lieu of engine	-\$655.00	-\$655.00	-\$655.00
7.56	Hydraulic Valve Controls:	\$427.00	\$427.00	\$427.00
7.57	2FFL12 single flow control valve			
7.58	2FFL12 dual flow control valve	\$452.00	\$452.00	\$452.00
7.59	Fittings, swivels, & stand for control valve	\$280.00	\$280.00	\$280.00
	Paint Options:			
7.60	Deduct - prime paint only (mild steel only)	-\$80.00	-\$80.00	-\$80.00
7.61	Highway yellow paint (mild steel only)	\$67.00	\$67.00	\$67.00
7.62	Battery	\$89.00	\$89.00	\$89.00

STANDARD FEATURES

- | | |
|---|---|
| <ul style="list-style-type: none"> · 10.5 Horsepower I/C Briggs & Stratton engine · Completely enclosed in-cab control console w/rocker switches for electric throttle control, electric clutch on/off, & engine start. · 12 ga sides · 14 ga ends · 12 ga feed gate · 12 ga sills · 10 ga floor · 70" width · 16½" chain conveyor · ¼" x ¾" across bars on 5" spacing. | <ul style="list-style-type: none"> · All stainless steel units are non-metallic/non-corrosive stainless steel. · All surfaces are high pressure cleaned and degreased w/phosphate solution before powder coat HWY orange paint. (mild steel units only) · Stainless steel units unpainted. · Spreader battery kit (includes battery tray, box and cable) · Stainless steel units unpainted. · Battery <i>not included</i> · Hold downs <i>not included</i> |
|---|---|

United Truck Body Co., Inc.
 5219 Miller Trunk Hwy
 Duluth, MN 55811



web site: www.unitedtruckbody.com
 email: heidi@unitedtruckbody.com

Phone: 218-729-6000

Toll Free: 800-232-0719

Fax: 218-729-6001