SEQ # S986-813

August 2013

STATE OF MINNESOTA **PRICING PAGE** (Typed Responses Required)

Crawler Inspection Camera System Price quote for:

Vendor Name: Contact Person: Andrew Bethel

Titan Machinery Inc Street Address: 6340 County Rd 101 E

P.O. Box:

City, State, Zip Phone #: 952-445-5400
Toll Free #: 800-795-9274 Fax #: 952-445-0365

Email Address: andy.bethel@titanmachinery.com

	: Information Dominated	A
Spec #	Information Requested	Answer
1.0	MAKE AND MODEL	RapidView IBAK P00009 PANORAMO® 150 Camera System
	CRAWLER	
	Number of drive wheels/tracks	4 wheels
	Number of drive motor(s)	2
	Drive mechanism (chain, belt, gear, etc.)	Chain
	Does drive mechanism have a clutch	No
	Internal pressure rating	IP68, 14. 0 psi
	Pressurization method	Dry air
	Does crawler maintain pressure if camera is removed	No
	Over/under pressure indicator light	Yes and indicator on main control
	Can repressurization be accomplished in the field	Yes
	Quantity, type & size of tracks/wheels included with base package	1 set of (4) each of 8", 10" and Pneumatic wheels
	Overlapping wheel design to prevent high centering	No
	Wheel/Track change tool requirement	Allen wrench
	Wheel/Track change time requirement	2 minutes
	Minimum pipe diameter	8" diameter
	Dimension-crawler only (LxHxW)	19" x 4.5" x 2.7"

STATE OF MINNESOTA PRICING PAGE

Spec #	Information Requested	Answer
	Overall length with camera attached	19"
	Weight of crawler	15 lbs.
	Overall weight crawler with camera attached	15 lbs.
	Material the crawler constructed from	Brass and stainless steel
	Cable connector type to crawler	High strength mechanical locking fiber optic connector
	Tools required to connect/disconnect crawler from cable	No
	Number of controls required to operate crawler	1 (All system functions from one controller)
	Direction crawler can operate (example: forward/neutral/reverse)	Full tank-style steering
	Is crawler steerable	Yes
	Does crawler have rear vision camera capability	Yes
	Inclinometer standard	Optional
	Power requirement (watts/amps/voltage)	100VAC to controller
	Is a Sonde device available	No
	CAMERA	
	Pan & tilt	Yes
	Pan and tilt control type	Mouse
	Home position control type	Spacebar
	Pixels & lines of resolution	500 lines of resolution in 360° view, 3000 lines of resolution in unfolded view
	Zoom (magnification optical & digital)	40x Digital
	Lux rating	n/a
	Construction material	Coated aluminum and stainless steel
	Lens type	Shock resistant glass
	Lens field of view (VxHxD)	360º
	Black & white or color	Color
	Lighting type	High instensity LED Strobes
	Type of lighting control	Computer controlled
	Field replaceable lights	Yes
	Focus (auto & manual)	n/a
	Connection type	High strength locking camera connector

STATE OF MINNESOTA PRICING PAGE

Spec #	Information Requested	Answer
	Dimensions (LxHxW)	4" x 2.4" diameter
	Camera weight	n/a
	Pressurization method	Dry air
	Inernal pressure rating	IP68, 14.0 psi.
	Over/under pressure indicator light	On controller
	Does camera maintain pressure when removed from crawler	n/a
	Will camera connect to cable w/o crawler and be fully functional	n/a
	Maximum viewing angle for pan	360º
	Maximum viewing angle for tilt	360º
	Does Camera controller have "home" position function type	Yes
	Does camera have the ability to view 360 degrees	Yes
	Field replaceable windshield on camera	Yes
	<u>CABLE</u>	
	Cable length	1640 ft./2000 ft.
	Cable diameter	.425"
	Break strength	2000 lb.
	Single or multi-conductor	Multi
	Repairable	Re-terminate at connector
	CABLE REEL	
	Motorized (yes/no)	Yes
	Drive type	Electric motor, belt
	Automatic pay-out, or pulled by crawler	Automatic
	Automatically payed-in	Yes
	Cable reel level wind system	Automatic
	Drum emergency stop switch	Yes
	Resetable counter	Yes
	Counter-mechanical or electronic	Electronic
	Forward/reverse engagement control type (manual or electronic)	Remote pendant controller (Standard)
	Speed control type	Remote pendant controller (Standard)
	Type of torque control	Yes/current limiter
	Overheat sensor	Limiter will not allow to overheat.

August 2013

STATE OF MINNESOTA PRICING PAGE

31111111111111111111111111111111111111	(Typeu nesponses nequireu)					
Spec #	Information Requested		Answer			
	Cable reel capacity		1,640 ft./2,000 ft optional			
	Portable		No			
	Dimensions (LxHxW)		15" x 23" x 26"			
	Power requirements		110VAC			
	CENTRAL CONTROL UNIT					
	Power requirements		110VAC			
	Circuit protection type		Fused			
	Video in/out		Yes			
	Type of text generator		5 pages, 10 keywords, 10 colors, highlight option			
	Keyboard		QWERTY keyboard			
	Desktop camera control		Joystick			
	Number of video text generators on-screen		n/a			
	Video display of footage, time and date		Yes			
	Warranty		1 year manufacturer's parts and labor			
	В	BASE UNIT PRICE:	\$ 185,689.00			

STATE OF MINNESOTA PRICING PAGE (Typed Responses Required)

AUGUST 2013

VENDOR NAME

Titan Machinery Inc

MAKE AND MODEL

RapidView IBAK P00009 PANORAMO® 150 Camera System

	Docariation	Otv.	Price	ر.	ıbtota
	Description	Qty	Price	51	ibiola
	ODIOS SOD DAOS UNIT			1 _	
	PRICE FOR BASE UNIT:	\$	185,689.00	\$	
Γ	CRAWLER OPTIONS:				
	Use this section to offer crawler options. Number items starting with 1.11, 1.12, etc.				
	Jse as many numbers as you need.				
	V0000228 Inclinometer Unit for T76/86/PANORAMO (requires software)	\$	3,062.00	\$	
_	(equilibrium)	Ψ	0,002.00	\$	
_					
				\$	
				\$	
				\$	
Γ	WHEEL OPTIONS:				
	Use this section to offer wheel options. Number items starting with 1.21, 1.22, etc.				
	Jse as many numbers as you need.				
	205210491 Wheel set for 5" pipe for T66	\$	434.00	\$	
	905210091 Treaded Wheel set for 5" pipe for T66	\$		\$	
	905210191 Treaded Wheel set for 6" pipe for T66	\$			
	905210291 Granulated Wheel set for 5" pipe for T66	\$		\$	
	905210591 Granulated Wheel set for 6" pipe for T66	\$		\$	
	902202491 Wheel set 140-6, for 10" pipe and up	\$		\$	
	900401491 Granulated Wheel set RAD120 for 8" PVC (requires 902202191)	\$		\$	
	900401591 Granulated Wheel set RAD150 for 10" PVC (requires 902202191)	\$		\$	
	202202191 Wheelset Adapters T76 to T66	\$		\$	
		Ψ	, .0.00	Ψ	
F	Remove PANORAMO 150 to make Manhole only system	\$	(98,524.00)	\$ \$	
				φ	
Ī	LIGHTING OPTIONS:				
ľ	Use this section to offer lighting options. Number items starting with 1.41, 1.42, etc.				
	Jse as many numbers as you need.			_	
				\$	
				\$	
				\$	
	CONTROL CONSOLES:	Ī			
	JUNIOUS LIUNNIU EN				
	Use this section to offer control console options. Number items starting with 1.51,				
				.	
	Use this section to offer control console options. Number items starting with 1.51,			\$	
	Use this section to offer control console options. Number items starting with 1.51,			\$	
	Use this section to offer control console options. Number items starting with 1.51,				
	Use this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need.			\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS:			\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting			\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need.		1,244.00	\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting		1,244.00	\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need.	\$	1,244.00	\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need. 300300130 KUV 3 Top Manhole Deflection Pully	\$	1,244.00	\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need. 200300130 KUV 3 Top Manhole Deflection Pully OTHER CRAWLER OPTIONS:	\$	1,244.00	\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need. DOUGLOST TOP Manhole Deflection Pully OTHER CRAWLER OPTIONS: Jse this section to offer crawler options. Number items starting with 1.71, 1.72, etc.	\$	1,244.00	\$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need. 200300130 KUV 3 Top Manhole Deflection Pully OTHER CRAWLER OPTIONS:	\$	1,244.00	\$ \$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need. DOUGLOST TOP Manhole Deflection Pully OTHER CRAWLER OPTIONS: Jse this section to offer crawler options. Number items starting with 1.71, 1.72, etc.	\$	1,244.00	\$ \$ \$	
	Jse this section to offer control console options. Number items starting with 1.51, 1.52, etc. Use as many numbers as you need. CABLE AND CABLE DRUM OPTIONS: Jse this section to offer cable and cable drum options. Number items starting with 1.61, 1.62, etc. Use as many numbers as you need. DOUGLOST TOP Manhole Deflection Pully OTHER CRAWLER OPTIONS: Jse this section to offer crawler options. Number items starting with 1.71, 1.72, etc.	\$	1,244.00	\$ \$	

STATE OF MINNESOTA PRICING PAGE

AUGUST 2013

Spec #	Description	Qty	Price	Subtotal
1.80	PERFORMANCE OPTIONS	ĺ		
	Use this section to offer performance & extended warranty options. Number items			
	starting with 1.81, 1.82, etc. Use as many numbers as you need.			
1.81				\$
1.82				\$ -
1.83				\$ -
1.90	EXTENDED WARRANTY OPTIONS			
	Use this section to offer performance/warranty options,			
	number these items starting with 9.1, 9.2, 9.3, etc.			
	(Specify years, miles or hours extended term covers.)			
1.91			Price:	\$
1.20	VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM		\$	
	See Solicitation Special Terms and Conditions.			
	DEDUCT cost per Used Hour from the original Contract Price			
	DIGGOLINIT OFF LIGT BRIDE FOR RELATER BARTO			2/
2.0	DISCOUNT OFF LIST PRICE FOR RELATED PARTS	_		%
	AND ACCESSORIES (See Special Terms and Conditions Price List Date and Number		Φ	
	Price List Date and Number	<u>.</u>	\$	
2.1	NEW EQUIPMENT RENTAL PROGRAM			
2.1	If rental programs are available on the new equipment			
	offered, with the option to purchase, list the			
	hourly/weekly/monthly rental rate. Indicate the percent of			
	rental fee paid by the purchaser that will be applied to			
	the purchase price. See Solicitation Special Terms & Conditions.			
	Hourly Rental Rate:		\$	
	Weekly Rental Rate:		\$	
	Monthly Rental Rate:		\$	
	Percent (%) of Rental Fee applied to purchase price:	-	Ψ	%
	1 order (10) or resident of approach purchase prices	<u>-</u>		70
2.2	Delivery Starting Point (city, state, zip code)		Rochester, Ind	iana
2.3	Price per loaded mile		,	\$1.50
	<u>, </u>			