

Price quote for:

TRACTOR: LOADER-BACKHOE

Vendor Name: **Titan Machinery Inc**
 Contact Person: **Andrew Bethel**
 Street Address: **6340 County Road 101 E**
 P.O. Box:
 City, State, Zip: **Shakopee, MN 55379**
 Phone #: **952-445-5400**
 Toll Free #: **800-795-9274**
 Fax #: **952-445-0365**
 Email Address: andy.bethel@titanmachinery.com

Spec #	Information Requested	Answer
1.0	Make & Model	Case 580N 4WD
	Engine HP gross/net (SAE)	84 hp gross/ 79 hp net
	Aspiration	Turbo Charged
	Transmission, type and number of forward and reverse gears	4F/4R Synchronesh
	Hydraulic pump (GPM and PSI)	28.5 gpm @ 3000 psi
	GPM for backhoe	28.5 gpm
	GPM for loader	28.5 gpm
	Brakes	Hyd wet disc brakes
	Steering	Hydrostatic
	Drive Axles	Planetary
	Front tires, size and type	12L X 16.5, 10-ply
	Rear tires, size and type	17.5L X 24, 10-ply
	Backhoe digging depth (SAE) (Standard stick)	14' 3"
	Backhoe digging depth 2' flat bottom (SS)	14' 2"
	Backhoe reach from swing pivot at ground line (SS)	17' 10"
	Backhoe loading height (SS)	11' 2"
	Backhoe loading reach (SS)	8' 9"
	Backhoe digging depth (SAE) (Retracted extendable stick)	14' 10"
	Backhoe digging depth (SAE) (Extended extendable stick)	18' 3"
	Backhoe digging depth 2' flat bottom (RES)	14' 8"
	Backhoe digging depth 2' flat bottom (EES)	18' 2"
	Backhoe reach from swing pivot at ground line (RES)	18' 5"

Backhoe reach from swing pivot at ground line (EES)	21' 10"
Backhoe loading height (RES)	11' 5"
Backhoe loading height (EES)	13' 3"
Backhoe loading reach (RES)	8' 8"
Backhoe loading reach (EES)	11' 6"
Loader capacity (SAE) standard bucket	1 cu yd
Loader standard bucket width	82"
Loader maximum operating height	13' 8"
Loader lift capacity at maximum height	6,182 lbs
Loader breakout force	9,480 lbf
Loader maximum hinge pin height	11' 2"
Loader dump reach at maximum height	28.2"
Loader maximum bucket roll back at ground level	40 degrees
Loader digging depth, with bucket flat	7.8"
Lights, front/rear	2 headlights, 2 rear flood
Gauges	12 Areas monitored
Warranty Term (months, years)	one year unlimited hours two years/2000 hours- powertrain
BASE UNIT PRICE:	\$ 57,025.00

Price quote
for:

TRACTOR: LOADER-BACKHOE

VENDOR NAME: Titan Machinery Inc.

MAKE AND MODEL		Case 580N 4WD		
Spec #	Description	Qty	Price	Subtotal
1.0	BASE UNIT PRICE:		\$ 57,025.00	\$ -
2.0	<u>OPERATOR ENVIRONMENT</u> Use this section to offer operator environment options. Number items starting with 2.1, 2.2, etc. Use as many numbers as you need.			
2.1	Air conditioning		\$ 1,376.00	\$ -
2.2	Mech. suspension (cloth) with arm rests, Cab unit only		\$ 296.00	\$ -
2.3	Deluxe air suspension (cloth) with arm rest, Cab unit only		\$ 525.00	\$ -
2.4	Mech. Suspension, Vinyl, w/armrests		\$ 285.00	\$ -
2.5	Deluxe air suspension, Vinyl		\$ 512.00	\$ -
2.6	Deluxe Cab Package (includes deluxe interior, visor, windshield washers, 72 dba sound level)		\$ 752.00	\$ -
2.7	Deduct for ROPS only - (no cab)		\$ (3,395.00)	\$ -
2.8	Deluxe ROPS pkg - windshield w/wiper, 2 additional lights frt & rear		\$ 707.00	\$ -
2.9	Fire Extinguisher - 2.5 # ABC - BIC		\$ 95.00	\$ -
2.10	Tool box		\$ 100.00	\$ -
2.11	Weatherband AM-FM Stereo Radio (Factory)		\$ 133.00	\$ -
2.12	Ride control - factory		\$ 780.00	\$ -
2.13	Optional right hand door on cab with A/C		\$ 510.00	\$ -
2.14	Tilt Steering Wheel		\$ 213.00	\$ -
2.15	Comfort Steer		\$ 416.00	\$ -
2.16	3" seat belt ILOS		\$ 43.00	\$ -
2.17	Mirror Package - BIC SI3045		\$ 295.00	\$ -
2.18	Heated Mirror package - BIC SI3045-H		\$ 412.00	\$ -
2.19	Special Paint		\$ 3,478.00	\$ -
3.0	<u>ELECTRICAL</u>			
3.1	Cold start aid - block heater		standard	
3.2	Corner Strobe Set LED - mount in Turn Signal Housing - BIC		\$ 700.00	\$ -
3.3	Strobe light - Whelen		\$ 530.00	\$ -
3.4	Master Electric Disconnect Pkg - BIC		\$ 147.00	\$ -
3.5	Work Lights - for Canopy model- two additional each front and rear		\$ 190.00	\$ -
3.6	Rotating Beacon - Factory Installed		\$ 136.00	\$ -
3.7	Battery Disconnect / Jump start terminals		\$ 88.00	\$ -
3.8	Dual batteries		\$ 350.00	\$ -
3.9	Murphy WAI-2 Shutdown System for water temp/oil pressure - BIC		\$ 880.00	\$ -
4.0	<u>POWERTRAIN</u>			
4.1	Fuel tank, 42 gallon		standard	
4.2	Powershift - S Type Transmission		\$ 987.00	\$ -

5.0 AXLES & TIRE OPTIONS

5.1	12 x 16.5, 10PR lug tread		standard	
5.2	17.5L x 24, 10PR (R4) rear tires		standard	
5.3	19.5L x 24, 10PR (R4) rear tires		\$ 154.00	\$ -
Extra Tire & Wheel @				
5.4	12 x 16.5, 10PR lug tread		\$ 250.00	\$ -
5.5	17.5L x 24, 10PR (R4)		\$ 710.00	\$ -
5.6	19.5L x 24, 10PR (R4)		\$ 792.00	\$ -
5.7	Counterweight, front (700#) for standard backhoe		\$ 368.00	\$ -
5.8	Counterweight, front (1100#) for standard backhoe		\$ 580.00	\$ -
5.9	Counterweight, front (1100#) for extendahoe ILO 440# standard		\$ 243.00	\$ -
5.10	Stabilizer Guard Set - BIC		\$ 415.00	\$ -
5.11	Front fenders - BIC		\$ 415.00	\$ -

6.0 HYDRAULICS**Loader**

6.1	Auxiliary hydraulics and controls for units w/manual controls. (included with 4 in 1 or hydraulic quick attach)		\$ 752.00	\$ -
6.2	Auxiliary hydraulics and controls for units w/pilot controls. (included with 4 in 1 or hydraulic quick attach)		\$ 752.00	\$ -

Backhoe

6.3	Combo Direct. auxiliary hydraulics for units w/Pilot Controls Controlled by switch on left joystick. Capped tubes routed to dipper stick.		\$ 2,100.00	\$ -
6.4	Combo Direct. auxiliary hydraulics for units w/Manual Controls Capped tubes routed to dipper stick.		\$ 2,100.00	\$ -
6.5	Uni-directional auxiliary hydraulics for units w/Pilot Controls, for use w/hammers.(includes boom guard) Adjustable single direction flow of up to 28.5 gpm controlled by switch on left joystick, Capped tubes routed to dipper stick.		\$ 1,568.00	\$ -
6.6	Uni-directional auxiliary hydraulics for units w/Manual Controls, for use w/hammers.(includes boom guard) Adjustable single direction flow.of up to 28.5 gpm controlled by foot switch. Capped tubes routed to dipper stick.		\$ 1,568.00	\$ -
6.7	Auxiliary hydraulics for backhoe - BIC K2800/2900 (single direction w/8 flow settings - EPIC Kit - internal tubes)		\$ 2,582.00	\$ -
6.8	Auxiliary hydraulics for backhoe - BIC K5800/5900 For both Hyd Hammer and hyd Thumb, Finger switch for thumb, foot control for hammer. EPiC Kit with Internal tubes		\$ 3,525.00	\$ -

7.0 BACKHOE OPTIONS

7.1	Extendahoe		\$ 3,457.00	\$ -
7.2	Dual lever control, direct linkage or Foot Swing control		standard	
7.3	Pilot Controls with infinite variable fore/aft & lateral position. Includes backhoe/excavator pattern switch. and auto-up stabilizer control		\$ 1,307.00	\$ -
7.4	Coupler, mechanical for backhoe bucket		\$ 427.00	\$ -
7.5	Combination stabilizer pads, flip-over		standard	
7.6	Cleated dirt pad - ILO flip-over pads standard		\$ (470.00)	\$ -
7.7	Street / Cemetery Pads - ILO flip-over pads standard		\$ (342.00)	\$ -

Backhoe Buckets - one required

7.8	12" Universal (3.40 cu ft/.10 cu m heaped capacity)		\$ 544.00	\$ -
7.9	18" Universal (5.30 cu ft/.15 cu m heaped capacity)		\$ 656.00	\$ -
7.10	24" Universal (7.70 cu ft/.18 cu m heaped capacity)		\$ 720.00	\$ -
7.11	30" Universal (10.20 cu ft/.29 cu m heaped capacity)		\$ 820.00	\$ -
7.12	36" Universal (12.70 cu ft/.36 cu m heaped capacity)		\$ 853.00	\$ -
7.13	24" heavy duty - Hi-Capacity (8.50 ft/.22cu.m heaped capacity)		\$ 917.00	\$ -
7.14	18" GP Trenching Bucket		\$ 600.00	\$ -
7.15	24" GP Trenching Bucket		\$ 656.00	\$ -

KENT DEMOLITION

(standard with working steel, whip hoses,
tool kit, and with couplers, plus QA mtd)

QT = QUIET VERSION (85dba @ 10M)

7.16	FX45 FSP		\$ 7,872.00	\$ -
7.17	FX45 QT		\$ 8,240.00	\$ -
7.18	Moil point 2.4" x 22", 25 lbs		\$ 295.00	\$ -
7.19	Chisel point 2.4" x 22", 25 lbs		\$ 295.00	\$ -
7.20	Blunt point 2.4" x 22", 25 lbs		\$ 295.00	\$ -
7.21	Asphalt cutter, cross, or in-line cut @		\$ 708.00	\$ -
7.22	Tamper assembly		\$ 796.00	\$ -
7.23	FX55 FSP		\$ 9,500.00	\$ -
7.24	FX55 QT		\$ 9,982.00	\$ -
7.25	Moil point 2.6" x 23.6", 33 lbs		\$ 359.00	\$ -
7.26	Chisel point 2.6" x 22", 33 lbs		\$ 359.00	\$ -
7.27	Blunt point 2.6" x 23.6", 33 lbs		\$ 359.00	\$ -
7.28	Asphalt cutter, cross, or in-line cut @		\$ 782.00	\$ -
7.29	Tamper assembly		\$ 874.00	\$ -
7.30	FX65 FSP		\$ 11,305.00	\$ -
7.31	FX65 QT		\$ 11,915.00	\$ -
7.32	Moil point 3.0" x 25", 45 lbs		\$ 419.00	\$ -
7.33	Chisel point 3.0" x 25", 45 lbs		\$ 419.00	\$ -
7.34	Blunt point 3.0" x 25", 45 lbs		\$ 419.00	\$ -
7.35	Asphalt cutter, cross, or in-line cut @		\$ 856.00	\$ -
7.36	Tamper assembly		\$ 948.00	\$ -

Plate Compactors

7.37	KHP 35ME - 3000 lb - 12" wide	\$ 4,910.00	\$ -
7.38	KHP 35ME FT - 3000 lb - 12" wide	\$ 5,660.00	\$ -
7.39	KHP 65TLB - 6000 lb	\$ 5,526.00	\$ -
7.40	KHP 65 FT - 6000 lb	\$ 6,250.00	\$ -
7.41	KHP 75TLB - 7500 lb	\$ 5,747.00	\$ -
7.42	KHP 75 FT - 7500 lb	\$ 6,535.00	\$ -
7.43	KHP 135 II FT/FB - 13,500 lb	\$ 9,735.00	\$ -

Compaction Wheels

7.44	KCW 18 - 18" wide	\$ 4,610.00	\$ -
7.45	KCW 24 - 24" wide	\$ 6,330.00	\$ -
7.46	KCW 36 - 36" wide	\$ 9,095.00	\$ -

Amulet - 12" or 16" width thumb

7.47	Thumb - Non Hydraulic FIXED w/adj strt CT20-13 - BIC	\$ 3,880.00	\$ -
7.48	Thumb - HYD - CT20 POWERBRUT (req. aux hyds) - BIC	\$ 4,295.00	\$ -

McMillen Hydraulic Augers (req back hoe Hyds)

7.49	Mounting Plate - auger to backhoe	\$ 470.00	\$ -
7.50	Hydraulic auger, planetary drive, 10-25 gpm X1475	\$ 1,487.00	\$ -
7.51	Hydraulic auger, planetary drive, 15-30 gpm X1975	\$ 1,625.00	\$ -
7.52	Hydraulic auger, planetary drive, 20-35 gpm X2475	\$ 1,790.00	\$ -
7.53	Hydraulic auger, planetary drive, 18-30 gpm X3575	\$ 2,065.00	\$ -
7.54	Fixed length Extension - 12"	\$ 170.00	\$ -
7.55	Variable length Extension - 24"	\$ 239.00	\$ -
7.56	Variable length Extension - 48"	\$ 281.00	\$ -

Auger Bits for difficult ground "HDC" Style

7.57	6" x 48" with 2" hex collar	\$ 299.00	\$ -
7.58	9" x 48" with 2" hex collar	\$ 450.00	\$ -
7.59	12" x 48" with 2" hex collar	\$ 475.00	\$ -
7.60	15" x 48" with 2" hex collar	\$ 607.00	\$ -
7.61	18" x 48" with 2" hex collar	\$ 690.00	\$ -
7.62	24" x 48" with 2" hex collar	\$ 950.00	\$ -
7.63	30" x 48" with 2" hex collar	\$ 1,147.00	\$ -
7.64	36" x 48" with 2" hex collar	\$ 1,225.00	\$ -

Tree Augers

7.65	15"/30" x 48" with 2" hex collar	\$ 680.00	\$ -
7.66	18"/36" x 48" with 2" hex collar	\$ 825.00	\$ -
7.67	Mech Coupler Retrofit Kit	\$ 75.00	\$ -

8.0 FRONT LOADER OPTIONS - one bucket required

8.1	82" wide, long lip (1 cu yd) (includes lift eyes)	\$ 907.00	\$ -
8.2	82" wide, long lip (1 cu yd) (includes lift eyes and bolt on edge)	\$ 1,110.00	\$ -
8.3	82" wide, 4 in 1 (1 cu yd) - (includes ldr hyds, and bolt on edge, requires 3-pt or cwt.)	\$ 3,280.00	\$ -
8.4	93" wide, long lip (1.3 cu yd) (includes bolt on edge)	\$ 1,460.00	\$ -
8.5	Hydraulic Quick attach for loader bucket	\$ 3,030.00	\$ -

FFC Equipment

8.6	QA Coupler, manual quick attach (grey)	\$ 2,128.00	\$ -
8.7	QA 83" wide GP Bucket (1.11 cu yd) with BOE	\$ 2,283.00	\$ -
8.8	QA 92" wide GP Bucket (1.23 cu yd) with BOE	\$ 2,382.00	\$ -
8.9	QA 83" wide Scrap grapple bucket	\$ 5,920.00	\$ -
8.10	QA 82" wide 4-in-1 bucket	\$ 5,530.00	
8.11	QA Pallet forks, 48" tines, 60" backplate (grey)	\$ 3,045.00	\$ -
8.12	QA 108" Floating Snow Blade (loader hyd. Req.)	\$ 3,680.00	\$ -
8.13	QA 96" Angle broom	\$ 5,445.00	\$ -
8.14	Hydraulic Angle kit for broom	\$ 1,163.00	\$ -
8.15	QA coupler black female ears for existing buckets	\$ 698.00	\$ -

9.0 PERFORMANCE OPTIONS

Use this section to offer performance options. Number items starting with 9.1, 9.2, etc. Use as many numbers as you need.

9.1			\$ -
9.2			\$ -

10.0 HOURLY SHOP LABOR RATE:

(Installation services may be requested on an as needed basis)

\$ 105.00

11.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

See Solicitation Special Terms and Conditions.

DEDUCT cost per **Used Hour** from the original Contract Price

\$ 9

12.0 EXTENDED WARRANTY OPTIONS

Case Warranty covers the CASE machine only.
Protection Plan must be purchased with-in first 90 days or add 15% additional during base warranty.
Mfg's standard warranty is applicable to non-CASE equipment.

Case Purchased Protection Plan - Zero deductible

Months/hours	Coverage		
12.1	36/3000 - power train only		\$ 490.00
12.2	48/4000 - power train only		\$ 1,148.00
12.3	60/4000 - power train only		\$ 1,365.00
12.4	60/5000 - power train only		\$ 1,768.00
12.5	24/2000 - power train plus electronics or hyds		\$ 282.00
12.6	36/3000 - power train plus electronics or hyds		\$ 735.00
12.7	48/4000 - power train plus electronics or hyds		\$ 1,723.00
12.8	60/4000 - power train plus electronics or hyds		\$ 2,049.00
12.9	60/5000 - power train plus electronics or hyds		\$ 2,540.00
12.10	24/2000 - full machine		\$ 646.00
12.11	36/3000 - full machine		\$ 1,329.00
12.12	48/4000 - full machine		\$ 2,615.00
12.13	60/4000 - full machine		\$ 3,402.00
12.14	60/5000 - full machine		\$ 4,408.00

13.0 NEW EQUIPMENT RENTAL PROGRAM

If rental programs are available on the new equipment offered, with the option to purchase, list the hourly/weekly/monthly rental rate. Indicate the percent of rental fee paid by the purchaser that will be applied to the purchase price. See Solicitation Special Terms & Conditions.

Hourly Rental Rate:	n/a	
Weekly Rental Rate:	\$ 810.00	\$ -
Monthly Rental Rate:	\$ 2,430.00	\$ -
Percent (%) of Rental Fee applied to purchase price:	80% first 90 days 75% thereafter	

If the new rental equipment is purchased and finance charges are applicable for the actual rental term only, state the actual interest rate here: _____

14.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

See Solicitation Special Terms and Conditions.
DEDUCT cost per Used Hour from the original Contract Price.

\$ 9.00	\$ -
---------	------

15.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS AND ACCESSORIES - (See Special Terms and Conditions)
Price List Date and Number

%

16.0 DELIVERY CHARGES - SEE SPECIAL TERMS AND CONDITIONS

NO FLAT RATE ALLOWED

Shakopee, Rogers, Duluth, Marshall, Crookston, MN
Grand Forks, Fargo, ND / Sioux Falls, SD / LaCrosse, WI

DELIVERY STARTING POINT - City, State, Zip Nearest Titan Machinery Inc. Case CE Location

PRICE PER LOADED MILE:	\$ 4.00
-------------------------------	---------