



# Spack Solutions

43 Main Street SE, Suite 136  
Minneapolis, MN 55414

TH-5 at Stieger Lake Ln-78th St  
City: Victoria  
Data By: Spack Solutions  
TURN MOVEMENT COUNT

File Name : 08\_TH-5-at-Stieger-Lake-Ln-and-78th-St  
Site Code : 00000000  
Start Date : 3/17/2021  
Page No : 1

Groups Printed- Vehicles - Trucks

Start Time	Stieger Lake Ln Southbound				TH-5 Westbound				78th St Northbound				TH-5 Eastbound				Int. Total
	Right	Thru	Left	Peds	Right	Thru	Left	Peds	Right	Thru	Left	Peds	Right	Thru	Left	Peds	
06:00 AM	0	0	0	0	0	8	0	0	0	0	0	0	0	59	0	0	67
06:15 AM	0	0	1	0	0	35	0	0	2	0	0	0	1	73	0	0	112
06:30 AM	0	0	0	0	1	32	0	0	1	0	1	0	6	113	0	0	154
06:45 AM	0	0	4	0	0	44	1	0	0	0	4	0	5	105	0	0	163
Total	0	0	5	0	1	119	1	0	3	0	5	0	12	350	0	0	496
07:00 AM	0	1	0	0	1	35	0	0	0	0	6	0	3	115	0	0	161
07:15 AM	2	0	5	0	1	63	0	0	1	2	5	0	4	130	1	0	214
07:30 AM	1	0	2	0	1	80	0	0	0	0	3	0	4	145	0	0	236
07:45 AM	0	0	4	0	3	104	0	0	0	1	2	0	5	143	0	0	262
Total	3	1	11	0	6	282	0	0	1	3	16	0	16	533	1	0	873
08:00 AM	0	1	3	0	3	78	1	0	1	0	2	0	5	125	0	0	219
08:15 AM	4	1	3	0	2	99	0	0	1	1	3	0	1	111	4	0	230
08:30 AM	4	2	5	0	4	93	0	0	2	1	3	0	3	130	0	0	247
08:45 AM	1	1	3	0	2	79	0	0	1	0	6	0	7	115	3	0	218
Total	9	5	14	0	11	349	1	0	5	2	14	0	16	481	7	0	914
09:00 AM	3	1	4	0	3	97	0	0	0	1	3	0	6	110	1	0	229
09:15 AM	1	1	3	0	4	99	0	0	0	1	10	0	4	106	1	0	230
09:30 AM	0	2	3	0	4	75	3	0	2	1	5	0	12	131	1	0	239
09:45 AM	1	0	3	0	5	97	1	0	0	2	4	0	2	121	2	0	238
Total	5	4	13	0	16	368	4	0	2	5	22	0	24	468	5	0	936
10:00 AM	3	1	4	0	4	94	0	0	1	1	2	0	1	113	1	0	225
10:15 AM	0	1	5	0	6	92	0	0	0	1	2	0	4	108	0	0	219
10:30 AM	2	1	2	0	1	95	0	0	0	1	4	0	6	95	1	0	208
10:45 AM	0	2	4	0	5	80	0	0	0	0	7	0	7	110	0	0	215
Total	5	5	15	0	16	361	0	0	1	3	15	0	18	426	2	0	867
11:00 AM	0	1	2	0	6	87	1	0	4	1	1	0	5	106	1	0	215
11:15 AM	0	0	5	0	4	114	4	0	0	0	5	0	2	128	2	0	264
11:30 AM	2	0	3	0	6	117	0	0	1	0	2	0	6	96	3	0	236
11:45 AM	7	0	7	0	6	127	0	0	0	1	0	0	2	114	1	0	265
Total	9	1	17	0	22	445	5	0	5	2	8	0	15	444	7	0	980
12:00 PM	4	2	5	0	3	89	2	1	1	1	3	1	4	109	1	0	226
12:15 PM	3	2	3	0	8	125	0	0	1	1	5	0	4	121	2	0	275
12:30 PM	3	0	5	0	6	134	0	0	1	2	1	0	7	108	0	0	267
12:45 PM	2	0	6	0	4	101	0	0	2	0	2	0	4	105	1	0	227
Total	12	4	19	0	21	449	2	1	5	4	11	1	19	443	4	0	995
01:00 PM	0	0	6	0	6	101	1	0	0	3	5	0	6	96	3	0	227
01:15 PM	3	2	2	0	6	123	0	0	3	1	3	0	1	112	2	0	258
01:30 PM	3	0	4	0	8	104	0	0	2	0	1	0	4	101	2	0	229
01:45 PM	6	0	3	0	0	136	0	0	1	0	5	0	7	92	4	0	254
Total	12	2	15	0	20	464	1	0	6	4	14	0	18	401	11	0	968
02:00 PM	2	2	7	0	3	138	0	1	0	0	2	0	5	86	1	0	247
02:15 PM	7	0	4	0	2	140	0	1	0	0	3	0	4	120	6	0	287



# Spack Solutions

43 Main Street SE, Suite 136  
Minneapolis, MN 55414

TH-5 at Stieger Lake Ln-78th St  
City: Victoria  
Data By: Spack Solutions  
TURN MOVEMENT COUNT

File Name : 08\_TH-5-at-Stieger-Lake-Ln-and-78th-St  
Site Code : 00000000  
Start Date : 3/17/2021  
Page No : 2

Groups Printed- Vehicles - Trucks

Start Time	Stieger Lake Ln Southbound				TH-5 Westbound				78th St Northbound				TH-5 Eastbound				Int. Total
	Right	Thru	Left	Peds	Right	Thru	Left	Peds	Right	Thru	Left	Peds	Right	Thru	Left	Peds	
02:30 PM	1	0	5	0	3	126	1	0	1	1	4	0	7	117	2	0	268
02:45 PM	5	1	2	0	7	146	1	0	2	0	7	0	6	108	2	0	287
Total	15	3	18	0	15	550	2	2	3	1	16	0	22	431	11	0	1089
03:00 PM	1	2	5	0	7	171	2	0	0	0	4	0	12	96	3	0	303
03:15 PM	1	2	4	0	5	175	1	0	0	1	2	0	6	118	2	0	317
03:30 PM	0	2	5	0	9	187	0	0	2	1	4	0	6	108	0	0	324
03:45 PM	3	0	1	0	5	160	0	0	1	1	0	0	3	114	1	0	289
Total	5	6	15	0	26	693	3	0	3	3	10	0	27	436	6	0	1233
04:00 PM	1	2	7	0	11	191	3	0	2	0	6	0	7	115	0	0	345
04:15 PM	4	0	4	0	9	169	1	0	2	1	3	0	4	113	2	0	312
04:30 PM	2	1	5	0	4	190	0	0	0	0	2	0	4	96	1	0	305
04:45 PM	0	1	2	0	8	193	2	0	0	1	7	0	4	128	2	0	348
Total	7	4	18	0	32	743	6	0	4	2	18	0	19	452	5	0	1310
05:00 PM	1	0	9	0	7	198	0	0	1	0	3	0	6	118	1	0	344
05:15 PM	5	1	3	0	9	188	0	1	0	2	4	0	3	122	1	0	339
05:30 PM	5	1	6	0	10	167	0	0	0	1	3	0	4	116	1	0	314
05:45 PM	3	0	5	0	7	141	0	0	0	1	3	0	8	79	4	0	251
Total	14	2	23	0	33	694	0	1	1	4	13	0	21	435	7	0	1248
Grand Total	96	37	183	0	219	5517	25	4	39	33	162	1	227	5300	66	0	11909
Apprch %	30.4	11.7	57.9	0	3.8	95.7	0.4	0.1	16.6	14	68.9	0.4	4.1	94.8	1.2	0	
Total %	0.8	0.3	1.5	0	1.8	46.3	0.2	0	0.3	0.3	1.4	0	1.9	44.5	0.6	0	
Vehicles	94	36	180	0	213	5432	24	4	39	33	157	1	219	5210	65	0	11707
% Vehicles	97.9	97.3	98.4	0	97.3	98.5	96	100	100	100	96.9	100	96.5	98.3	98.5	0	98.3
Trucks	2	1	3	0	6	85	1	0	0	0	5	0	8	90	1	0	202
% Trucks	2.1	2.7	1.6	0	2.7	1.5	4	0	0	0	3.1	0	3.5	1.7	1.5	0	1.7




# Spack Solutions

43 Main Street SE, Suite 136  
Minneapolis, MN 55414

TH-5 at Stieger Lake Ln-78th St  
City: Victoria  
Data By: Spack Solutions  
TURN MOVEMENT COUNT

File Name : 08\_TH-5-at-Stieger-Lake-Ln-and-78th-St  
Site Code : 00000000  
Start Date : 3/17/2021  
Page No : 3

Start Time	Stieger Lake Ln Southbound					TH-5 Westbound					78th St Northbound					TH-5 Eastbound					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
Peak Hour Analysis From 06:00 AM to 12:00 PM - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 11:15 AM																					
11:15 AM	0	0	5	0	5	4	114	4	0	122	0	0	5	0	5	2	128	2	0	132	264
11:30 AM	2	0	3	0	5	6	117	0	0	123	1	0	2	0	3	6	96	3	0	105	236
11:45 AM	7	0	7	0	14	6	127	0	0	133	0	1	0	0	1	2	114	1	0	117	265
12:00 PM	4	2	5	0	11	3	89	2	1	95	1	1	3	1	6	4	109	1	0	114	226
Total Volume	13	2	20	0	35	19	447	6	1	473	2	2	10	1	15	14	447	7	0	468	991
% App. Total	37.1	5.7	57.1	0		4	94.5	1.3	0.2		13.3	13.3	66.7	6.7		3	95.5	1.5	0		
PHF	.464	.250	.714	.000	.625	.792	.880	.375	.250	.889	.500	.500	.500	.250	.625	.583	.873	.583	.000	.886	.935
Vehicles	13	2	20	0	35	18	438	6	1	463	2	2	9	1	14	14	439	7	0	460	972
% Vehicles	100	100	100	0	100	94.7	98.0	100	100	97.9	100	100	90.0	100	93.3	100	98.2	100	0	98.3	98.1
Trucks	0	0	0	0	0	1	9	0	0	10	0	0	1	0	1	0	8	0	0	8	19
% Trucks	0	0	0	0	0	5.3	2.0	0	0	2.1	0	0	10.0	0	6.7	0	1.8	0	0	1.7	1.9





# Spack Solutions

43 Main Street SE, Suite 136  
Minneapolis, MN 55414

TH-5 at Stieger Lake Ln-78th St  
City: Victoria  
Data By: Spack Solutions  
TURN MOVEMENT COUNT

File Name : 08\_TH-5-at-Stieger-Lake-Ln-and-78th-St  
Site Code : 00000000  
Start Date : 3/17/2021  
Page No : 4

Start Time	Stieger Lake Ln Southbound					TH-5 Westbound					78th St Northbound					TH-5 Eastbound					Int. Total
	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	Right	Thru	Left	Peds	App. Total	
Peak Hour Analysis From 12:15 PM to 05:45 PM - Peak 1 of 1																					
Peak Hour for Entire Intersection Begins at 04:45 PM																					
04:45 PM	0	1	2	0	3	8	193	2	0	203	0	1	7	0	8	4	128	2	0	134	348
05:00 PM	1	0	9	0	10	7	198	0	0	205	1	0	3	0	4	6	118	1	0	125	344
05:15 PM	5	1	3	0	9	9	188	0	1	198	0	2	4	0	6	3	122	1	0	126	339
05:30 PM	5	1	6	0	12	10	167	0	0	177	0	1	3	0	4	4	116	1	0	121	314
Total Volume	11	3	20	0	34	34	746	2	1	783	1	4	17	0	22	17	484	5	0	506	1345
% App. Total	32.4	8.8	58.8	0		4.3	95.3	0.3	0.1		4.5	18.2	77.3	0		3.4	95.7	1	0		
PHF	.550	.750	.556	.000	.708	.850	.942	.250	.250	.955	.250	.500	.607	.000	.688	.708	.945	.625	.000	.944	.966
Vehicles	11	3	20	0	34	33	743	1	1	778	1	4	17	0	22	17	483	5	0	505	1339
% Vehicles	100	100	100	0	100	97.1	99.6	50.0	100	99.4	100	100	100	0	100	100	99.8	100	0	99.8	99.6
Trucks	0	0	0	0	0	1	3	1	0	5	0	0	0	0	0	0	1	0	0	1	6
% Trucks	0	0	0	0	0	2.9	0.4	50.0	0	0.6	0	0	0	0	0	0	0.2	0	0	0.2	0.4

