
### **Benefit-Cost Calculation Spreadsheet Flow Chart**



Notes:

Shaded boxes indicate substantial input data is required. Minimum input data needed for white boxes.

SRF PROJECT NUMBER: 4686

PROJECT NAME: Highway Alternative

B/C ANALYSIS BASE YEAR: 2011

B/C ANALYSIS FUTURE YEAR: 2030

### **BENEFIT-COST ANALYSIS**

SUMMARY RESULTS (a)

Net Cost of Project (mil. \$)	\$173.11
Present Value of Benefits (mil. \$)	\$1,055.86
Net Present Value (mil. \$)	\$882.75
Benefit / Cost Ratio:	6.10

VMT Savings	\$96.97
VHT Savings	\$915.47
Accident Reduction Benefits	\$43.42
PRESENT VALUE OF TOTAL BENEFITS (mil. \$)	\$1,055.86

PRESENT VALUE OF ITEMIZED COSTS (mil. \$)	
Capital Cost Differential	\$258.17
Maintenance Cost Differential	-\$2.79
Remaining Capital Value Differential (a)	\$82.27
PRESENT VALUE OF TOTAL COSTS (mil. \$)	\$173.11

(a) Remaining capital value was considered a reduction of cost in this analysis and was subtracted from construction and maintenance costs to obtain a net cost.



# TABLE B1: ITEMIZED BENEFITS SUMMARY - BUILD VS. BASE CASE (d) Highway Alternative

		PRESENT	PRESENT VALUE OF USER BENEFITS (c) (d)				
				Accident	of Total		
	Year	VMT	VHT	Reduction	User		
		Benefits (a)	Benefits (a)	Savings (b) (c)	Benefits (c)		
2011	1	\$5,531,183	\$24,470,220	\$4,131,675			
2012	2	\$5,374,516	\$26,286,614	\$3,825,232	\$ 35,486,363		
2013	3	\$5,222,292	\$28,030,672	\$3,534,791	\$ 36,787,754		
2014	4	\$5,074,384	\$29,704,382	\$3,259,618	\$ 38,038,384		
2015	5	\$4,930,669	\$31,309,687	\$2,999,013	\$ 39,239,370		
2016	6	\$4,791,029	\$32,848,483	\$2,752,307	\$ 40,391,819		
2017	7	\$4,655,348	\$34,322,620	\$2,518,856	\$ 41,496,825		
2018	8	\$4,523,514	\$35,733,904	\$2,298,047	\$ 42,555,465		
2019	9	\$4,395,416	\$37,084,098	\$2,089,292	\$ 43,568,806		
2020	10	\$9,952,680	\$118,380,135	\$3,851,143	\$ 132,183,958		
2021	11	\$10,071,777	\$114,076,974	\$3,628,392	\$ 127,777,143		
2022	12	\$4,032,504	\$40,785,134	\$1,529,840	\$ 46,347,477		
2023	13	\$3,918,325	\$41,907,758	\$1,363,909	\$ 47,189,992		
2024	14	\$3,807,382	\$42,977,487	\$1,207,451	\$ 47,992,321		
2025	15	\$3,699,584	\$43,995,843	\$1,060,015	\$ 48,755,443		
2026	16	\$3,594,841	\$44,964,310	\$921,170	\$ 49,480,321		
2027	17	\$3,493,067	\$45,884,336	\$790,503	\$ 50,167,906		
2028	18	\$3,394,177	\$46,757,334	\$667,621	\$ 50,819,131		
2029	19	\$3,298,089	\$47,584,681	\$552,145	\$ 51,434,915		
2030	20	\$3,204,724	\$48,367,724	\$443,715			

**Total for Project Life** 

		2011-2030	\$96,965,501	\$915,472,397	\$43,424,737	\$ 1,055,862,636 (c)
--	--	-----------	--------------	---------------	--------------	----------------------

- (a) All daily VMT and VHT data was derived using a transportation forecast model of this region (see Tables D2, D3, and Appendix E).
- (b) Statewide crash data for each facility type was gathered from Mn/DOT sources for a three year period from 1999-2001. This data was used to find a crash rate per 100 million vehicle miles and severity distribution, These two factors were used to estimate crash data benefits for 2010 and 2030 (Positive benefits would be obtained if the alternatives shifted VMT to facilities with lower crash rates and severity distribution as compared to the Base Case).
- (c) Present value of savings during the life of the project in terms of 2004 dollars.
- (d) The analysis used regional forecast model data for years 2010 and 2030. The B/C analysis was derived from these results and is for the twenty year period between years 2011 2030. The analysis is comparing the Base Case with the Alternative, as described in the accompanying memorandum.



# TABLE B2: VEHICLE MILES TRAVELED (VMT) - BUILD VS. BASE CASE (d) Highway Alternative

Additional savings: 200000

		DAILY	VMT (a)		Annual	Present
		(veh-mi	les/day)	DIFFERENCE	Savings	Value of
	Year	Base		IN VMT	in Constant	Savings
		Case	Alternative (e)	(veh-miles/day)	Dollars (b)	(dollars) <sup>(c)</sup>
2011	1	93,437,392	93,356,924	80,468	\$7,037,209	\$5,531,183
2012	2	93,990,033	93,909,095	80,939	\$7,077,212	\$5,374,516
2013	3	94,545,944	94,464,531	81,412	\$7,117,448	\$5,222,292
2014	4	95,105,142	95,023,253	81,889	\$7,157,919	\$5,074,384
2015	5	95,667,647	95,585,279	82,368	\$7,198,627	\$4,930,669
2016	6	96,233,479	96,150,630	82,850	\$7,239,574	\$4,791,029
2017	7	96,802,659	96,719,324	83,334	\$7,280,760	\$4,655,348
2018	8	97,375,204	97,291,382	83,822	\$7,322,187	\$4,523,514
2019	9	97,951,136	97,866,824	84,312	\$7,363,856	\$4,395,416
2020	10	98,648,778	98,445,668	203,110	\$17,257,808	\$9,952,680
2021	11	99,240,671	99,027,937	212,734	\$18,075,571	\$10,071,777
2022	12	99,699,451	99,613,650	85,801	\$7,490,332	\$4,032,504
2023	13	100,289,129	100,202,826	86,303	\$7,532,985	\$3,918,325
2024	14	100,882,296	100,795,488	86,808	\$7,575,887	\$3,807,382
2025	15	101,478,971	101,391,655	87,316	\$7,619,040	\$3,699,584
2026	16	102,079,174	101,991,348	87,827	\$7,662,446	\$3,594,841
2027	17	102,682,928	102,594,588	88,340	\$7,706,106	\$3,493,067
2028	18	103,290,253	103,201,396	88,857	\$7,750,021	\$3,394,177
2029	19	103,901,170	103,811,793	89,377	\$7,794,193	\$3,298,089
2030	20	104,515,700	104,425,800	89,900	\$7,838,623	\$3,204,724

Total Benefits During Project Life (2011 - 2030)	\$96,965,501 (c)

#### NOTES

- (a) All daily VMT data was derived using a transportation forecast model of this region (see Table D3 and Appendix E).
- (b) Using the composite cost per mile found in Table D1.
- (c) Present value of savings during the life of the project in terms of 2004 dollars.
- (d) The analysis used regional forecast model data for years 2010 and 2030. The B/C analysis was derived from these results and is for the twenty year period between years 2011 2030.
- (e) Alternative VMT results consider the growth of both existing trips and previously unserved trips during the course of the 20 year analysis period (2011 2030).



# TABLE B3: VEHICLE HOURS TRAVELED (VHT) - BUILD VS. BASE CASE (d) Highway Alternative

Additional savings: 2700000

		DAILY VHT (a)			Annual	Present
		(veh-ho	urs/day)	DIFFERENCE	Savings	Value of
	Year	Base		IN VHT	in Constant	Savings
		Case	Alternative (e)	(veh-hours/day)	Dollars (b)	(dollars) <sup>(c)</sup>
2011	1	2,643,108	2,635,761	7,348	\$31,132,953	\$24,470,220
2012	2	2,687,035	2,678,788	8,247	\$34,614,451	\$26,286,614
2013	3	2,731,691	2,722,517	9,175	\$38,202,929	\$28,030,672
2014	4	2,777,090	2,766,960	10,130	\$41,900,965	\$29,704,382
2015	5	2,823,243	2,812,128	11,115	\$45,711,196	\$31,309,687
2016	6	2,870,164	2,858,034	12,129	\$49,636,313	\$32,848,483
2017	7	2,917,864	2,904,689	13,174	\$53,679,070	\$34,322,620
2018	8	2,966,356	2,952,106	14,250	\$57,842,275	\$35,733,904
2019	9	3,015,655	3,000,297	15,358	\$62,128,800	\$37,084,098
2020	10	3,102,321	3,049,275	53,046	\$205,269,502	\$118,380,135
2021	11	3,151,959	3,099,052	52,907	\$204,731,157	\$114,076,974
2022	12	3,168,521	3,149,642	18,880	\$75,757,945	\$40,785,134
2023	13	3,221,180	3,201,057	20,123	\$80,567,720	\$41,907,758
2024	14	3,274,714	3,253,312	21,402	\$85,516,126	\$42,977,487
2025	15	3,329,137	3,306,420	22,717	\$90,606,424	\$43,995,843
2026	16	3,384,465	3,360,395	24,070	\$95,841,947	\$44,964,310
2027	17	3,440,712	3,415,251	25,461	\$101,226,098	\$45,884,336
2028	18	3,497,894	3,471,002	26,892	\$106,762,352	\$46,757,334
2029	19	3,556,026	3,527,664	28,363	\$112,454,260	\$47,584,681
2030	20	3,615,125	3,585,250	29,875	\$118,305,448	\$48,367,724

Total Benefits During Project Life (2011 - 2030)	\$915,472,397

### NOTES:

- (a) All daily VHT data was derived using a transportation forecast model of this region (see Table D2 and Appendix E).
- (b) Using the composite cost per hour found in Table D1.
- (c) Present value of savings during the life of the project in terms of 2004 dollars.
- (d) The analysis used regional forecast model data for years 2010 and 2030. The B/C analysis was derived from these results and is for the twenty year period between years 2011 2030.
- (e) Alternative VHT results consider the growth of both existing trips and previously unserved trips during the course of the 20 year analysis period (2011 2030).



# TABLE B4: ACCIDENT REDUCTION BENEFITS - BUILD VS. BASE CASE (c) Highway Alternative

Additional savings: 67000

		ANNUAL	VMT <sup>(a)</sup>	ANN. EST. CRASH	H COST TOTAL (b)	Annual Savings	Present
	Year	(veh-miles	s/year)	(\$	5)	Safety User Benefits	Value of
		Base Case	Alternative	Base Case	Alternative	(\$)	Savings (\$) <sup>(d)</sup>
2011	1	93,437,392	93,356,924	\$513,609,791	\$508,420,147	\$5,256,645	\$4,131,675
2012	2	93,990,033	93,909,095	\$516,832,773	\$511,862,672	\$5,037,101	\$3,825,232
2013	3	94,545,944	94,464,531	\$520,055,754	\$515,305,198	\$4,817,557	\$3,534,791
2014	4	95,105,142	95,023,253	\$523,278,736	\$518,747,723	\$4,598,013	\$3,259,618
2015	5	95,667,647	95,585,279	\$526,501,717	\$522,190,248	\$4,378,469	\$2,999,013
2016	6	96,233,479	96,150,630	\$529,724,699	\$525,632,774	\$4,158,925	\$2,752,307
2017	7	96,802,659	96,719,324	\$532,947,680	\$529,075,299	\$3,939,381	\$2,518,856
2018	8	97,375,204	97,291,382	\$536,170,661	\$532,517,825	\$3,719,837	\$2,298,047
2019	9	97,951,136	97,866,824	\$539,393,643	\$535,960,350	\$3,500,293	\$2,089,292
2020	10	98,648,778	98,445,668	\$546,080,704	\$539,402,875	\$6,677,829	\$3,851,143
2021	11	99,240,671	99,027,937	\$549,357,188	\$542,845,401	\$6,511,787	\$3,628,392
2022	12	99,699,451	99,613,650	\$549,062,587	\$546,287,926	\$2,841,661	\$1,529,840
2023	13	100,289,129	100,202,826	\$552,285,569	\$549,730,452	\$2,622,117	\$1,363,909
2024	14	100,882,296	100,795,488	\$555,508,550	\$553,172,977	\$2,402,573	\$1,207,451
2025	15	101,478,971	101,391,655	\$558,731,531	\$556,615,503	\$2,183,029	\$1,060,015
2026	16	102,079,174	101,991,348	\$561,954,513	\$560,058,028	\$1,963,485	\$921,170
2027	17	102,682,928	102,594,588	\$565,177,494	\$563,500,553	\$1,743,941	\$790,503
2028	18	103,290,253	103,201,396	\$568,400,476	\$566,943,079	\$1,524,397	\$667,621
2029	19	103,901,170	103,811,793	\$571,623,457	\$570,385,604	\$1,304,853	\$552,145
2030	20	104,515,700	104,425,800	\$574,846,439	\$573,828,130	\$1,085,309	\$443,715

Total Benefits During Project Life (2011 - 2030) (c) (d)	\$43,424,737

- (a) Based on projected daily VMT values found in Tables D2, D3, D5, and D6.
- (b) Based on the crash data shown in Table D4 split by major facility type: freeway and non-freeway.
- (c) Statewide crash data for each facility type was gathered from Mn/DOT sources for a three year period from 1999-2001. This data was used to find a crash rate per 100 million vehicle miles and severity distribution. These were then used to estimate crash data for 2010 and 2030. The B/C analysis was derived from these results and is for the twenty year period between 2011 2030.
- (d) Present value of savings during the life of the project in terms of 2004 dollars.



### TABLE C1: ITEMIZED COST SUMMARY - ALTERNATIVE VS. BASE CASE (d) Highway Alternative

			(1)	PRESENT VALU			(2)	Present Value of
	Year	Capital C		Maintenan		Remaining Ca		Net Annual
		Base Case	Alternative	Base Case	Alternative	Base Case	Alternative	Costs (d) (e) (f)
2008	-	\$0	\$94,115,754			\$0	\$0	\$94,115,754
2009	-	\$0	\$90,933,096			\$0	\$0	\$90,933,096
2010	-	\$0	\$87,858,064			\$0	\$0	\$87,858,064
2011	1	\$0	\$0	\$391,887	\$218,226	\$0	\$0	-\$173,662
2012	2	\$0	\$0	\$378,635	\$210,846	\$0	\$0	-\$167,789
2013	3	\$0	\$0	\$384,120	\$203,716	\$0	\$0	-\$180,404
2014	4	\$0	\$0	\$353,460	\$196,827	\$0	\$0	-\$156,633
2015	5	\$0	\$0	\$341,507	\$190,171	\$0	\$0	-\$151,336
2016	6	\$0	\$0	\$329,959	\$183,740	\$0	\$0	-\$146,218
2017	7	\$0	\$0	\$470,084	\$177,527	\$0	\$0	-\$292,557
2018	8	\$0	\$0	\$448,041	\$171,523	\$0	\$0	-\$276,518
2019	9	\$0	\$0	\$297,604	\$165,723	\$0	\$0	-\$131,88
2020	10	\$7,497,177	\$0	\$37,080	\$160,119	\$0	\$0	-\$7,374,138
2021	11	\$7,243,649	\$0	\$27,075	\$154,704	\$0	\$0	-\$7,116,019
2022	12	\$0	\$0	\$268,421	\$149,473	\$0	\$0	-\$118,949
2023	13	\$0	\$0	\$259,344	\$144,418	\$0	\$0	-\$114,926
2024	14	\$0	\$0	\$250,574	\$139,534	\$0	\$0	-\$111,040
2025	15	\$0	\$0	\$242,101	\$134,816	\$0	\$0	-\$107,285
2026	16	\$0	\$0	\$503,821	\$130,257	\$0	\$0	-\$373,564
2027	17	\$0	\$0	\$226,004	\$125,852	\$0	\$0	-\$100,152
2028	18	\$0	\$0	\$218,361	\$121,596	\$0	\$0	-\$96,765
2029	19	\$0	\$0	\$364,368	\$117,484	\$0	\$0	-\$246,883
2030	20	\$0	\$0	\$203,842	\$113,511	\$9,673,099	\$91,944,562	-\$82,361,793
Total for Project Life	2011-2030	\$14,740,826	\$272,906,915	\$5,996,288	\$3,210,064	\$9,673,099	\$91,944,562	173,108,403
let Cost Differentials	2011-2030	\$258,166		-\$2,78	£ 223	\$82,27	1 462	d) (a) (a)
er cost pilierentials	2011-2030	Ψ236,100	5,005	-φz,7 o	0,220	ψ0Ζ,Ζ1	1,702	d) (e) (g)

- (a) Assumes construction in 2020-2021 for Base Case and 2008-2010 for Alt. Initial capital costs were brought back to 2004 to determine present value.
- (b) Annual costs consist of roadway and bridge maintenance. For the Base Condition, major maintenance costs are added to routine maintenance costs in scheduled years (Minnesota only).
- (c) Assumes base year for remaining capital value as 2030. Remaining value in constant dollars was brought back from 2030 to 2004 to determine present value.
- (d) Present value of costs during the life of the project in terms of 2004 dollars.
- (e) Net cost is the difference between the Base Case and the Alternative.
- (f) Remaining capital value was considered a reduction of cost in this analysis and was subtracted from construction and maintenance costs to obtain a net cost.
- (g) Cost differentials are the difference between the Alternative and the Base Case. The Base Case is subtracted from the cost of the Alternative. These costs are reported on Table B/C.



### TABLE C2: CALCULATION OF CAPITAL COST AND REMAINING CAPITAL VALUE - BASE CASE **Highway Alternative**

ø	Cost Category Preliminary Engineering Right of Way Major Structures Roadway Other	\$ \$ \$ \$ 26,	ooo,ooo -
Base Case	Other Total	\$ 26.	- 000,000
	Cost Category	Initial Capit Costs in Constant Dol	

First Year of Construction: 2020 (b) Duration of Construction (years): 2 (b)

		nitial Capital Costs in		С	Remaining apital Value
Cost Category	Co	nstant Dollars	Factor (a)	in Cor	nstant Dollars (c)
Preliminary Engineering	\$	-	0.00	\$	-
Right of Way	\$	-	0.00	\$	-
Major Structures	\$	26,000,000	0.91	\$	23,660,000
Roadway	\$	-	0.00	\$	-
Other	\$	-	0.00	\$	-
Other	\$	-	0.00	\$	-
Total Remaining Capital Value	in Constant I	Dollars		\$	23,660,000

Year of Remaining Capital Value: 2030 (c)

\$9,673,099 (d)

		CAPITAL	COST TOTALS	REMAINING CAPITAL	L VALUE (RCV) TOTALS
	Year	Base Case <sup>(a)</sup> Capital Cost in Constant Dollars	Present Value of Capital Cost (dollars) <sup>(d)</sup>	Base Case RCV in Constant Dollars	Present Value of RCV (dollars)
2008	-	0	*	\$0	
2009	-	\$0	\$0	\$0	\$0
2010	-	\$0	\$0	\$0	
2011	1	\$0	\$0	\$0	\$0
2012	2	\$0	\$0	\$0	\$0
2013	3	\$0	\$0	\$0	\$0
2014	4	\$0	\$0	\$0	\$0
2015	5	\$0	\$0	\$0	\$0
2016	6	\$0	\$0	\$0	\$0
2017	7	\$0	\$0	\$0	\$0
2018	8	\$0	\$0	\$0	\$0
2019	9	\$0	\$0	\$0	\$0
2020	10	\$13,000,000	\$7,497,177	\$0	\$0
2021	11	\$13,000,000	\$7,243,649	\$0	\$0
2022	12	\$0	\$0	\$0	\$0
2023	13	\$0	\$0	\$0	\$0
2024	14	\$0	\$0	\$0	\$0
2025	15	\$0	\$0	\$0	\$0
2026	16	\$0	\$0	\$0	\$0
2027	17	\$0	\$0	\$0	\$0
2028	18	\$0	\$0	\$0	\$0
2029	19	\$0	\$0	\$0	\$0
2030	20	\$0	\$0	\$23,660,000	\$9,673,099

### NOTES:

(a) Factor for Base Case major structure remaining capital value calculation is based on an analysis period of 10 years (2021 - 2030) and an estimated life expectancy of 50 years. The factor was derived based on the "Recommended standard values for use in economic analysis", Mn/DOT Offfice of Investment Management, November 2003.

\$14,740,826

- (b) Assumes construction in 2020 and 2021 for Base Case. Initial capital costs were brought back to 2004 to determine present value.
- (c) Assumes base year for remaining capital value as 2030. Remaining value in constant dollars was brought back from 2030 to 2004 to determine present value. (d) Present value of costs in terms of 2004 dollars.

Total for Project Life (2011 - 2030) (e)



Alternative

### TABLE C3: CALCULATION OF CAPITAL COST AND REMAINING CAPITAL VALUE - ALTERNATIVE **Highway Alternative**

Cost Category (a)	nitial Capital Costs in nstant Dollars
Preliminary Engineering	\$ -
Right of Way (b)	\$ 45,000,000
Major Structures	\$ 42,510,000
Roadway	\$ 236,489,979
Other	\$ -
Other	\$ -
Total	\$ 323,999,979



Cost Category <sup>(a)</sup>		nitial Capital Costs in Instant Dollars	Factor <sup>(d)</sup>	C	Remaining Capital Value nstant Dollars <sup>(e)</sup>
Preliminary Engineering	\$	-	0.00	\$	-
Right of Way (b)	\$	45,000,000	0.97	\$	43,650,000
Major Structures	\$	42,510,000	0.87	\$	36,983,700
Roadway	\$	236,489,979	0.61	\$	144,258,887
Other	\$	-	0.00	\$	-
Other	\$	-	0.00	\$	-
Total Remaining Capital Value	in Constant	Dollars		\$	224,892,587

Year of Remaining Capital Value: 2030 (e)

\$91,944,562 (f)

		CAPITAL		REMAINING CAPITAL VALUE (RCV) TOTALS	
	Year	Alternative <sup>(a)</sup> Capital Cost in Constant Dollars	Present Value of Capital Cost (dollars) <sup>(f)</sup>	Alternative RCV in Constant Dollars	Present Value of RCV (dollars)
2008	-	\$107,999,993	\$94,115,754	\$0	\$0
2009	-	\$107,999,993	\$90,933,096	\$0	
2010	-	\$107,999,993	\$87,858,064	\$0	\$0
2011	1	\$0	\$0	\$0	
2012	2	\$0	\$0	\$0	\$0
2013	3	\$0	\$0	\$0	\$0
2014	4	\$0	\$0	\$0	
2015	5	\$0	\$0	\$0	\$0
2016	6	\$0	\$0	\$0	\$0
2017	7	\$0	\$0	\$0	\$0
2018	8	\$0	\$0	\$0	\$0
2019	9	\$0	\$0	\$0	
2020	10	\$0	\$0	\$0	\$0
2021	11	\$0	\$0	\$0	\$0
2022	12	\$0	\$0	\$0	\$0
2023	13	\$0	\$0	\$0	\$0
2024	14	\$0	\$0	\$0	
2025	15	\$0	\$0	\$0	\$0
2026	16	\$0	\$0	\$0	\$0
2027	17	\$0	\$0	\$0	\$0
2028	18	\$0	\$0	\$0	\$0
2029	19	\$0	\$0	\$0	\$0
2030	20	\$0	\$0	\$224,892,587	\$91,944,562
		•		•	•

- (a) Mitigation costs were not included.
- (b) Right of way costs shown reflect per acre costs plus costs for additional severances that could occur.
- (c) Assumes construction in 2008, 2009, and 2010 for Alt. Initial capital costs were brought back to 2004 to determine present value.
- (d) Factors based on the "Recommended standard values for use in economic analysis", Mn/DOT Office of Investment Management, November 2003.

  (e) Assumes base year for remaining capital value as 2030. Remaining value in constant dollars was brought back from 2030 to 2004 to determine present value.

\$272,906,915

(f) Present value of costs in terms of 2004 dollars.

Total for Project Life (2011 - 2030) (e)



# TABLE C4: ANNUAL ROADWAY MAINTENANCE COSTS - BUILD VS. NO BUILD $^{(e)}$ Highway Alternative

Case	Roadway Facility	Mainline Roadway Length (lane-mi) <sup>(a)</sup>	Annual Maintenance Cost Per Mile (\$)	Total (\$) <sup>(b)</sup>
	Freeway	0	\$ 3,000.00	\$ -
Base	Multi-lane Divided	11.2	\$ 2,000.00	\$ 22,400.00
1	Undivided	14.6	\$ 1,800.00	\$ 26,190.00
			Annual Maintenance Costs:	\$ 48,590.00
		Mainline Roadway	Annual Maintenance	
	New Roadway Facility	Length (lane-mi) (a)	Cost Per Mile (\$)	Total (\$)
Alt.	New Roadway Facility Freeway	Ĭ.	Cost Per Mile (\$) \$ 3,000.00	<b>Total (\$)</b>
Alt.	, ,	Length (lane-mi) (a)	1.7	(.,
Alt.	Freeway	Length (lane-mi) (a)	\$ 3,000.00	\$ 104,640.00

450000 150000

		BASE CASE (c) M	IAINTENANCE COST	ALT. MAINTENANCE COST		
	Year	In Constant	Present Value	In Constant	Present Value	
		Dollars	of Cost (dollars) (d)	Dollars	of Cost (dollars) (d)	
2011	1	\$498,590		\$277,644		
2012	2	\$498,590	\$378,635	\$277,644	\$210,846	
2013	3	\$523,516	\$384,120	\$277,644	\$203,716	
2014	4	\$498,590	\$353,460	\$277,644	\$196,827	
2015	5	\$498,590	\$341,507	\$277,644	\$190,171	
2016	6	\$498,590	\$329,959	\$277,644	\$183,740	
2017	7	\$735,190	\$470,084	\$277,644	\$177,527	
2018	8	\$725,242	\$448,041	\$277,644	\$171,523	
2019	9	\$498,590	\$297,604	\$277,644	\$165,723	
2020	10	\$64,296	\$37,080	\$277,644	\$160,119	
2021	11	\$48,590	\$27,075	\$277,644	\$154,704	
2022	12	\$498,590	\$268,421	\$277,644	\$149,473	
2023	13	\$498,590	\$259,344	\$277,644	\$144,418	
2024	14	\$498,590	\$250,574	\$277,644	\$139,534	
2025	15	\$498,590	\$242,101	\$277,644	\$134,816	
2026	16	\$1,073,901	\$503,821	\$277,644	\$130,257	
2027	17	\$498,590	\$226,004	\$277,644	\$125,852	
2028	18	\$498,590	\$218,361	\$277,644	\$121,596	
2029	19	\$861,090	\$364,368	\$277,644	\$117,484	
2030	20	\$498,590	\$203,842	\$277,644	\$113,511	

	Total for Project Life (2011 - 2030) (e)	\$5,996,288		\$3,210,064
--	--	-------------	--	-------------

#### NOTES

- (a) Calculations for state trunk highway facilities within the project area only.
- (b) Cost does not include major maintenance activities for Wisconsin roadways (e.g. mill and overlay, etc.). This information was not available from the Wisconsin Department of Transportation.
- (c) Annual costs consist of roadway and bridge maintenance. For the Base Condition, major maintenance costs are added to routine maintenance costs in scheduled years (Minnesota only).
- (d) Present value of additional maintenance costs during the life of the project in terms of 2004 dollars.
- (e) The B/C analysis was derived from these results and is for the twenty year period between years 2011 2030.

PROJECT NUMBER: 4686
PROJECT NAME: Highway Alternative

	PROJECT DATA		
Type of Facilities		Base Case	Alt.
Maintain existing	facilities with necessary changes	X	
Construction of a	new roadway		Х
Project Location	Highway Alternative		
Hours of Congested	Operation (Existing Peak Period(s))	3 h	ours
Hours of Congested (	Operation (Future Peak Period(s))	0 h	ours

	NETWORK ASSUMPTIONS								
					Base Case	Alt.			
	Percent Aut	tos			96%	96%			
	Percent Tru	icks			4%	4%			
	Average Ve	hicle C	ccupancy Ratios		Base Case	Alt.			
)			Non-Peak		1.49	1.48			
)			Peak		1.36	1.34			
	Traffic - Dai	ly VMT	and VHT		Base Case	Alt.(g)			
	Year	0	Base Year - Vehicle Miles Traveled	2010	92,888,000	92,808,000			
;)	Year	20	Future Year - Vehicle Miles Traveled	2030	104,515,700	104,425,800			
	Year	0	Base Year - Vehicle Hours Traveled	2010	2,599,900	2,593,425			
:)	Year	20	Future Year - Vehicle Hours Traveled	2030	3,615,125	3,585,250			

	ANALYSIS TIMEFRAME		
	Years of Construction	Base Case	Alt.
	First Year of Construction	2020	2008
	Duration of Construction	2	3
(a)	Length of B/C Analysis  Benefit-cost First Year of Benefit: Benefit-cost Final Year of Analysis/Year of Remaining Capital Value:	20 2011 2030	years
(a)	Length of Period Modeled  Model Base Year: Model Future Year:	21 2010 2030	years

	GLOBAL ASSUMPTIONS AND FACTORS								
	General Economic Parameters								
	2004	004							
(d)	Number of		260						
(e)	Assumed	Discount Rate		3.5%					
				Value	Units				
(e)	Costs per Hour	Automobile	\$	10.04	\$/hr				
		Truck	\$	18.61	\$/hr				
(e)	Costs per Mile	Automobile	\$	0.28	\$/mile				
		Truck	\$	1.45	\$/mile				
(f)	(f) Composite Cost per Hour \$ 14.88 \$/hr								
(f)	(f) Composite Cost per Mile \$ 0.33 \$/mile								
			·						

- (a) The analysis used regional forecast model data for years 2010 and 2030. The B/C analysis was derived from these results and is for the twenty year period between years 2011 2030.
- (b) Vehicle occupancy ratios are derived from the regional forecast model.
- (c) All daily VMT and VHT data was derived using a transportation forecast model of this region.
- (d) Assumed a 260-day year to reflect the weekday benefits only. The roadway is used for recreational purposes, which means there are additional benefits that are not shown in this analysis.
- (e) Rates from "Recommended standard values for use in economic analysis in FY2004", Mn/DOT Offfice of Investment Management, November 2003.
- (f) Hours of congested operation was used to, along with the vehicle occupancy ratios and the percent split of autos and trucks, derive composite costs per hour and per mile for the 2010 and 2030 scenarios.



# TABLE D2: COMPARISON OF ESTIMATED DAILY VHT VALUES (3) Highway Alternative

CONSULTING GROUP, I

1st year modeled 1st year of B/C

Year	Base Case	Alternative (3)(6)	
	VHT from Existing	VHT from	
	Trips (hrs) <sup>(2)(5)</sup>	Existing Trips (hrs)	Benefit (hrs) (1)(7)
2010	2,599,900	2,593,425	6,475
2011	2,643,108	2,635,761	7,348
2012	2,687,035	2,678,788	8,247
2013	2,731,691	2,722,517	9,175
2014	2,777,090	2,766,960	10,130
2015	2,823,243	2,812,128	11,115
2016	2,870,164	2,858,034	12,129
2017	2,917,864	2,904,689	13,174
2018	2,966,356	2,952,106	14,250
2019	3,015,655	3,000,297	15,358
2020	3,102,321	3,049,275	53,046
2021	3,151,959	3,099,052	52,907
2022	3,168,521	3,149,642	18,880
2023	3,221,180	3,201,057	20,123
2024	3,274,714	3,253,312	21,402
2025	3,329,137	3,306,420	22,717
2026	3,384,465	3,360,395	24,070
2027	3,440,712	3,415,251	25,461
2028	3,497,894	3,471,002	26,892
2029	3,556,026	3,527,664	28,363
it.			
2030	3,615,125	3,585,250	29,875

Last year of B/C, Last year modeled

See following page for notes.

### NOTES FOR TABLE D2: COMPARISON OF ESTIMATED DAILY VHT VALUES

- (1) The benefits shown reflect relative savings in vehicle hours that would realized with the construction of Alternative compared to the Base Case.
- (2) "Base Case" is defined as the current facilities as described in the accompanying memorandum.
- (3) "Alternative" relfects the build Alternative described in the accompanying memorandum.
- (4) Daily VHT data was derived using a transportation forecast model for the entire model area.
- (5) Base Case VHT results are based on existing trips and the projected growth of these trips between year 2010 and 2030.
- (6) Alternative VHT results are based on existing trips and the additional trips that would be generated due to the construction of new facilities.
- (7) Benefits shown equal VHT results from the Base Case minus the VHT results from Alternative.



### TABLE D3: COMPARISON OF ESTIMATED DAILY VMT VALUES (3) **Highway Alternative**

1st year modeled 1st year of B/C

Year	Base Case	Alternative (3)(6)	
	VMT from Existing	MT from Existing VMT from	
	Trips (mi) <sup>(2)(5)</sup>	Existing Trips (mi)	Benefit (mi) (1)(1)
2010	92,888,000	92,808,000	80,000
2011	93,437,392	93,356,924	80,468
2012	93,990,033	93,909,095	80,939
2013	94,545,944	94,464,531	81,412
2014	95,105,142	95,023,253	81,889
2015	95,667,647	95,585,279	82,368
2016	96,233,479	96,150,630	82,850
2017	96,802,659	96,719,324	83,334
2018	97,375,204	97,291,382	83,822
2019	97,951,136	97,866,824	84,312
2020	98,648,778	98,445,668	203,110
2021	99,240,671	99,027,937	212,734
2022	99,699,451	99,613,650	85,801
2023	100,289,129	100,202,826	86,303
2024	100,882,296	100,795,488	86,808
2025	101,478,971	101,391,655	87,316
2026	102,079,174	101,991,348	87,827
2027	102,682,928	102,594,588	88,340
2028	103,290,253	103,201,396	88,857
2029	103,901,170	103,811,793	89,377
2030	104,515,700	104,425,800	89,900

Last year of B/C, Last year modeled

See following page for notes.

### NOTES FOR TABLE D3: COMPARISON OF ESTIMATED DAILY VMT VALUES

- (1) The benefits shown reflect relative savings in vehicle miles that would realized with the construction of Alternative compared to the Base Case.
- (2) "Base Case" is defined as the current facilities as described in the accompanying memorandum.
- (3) "Alternative" relfects the build Alternative described in the accompanying memorandum.
- (4) Daily VMT data was derived using a transportation forecast model for the entire model area.
- (5) Base Case VMT results are based on existing trips and the projected growth of these trips between year 2010 and 2030.
- (6) Alternative VMT results are based on existing trips and the additional trips that would be generated due to the construction of new facilities.
- (7) Benefits shown equal VMT results from the Base Case minus the VHT results from Alternative.

### **HIGHWAY CRASH DATA**

	Da	nily	Annual	
Annual VMT for Freeway Facilities	Base Case (a)	Alt. <sup>(a)</sup>	Base Case (b)	Alt. (b)
Base Year 2010 (c)	37,909,000	38,861,000	9,856,340,000	10,103,860,000
Future Year 2030 (c)	42,541,600	42,608,800	11,060,816,000	11,078,288,000
Annual VMT for Non-Freeway Facilities				
Base Year 2010 (c)	54,979,000	53,947,000	14,294,540,000	14,026,220,000
Future Year 2030 (c)	61,974,100	61,817,000	16,113,266,000	16,072,420,000

		Crash Rate (per 100 million	Crash Values	
Crash Type		Freeway <sup>(d)</sup>	Non-Freeway <sup>(d)</sup>	(\$ per crash) (e)
	Fatal	0.177	0.513	\$ 3,400,000.00
>	A	0.319	1.229	\$ 270,000.00
草	В	1.980	6.628	\$ 58,000.00
=	С	3.312	9.425	\$ 29,000.00
	PDO	15.836	40.809	\$ 4,200.00

#### **CRASH CALCULATIONS**

2010			) <sup>(c)</sup>		2030 <sup>(c)</sup>				
		Base Case		Alternative		Base Case		Alternative	
		Annual Forecast		Annual Forecast		Annual Forecast		Annual Forecast	
	Crash Type	Number of Crashes	Estimated Cost	Number of Crashes	Estimated Cost	Number of Crashes	Estimated Cost	Number of Crashes	Estimated Cost
	Fatal	17.4	\$ 59,222,481.26	17.9	\$ 60,709,721.82	19.5	\$ 66,459,656.25	19.6	\$ 66,564,637.94
_	<b>A</b>	31.4	\$ 8,485,778.80	32.2	\$ 8,698,880.22	35.3	\$ 9,522,767.88	35.3	\$ 9,537,810.33
wa	inj B	195.2	\$ 11,321,566.29	200.1	\$ 11,605,882.18	219.1	\$ 12,705,097.58	219.4	\$ 12,725,166.94
ē	E C	326.4	\$ 9,465,751.83	334.6	\$ 9,703,463.08	366.3	\$ 10,622,496.72	366.9	\$ 10,639,276.34
ш	PDO	1560.8	\$ 6,555,519.72	1600.0	\$ 6,720,146.98	1751.6	\$ 7,356,625.02	1754.3	\$ 7,368,245.77
	Freeway Sub-total:		\$ 95,051,097.91		\$ 97,438,094.27		\$ 106,666,643.46		\$ 106,835,137.32
	Fatal	73.3	\$ 249,378,335.14	72.0	\$ 244,697,303.44	82.7	\$ 281,107,293.33	82.5	\$ 280,394,706.04
٧a	> A	175.7	\$ 47,435,767.22	172.4	\$ 46,545,359.76	198.0	\$ 53,471,125.00	197.5	\$ 53,335,579.44
eev	ing B	947.4	\$ 54,950,092.73	929.6	\$ 53,918,635.34	1068.0	\$ 61,941,514.79	1065.2	\$ 61,784,497.40
Non-Fr	E C	1347.3	\$ 39,070,970.94	1322.0	\$ 38,337,577.42	1518.7	\$ 44,042,057.15	1514.8	\$ 43,930,413.62
	PDO	5833.5	\$ 24,500,546.13	5724.0	\$ 24,040,651.20	6575.7	\$ 27,617,804.91	6559.0	\$ 27,547,795.71
_	Non-freeway sub-total:		\$ 415,335,712.16		\$ 407,539,527.16		\$ 468,179,795.18		\$ 466,992,992.21
To	tal (Freeway and Non-freew	ay)	\$ 510,386,810.07		\$ 504,977,621.44		\$ 574,846,438.63		\$ 573,828,129.53

- (a) All daily VMT data was derived using a transportation forecast model of this region.
- (b) Assumed a 260-day year to reflect the weekday benefits only. The roadway is used for recreational purposes, which means there are additional benefits that are not shown in this analysis.
- (c)The analysis used regional forecast model data for years 2010 and 2030. The B/C analysis is derived from these results and is for the twenty year period from 2011 to 2030.
- (d) Crash statistics for different facility types were gathered from Mn/DOT for 1999-2001. This information was used to find a crash rate per 100 million vehicle miles, which helped to estimate crash data for 2010 and 2030. Statewide statistics for rural freeways were used for Freeway Facilities. A weighted average of statewide data for rural 4-lane expressways, rural 2-lane roadways with ADTs 1,500 5,000 was used for Non-Freeway Facilities.
- (e) Costs are consistent with "Recommended standard values for use in economic analysis", Mn/DOT Offfice of Investment Management, November 2003.



### TABLE D5: ESTIMATED DAILY VMT VALUES - FREEWAY FACILITIES ONLY(3)(7) **Highway Alternative**

CONSULTING GROUP, INC.		Estimated VMT - Freeway <sup>(4)</sup>			
	Year	Base Case	Alternative (3)(6)		
		VMT from Existing	VMT from		
		Trips (mi) <sup>(2)(5)</sup>	Existing Trips (mi)		
1st year modeled	2010	37,909,000	38,861,000		
1st year of B/C	2011	38,128,165	39,040,308		
	2012	38,348,597	39,220,444		
	2013	38,570,303	39,401,411		
	2014	38,793,291	39,583,213		
	2015	39,017,568	39,765,853		
	2016	39,243,142	39,949,337		
	2017	39,470,020	40,133,667		
	2018	39,698,210	40,318,847		
	2019	39,927,719	40,504,882		
	2020	40,158,555	40,691,775		
	2021	40,390,725	40,879,531		
	2022	40,624,238	41,068,153		
	2023	40,859,100	41,257,645		
	2024	41,095,321	41,448,012		
	2025	41,332,907	41,639,257		
	2026	41,571,866	41,831,384		
	2027	41,812,207	42,024,398		
	2028	42,053,938	42,218,303		
	2029	42,297,066	42,413,102		
Last year of B/C, Last					
year modeled	2030	42,541,600	42,608,800		

### NOTES FOR TABLE D5: ESTIMATED DAILY VMT VALUES - FREEWAY FACILITIES ONLY

- (1) "Base Case" is defined as the current facilities as described in the accompanying memorandum.
- (2) "Alternative" relfects the build Alternative described in the accompanying memorandum.
- (3) Daily VMT data was derived using a transportation forecast model for the entire model area.
- (4) Base Case VMT results are based on existing trips and the projected growth of these trips between year 2010 and 2030.
- (5) Alternative VMT results are based on existing trips and the additional trips that would be generated due to the construction of new facilities.
- (6) Data shown reflects VMT estimates for freeway facilities only.



### TABLE D6: ESTIMATED DAILY VMT VALUES - NON - FREEWAY FACILITIES ONLY(3)(7) **Highway Alternative**

CONSULTING GROUP, INC.		Estimated VMT - Non Freeway (4)		
	Year	Base Case	Alternative (3)(6)	
		VMT from Existing	VMT from	
		Trips (mi) <sup>(2)(5)</sup>	Existing Trips (mi)	
1st year modeled	2010	54,979,000	53,947,000	
1st year of B/C	2011	55,309,216	54,315,569	
	2012	55,641,416	54,686,655	
	2013	55,975,611	55,060,277	
	2014	56,311,814	55,436,452	
	2015	56,650,035	55,815,196	
	2016	56,990,288	56,196,528	
	2017	57,332,585	56,580,466	
	2018	57,676,938	56,967,026	
	2019	58,023,358	57,356,228	
	2020	58,371,860	57,748,088	
	2021	58,722,455	58,142,626	
	2022	59,075,155	58,539,859	
	2023	59,429,974	58,939,806	
	2024	59,786,924	59,342,486	
	2025	60,146,018	59,747,917	
	2026	60,507,269	60,156,118	
	2027	60,870,689	60,567,107	
	2028	61,236,293	60,980,905	
	2029	61,604,092	61,397,529	
Last year of B/C, Last				
year modeled	2030	61,974,100	61,817,000	

### NOTES FOR TABLE D6: ESTIMATED DAILY VMT VALUES - NON-FREEWAY FACILITIES ONLY

- (1) "Base Case" is defined as the current facilities as described in the accompanying memorandum.
- (2) "Alternative" relfects the build Alternative described in the accompanying memorandum.
- (3) Daily VMT data was derived using a transportation forecast model for the entire model area.
- (4) Base Case VMT results are based on existing trips and the projected growth of these trips between year 2010 and 2030.
- (5) Alternative VMT results are based on existing trips and the additional trips that would be generated due to the construction of new facilities.
- (6) Data shown reflects VMT estimates for non-freeway facilities only.