


PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0111  
TRUNK HIGHWAY 65  
COUNTY Atkin  
DISTRICT 1A

LIMITS: Jct. T.H. 27 - E. Jct. T.H. 210.



YEAR BUILT	PROJECT N <sup>o</sup>	DESCRIPTION			CODE N <sup>o</sup>
		TYPE	WIDTH	THICKNESS	
		Earth	24'	18"	No Record of Constr.
		Br. 2223, 2221 & 2222			23' B.S. 15CS. & 18 B.S.
		Gravel	24'	2"	No Record of Constr.
1921	65-2-13	Grading	24'	2 1/2"	Co. Job 1901
		Gravel	24'	2 1/2"	1200 C.Y./Mile
1928		Gravel	24'	2"	Graveling done over period of years by Maint. Dept.
1931		Oil Tr. Gravel	22'	1"	Maint. Dept.
1931	(1)				
1931	65-2-13	Oil Tr. Gravel	22'	1"	Maint. Dept.
1939	0111-03	Br. 8542 & 4 Culvs.			(2)
1939	0111-04	Grading	36'		
1939	0111-08	Gravel	36'	1 1/2"	
1939	0111-06 (& 0-1)	Crossing Signals			
1940	0111-05	Seeding			
	A.F.E. 4				Maint. Dept.
1941	0111-07	Bit. Surf. Treat. Stab. Grav. Base	26'	3/4" 3'-6"	
1942	0111-02	Subgrade Corr. Stab. Grav. Base Mixed Bit.	30'	6" 1"	
1942	A.F.E. 5	Bit. Seal Coat	26'		RC 3 & AF 1 2469 G./Mi. Agg. 62 C.Y./Mi. Maint. Dept.
1944	A.F.E. 4	Spot Treat. Bit. Surf. Repair			MC 2, 2620 Gal./Mi. Grav. 138 C.Y./Mi. Maint. Div.
1946	A.F.E. 4	Spot Treat. Bit. Surf. Repair	26'		MC 2, 10625 Gal. Agg. 568 C.Y.



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1938	13.12	11.58	0.00	1.55	0.00	13.11	0.00	0.00	0.00
1939		11.51	11.51	0.00	0.00	0.00	11.51	0.00	0.00	0.00


REMARKS: Layout is to scale as of 1939.  
(1) This work not done under this project number but lies within the limits of this project. (2) W44X48, W108X72, W84X44, W88X72, W66X44

PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0111  
TRUNK HIGHWAY 65  
COUNTY Aitkin  
DISTRICT IA

LIMITS: Jct. T.H. 27 - E. Jct. T.H. 210



YEAR BUILT	PROJECT NO.	DESCRIPTION			CODE NO.
		TYPE	WIDTH	THICKNESS	
M 1947	A.F.E. 4	Spot Treat Bit Surf. Repair	24'		MC-2, 8563, 20835 Gal. Agg. 1093 C.Y.
M 1948	A.F.E. 4	Spot Treat Bit Surf. Repair	24'		MC-2, 20013 Gal. Agg. 1051 C.Y.
M 1949	A.F.E. 4	Spot Treat Bit Surf. Repair	24'		MC-2, 28133 Gal. Agg. 1546 C.Y.
C 1970	A.F.E. 16	Spot Base Corr. Bit. Resurfacing Mixed Bit.	24'	1"	SG-3, 127923 Gal. Agg. 8526 Tons
M 1952	A.F.E. 4	Spot Treat Bit Surf. Repair	24'		MC-2, 10348 Gal. Agg. 548 C.Y.
M 1953	A.F.E. 604	Spot Treat Bit Surf. Repair	24'		MC-2, 9830 Gal. Agg. 676 Tons
M 1954	A.F.E. 821	Spot Treat Bit Surf. Repair	24'		MC-2, 11416 Gal. Agg. 783 Tons
M 1955	A.F.E. 604	Spot Treat Bit Surf. Repair	24'		MC-2, 15027 Gal. Agg. 1148 Tons
M 1956	A.F.E. 604	Spot Treat Bit Surf. Repair	24'		MC-2, 14556 Gal. Agg. 1390 Tons
M 1957	A.F.E. 604	Spot Treat Bit Surf. Repair	24'		MC-2, 8450 Gal. Agg. 594 Tons
M 1958	A.F.E. 604	Spot Treat Bit Surf. Repair	24'		MC-2, 7920 Gal. Agg. 588 Tons
M 1959	A.F.E. 604	Spot Treat Bit Surf. Repair	24'	1"	MC-2, 6570 Gal. Agg. 588 Tons
M 1960		Spot Treat Bit Surf. Repair	24'		MC-2, 283,20190 Gal. Agg. 1467 Tons
M 1961		Spot Treat Bit Surf. Repair	24'		MC-2, 7221 Gal. Agg. 594 Tons Tack, 800 Gal.



YEARS FROM TO		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No 1

PREPARED BY  
TRAFFIC AND PLANNING DIVISION  
IN COOPERATION WITH  
U.S. DEPARTMENT OF COMMERCE  
BUREAU OF PUBLIC ROADS


STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0111  
TRUNK HIGHWAY 65  
COUNTY Aitkin  
DISTRICT 1A

LIMITS: Jct. T.H. 27 - E. Jct. T.H. 210

Ref. Pr. 105-00,180 - 117-00,850

YEAR BUILT	PROJECT NO	DESCRIPTION				REMARKS
		TYPE	WIDTH	THICKNESS		
M 1962		Spot Treat Bit Surf. Repair	24'		MC-2 9540 Gal. Agg. 755 Tons Tack 922 Gals.	
M 1963		Spot Treat Bit Surf. Repair	24'	1"	MC-2, 13,201 Gal. Agg. 116 Tons. Tack 700 Gal.	
C 1964	0121-10	Plant mix Bit Gravel Shoulders	24'	3 1/2"	also constr on S.E. & S.W. legs	
M 1964	SF	Spot Treat Bit Surf. Repair	24'		Bit. Mix 987 Tons MC-2 Tack 946 Gal.	
M 1965	SF	Spot Treat Bit Surf. Repair	24'		Bit. Mix 1849 Tons MC-250 Tack 1142 Gal.	
M 1967	SF	Bit. Surf. Repair	24'	1"	MC-250 Tack 390 Gal. MC-250 for 576.8 Ton Rd. Mix Bit Surf. 8206 Gal.	
C 1971	0111-17	Pl. Mix. Bit Surf. Gravel Shoulders	24' 4'	1 1/2"		
M 1984	SF	Spot Bit. Overlay	24'	1-2"	Sp. 2341 754 Tons	
M 1985	SF	Spot Bit. Overlay	24'	1-2"	Spec. 2341	
M 1987	M4262	Spot Bit. Overlay	24'	1 1/2"	Spec. 2331	
S 2005	0111-24	Bit. Reclam. Bit. Overlay	26' 24'	14" 5"	Spec. 2360	
S 2007	0111-25	Bit. Reclamation	24'	var.		



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No. 1