FORM R.L.-7 REV. 3-58

PREPARED BY
TRAFFIC AND PLANNING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

SHEET 1 OF 3

CONTROL SECTION 0215
TRUNK HIGHWAY 10
COUNTY Anoka
MAINTENANCE DISTRICT 5

LIMITS: Jct. T.H. 52 in Anoka - S. Jct. T.H. 47 in Coon Rapids



YEAR BUILT	PROJECT NO	DESCRIPTION: TYPE	WIDTH	THICKNESS	REMARKS
	0215-01	Grading, Bridges (1)			18" Select Gran. Mat'l.
1966	0215-02	Grav. Base, Pl. Mix Bit. Base	2@36'	9"	3" of Plant Mix Bit. Base
		Asphaltic Concrete	2@26'	4"	
	0215-08	Grading, Bridges (2)			18" Select Gran. Mat'l.
1966	0215-09	Gravel Base, Pl. Mix Bit. Base	2@36'	9"	3" of Plant Mix Bit. Base
	0215-10	Asphaltic Concrete	2@24'26'	4"	
	0215-03	Grading, Bridges (3)	2@39'41'		18" Select Gran. Mat'l.
1966	0215-04	Bit. Stab. Base, Pl. Mix Base	2@26'	7½@8½"	3½"-4½" of Pl. Mix Bit. Base
		Asphaltic Concrete	2@24'	3½"	
	0205-09	Grading, 18" Select Mat'l.	2@39'		
1966	0205-10	Bit. Stab. Base, Pl. Mix Base	2@26'	7½"	3½" Plant Mix Bit. Base
		Asphaltic Concrete	2@24'	3"	
C 1978	0215-29	Asph. Conc. Surf.	2@37'	¾"	S.P. 2361
C 1979	0215-31 F031-1(44)	Traffic Cont. Signals			Ramps at N. Jct. TH 47
C 1979	0215-26 F031-1(50)	Channelization; Traffic Cont. Signals; Widening Br. 9723			Signals at Ramps Co. Rd. 78, Hanson Blvd. 187' P.P. Conc. B.S.
C 1979	0215-32 SF	Traffic Control Signals			Ramps at CSAH 7 - Anoka
C 1981	0215-9716	Bridge Repair			
C 1981	0215 SF	Br. Repair & Railing Br. 9723, 9726			
C 1982	0215-34	Signal Revision			Jct. T.H. 242 & T.H. 10
C 1982	0215-02010	Br. 02010 Deck Overlay			T.H. 10 over Green Ave. in Anoka
C 1982	0215-35	Conc. Med. Barrier	5'		



YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED RDWY. MI.	UNINCORPORATED BR. MI.	INCORPORATED RDWY. MI.	INCORPORATED BR. MI.	RURAL RDWY. MI.	RURAL BR. MI.	URBAN RDWY. MI.	URBAN BR. MI.
1966		8.86	0.00	0.00	8.68	0.18	0.00	0.00	8.68	0.18

REMARKS: Layout is to scale as of 1966
(1) Br. 02010, 168' P.P.G.-O.H.; 9713, 145' P.P.G.-U.P. (2) Br. 9700, 265' B.S.; 9714, 156' T.P.G.-U.P.; 9715, 152' P.P.G.; 9716, 137' P.P.G.-U.P.; 9717, 351' B.S.-O.H.; 9718, 186' P.P.G.-U.P.; 0211, 245' B.S.-U.P. (3) Br. 9723, 187' P.P.G.-U.P.; 91035, C(1-14-11) 8T; 9721, 173' P.P.G.-O.H.; 9722, 173' P.P.G.-O.H.; 02013, 211' P.P.G.

Mn/DOT 29450 (4-78)
FORM RL-7

PREPARED BY
BUREAU OF POLICY & PLANNING
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION-FEDERAL HIGHWAY ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0215
TRUNK HIGHWAY 10
COUNTY Anoka
DISTRICT Metro

LIMITS: E. Jct. USTH-169, W. Jct. MNTH-47 - E. Jct. MNTH-47

Ref. Pt. 224+00.807 - 233+00.149



YEAR BUILT	PROJECT NO	DESCRIPTION: TYPE	WIDTH	THICKNESS	REMARKS
M 1985	SF	Spot Bit. Overlay 120' W.B.	34'	2"	Sp. 2341 30.28 Tons
M. 1985	SF	Spot Bit. Overlay 1000' Ramp From Hanson Blvd.	36'	2"	Sp. 2341 451.61 Tons
M 1985	SF	Spot Bit. Overlay 750' W.B.	24'	2"	Sp. 2341 154.48 Tons
M 1986	SF	Spot Overlay		¾"	Spec. 2341
M 1987	SF	Spot Overlay		2"	Spec. 2341
M 1987	M4246	Bit. Overlay	24'	1½"	Spec. 2341
M 1989	SF	Spot Overlay			Spec. 2341
M 1989	M4360	Bit. Overlay	25'	1½"	Spec. 2361
C 1993	0215-41	Bit. Overlay	24'	1½"	Spec. 2361
				2"	Spec. 2341
C 1994	0215-45	Bit. Mill. & Overlay	24'	1½"-2½"	Spec. 2361
C 1994	0215-47	Bit. Milling	24'	2"-3"	
		Bit. Overlay	24'	3½"	Spec. 2347
C 1997	0215-52	Bit. Milling	24'	2½"	
		Bit. Overlay	24'	Var.	Spec. 2347
C 1998	0214-27	Br. 02033 Ramp Const. Noisewalls			Over Foley Blvd. At Foley
C 1998	0214-30	Br. 02034 Grading	44'		TH-47 Ramp At Foley TH-47 SB.



YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED RDWY. MI.	UNINCORPORATED BR. MI.	INCORPORATED RDWY. MI.	INCORPORATED BR. MI.	RURAL RDWY. MI.	RURAL BR. MI.	URBAN RDWY. MI.	URBAN BR. MI.

REMARKS:

FORM RL-7

PREPARED BY
BUREAU OF POLICY & PLANNING
IN COOPERATION WITH
U. S. DEPARTMENT OF TRANSPORTATION - FEDERAL HIGHWAY ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0215
TRUNK HIGHWAY 10
COUNTY Anoka
DISTRICT Metro

LIMITS: E. Jct. USTH-169, W. Jct. MNTH-47 - E. Jct. MNTH-47

Ref. Pt. 224+00.807 - 232+00.415

YEAR BUILT	PROJECT No	DESCRIPTION: TYPE	WIDTH	THICK NESS	REMARKS
C					
1999	0214-11	Br. 02031			Under Egret Blvd.
		Br. 02035			Over TH. 47
C		Grading			
1999	0214-11	Agg. Base	44'-	6"	
		Bit. Surfacing	70'	9"	Spec. 2331,41, 47, 61
M					
2001	8825-103	Rout & Seal of			Spec 3725
		Bituminous Cracks			
S					
2009	0215-67	Grading			Add lane
		Bit. Surfacing	var.	var.	Add Bus Shldr.
S					
2013	0215-74	Bit. Mill & Surfacing	var.	2"	Spec 2360
	(0202-94)	UTBWC	var.	5/8"	Spec 2353
2015	0215-78	Mill & Fill			
	8825-536	UTBWC			Spec 2353



YEARS FROM	YEARS TO	TOTAL MILES	UNINCORPORATED RDWY. MI.	UNINCORPORATED BR. MI.	INCORPORATED RDWY. MI.	INCORPORATED BR. MI.	RURAL RDWY. MI.	RURAL BR. MI.	URBAN RDWY. MI.	URBAN BR. MI.

REMARKS: