


PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD


CONTROL SECTION 0412  
TRUNK HIGHWAY 72  
COUNTY Beltrami  
DISTRICT 2A

LIMITS: Jct. T.H. 71 in Blackduck - W. Jct. T.H. 1

Blackduck  
0.33 Mi



YEAR BUILT	PROJECT N°	DESCRIPTION			CODE N° DIST
		TYPE	WIDTH	THICKNESS	
		Gravel	22'	2"	No Record of Constr.
		Br. N° 1248	18'		Added in 1929.
		Earth	25'		No Record of Constr.
					Added in 1929.
1931		Gravel	22'	2"	
					Maint. Dept.
1937	72-72-24-1	Br. 8339 Mono. Culv.			W106 W86 & W44
1937	72-72-24-1	Br. 5765	30'		40' B.S. / 1237
		Grading Soil-Surf.	34'	9"	
1938	0412-01		34'	9"	137
1938	72-72-24-1	Agg. Surf.	34'	2 1/2"	
1938	A.F.E. 24	Gravel	30'	2"	
					Maint. Dept.
1938	A.F.E. 23	Regrading Sand Lift	28'	5 1/2"	
					Maint. Dept.
1939	0412-01	Seeding			
C	1940	Stab. Grav. Base Bit. Surf. Treat.	32'	4"	
			26'	3/4"	140
C	1940	Sand Lift Bit. Surf. Treat.	28'	9"	
			24'	3/4"	Maint. Dept.
M	1942	Spot Treat. Bit. Surf. Repair			563A & MG3, 3953 G./Mi. Grav. 93 C.Y./Mi. Maint. Dept.
M	1943	Spot Treat. Bit. Surf. Repair			MC-1, 980 Gal./Mi. Grav. 57 C.Y./Mi. Maint. Dept.



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1929	1937	10.03	9.69	0.01	0.33	0.00	10.02	0.01	0.00	0.00
1938		9.90	9.56	0.01	0.33	0.00	9.89	0.01	0.00	0.00

REMARKS: Layout is to scale as of 1929


PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD


CONTROL SECTION 0412  
TRUNK HIGHWAY 72  
COUNTY Beltrami  
DISTRICT 2A

LIMITS: Jct.T.H.71 in Blackduck - W. Jct.T.H.1

Blackduck  
0.33 Mi.



YEAR BUILT	PROJECT N <sup>o</sup>	DESCRIPTION			CODE N <sup>o</sup> Dist.
		TYPE	WIDTH	THICKNESS	
M 1944	A.F.E. 4	Bit Surf. Repair	26'		
C 1945	A.F.E. 23	Bit Resurfacing Mixed Bit.	26'	7/8" added	
M 1946	A.F.E. 25	Spot Treat. Bit. Surf. Repair	24'		
M 1948	A.F.E. 6				
C 1949	0412-03	Stab. Grav. Base Mixed Bit.	30' 6"-12'	1"	349
M 1949	A.F.E. 4	Bit Fog Seal	24'		
C 1951	0412-06	Grade Widening Plant Mix Bit.	36'	2 1/4" added	551
M 1952	A.F.E. 5	Light Bit Seal	27'		
C 1956	0412-07	Spot Bit. Stab Base Plant Mix Bit.	30' 5"	2'-4"	456
M 1958	A.F.E. 605	Light Bit Seal	25'		
C&M 1965	c	Const. Br. 9110 Remove Br. 5765 Light Bit Seal	25'		
C 1968	0412-09	Pl. Mix. Bit Surf. Gravel Shldrs.	24'	3"	
C 1977	0412-14 FOOD-4(30)	GRADING Pl. Mix Bit Base, SURF SHLDRS, Rt. Turn LA.	24'	3"	
C 1977	0412-18	BR # 9110 ADD CULVERTS			



YEARS FROM	TOTAL MILES TO	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet N<sup>o</sup> 1

