


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0604
TRUNK HIGHWAY 28
COUNTY Big Stone
DISTRICT 4B

LIMITS: N. Co. Line - Jct. T.H.7



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICKNESS	
		Gravel	20'	1 1/2"	No Record of Constr.
		Earth	24'		No Record of Constr.
1920	28-28-4	Grading	26'		Co. Job N ^o 2002.
1922	28-28-26	Gravel	22'	4 1/2"	1900 C.Y./Mile.
		Gravel	20'	1 1/2"	No Record of Constr. Status map shows gravel in 1923.
1928	28-28-31 B	Grading Gravel	32' 24'	2 1/2"	1200 C.Y./Mile.
1936	28-28-26-1	Grading Gravel	32' 24'	1 1/2"	700-1200 Ton/Mi.
1938	0604-02	CaCl ₂ Stab. Grav. Mixed Bitum.	32' 24'	4 1/2" 1 1/2"	(1)
1938	0604-01	Moving T & T Poles			Spec. Agree.
1938	0604-03	Grading	34'		
	0604-04	CaCl ₂ Stab. Grav.	24'	12"	
1939	0604-05	Mixed Bitum.	26'	1 1/2"	
M	1940 A.F.E. 10	Bit. Seal Coat			Em. 1,3502 Gal./Mi. Grav. 88 C.Y./Mi. Maint. Dept.
M	1941 A.F.E. 21	Bit. Seal Coat			RC 3 Asp. 1944 G./Mi. Grav. 62 C.Y./Mi. Maint. Dept.
C	1943 0604-09	Base Repair Gravel Stab. Gravel	29' 29'	6" 6"	



FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1922	1927	7.08	6.29	0.00	0.79	0.00	7.08	0.00	0.00	0.00
1928	1935	6.35	2.55	0.00	0.79	0.00	6.35	0.00	0.00	0.00
1936	1937	6.27	2.50	0.00	0.67	0.00	6.27	0.00	0.00	0.00
1938	1962	6.26	2.59	0.00	0.67	0.00	6.26	0.00	0.00	0.00
1963		6.27	2.59	0.00	0.68	0.00	6.27	0.00	0.00	0.00

REMARKS: Layout is to scale as of 1936
(1) Accumulated thickness.


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD


CONTROL SECTION 0604
TRUNK HIGHWAY 28
COUNTY Big Stone
DISTRICT 48

LIMITS: N. Co. Line - Jct. T.H. 7

Ref. Pt. 002+00.990 - 009+00.251



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICKNESS	
C	1943 A.F.E. 4	Mixed Bit.	26'	1 1/4"	1
M	1945 A.F.E. 5	Bit. Seal Coat	24'		2
M	1947 A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		3
M	1948 A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		4
M	1950 A.F.E. 4	Spot Treat. Bit. Surf. Repair Spot Seal Coat	24'		5
C	1951 0604-10 0604-11	Base Repair (Spot) Plant Mix Bit.	24'	3'-10" 1 1/2" added	6
M	1952 A.F.E. 605	Light Bit. Seal	25'		7
C	1963 0604-14	Grading Plant Mix Bit. Base Plant Mix Bit.	24'	0'-4" 1 1/2"	8
M	1964 C	Light Bit. Seal	25'		9
M	1967 C	Light Bit. Seal	25'		10
M	1974 - 15	Light Bit. Seal			11
C	1982 0604-16	Bit. Surfacing Aggregate Shldr.	24'	3"	12
M	1985 4151	Bit. Seal Coat	24'		13
M	1997 M97192	Bit. Overlay Shoulder Work	24'	1 1/2"	14



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No 1

