




PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 1009  
TRUNK HIGHWAY 101  
COUNTY Carver  
DISTRICT Metro

LIMITS: In Chanhausen  
Jct. T.H. 169 - Jct. T.H. 5  
Ref. Pt. 008+00.702 - 012+00.981



YEAR BUILT	PROJECT NO.	DESCRIPTION			CODE NO.
		TYPE	WIDTH	THICKNESS	
M 1955	A.F.E. 604 A.F.E. 605	Spot Treat. Bit. Surf. Repair Spot Light Bit. Seal	22'		SC-3 RC2, 17066 Gal. Agg. 985 Tons & 213 CY.
M 1957	A.F.E. 830	Grade Repair Restore Base & Bit. Surface			Base 364 Tons RC2, 1150 Gal. Agg. 95 Tons
C 1957	A.F.E. 820	Br. 1822	24'		Replaces old Br. 1822 20" B.S.
M 1961		Spot Treat. Bit. Surf. Repair			SC-3 MC-2, 6854 Gal. Repair 675 Gal. for tack
M 1962		Light Bit. Seal			Bit. 6680 Gal. Agg. 241 C.Y.
M 1965	C	Seal Coat	22'		Bit. Mat'l 6086 Gal. Agg. 307 Tons
M 1966	C	Spot Seal Coat	12'		CRS-1 Bit. 1915 Gal. FA-1 Agg. 96.2 C.Y.
M 1969	SF	Bit. Mix Wear	24'	1 1/2"	AC 2341 W/Lime MC 250 Tack, 380 Gal. Agg. 2125 Tons
C 1973	1009-05	Plant Mix Bit. Overl.	4' 3"	3"	
C 1976	1002-29 REFU 014-3(1)	Bit. Level Course Asph. Conc. Surf. TURN LANES	1 1/2"	3/4"	
C 1981	1011-20, 1013-39	Pavement Widening Resurfacing Bit. Shoulders	4' 24' 4-6'	1 1/2" 1 3/4" 5 1/2"	Spec 2331, 3/4 Spec 2361 Spec 2331
M 1985	SF	Grading, Base Bit. Surfacing	26'	3" 2"	Cont. No. 4150 Partitions Only
M 1985	M4150	Bit. Overlay	26'	2"	Spec. 2341



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No. 1

