


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD


CONTROL SECTION 1009
TRUNK HIGHWAY 101
COUNTY Carver
DISTRICT 5A

LIMITS: In Chanhassen
Jct. T.H. 169 - Jct. T.H. 5



SCALE: 1" = 1/2 MI.

YEAR BUILT	PROJECT N°	DESCRIPTION			CODE N°
		TYPE	WIDTH	THICKNESS	
1924	101-51-21	Grading	30'		
1924	101-51-21	Gravel	26'	2"	No Record of Constr. Status map shows Gravel in 1924.
1928	101-51-21	Concrete	20'	9" 9"	
		Gravel	20'	3"	No Record of Constr. Added in 1934. 20' B.S. & B.S.: U.P.
		Br. N° 1822 & 1946	1520		
M	1944 A.F.E. 6	Grav. Resurfacing	28'		461 C.Y./Mi. Maint. Div.
C	1946 A.F.E. 21	Bit. Surfacing			RT-6, 19903 Gal.
		Bit. Surf. Treated (Mixed Prime)	18'		
(I)		Mixed Bit.	20'	2"	
M	1949 A.F.E. 4	Bit. Surf. Repair	20'		SC-3, 31625 Gal. Agg. 400 CY.
M	1950 A.F.E. 4	Spot Treat. Bit. Surf. Repair	20'		SC-3, 9076 Gal. Agg. 500 CY.
M	1951 A.F.E. 4	Spot Treat. Bit. Surf. Repair	20'		SC-3, 1839 Gal.
M	1952 A.F.E. 4	Bit. Surf. Repair	26'		SC-3, 28617 Gal. Agg. 2282 Tons.
M	1953 A.F.E. 604	Spot Treat. Bit. Surf. Repair	20'		MC2, SC-3, 6266 Gal. Agg. 476 Tons.
M	1954 A.F.E. 604	Spot Treat. Bit. Surf. Repair	20'		SC-3, 7731 Gal. Agg. 560 Tons.
C	1954 1009-03	Grade X-ing Signals			



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN		
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	
1924	1933	0.34	0.34	0.00	0.00	0.00	0.00	0.34	0.00	0.00	0.00
1934	1963	4.52	4.24	0.01	0.27	0.00	0.00	4.51	0.01	0.00	0.00
1964	1965	4.31	4.24	0.01	0.06	0.00	0.00	4.30	0.01	0.00	0.00
1966	1966	4.31	0.00	0.00	4.30	0.01	0.00	4.30	0.01	0.00	0.00
1967		4.31	0.00	0.00	4.30	0.01	0.00	4.30	0.01	0.00	0.00

REMARKS: Layout is to scale as of 1934
(1) Bit. placed within last ten years - no record of construction.

