


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 2603
TRUNK HIGHWAY 27
COUNTY Grant
DISTRICT 4B

LIMITS: W. Co. Line - Jct. T.H.9 in Herman



| YEAR BUILT | PROJECT N° | DESCRIPTION | | | CODE N° |
|------------|-------------------|---------------------------------------|------------|-------------|--|
| | | TYPE | WIDTH | THICK-NESS | |
| | | Earth | 20' | | No Record of Const. |
| 1922 | | Gravel | 20' | 2" | Maint. Dept. |
| 1924 | 27-10-51-2 | Grading | 30' | | |
| 1925 | 27-10-51-2 | Gravel | 24' | 3 1/2" | 1673 CY./Mile. |
| 1932 | (1) 27-10-51-2 | Oil Tr. Gravel | 24' | 1" | 1214 Gal./Mile. Maint. Dept. |
| 1938 | 27-10-51-2 | Crossing Signals | | | |
| M 1940 | A.F.E. 47 | Spot Treat. Bit. Surf. Repair | | | MG3 Asp. 1182 Gal./Mi. Grav. 61 C.Y./Mi. Maint. Dept. |
| M 1942 | A.F.E. 12 | Spot Treat. Bit. Surf. Repair | | | Bit. 184 Gal./Mi. Grav. 31 C.Y./Mi. Maint. Dept. |
| M 1942 | A.F.E. 4 | Spot Treat. Bit. Surf. Repair | | | MG2 Asp. 1621 Gal./Mi. Grav. 141 C.Y./Mi. Maint. Dept. |
| M 1943 | A.F.E. 4 | Spot Treat. Bit. Surf. Repair | | | MG2, 1607 Gal./Mi. Grav. 65 C.Y./Mi. Maint. Dept. |
| M 1944 | A.F.E. 4 | Spot Treat. | | | Bit. 4810 Gal./Mi. |
| | A.F.E. 5 | Bit. Surf. Repair & Spot Seal Coat | 26' 24' | | Grav. 144 C.Y./Mi. Maint. Div. |
| M 1945 | A.F.E. 4 | Spot Treat. Bit. Surf. Repair | | | Bit. 3071 Gal./Mi. Grav. 120 C.Y./Mi. Maint. Div. |
| C 1946 | A.F.E. 16 | Bit Resurfacing Mixed Bit. | 24' | 1" Added | SG3, 55390 Gal. Aqs. 3040 C.Y. |
| M 1947 | A.F.E. 4 | Bit. Fog Seal | 24' | | RC-2, 7630 Gal. |



| YEARS FROM | TO | TOTAL MILES | UNINCORPORATED | | INCORPORATED | | RURAL | | URBAN | |
|------------|------|-------------|----------------|---------|--------------|---------|-----------|---------|-----------|---------|
| | | | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. |
| 1921 | 1951 | 5.45 | 5.02 | 0.00 | 0.43 | 0.00 | 5.45 | 0.00 | 0.00 | 0.00 |
| 1952 | | 5.45 | 5.01 | 0.00 | 0.44 | 0.00 | 5.45 | 0.00 | 0.00 | 0.00 |

REMARKS: Layout is to scale as of 1921.

(1) This work not done under this project number but lies within the limits of this project.

