


PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 3003  
TRUNK HIGHWAY 65  
COUNTY Isanti  
DISTRICT 2B

LIMITS: S. Co. Line - Jct. T.H. 95 in Cambridge



| YEAR BUILT | PROJECT N <sup>o</sup> | DESCRIPTION           |            |            | CODE N <sup>o</sup>               |
|------------|------------------------|-----------------------|------------|------------|-----------------------------------|
|            |                        | TYPE                  | WIDTH      | THICK-NESS |                                   |
|            |                        | Gravel                | 25'        | 2"         | No Record of Constr.              |
| 1920       | 65-5-4                 | Grading<br>Gravel     | 24'<br>24' | 5"         | Co. Job 1901.<br>2400 C.Y./Mile.  |
| 1920       | 65-5-2                 | Grading (1)<br>Gravel | 24'<br>24' | 5"         | 2300 C.Y./Mile.                   |
| 1921       | 65-5-23                | Grading<br>Gravel     | 24'<br>24' | 4 1/4"     | 2000 C.Y./Mile.                   |
| 1927       | 65-5-4                 | Tar Tr. Gravel        | 25'        | 1 3/4"     | Maint. Dept.                      |
| 1927       |                        | Tar Tr. Gravel        | 25'        | 1 3/4"     | Maint. Dept.                      |
| 1927       | 65-5-2                 | Tar Tr. Gravel        | 22'        |            | Maint. Dept.                      |
| 1936       | 65-5-43-1A, B & C      | Grading<br>Br. 5479   | 32'<br>30' |            | 198' B.S. & Cent. O.H.            |
| 1937       | A.F.E. 26              | Mixed Bitum.          | 32'        | 1 1/4"     | Maint. Dept.                      |
| M          |                        |                       |            |            | Tar 3143 Gal./Mi.                 |
| 1940       | A.F.E. 34              | Bit. Seal Coat        |            |            | Maint. Dept.                      |
| M          |                        | Spot Treat            |            |            | RT-6, 4531 Gal./Mi.               |
| 1943       | A.F.E. 4               | Bit. Surf. Repair     | 26 3/4'    |            | Grav. 223 C.Y./Mi.<br>Mant. Dept. |
| M          |                        | Spot Treat.           |            |            | RT-6 & C-3, 12924 Gal.            |
| 1946       | A.F.E. 4               | Bit. Surf. Repair     | 22'        |            | Agg. 565 C.Y.                     |
| M          |                        | Spot Treat.           |            |            | MC-3, 23193 Gal.                  |
| 1947       | A.F.E. 4               | Bit. Surf. Repair     | 22'        |            | Agg. 1128 C.Y.                    |
| M          |                        | Spot Treat.           |            |            | MC-3, 26473 Gal.                  |
| 1948       | A.F.E. 4               | Bit. Surf. Repair     |            |            | Agg. 1844 C.Y.                    |



| YEARS FROM | TO   | TOTAL MILES | UNINCORPORATED |         | INCORPORATED |         | RURAL     |         | URBAN     |         |
|------------|------|-------------|----------------|---------|--------------|---------|-----------|---------|-----------|---------|
|            |      |             | RDWY. MI.      | BR. MI. | RDWY. MI.    | BR. MI. | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. |
| 1921       | 1935 | 11.22       | 10.23          | 0.00    | 0.99         | 0.00    | 10.23     | 0.00    | 0.99      | 0.00    |
| 1936       | 1950 | 11.26       | 10.21          | 0.04    | 1.01         | 0.00    | 10.21     | 0.04    | 1.01      | 0.00    |
| 1951       | 1951 | 11.21       | 10.16          | 0.04    | 1.01         | 0.00    | 10.16     | 0.04    | 1.01      | 0.00    |
| 1952       | 1954 | 11.20       | 10.15          | 0.04    | 1.01         | 0.00    | 10.15     | 0.04    | 1.01      | 0.00    |
| 1955       | 1975 | 11.19       | 10.15          | 0.04    | 1.00         | 0.00    | 10.15     | 0.04    | 1.00      | 0.00    |
| 1974       |      | 11.19       | 9.58           | 0.04    | 1.57         | ---     | 9.58      | 0.04    | 1.57      | ---     |

REMARKS: Layout is to scale as of 1936.

(1) No record of construction of grading.

(2) This work not done under these project numbers but lies within the limits of these projects.

4-75



