


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 3403
TRUNK HIGHWAY 12
COUNTY Kandiyohi
DISTRICT 8A

LIMITS: W. Co. Line - Jct. T.H. 71 in Willmar.



YEAR BUILT	PROJECT N°	DESCRIPTION			CODE N°
		TYPE	WIDTH	THICKNESS	
1919	12-10-9	Grading	24'		
1919	12-10-9	Gravel	20'	3"	1200 C.Y./Mi.
1920	12-10-9	Concrete Br. 2744	18'	7 1/2"	20' Cell Slab.
1922	12-10-44	Concrete	N.W.		
1926	12-10-50	Grading Gravel	20'	2 1/2"	1200 C.Y./Mi.
1930	12-10-50	Concrete	20'	9'-7-9"	
1934	12-10-58	Crossing Signal			
1937	12-10-60	Br. 8468			New Location. W 126.
1938	3403-08	Br. 5526	36'		New Location. 230 B.S.-O.H.
1938	3403-07	Grading Stab. Grav. Base	40'	4"	
1938	3403-09	Concrete	20'	9'-7-9"	
1938	3403-06	Grading Concrete	36'	20'	9'-7-9"
1939	3403-10 A.F.E.4	Seeding			Maint. Dept.
C	3403-16	Grading	3642'		1.0' Select Material Not in use until 1953



FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1922	1925	11.21	8.19	0.00	3.01	0.01	9.25	0.00	1.95	0.01
1926	1937	11.24	8.23	0.00	3.00	0.01	9.28	0.00	1.95	0.01
1938	1952	10.80	8.02	0.00	2.72	0.05	9.07	0.00	1.68	0.05
1953	1960	10.46	7.68	0.00	2.73	0.05	8.73	0.00	1.68	0.05
1961		10.46	7.96	0.00	2.45	0.05	9.01	0.00	1.40	0.05

REMARKS: Layout is to scale as of 1926.

