


PREPARED BY  
HIGHWAY PLANNING SURVEY  
IN COOPERATION WITH  
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA  
DEPARTMENT OF HIGHWAYS  
ROAD LIFE STUDIES  
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 5103  
TRUNK HIGHWAY 30  
COUNTY Murray  
DISTRICT 8B

LIMITS: N. Jct. T.H. 59 - E. Co. Line



YEAR BUILT	PROJECT N <sup>o</sup>	DESCRIPTION		REMARKS	CODE N <sup>o</sup>
		TYPE	WIDTH THICKNESS		
		Gravel	24' 2"	No Record of Const. Added in 1934	
(1) 1922		Gravel	24'	Added in 1934	
1923		Gravel Br. 2399	24' 2 1/2" 19'	Co. Job 2302 Added in 1934 1200 C.Y./Mi. 60' C.T.G.	
1928		Gravel Br. 2398	24' 2 1/2" 19'	Co. Job 2305 Added in 1934 1200 C.Y./Mi. 40' C.T.G.	
1935		Oil Tr. Gravel	30' 1"	10000 Gal./Mile. Maint. Dept.	
1937	A.F.E. 27	Bit. Tr. Gravel	24'	10152 Gal./Mile. Maint. Dept.	
M 1940	A.F.E. 48	Bit. Retreat		SC-3 2876 Gal./Mi. Grav. 128 C.Y./Mi. Maint. Dept.	
M 1941	A.F.E. 21	Bit. Retreat	26'	SC-4 1649 Gal./Mi. Grav. 84 C.Y./Mi. Maint. Dept.	
M 1943	A.F.E. 4	Spot Treat. Bit. Surf. Repair & Fog Seal		MC-3 1120 Gal./Mi. Grav. 21 C.Y./Mi. Maint. Dept.	
M 1944	A.F.E. 4	Spot Treat. Bit. Surf. Repair		MC-2 & 3 1923 Gal./Mi. Grav. 72 C.Y./Mi. Maint. Dept.	
M 1945	A.F.E. 4	Spot Treat. Bit. Surf. Repair		RT-6 & MC-2 360 Gal./Mi. Grav. 145 C.Y./Mi. Maint. Div.	
M 1946	A.F.E. 4	Spot Treat. Bit. Surf. Repair	10'	SC-3 29033 Gal. Agg. 1606 C.Y.	
M 1947	A.F.E. 4	Spot Treat. Bit. Surf. Repair	21'	SC-3 26642 Gal. Agg. 2005 tons	
M 1948	A.F.E. 4	Spot Treat. Bit. Surf. Repair	22'	SC-3 30805 Gal. Agg. 2093 Tons	



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1934	1951	14.54	13.11	0.02	1.41	0.00	14.52	0.02	0.00	0.00
1952	1952	15.05	3.42	0.02	1.61	0.00	15.03	0.02	0.00	0.00
1953		14.61	13.67	0.03	1.11	0.00	14.78	0.03	0.00	0.00

REMARKS: Layout is to Scale as of 1934  
(1) Built as S.R. 17-28 & 17-21. Transferred to County in 1932 and taken back into system in 1934



