


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 7209
TRUNK HIGHWAY 25
COUNTY Sibley
DISTRICT 7A

LIMITS: Jct. T.H.5 in Green Isle - E. Co. Line



YEAR BUILT	PROJECT N°	DESCRIPTION			CODE N°
		TYPE	WIDTH	THICKNESS	
		Grading	23'3"		
		Br. 240		20' B.S.	
		Br. 3621	15'	329' Swing Span.	
1925		Br. 240	23'	Widen 20' B.S.	
				Maint. Dept.	
1926		Gravel	30'	1 1/4" 600 C.Y./Mile.	
				Maint. Dept.	
1926		Gravel	24'	1 1/4" 600 C.Y./Mile.	
				Maint. Dept.	
1935	25-25-29-1E	Grading	40'		
		Gravel	26'	3" 1500 C.Y./Mile.	
1937	A.F.E. 37	Mixed Bitum.	26'	1 1/2"	
				Maint. Dept.	
		Asph. Tr. Gravel	40'	1"	
				No Record of Constr.	
M	1940	A.F.E. 43			
		Regravelling		339 C.Y./Mile.	
		Clean Ditches		Maint. Dept.	
M	1944	A.F.E. 6			
		Grav. Resurfacing		407 C.Y./Mi.	
				Maint. Div.	
M	1944	A.F.E. 4			
		Spot Treat.		MC-3, 5000 Gal./Mi.	
		Bit. Surf. Repair		Grav. 160 C.Y./Mi.	
				Maint. Div.	
C	1946	A.F.E. 16			
		Bit. Surf. (0.24 Mi)	24-4'	MC-103, 23,609 Gal.	
		Bit. Resurf (1.16 Mi)	11-18'	1 1/4" Agg. 1773 C.Y.	
		Mixed Bit	26-8'		
M	1947	A.F.E. 5			
		Bit. Seal Coat		RC-3, 4655 Gal.	
				Agg. 180 C.Y.	
C&M	1948	A.F.E. 20			
		Heavy Reshaping	28'		
		Grav. Surf. (550 M)		7618 Tons	
		Grav. Resurf. (6.54 Mi)			
C	1949	A.F.E. 20			
		Heavy Reshaping	28'		
		Gravel Surfacing	28'	1" 3566 C.Y.	
		Seeding (12.04 Mi)		(1)	



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1932	13.26	3.07	0.07	0.12	0.00	13.19	0.07	0.00	0.00
1935	1937	13.10	2.97	0.01	0.12	0.00	13.05	0.01	0.00	0.00
1938	1948	13.44	2.97	0.01	0.46	0.00	13.43	0.01	0.00	0.00
1949	1969	13.44	2.98	0.00	0.46	0.00	13.44	0.00	0.00	0.00
1970		12.98	2.52	0.00	0.46	0.00	12.98	0.00	0.00	0.00


REMARKS: Layout is to scale as of 1938
(1) Br. 240 replaced by S.C. Cattle Pass.

PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 7209
TRUNK HIGHWAY 25
COUNTY Sibley
DISTRICT 7A

LIMITS: Jet. T.H. 5 in Green Isle - E. Co. Line



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICK-NESS	
C		Bit. Surf. (12.04 Mi.)			
1950	A.F.E. 18	Bit. Resurf.(0.52 Mi.) Mixed Bit.	24'	1"	1
M		Spot Treat.			
1951	A.F.E. 4	Bit. Surf. Repair	24'	1"	2
C		Spot Grav. Lifts	28'	3'-4"	
1952	A.F.E. 21	Bit. Resurfacing Mixed Bit.	24'	1"	3
M		Light Bit. Seal	28'		
1952	A.F.E. 5				4
M		Spot Treat			
1953	A.F.E. 604	Bit. Surf. Repair	24'		5
M		Spot Treat			
1954	A.F.E. 604	Bit. Surf. Repair	24'		6
M		Spot Treat			
1955	A.F.E. 604	Bit. Surf. Repair	24'		7
M		Spot Treat			
1956	A.F.E. 604	Bit. Surf. Repair	24'		8
M		Spot Treat			
1957	A.F.E. 604	Bit. Surf. Repair	24'		9
M		Spot Treat			
1958	A.F.E. 604	Bit. Surf. Repair	24'		10
C&M		Spot Treat			
1959	A.F.E. 604 A.F.E. 818	Bit. Surf. Repair Flume & Basin Repair	24'		11
M		Spot Treat			
1960		Bit. Surf. Repair	24'		12
M		Spot Treat			
1961		Bit. Surf. Repair	24'		13
M		Spot Treat			
1962		Bit. Surf. Repair	24'		14

YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.


REMARKS: See Sheet No. 1

PREPARED BY
TRAFFIC AND PLANNING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 7209
TRUNK HIGHWAY 25
COUNTY Sibley
DISTRICT 7A

LIMITS: Jct. T.H.5 in Green Isle - E. Co. Line
Ref. Pt. 002+00.020 - 015+00.884



YEAR BUILT	PROJECT NO	DESCRIPTION			
		TYPE	WIDTH	THICKNESS	REMARKS
M 1963	SF	Spot Treat. Bit Surf. Repair	22'		Bit Mix 526 Tons MC-3 Tack 900 Gal.
M 1964	SF	Spot Treat. Bit Surf. Repair	22'		Bit Mix 2016 Tons MC-3 Tack 3614 Gal.
C 1970	7209-06	Grade Base Pl. Mix Bit Surf. Gravel	24'-0"	15'-16" 2'-3"	
M 1983	SF	Spot Treatment Bit Surface Repair	24'	1 1/2"	Bit. Mix 2281 Tons Tack 1500 Gal.
C 1985	7209-07	Bituminous Surface Agg. Shoulders	24' 8'	3" Var.	
M 1990	4394	Crack Sealing			
S 2005	7209-09	Bit. Reclamation Bit. Surfacing Grading	28' 24' Var.	16" 7" 10"	Spec. 2331 Spec. 2360
S 2006	7209-08	Grading Bit. Surfacing Br. 72012	24'	Var.	Spec. 2360
S 2008	7209-11	Microsurfacing Agg. Seal	var.	var.	Type FA2 & FA3



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No. 1