


PREPARED BY
TRAFFIC AND PLANNING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF COMMERCE
BUREAU OF PUBLIC ROADS


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 7380A
TRUNK HIGHWAY 94
COUNTY Stearns
DISTRICT 3B

LIMITS: N. Co. Line - Jct. T.H. 237



YEAR BUILT	PROJECT NO.	DESCRIPTION			
		TYPE	WIDTH	THICKNESS	REMARKS
C	7380-08	Grading Sub-base Bit. treated Gr. Base	28'	4"	On W.B. rdwy. forentire proj. E.B. rdwy. for 0.81 mi.
C	7380-14(1)	Bit. Base Asphaltic Conc. Surf.	2@24'	4"	Base const. generally on W.B. rdwy.
1956	7310-13	Br. 6896	30'		135' B.S. - O.H.
1967	7380-73805	Br. 73805	38'		143' B.S. - O.H.
1967	7380-73806	Br. 73806	38'		313' B.S. - U.P.
1967	7380-73807	Br's 73807 & 73808	38' @ 30'		Both 127' P.P.G. - O.H.
1956	7310-14	Br. 6897	30'		135' B.S. - O.H.
1967	7380-73809	Br. 73809	38'		143' B.S. - O.H.
1967	7380-73816	Br. 73816			228' P.P.G. - U.P.
C	7380-09	Grading	2@49'		
1968	7380-13	Concrete Paving Bituminous Shldrs.	2@24'	9"	
C	7380-09	Br's 73801 & 73802 Br. 73804 Br. 73818	2@30'		Both 128' P.P.G. - O.H. 194' P.P.G. - U.P. 281' B.S. - U.P.
C	7380-09	Br's 73819 & 73820	2@30'		Both 146' B.S. - O.H.
C	7380-21	Grading, Base, Asphaltic Conc. Surf. Bituminous Shldrs.	2@24'		New WB Rdwy & Generally resurf. EB Rdwy
C	7380-21	Br. 73811 Br. 73812 Br. 73817	30'		143' B.S. - O.H. 202' P.P.G. - U.P. 193' P.P.G. - U.P.
M	1972	SF			Joint Seal 400 lbs.
M	1979	SF			PLANING CONC. PAVT.
M	1978	SF			CLEAN, SAW & RESEAL JOINTS IN CONC. PAVE.
M	1975	SF			JOINT SEAL Hi Spec. Mat'l. 3950 Lbs.



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1967		6.37	6.29	0.08	0.00	0.00	6.29	0.08	0.00	0.00

REMARKS: Layout is to scale as of 1967.
(1) E.B. rdwy. const. asph. conc. over surf. inp. except for the 0.81 mi. which was graded under 7380-08

