

PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION



STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 8714
TRUNK HIGHWAY 274
COUNTY Yellow Medicine
DISTRICT 8B


LIMITS: 2nd Ave. in Wood Lake - Jct. T.H. 67

Ref. Pt. 000+00.000 - 008+00.501

Woodlake
0.47 Mi.



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICKNESS	
		Gravel	26		No Record of Const.
		Br. 4784 & 4608	23		Added in 1949 120 H.T. & 23' B.S.
		Mixed Bit.	22		No Record of Const.
					Added in 1949
C		Grade Lift	29		
1949	A.F.E. 22	Gravel	29	1"	
M		Regravelling	26		3226 C.Y.
1949	A.F.E. 6				
C		Bit. Surfacing			SC-3, 93023 Gal.
1970	A.F.E. 31	Mixed Bit.	24		Agg. 6951 Tons
M		Spot Treat.			MC3 & SC3, 9026 Gal.
1951	A.F.E. 4	Bit. Surf. Repair	22		Agg. 420 C.Y.
M		Spot Treat.			MC2 & SC3, 33650 Gal.
1952	A.F.E. 4	Bit. Surf. Repair	22		Agg. 1740 C.Y.
		Base Repair (0.10 Mi)			
M		Spot Treat.			SC3 & MC2, 39858 Gal.
1953	A.F.E. 604	Bit. Surf. Repair	24		Agg. 2952 Tons
M		Spot Treat.			SC3 & MC2, 24226 Gal.
1954	A.F.E. 604	Bit. Surf. Repair	22		Agg. 1568 Tons
M		Spot Treat.			SC3 & MC2, 19521 Gal.
1955	A.F.E. 604	Bit. Surf. Repair	24		Agg. 1473 Tons
M & C		Spot Treat.			SC-3, 25860 Gal.
1956	A.F.E. 604	Bit. Surf. Repair	24		Agg. 2022 Tons
	A.F.E. 818	Install C.M. Culvert			
M		Spot Treat.			SC-3, 15270 Gal.
1957	A.F.E. 604	Bit. Surf. Repair	22		Agg. 1232 Tons
M		Spot Treat.			SC-3, 10330 Gal.
1958	A.F.E. 604	Bit. Surf. Repair	24		Agg. 759 Tons
M		Spot Treat.			SC-3, 7795 Gal.
1959	A.F.E. 604	Bit. Surf. Repair	24		Agg. 556 Tons



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1949	1969	8.97	8.48	0.05	0.46	0.00	8.94	0.03	0.00	0.00
1970		8.87	8.37	0.03	0.47	0.00	8.84	0.03	0.00	0.00

REMARKS: Layout is to scale as of 1949

