

2016 MnDOT Standard Signs Summary Updates

Date	Series	Page	Sign Code	Description of Change
1/1/2016	R	1	R2-6aP	Delete sign panel FINES DOUBLE.
1/1/2016	R	1	R2-6c	Delete sign panel END WORK SPEED ZONE.
1/1/2016	R	1	R2-6bP	New sign panel \$300 FINE.
1/1/2016	R	1	R2-12	New sign panel END WORK ZONE SPEED LIMIT.
1/1/2016	R	2	R3-4a	New sign panel No U Turn (Symbol).
1/1/2016	R	2	R3-5	Add *For overhead use and O 48 x 60*
1/1/2016	R	2	R3-5a	Add *For overhead use and O 48 x 60*
1/1/2016	R	2	R3-6	Add *For overhead use and O 48 x 36*
1/1/2016	R	2	R3-7	New sign panel ALL TRAFFIC MUST TURN LEFT and add (R, L, AR, AL).
1/1/2016	R	2	R3-9a	Add *For overhead use and astericks next to both sign sizes.
1/1/2016	R	2	R3-9b	Add *For ground-mounted use and astericks next to all sign sizes.
1/1/2016	R	2	R3-X3	Add (R or L).
1/1/2016	R	3	R3-8	All "30"s and "48"s are changed to "8"; Note 4 adds "overhead mounting is not allowed where there are 3 or more lanes of approach"; Note 5 is added stating "Panel widths will vary with legend on sign" (was previously stated in Note 4).
1/1/2016	R	7	R10-15a	New sign panel TURNING VEHICLES STOP for Pedestrians (with Symbols).
1/1/2016	R	7	R10-X7	Add RA to 24 x 30 size and O to 36 x 48 size.
1/1/2016	R	7	R10-X13	New sign panel U-TURN YIELD ON FLASHING YELLOW ARROW.
1/1/2016	R	8	R11-3C	New sign panel BRIDGE CLOSED 14 MILES AHEAD LOCAL TRAFFIC ONLY.
1/1/2016	R	9	R16-X2	Change size to 78 x 48 (was 72 x 48).
1/1/2016	R	9	R16-X14	Delete sign panel FINES DOUBLE IN WORK ZONES.
1/1/2016	W	10	W1-11	New sign panel U-Turn (Black on Yellow Symbol).
1/1/2016	W	12	W3-X8b	Change size to 36 x 36 (was 36 x 26).
1/1/2016	W	18	W14-3	Change sizes to 64 x 64 x 48 (was 48 x 64 x 64)
1/1/2016	W	19	W16-9P	Add or Yellow to color; add chart Use With Diamond 30", 36", 48" and Use With Pentagon 30", 36", 38"; delete Use with S1-1 (pentagon) signs.
1/1/2016	W	19	W20-X13	New sign panel RIGHT 2 LANES CLOSED (was RIGHT TWO LANES CLOSED).
1/1/2016	W	20	W20-X19	New sign panel BEGIN MERGE.
1/1/2016	M	22	M1-4a	Delete M, M, CR-SL, CR-SL, CR-ML, CR-ML, E,F and E, F.
1/1/2016	M	22	M1-4ab	Delete CR-SL, CR-SL, CR-ML, CR-ML, E, F and E, F.
1/1/2016	M	22	M1-5b	Delete M, M, CR-SL, CR-SL, CR-ML, CR-ML, E,F and E, F.
1/1/2016	M	22	M1-5bb	Delete M, M, CR-SL, CR-SL, CR-ML, CR-ML, E,F and E, F.
1/1/2016	M	22	M1-6a	Delete M, M, CR-SL, CR-SL, CR-ML, CR-ML, E,F and E, F.
1/1/2016	M	22	M1-9X	New sign panel MRT (with Bicycle Symbol).
1/1/2016	M	23	M1-X4a	Delete CR-SL, CR-ML, E, F
1/1/2016	M	24	M5-1a	Change B-P, R/Rt to B-P, B-Rt
1/1/2016	M	24	M5-2a	Change B-P, R/Rt to B-P, B-Rt
1/1/2016	M	25	M6-1a	Change B-P, R/Rt to B-P, B-Rt
1/1/2016	M	25	M6-2a	Change B-P, R/Rt to B-P, B-Rt
1/1/2016	M	25	M6-3a	Change B-P, R/Rt to B-P, B-Rt
1/1/2016	M	25	M6-4a	Change B-P, R/Rt to B-P, B-Rt
1/1/2016	M	25	M6-5a	Change B-P, R/Rt to B-P, B-Rt
1/1/2016	M	25	M6-X2	New sign panel No U-Turn (Symbol) Black or Green on White
1/1/2016	M	35	M-X2a	New sign panel No U-Turn (Symbol) White on Blue, Brown, or Green
1/1/2016	M	27	M1-X5mw	New sign panel Moms Way (listed under Not Shown)
1/1/2016	M	27	M1-X515	New sign panel Officer Tom Decker MEMORIAL HIGHWAY (listed under Not Shown)
1/1/2016	M	27	M1-X516	New sign panel Officer Richard Crittenden Sr. MEMORIAL HIGHWAY (listed under Not Shown)
1/1/2016	M	27	M1-X517	New sign panel Nicholas Patrick Spehar MEMORIAL HIGHWAY (listed under Not Shown)
1/1/2016	M	27	M1-X518	New sign panel Michael Duane Clickner MEMORIAL BRIDGE (listed under Not Shown)
1/1/2016	M	27	M1-X519	New sign panel Trooper Glen Skalman MEMORIAL HIGHWAY (listed under Not Shown)
1/1/2016	M	27	M1-X520	New sign panel Sergeant Joseph Bergeron MEMORIAL HIGHWAY (listed under Not Shown)
1/1/2016	M	27	M1-X521	New sign panel Officer Scott Patrick MEMORIAL HIGHWAY (listed under Not Shown)
1/1/2016	X	38	X4-2	Change sign name to Type 2 Object Marker (was Culvert Delineator)
1/1/2016	X	38	X4-4	Add sizes 12 x 12**, 12 x 18**, and 18 x 18**. Change notes to: * 12 x 24 (center) shall only be used on exit gores of interchange ramps for snowplow operations. ** Guardrail approach ends. (Was *The Center style shall only be used on exit gores of interchange ramps for snowplow operations.)
1/1/2016	G	28	G20-5aP	New sign panel WORK ZONE
1/1/2016	G	28	G20-X17	New sign panel STOPPED OR SLOW TRAFFIC WHEN FLASHING
1/1/2016	I	35	I-5	Change O to E, F.
1/1/2016	I	35	I-6	Change O to E, F.
1/1/2016	I	35	I-7	Change O to E, F.

1/1/2016	I	35	I-8	Change O to E.
1/1/2016	D	30	D3-X1	Replace sign panel, delete VAR. x 18" and **. Delete notes.
1/1/2016	D	30	D3-X2	New sign panel Lower Afton Rd with arrow.
1/1/2016	D	30	D3-X3	New sign panel Bailey Rd/Maxwell Ave with arrows.
1/1/2016	D	31	D5-1	Change sign panel to REST AREA 2 MILES (was REST AREA 1 MILE).
1/1/2016	D	33	D7-Xp	Change BOAT LAUNCH to BOAT RAMP.
1/1/2016	D	34	D9-X6	Images replaced with new designs (text and numbers are larger).
1/1/2016	E	36	E10-2 Supp	Add sign panel EV-CHARGING
1/1/2016	D	37	E10-13	New sign panel EV CHARGING with arrow.

2016 MnDOT Standard Signs Manual Updates

Date	Sign Code	Description of Change
1/1/2016	D3-X1	Replace image (E Main St), change name and dimensions
1/1/2016	D3-X2	New image, page, and dimensions (Lower Afton Rd) similar to D3-X1
1/1/2016	D3-X3	New image, page, and dimensions (Bailey Rd/Maxwell Ave) similar to D3-X1
1/1/2016	D5-1	Replace image, dimensions (REST AREA 2 MILES)
1/1/2016	D5-1a	Replace image, dimensions (REST AREA NEXT RIGHT)
1/1/2016	D7-X7	Dimension changes (LOBSTER LAKE boat launch)
1/1/2016	D7-XP (1 of 2)	Replace BOAT LAUNCH with BOAT RAMP
1/1/2016	D7-XP (2 of 2)	Replace BOAT LAUNCH with BOAT RAMP
1/1/2016	D9-10a	Dimension changes (TOURIST INFO with arrow)
1/1/2016	PM-7	New symbol, dimensions (Designated Bike Detector System) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-9	New symbol, dimensions (Designated Shared Lane Marking) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-13	New symbol, dimensions (Standard Characters - A,B,C,D,E,F) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-14	New symbol, dimensions (Standard Characters - G,H,I,J,K,L) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-15	New symbol, dimensions (Standard Characters - M,N,O,P,Q,R) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-16	New symbol, dimensions (Standard Characters - S,T,U,V,W,X) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-17	New symbol, dimensions (Standard Characters - Y,Z,1,2,3,4) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-18	New symbol, dimensions (Standard Characters - 5,6,7,8,9,0) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-19	New symbol, dimensions (Yield Pavement Markings) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-20	New symbol, dimensions (Railroad Pavement Markings) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-21	New symbol, dimensions (Standard Words - YIELD, EXPRS) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-22	New symbol, dimensions (Standard Words - STOP, LANE) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-23	New symbol, dimensions (Standard Words - BIKE, XING) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-24	New symbol, dimensions (PED, ONLY) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-25	New symbol, dimensions (SCHOOL, AHEAD) <i>*See 7/1/2016 update below</i>
1/1/2016	PM-26	New symbol, dimensions (Accessible Parking Symbol) <i>*See 7/1/2016 update below</i>
1/1/2016	E1-5P	Exit Number (Plaque) dimensions and notes
1/1/2016	E10-1 Supplement	Add EV-CHARGING overlay, dimensions (Motorist Services Sign Overlays)
1/1/2016	E10-13	New page (EV-CHARGING - with Arrows)
1/1/2016	E11-1b	Dimension (ONLY)
1/1/2016	R2-6Ap	Delete FINES DOUBLE
1/1/2016	R2-6bP	New sign \$300 FINE
1/1/2016	R2-6C	Delete END WORK SPEED ZONE
1/1/2016	R2-12	New sign END WORK ZONE SPEED LIMIT
1/1/2016	R3-4a	New sign No U-Turn
1/1/2016	R3-5	Add 48 X 60 dimensions (Mandatory Lane Use Turn Arrow)
1/1/2016	R3-5a	Add 48 X 60 dimensions (Mandatory Lane Use Through Arrow)
1/1/2016	R3-6	Add 48 X 60 dimensions (Optional Lane Use Arrows)
1/1/2016	R3-7	Add ALL TRAFFIC MUST TURN LEFT sign (Mandatory Turn Signs)
1/1/2016	R3-8 (3 of 3)	Sign Title changes, notes (Lane-Use Control Signs)
1/1/2016	R3-9a	Title changed to Two-Way Left Turn ONLY (was Center Lane - Left Turn ONLY)
1/1/2016	R3-9b	Title changed to CENTER LANE ONLY Two-Way Left Turn Only (was CENTER LANE ONLY)
1/1/2016	R3-X3	Title changed to HOV RAMP (was RIGHT LANE MUST EXIT)
1/1/2016	R4-X8a	Dimension (BYPASS AND TURN LANE)
1/1/2016	R5-10d	Dimensions (PEDESTRIANS, BICYCLES, MOTORIZED BICYCLES.....)
1/1/2016	R6-1	Dimensions (ONE WAY Arrow)
1/1/2016	R9-9a	Dimension (TRAIL CLOSED)
1/1/2016	R9-11	Dimensions (SIDEWALK CLOSED AHEAD CROSS HERE with Arrow)
1/1/2016	R9-11a	Dimensions (SIDEWALK CLOSED CROSS HERE with Arrow)
1/1/2016	R10-6	Dimensions (STOP (WAIT) HERE ON RED with Arrow)
1/1/2016	R10-15a	Dimensions (TURNING VEHICLES STOP FOR Pedestrians (with Symbols)
1/1/2016	R10-X13	Dimensions (U-TURN YIELD ON FLASHING YELLOW ARROW)
1/1/2016	R11-3b	Dimensions (BRIDGE OUT __ MILES AHEAD LOCAL TRAFFIC ONLY)

1/1/2016	R16-X14	Delete FINES DOUBLE IN WORK ZONES
1/1/2016	G20-5aP	Dimensions (WORK ZONE)
1/1/2016	G20-X17	Dimensions (STOPPED OR SLOW TRAFFIC WHEN FLASHING)
1/1/2016	W1-11	New page (Hairpin Curve)
1/1/2016	W3-8	Dimensions (RAMP METERED WHEN FLASHING)
1/1/2016	W3-X8A, W3-X8aP	Dimensions (ENTERING TRAFFIC (WHEN FLASHING))
1/1/2016	W8-9	Dimensions (LOW SHOULDER)
1/1/2016	W8-12a	Dimensions (NO CENTER STRIPE)
1/1/2016	W14-3	Dimensions (NO PASSING ZONE) - using the federal design.
1/1/2016	W16-5mP	Dimension (Horizontal Supplemental Arrow)
1/1/2016	W16-9P	Add Corresponding Diamond Size Chart, add to notes (Yellow or fluorescent...) (AHEAD)
1/1/2016	W19-1	Dimensions (FREEWAY ENDS 1 MILE)
1/1/2016	W20-X6	Dimensions (BYPASS AHEAD)
1/1/2016	W20-X13	New sign RIGHT (LEFT) 2 (3) LANES CLOSED (was RIGHT (LEFT) TWO LANES CLOSED)
1/1/2016	W20-X19	New page (BEGIN MERGE)
1/1/2016	W21-6a	Dimensions (SURVEY CREW AHEAD)
1/1/2016	W21-X5	Dimensions (RIGHT (LEFT) (CENTER) LANE CLOSED)
1/1/2016	X4-3	Sign name change to Type 2 Object Marker (was CULVERT DELINEATOR)
1/1/2016	X4-4 (1 of 2)	Added sizes 12x18, 18x18, 12x12 (Type 3 Object Marker)
1/1/2016	Pg. 108	Add to notes(Where W is 54", H is 18", b=9")Mounting Holes (Punch Codes G, H, M)
1/1/2016	M1-9X	New Page MRT BIKE ROUTE
1/1/2016	M1-X3	Dimension (Township Route Marker)
1/1/2016	M1-X4	Dimension (County Route Marker)
1/1/2016	M3-1	Dimensions (NORTH (White))
1/1/2016	M3-1a	Dimensions (NORTH (Blue))
1/1/2016	M3-2	Dimensions (EAST (White))
1/1/2016	M3-2a	Dimensions (EAST (Blue))
1/1/2016	M3-3	Dimensions (SOUTH (White))
1/1/2016	M3-3a	Dimensions (SOUTH (Blue))
1/1/2016	M3-4	Dimensions (WEST (White))
1/1/2016	M3-4a	Dimensions (WEST (Blue))
1/1/2016	M4-1	Dimensions (ALTERNATE)
1/1/2016	M4-2	Dimensions (BY-PASS)
1/1/2016	M4-3	Dimensions (BUSINESS)
1/1/2016	M4-4	Dimensions (TRUCK)
1/1/2016	M4-7	Dimensions (TEMPORARY)
1/1/2016	M4-9ma	Dimensions (Bicycle and Pedestrian DETOUR (with Arrow and Symbol))
1/1/2016	M4-9mb	Dimensions (Pedestrian Detour (with Arrow))
1/1/2016	M4-9mc	Dimensions (Bicycle DETOUR (with Arrow))
1/1/2016	M5-1a	Dimensions (Advance Turn Arrow 90° (Blue, Brown, or Green))
1/1/2016	M5-2a	Dimensions (Advance Turn Arrow 45° (Blue, Brown, or Green))
1/1/2016	M6-1a	Dimension (Directional Arrow - Single Head Horizontal (Blue, Brown, or Green))
1/1/2016	M6-2a	Dimension (Directional Arrow Single Head 45° (Blue, Brown, or Green))
1/1/2016	M6-3a	Dimension (Directional Arrow Single Head Vertical)
1/1/2016	M6-4a	Dimension (Directional Arrow Double Head Horizontal)
1/1/2016	M6-X2	New Page - Directional Arrow U TURN (white)
1/1/2016	M6-X2a	New Page - Directional Arrow U TURN (blue, brown, or green)
7/1/2016	PMA-1	New message number - Straight Pavement Marking Arrow
7/1/2016	PMA-2	New message number - Turn Pavement Marking Arrow
7/1/2016	PMA-3	New message number - Turn, Straight Pavement Marking Arrow
7/1/2016	PMA-4	New message number - Left, Right Turn Pavement Marking Arrow
7/1/2016	PMA-5	New message number - Right Left Turn, Straight Pavement Marking Arrow
7/1/2016	PMA-6	New message number - Pavement Transition Arrow
7/1/2016	PMA-7	New message - Wrong Way Arrow
7/1/2016	PMC-1	New message number - Standard Characters - A,B,C,D,E,F
7/1/2016	PMC-2	New message number - Standard Characters - G,H,I,J,K,L

7/1/2016	PMC-3	New message number - Standard Characters - M,N,O,P,Q,R
7/1/2016	PMC-4	New message number - Standard Characters - S,T,U,V,W,X
7/1/2016	PMC-5	New message number - Standard Characters - Y,Z,1,2,3,4
7/1/2016	PMC-6	New message number - Standard Characters - 5,6,7,8,9,0
7/1/2016	PMS-1	New message number - Designated Bike Detector System
7/1/2016	PMS-2	New message number - Designated Bike Symbol
7/1/2016	PMS-3	New message number - Designated Shared Lane Marking
7/1/2016	PMS-4	New message number - HOV Pavement Marker
7/1/2016	PMS-5	New message number - Do Not Tailgate Pavement Dot
7/1/2016	PMS-6	New message number - Yield Pavement Markings
7/1/2016	PMS-7	New message number - Railroad Pavement Marking
7/1/2016	PMS-8	New message number - Accessible Parking Symbol
7/1/2016	PMW-1	New message number - Standard Words - YIELD, EXPRS
7/1/2016	PMW-2	New message number - Standard Words - STOP, LANE
7/1/2016	PMW-3	New message number - Standard Words - BIKE, XING
7/1/2016	PMW-4	New message number - Standard Words - PED, ONLY
7/1/2016	PMW-5	New message number - Standard Words - SCHOOL, AHEAD