

Section 21: Internet Resource List

Section 21

Internet Resources List

Code of Federal Regulations

www.gpo.gov/fdsys/browse/collectionCfr.action?collectionCode=CFR

Federal Motor Carrier Safety Administration

www.fmcsa.dot.gov

Federal Register

www.gpo.gov/fdsys/browse/collection.action?collectionCode=FR

First Gov - The U.S. Government's Office Web Portal

www.usa.gov

Minnesota Department of Human Services

www.dhs.state.mn.us

Minnesota Department of Public Safety

https://dps.mn.gov/Pages/default.aspx

Minnesota Department of Transportation

www.mndot.gov

MnDOT Office of Freight and Commercial Vehicle Operations

www.mndot.gov/cvo

National Highway Traffic Safety Administration

www.nhtsa.gov

Northstar - (Minnesota State Government)

www.mn.gov

Office of the Revisor of Statutes (MN Laws and Rules)

www.revisor.mn.gov

Transportation Safety Institute

www.rita.dot.gov/tsi/

U.S. Code

http://uscode.house.gov

U.S. Department of Transportation

www.dot.gov

US DOT Pipeline and Hazardous Materials Safety Administration

www.phmsa.dot.gov/hazmat

HIGHWAY-RAIL GRADE CROSSINGS

EMERGENCY NOTIFICATION SYSTEM (ENS)





Keeping Railroads and the Public Safe

The mission of the Federal Railroad Administration (FRA) is to enable the safe, reliable and efficient movement of people and goods for a strong America, now and in the future.



U.S. Department of Transportation Federal Railroad Administration

In Case of Emergency

- Locate the blue and white Emergency Notification System (ENS) sign at the grade crossing.
- Call for help! Call the railroad's emergency contact number listed on the blue sign.
- Communicate your location, by providing the identification number (see below) and state the nature of the emergency to the dispatcher.

The ENS sign includes:



- 1. Each railroad's emergency contact number:
- The U.S. Department of Transportation (USDOT) National Crossing Inventory Number, which identifies the exact location of the crossing to the railroads.

Emergencies and safety concerns at the grade crossing should be reported by using the information on the ENS sign.



