



Minnesota Department of Transportation

Office of Environmental Stewardship (OES)
Erosion and Storm Water Management Unit
Mail Stop 620
395 John Ireland Blvd.
St. Paul, MN 55155

Office Tel: 651-366-3629
Fax: 651-366-3603

Memo

TO: District 1

FROM: Brett Troyer, P.E.
Erosion Control Engineer

DATE: September 22, 2016

SUBJECT: Vegetation Establishment Recommendations

Please distribute this memorandum to personnel designing projects in your district, including consultants

This letter contains the vegetation establishment recommendations for projects in **DISTRICT 1**. Specifying appropriate soil preparation practices, seed, stabilization methods and vegetation establishment methods is key to controlling erosion and permanent vegetation establishment.

The items outlined in this memo should be utilized as the default practice for identifying items needed for erosion control or permanent vegetation. Localized conditions may need special seed mixtures or erosion control methods. Questions regarding this memo, or development of any special erosion control measures or seed mixes, should be defined in project special provisions after consultation with OES personnel.

Technical support contact for District 1 is **Dwayne Stenlund, 651-366-3625**

This memo contains guidance information for designers and includes two summary attachments. Attachment 1 provides items for erosion prevention and sediment control during temporary soil exposure. Temporary erosion control recommendations may not be required in areas that are staged to be completed within the required time limits for soil stabilization (typically set by USCOE, MPCA or DNR permitting). When possible, those areas should go directly to permanent vegetation establishment. Attachment 2 is divided into five steps for identifying necessary items to include in a plan set for permanent vegetation establishment.

Soil

1. *Slope Dressing*

All topsoil's should be salvaged and retained on site for use on the project. This is to minimize erosion potential, minimize introducing new weed seed, and provide for sustainable plant growth. Include an earthwork summary and notes in the plans. Areas where topsoil is known to have an infestation of noxious weeds that soil will need to be taken care of separately, contact OES for Special Provisions.

Four to six inches of topsoil should be utilized as slope dressing in all areas to be seeded. If there is a shortage of available topsoil use one of the two methods to supplement the shortage:

- a. Use, existing muck soils (up to 20% organic matter) mixed with granular subsoils at a ratio of 1:2 to create a topsoil-like material. Designers will need to calculate excess quantities of excavated muck soils and available granular soils to complete this step and identify it in the plans. Or,
- b. Use Common Topsoil Borrow.

Soil tests are always recommended during the design process to provide baseline Soil Health. Soil Health includes the micro/ macro nutrients (Nitrogen, Phosphorous, and Potassium), pH as well cation exchange and soluble salts. Knowing these values will guide us to the need for fertilizer, lime, gypsum and other soil

amendments. This will help to maximize vegetation establishment and minimize impacts to our waters. The University of Minnesota (U of M) Soil Testing and other private laboratories can perform the soil analysis and provide recommendations for fertilizer ratios/rates as well as other soil amendments. Request the U of M Soil Analysis Package 2 for Professional Turf Management or equivalent to obtain the baseline Soil Health values.

District 1 area has several general base soil types (Table 1), and most are dominated by thin topsoil on rock and clay. However, each project may have all of these types, plus muck and peat soils. On soils of the Superior Lake Plain, consider adding topsoil in the form of organic matter (compost).

Table 1 Soil Types by Counties		
MLRA Region 10	Soil Textural Classification	District Counties
Superior Lake Plain	Rock, clay, clay loam	Cook, Lake, St. Louis, Carlton
Thin Loess and till	Loamy sediment, sand, gravel, muck	St. Louis, Carlton, Pine, Aitkin
Superior Stoney and Rocky Loamy Plains and Hills	Coarse loamy, sand and clay	Cook, Lake, St. Louis, Koochiching
Grey Drift	Clay and sand	St Louis, Itaska
Glacial Lake Basins	Loamy clay	St. Louis, Koochiching, Itasca, Aitkin
Sandy Drift	Sandy loam	Pine

2. *Topsoil Material (Spec 3877)*

These are soils that are provided to solve availability, specific slope, bio-retention, bio-detention and ditch stability problems.

- a. Common Topsoil Borrow: General use topsoil to supplement existing topsoil to meet the minimum depth of 4 inches.
- b. Loam Topsoil Borrow: General use topsoil for landscape and planting beds if soils are deficient in rooting potential.
- c. Sandy Clay Loam Topsoil borrow: A processed topsoil for placement on turf reinforcement mats, cellular confinements systems, tied or untied concrete mats, and for tree root protection or restoration.
- d. Rooting Topsoil Borrow: General rooting soils, with excellent drainage characteristics composed of three material components of sand, compost and loam topsoil borrow
- e. Boulevard Topsoil Borrow: A median landscape bed media that supplies proper level of compaction, water holding capacity and nutrient retention of equal parts of loam, sand, and compost
- f. Filter Topsoil Borrow: A water quality planting and infiltration/filtration medium composed of a sand /compost blend.
- g. Organic Topsoil Borrow: A turf growing medium to supplement existing poor topsoil, consisting of a blend of the salvaged topsoil and compost.

Soil Preparation (Spec 2574)

Identified as Step 1 in the Permanent Vegetation Establishment table (Attachment 2)

1. *Subsoiling*

Designate areas that are not to be used for staging, or driving (eg. infiltration treatments, wetland soil edges, certain utilities, Areas of Environmental Sensitivity). Storage areas for equipment, stockpiles, and materials (i.e. Precast Median Barriers), temporary haul and access roads must be de-compacted before final turf establishment. Provide a subsoiling pay item quantity for these areas where vegetation is proposed.

2. *Soil Bed Preparation*

Provide this for all areas that will require turf establishment. Provide in the plans soil bed preparation, pay item 2574.578.

3. *Lime (Spec 3879)*

Lime is helpful in establishing vegetation in acidic type soils. Lime recommendations are typically based on soil test pH results. Lime will be necessary if the soil pH is 6.3 and below. Provide 3 tons per acre of lime in Pine County.

4. *Fertilizer (Spec 3881)*

The three types for vegetation establishment are as follows; Type 1 is commercial, type 3 is slow release nitrogen, and type 4 is natural base. It is the designer's responsibility to include the fertilizer analysis (N:P:K ratios) and application rates as a note in the statement of estimated quantities or tabulation sheets. One example is shown below (quantities, analysis, and application rates will need to be filled in appropriately):

STATEMENT OF ESTIMATED QUANTITIES						
Tab	Sheet No.	Item No.	Description	Unit		Total Estimated Quantities
A	123	2574.508	Fertilizer Type 3	(1)	LB	xxx
A	123	2574.508	Fertilizer Type 4	(2)	LB	xxx

(1) Fertilizer analysis xx-xx-xx, application rate aaa lbs/acre for seed areas

Fertilizer analysis xx-xx-xx, application rate bbb lbs/acre for sod areas

(2) Fertilizer analysis yy-yy-yy, application rate ccc lbs/acre for seed areas

If you have multiple fertilizer analyses of the same fertilizer type it can further be broken down and shown in the tab sheets to for the pounds of each.

Turf Establishment (Spec 2575)

Turf establishment lump sum is for establishing permanent soil covers for small areas, typically under 2.5 acres in size. These would include turn lane construction, lighting projects, and culvert replacement.

NOTE: Provide a note in the statement of estimated quantities or tabulations that modifies any of the standard language of this item as shown in 2575.3 L specification.

Temporary Erosion Control is not part of this item and will need to be addressed and incorporated into the plans separately.

Seed (Spec 2575)

Identified as Step 1 in Attachment 1 and Step 2 in Attachment 2

1. *Seeding (Spec 2575)*

- a. Provide a seeding pay item for all temporary and permanent seeding operations.
- b. For temporary seeding purposes provide the following;
 - i. Use the seeding pay item when seeding contiguous areas larger than 2.0 acres.
 - ii. Use rapid stabilization methods for areas that are: less than 2.0 acres, near water, or where stormwater leaves project limits. The plan must indicate areas for Rapid Stabilization; quantities should include an estimate of multiple applications based on staging or phase of construction. These are for small critical areas, scattered over the project site. Use in Areas of Environmental sensitivity (AES) and may be noted on plan sheet as 'Site Management Plan Area.

The seeding method depends on the soil type and existing plant materials. On occasion there may be need to indicate the seeding method for final or temporary stabilization.

- Drill seeding
 - i. Specify drill inter-seeding for native or general seed mixtures when seeding into either an established temporary vegetative cover or areas where temporary straw mulch is placed.
- Broadcast seeding
 - i. Hydraulic application: Specify in all plans for temporary seeding and seeding of difficult areas such as slopes steeper than 1:2, limited access, or saturated soils.
 - ii. Hand application: Specify for small areas, areas under maintenance restrictions, and erosion failures. This can be for either native or general seed mixtures. If hand raking of seeding is specified, indicate as incidental.

2. *Seed Mixture (Spec 2575, 3876)*

MnDOT is increasing the use of native species on the roadsides. The 2X-XXX series (composed of primarily non-native species) will continue to be utilized on regularly mowed areas such as in-slopes (e.g. top 8-15ft) and residential and commercial areas. The 3X-XXX series (composed primarily of native species) were designed to protect and enhance natural resources, promote biodiversity, support pollinator habitat, display native vegetation, introduce travelers to the regional physical or biological character of the native landscape, and enhance visual quality by using vegetation to frame or screen views to and from the roadway corridor.

The seed mixture will depend on location (within project or region of the state), functional outcome, and soil type. Seed mixes are formulated to provide quicker cover initially while the longer term species establish. The seed mix application rates are based on Pure Live Seed (PLS) and the seed mix number provides information about the use and content of the mix. This numbering system can be used to guide the designer in choosing the right mix for a given site on the project.

See Attachments 1 & 2 for general seed recommendations. For specific composition of a seed mix refer to the MnDOT Seeding Manual. If the project has unique seed requirements (such as wetland restoration, Areas of Environmental Sensitivity, etc.) consult with OES for guidance.

a. Temporary Seed Mixtures (3876) - see Attachment 1

Provide a seed pay item for temporary seeding purposes when seeding contiguous areas larger than 2.0 acres. Seed mixture 21-xxx is for short term stabilization of 1 season and 22-xxx is for longer term stabilization, 2 or more seasons.

b. Permanent Seed Mixtures (3876) - see Attachment 2

It will become more common to have projects with both native mixes and non-native mixes. An example would be to have native mixes (3X-XXX series) on the back-slope and ditch bottom, while the in-slope and/or median may be a non-native mix (2X-XXX series). The use of native seed mixes are often required adjacent to public lands (E.G. parks and forests under federal or state jurisdiction), or used to mitigate impacts regulated by other agencies.

This is a standard condition of the DNR General Permit to MnDOT for repair or bridges and culverts (GP2004-0001). The DNR may also require that native vegetation be utilized when projects run through or adjacent to DNR managed lands such as Wildlife Management Areas, Scientific & Natural Areas, Public Access, State Parks, State Forests, etc.

Native vegetation suitable to the local habitat is also recommended when projects run through or adjacent to areas that include rare species, in areas identified as a Site of Biodiversity Significance, or in an Area of Environmental Sensitivity (AES). The DNR is not alone in these requirements. Use of native vegetation can come up by request from adjacent landowners or in other regulatory compliance measures (see environmental documentation and permits).

For ADA projects, use the seed mixes or sod types recommended for frequently mowed areas in the SEED section of attachment 2.

Steep slopes with a north aspect may need a custom mixture dominated by shade tolerant cool season grasses. Consult with OES for these situations.

3. Sod (Spec 2575, 3878)

Sod should be used in areas where it can be maintained or as necessary for instant erosion control. Areas where sod may be considered are residential lawns, urban areas, and areas of concentrated flow where erosion is a concern. It is important to specify the correct type of sod (Lawn, Mineral, or Salt tolerant) for the area. Lawn Sod is appropriate for residential use; Mineral Sod is appropriate for granular, sandy soils; Salt-tolerant Sod is appropriate for high traffic areas at boulevards, road edges, and medians where salt use is expected.

Stabilizing Covers (Spec 2575)

All projects will have one or more of the following stabilizing covers to limit erosion and aid in plant germination. Identified in Attachments 1 & 2

1. Mulch (Spec 3882)

MnDOT recommends that all projects use Type 3 Mulch, but it is not a standard. Type 3 Mulch is a clean grain straw, certified to be free of noxious weeds by the Minnesota Crop Improvement Association.

NOTE: Use Type 1 or Type 3 mulch in areas that are 2 acres and larger and/or widths greater than 8 feet.

- a. *Type 1 Mulch*: Use as an alternative to Type 3 Mulch with Non-native seed mixtures. Provide disk anchoring for this item.
 - b. *Type 3 Mulch*: Use in areas that specify native seed mixes. Provide disk anchoring for this item.
 - c. *Type 4 Mulch*: Use in areas where crimping is difficult and on slopes without ravine drainage (specify either Type 1 or 3 Mulch, depending on seed mixture).
 - d. *Type 5 Mulch*: made from ground-up grubbed trees, can be used in combination with silt fence in ditch bottoms to provide flow control and nutrient adsorption, traction on clay soils, tree root protection, slash mulch for slopes, and temporary access roads.
 - e. *Type 6 Mulch*: Use in Landscape beds.
2. *Erosion Control Blankets* (Spec 3885)*

The netting is available in several forms and categorized by degradation, type (synthetic or natural), and function.

All ditches that discharge water off the site should have additional quantities of blanket for the last 200 feet for temporary conditions associated with all stages of the project. Most soil or compost filled riprap will require a blanket to aid in germination and soil protection during flow conditions. In critical areas, specify as a note in the Statement of estimated quantities or tabulations that maintenance on the blanket is required.

- a. *Category 0*: Short lived, rapid degrade. For slopes <1:3 with regular mowing. This includes areas where turf grass seed is specified.
- b. *Category 3***: For slopes 1:3 to 1:2 and channel grades $\leq 3\%$.
- c. *Category 4***: For slopes between 1:2 and 1:1 and channel grades <5%. Typically specified with erosion stabilization mats for seed germination.
- d. *Category 6*: *Semi* Permanent surface stabilization. Not soil filled. For channel grades < 7 %.

***NOTE:** Include the standard detail sheet for the head trench and stapling pattern when blankets are specified in the plans.

****NOTE:** Category 3 & 4 control blankets now have the suffix P or N as a pay item. P is for synthetic netting and N is for natural netting. These suffixes must be identified in pay item tabulations. Synthetic netting (3P or 4P) may be prohibited due to adjacent landowner requests, mow areas, permit requirements, or rare species. When N is designated for permanent then N will be designated for temporary. Check environmental review documentation and permits prior to selecting this item. Natural netting (3N or 4N) or other methods of mulch protection should be specified for these situations. Provide a note in the statement if estimated quantities or tabulation sheets if wood fiber is desired.

3. *Hydraulic Erosion Control Products (3884)*

Hydraulic matrix products can be used both for temporary conditions and permanent turf establishment.

- a. Use Hydraulic mulch for short term temporary cover such as stockpiles and slopes that do not receive concentrated flow. Use a 3x-5x multiplier of the permanent turf areas for each construction season. This also can be used as an alternate to Type 1 Mulch on flat lawn areas.
- b. Use Hydraulic Bonded Fiber Matrix for difficult access locations with safety concerns and without concentrated storm water flows. May prevent rapid seedling establishment.
- c. Use Hydraulic Reinforced Fiber Matrix for longer term temporary cover for erosive soils and for over wintering conditions. This also can be used as an alternate to erosion control blanket for permanent turf establishment, except in ditches.
- d. Use Hydraulic Compost to supplement weak sandy soils and act as an erosion control mat for use on slopes less than 1:6.

Poly Coverings (Spec 3888)

Alternatives to temporary seeding or Rapid Stabilization consider using temporary poly covering in areas adjacent to rivers, bridge abutments, and other steep slope. The contractor will be able to 'open and close' this cover every day while completing the work. Include a pay item 2575.518 temporary poly covering.

NOTE: Provide a note in the statement of estimated quantities or tabulations which poly covering is required, if any. Woven geotextile type V; reinforced poly tarp; or reinforced polyethylene sheeting.

Turf Reinforcement Mats (Spec 3885)

All turf reinforcement mats (TRM's) are soil filled with Sandy Clay Loam Topsoil Borrow. The TRM should be designed based on bed shear. Categories 1-3 provide a range of bed shear stabilization between 2.1 and 8lbs/ft². Category 4 is for steep slope surface stabilization where high tensile strength is required. When a TRM is called for in the plan, provide the appropriate category of erosion control blanket (typically Category 4) as a separate pay item.

NOTE: Provide special installation details in the plan that includes head and check trenching, overlap, and stapling, pin, rod or some other attachment. Contact OES for these details.

Watering (Spec 2575)

For areas where it is critical to obtain good turf cover water is a must. For watering slopes adjacent to infiltration areas and ponds provide a watering pay item. For watering of Turf Reinforcement Mats, steep slopes, and RSS walls provide temporary irrigation/water by special provision. Contact OES for watering provision guidance.

Vegetation establishment and Weed Control (Spec 2575)

Identified as Step 5 'Establishment' in Attachment 2

1. *Mowing*

Provide a mowing pay item on projects with seeding and duration of more than three months. The suggested quantity in Attachment 2 is an average and may need to be adjusted based on the project.

NOTE: Include the following in the construction notes:

- *Mowing schedule (to the extent possible within the time frame of the project):*
 - Mow after seeding and starting when the majority of vegetation is 12"-18" high. Set mower to a height of 6" – 10".*
 - Mow non-native seeding areas once or twice to control weeds.*
 - Mow native seeding areas approximately 3 times at 1-month intervals in the first growing season after planting, and 2 times at 1-month intervals in the second growing season.*

2. *Weed Spraying*

Include weed spraying and weed spray mixture pay items on all projects. Attachment 2 shows an approximate quantity to use as well as a general herbicide recommendation. This herbicide will control most noxious weeds but not all. Noxious weed locations can be obtained from district maintenance staff. If specific noxious weed issues are known during the design phase, contact OES Roadside Vegetation management Unit to for more site-specific recommendations.

NOTE: Provide the following note in the tabulations:

- Weed spraying to be done throughout the project to control and prevent the spread of weeds. Submit a pesticide application record to the engineer for each application. Weed spraying will be measured by the area covered or area spot sprayed by herbicide and successfully applied as indicated by dead noxious weeds. Weed spray mixture will be measured by volume of herbicide furnished and used.

Attachment 1: Temporary Erosion Control Recommendations

Attachment 2: Permanent Vegetation Establishment

Attachment 1: Temporary Erosion Control Recommendations

These recommendations are for general temporary erosion control general. Select the appropriate items at each step. To address different conditions within a project, it is likely that more than one item from each step (or pairings between steps) will be required for your project.

Step 1:

SEED MIXTURES					
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes	
2575.502	SEED MIXTURE 21-111	100 LBS/ACRE	LB	less than 1 year, spring/summer seeding	
2575.502	SEED MIXTURE 21-112	100 LBS/ACRE	LB	for less than one year, fall seeding	
2575.502	SEED MIXTURE 21-113	110 LBS/ACRE	LB	for less than one year, use on poor soils	
2575.502	SEED MIXTURE 32-241	38 LBS/ACRE	LB	for 1-5 years, where native mixes will be used for permanent establishment	
2575.502	SEED MIXTURE 22-111	30.5 LBS/ACRE	LB	for 1-2 years	where turf or introduced mixes will be used for permanent establishment
2575.502	SEED MIXTURE 22-112	40 LBS/ACRE	LB	for 3-5 years	

Step 2:

FERTILIZER					
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes	
2575.532	FERTILIZER TYPE 1	200 LBS/ACRE	LB	according to soil test or 10-10-20	

Step 3:

STABILIZING COVERS					
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes	
2575.511	MULCH TYPE 1	2 TONS/ACRE	TON	Slopes <1:3	Where 2X-XXX mixes will be used permanent
2575.511	MULCH TYPE 3	2 TONS/ACRE	TON	Slopes <1:3	Where 3X-XXX mixes will be used for permanent
2575.519	DISK ANCHORING		ACRE		
2575.560	HYDRAULIC MULCH		LB	Stock piles, slopes <1:6	
2575.562	HYDRAULIC STABILIZED FIBER MATRIX	3000 lbs/ACRE	LB	Season of construction	Use on slopes <1:3 , stockpiles
2575.562	HYDRAULIC BONDED FIBER MATRIX	3500 lbs/ACRE	LB	Season of construction	Use on slopes ≤1:1
2575.562	HYDRAULIC REINFORCED FIBER MATRIX	3900 lbs/ACRE	LB		Use on slopes ≤ 1:1 and over winter
2575.518	TEMPORARY POLY COVERINGS	NA	SQ YD	For areas adjacent to public waters, steep slopes, bridge abutments. (May require a note in tabulations see body of letter.)	
2575.570	RAPID STABILIZATION METHOD 2	NA	ACRE	For areas up to 2 acres; use on slopes < 1:3 within 200 feet of surface waters. (min ½ acre)	
2575.571	RAPID STABILIZATION METHOD 3*	6MGAL/acre	MGAL	For areas up to 1.5 acres; use on slopes <1:3, within 200 feet of surface waters (min ½ acre unit area application)	

Step 3:

STABILIZING COVERS				
2575.572	RAPID STABILIZATION METHOD 4*	NA	SQ. YD.	Fore areas up to 800 sq yd; use on slopes 1:3 – 1:2, ditches <4%, within 200 feet of surface waters.
*Modify seed mix as a note in the Statement of estimated quantities or tabulations if permanent vegetation establishment is considered.				

Attachment 2: Permanent Vegetation Establishment Recommendations

These recommendations are for general vegetation establishment. Select the appropriate items at each step. To address different conditions within a project, it is likely that more than one item from each step (or pairings between steps) will be required for your project.

Step 1:

SOIL PREPARATION				
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes
2574.575	SUBSOILING	NA	ACRE	Use on all projects
2574.578	SOIL BED PREP	NA	ACRE	Use on all projects

Step 2:

SEED *				
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes
2575.501	SEEDING	NA	ACRE	Use on all projects
2575.502	SEED MIXTURE 36-311	33.5 LBS/ACRE	LB	For backslopes, dry ditches, areas not regularly mowed, or areas above stormwater treatment and riparian plantings
2575.502	SEED MIXTURE 33-361	35 LBS/ACRE	LB	For stormwater treatment and riparian areas: 10ft on slope from normal water level (e.g. retention ponds, streambanks, wetlands, lakes), bottom and 3ft on slope from bottom within infiltration ponds or wet ditches.
2575.502	SEED MIXTURE 25-141	59 LBS/ACRE	LB	For in-slopes (e.g. top 8-15ft) and regularly mowed areas
2575.502	SEED MIXTURE 25-121	61 LBS/ACRE	LB	
2575.502	SEED MIXTURE 25-151	120 LBS/ACRE	LB	Use in residential areas
2575.505	SOD TYPE LAWN	NA	SQ YD	
2575.502	SEED MIXTURE 25-131	220 LBS/ACRE	LB	Use in commercial areas
2575.505	SOD TYPE SALT TOLERANT	NA	SQ YD	Use in areas where salt use is expected (boulevards, road edges, and medians)

* Native Vegetation (3X-XXX seed mix series) may be required due to adjacent landowner, permit requirements, rare species, or Areas of Environmental Sensitivity (Check Environmental Review documentation and permits).

Step 3:

FERTILIZER				
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes
2574.508	FERTILIZER TYPE 1 (commercial)	350 LBS/ACRE	LB	Use with 2X-XXX seed mixes in areas away from water; 20-10-20
2574.508	FERTILIZER TYPE 3 (slow release)	200 LBS/ACRE	LB	Use with 2X-XXX seed mixes near water or for sod; 22-5-10
2574.508	FERTILIZER TYPE 3 (slow release)	350 LBS/ACRE	LB	Use with 3X-XXX seed mixes in areas away from water; 22-5-10
2574.508	FERTILIZER TYPE 4 (natural based)	120 LBS/ACRE	LB	Use with 3X-XXX a near water; 18-1-8 for loam & clay loam, 17-10-7 for sandy soils

* These fertilizer analyses and rates are general recommendations. For best results the analysis and rates should be based on a soil test.

Step 4:

STABILIZING COVERS					
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes	
2575.526	COMPOST BLANKET	NA	SQ YD	Use on boulevards with poor soils	Use on slopes < 1:4
2575.511	MULCH TYPE 1 (clean straw/hay)	2 TONS/ACRE	TON	For 2X-XXX seed mix series	Use on slopes ≤1:3
2575.511	MULCH TYPE 3 (certified grain straw)	2 TONS/ACRE	TON	For 3X-XXX seed mix series	
2575.519	DISK ANCHORING	NA	ACRE	Use with mulch Type 1 or 3	
2575.511	MULCH TYPE 5 (wood slash)	NA	TON	Slash mulch from onsite clearing and grubbing. Typically used up with temporary erosion control measures. Though if available, use for tree or shrub protection.	
2575.511	MULCH TYPE 6 (woodchips)	NA	TON	For Landscape beds and plantings	
2575.511	MULCH TYPE 9 (aggregate mulch)	NA	TON	For landscape beds	
2575.523	EROSION CONTROL BLANKET, CATEGORY 3N (natural netting)	NA	SQ YD	Use on slopes ≤1:2, ditch grades, AES, shoulder mow areas	
2575.523	EROSION CONTROL BLANKET, CATEGORY 3P (synthetic netting)	NA	SQ YD	Use may be prohibited due to adjacent landowner, permit requirements, or rare species. (Check Environmental Review documentation and permits)	Use on slopes ≤ 1:2, or ditch grades
2575.523	EROSION CONTROL BLANKET, CATEGORY 4N (natural netting)	NA	SQ YD	Use on slopes ≤1:1, ditch grades, AES	
2575.523	EROSION CONTROL BLANKET, CATEGORY 4P (synthetic netting)	NA	SQ YD	Use may be prohibited due to adjacent landowner, permit requirements, or rare species. (Check Environmental Review documentation and permits)	Use on slopes ≤ 1:1 or ditch grades
2575.560	HYDRAULIC Compost	3000lbs/ACRE	LB	Add for poor soils.	
2575.560	HYDRAULIC Mulch	2100lbs/ACRE	LB	May be used for permanent vegetation establishment in flat areas. Typically utilized for temporary erosion control.	
2575.560	HYDRAULIC Stabilized Fiber Matrix (SFM)	3000 lbs/ACRE	LB	Low strength fiber matrix, for use on slopes ≤1:3	
2575.560	HYDRAULIC Bonded Fiber Matrix (BFM)	3500 lbs/ACRE	LB	Medium strength fiber matrix, for use on slopes ≤1:1	
2575.560	HYDRAULIC Reinforced Fiber Matrix (RFM)	3900 lbs/ACRE	LB	Stronger fiber matrix, for use on slopes ≤1:1	

Step 5:

ESTABLISHMENT					
ITEM NO.	DESCRIPTION	RATE	UNITS	Notes	
2575.541	MOWING	NA	ACRE	Use on projects lasting more than 3 months. Include 2 acres of mowing for each acre seeded.	
2575.545	WEED SPRAYING	0.5	ACRE	Use on all projects. Include 0.5 acre of spraying for each acre seeded	
2575.547	WEED SPRAY MIXTURE	0.5 GAL/ACRE	GALLON	Use on all projects. 2,4-D amine labeled for both aquatic and right of way use and formulated at 3.8lb acid equivalent per gallon	