

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWP 30-53-11
	Nose Height	30"
	Discharge Height	53"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	32 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Nine (9) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	45 degrees standard, adjustable
	State the Number of Hook-up Points from Moldboard to Frame	2
	Type and Size of Reinforcement of Frog at either end	6" x 4" x 1/2" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber
	Type and Size of Push Frame	94" x 6" x 6" x 1/2" angle
	Carbide Cutting Edge (AASHTO Punched) Size	1/2" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,850 Lbs.
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	Two (2) Adjustable slotted trip springs

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$6,981.00
Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$924.00
6.52	3/16" steel moldboard in lieu of standard	\$462.00
6.53	10 gauge 201 stainless steel in lieu of standard	\$2,021.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWP 39-64-12
	Nose Height	39"
	Discharge Height	64"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	32 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Nine (9) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	45 degrees standard, adjustable
	State the Number of Hook-up Points from Moldboard to Frame	2
	Type and Size of Reinforcement of Frog at either end	6" x 4" x 1/2" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber
	Type and Size of Push Frame	94" x 6" x 6" x 1/2" angle
	Carbide Cutting Edge (AASHTO Punched) Size	1/2" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	2,030 Lbs.
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	Two (2) Adjustable slotted trip springs

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$7,452.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Hustling Hitch, Plow portion	\$1,070.00
6.4	34" Hustling Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	12' Carbide cutting edge	\$1,010.00
6.52	3/16" steel moldboard in lieu of standard	\$462.00
6.53	10 gauge 201 stainless steel in lieu of standard	\$2,021.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWP 40-63-11
	Nose Height	40"
	Discharge Height	63"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	32 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Nine (9) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway	45 degrees standard, adjustable
	State the Number of Hook-up Points from Moldboard to Frame	2
	Type and Size of Reinforcement of Frog at either end	6" x 4" x 1/2" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber
	Type and Size of Push Frame	94" x 6" x 6" x 1/2" angle
	Carbide Cutting Edge (AASHTO Punched) Size	1/2" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,970 lbs
	Type and Number of re-settable HD Compression Spring Trip	Two (2) Adjustable slotted trip springs
	Painting System with Type of Paint	Cleaned, degreased, phosphated and
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$7,403.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$924.00
6.52	3/16" steel moldboard in lieu of standard	\$462.00
6.53	10 gauge 201 stainless steel in lieu of standard	\$2,021.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWP 29-54-12
	Nose Height	29"
	Discharge Height	54"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	32 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Nine (9) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	45 degrees standard, adjustable
	State the Number of Hook-up Points from Moldboard to Frame	2
	Type and Size of Reinforcement of Frog at either end	6" x 4" x 1/2" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber
	Type and Size of Push Frame	94" x 6" x 6" x 1/2" angle
	Carbide Cutting Edge (AASHTO Punched) Size	1/2" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,910 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	Two (2) Adjustable slotted trip springs

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$7,124.00
Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	12' Carbide cutting edge	\$1,010.00
6.51	No Trip Option w/Additional Spreader Bar	\$221.00
6.52	3/16" steel moldboard in lieu of standard	\$462.00
6.53	10 gauge 201 stainless steel in lieu of standard	\$2,021.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWR 30-48-10
	Nose Height	30"
	Discharge Height	48"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	Up to 35 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Seven (7) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway	5, 10, and 20 degrees off of 90
	State the Number of Hook-up Points from Moldboard to Frame	5
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber (optional)
	Type and Size of Push Frame	96" wide 4"x4"x.38 structural main push tube.
	Carbide Cutting Edge (AASHTO Punched) Size	5/8" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,804 lbs
	Type and Number of re-settable HD Compression Spring Trip	Two full moldboard type compression springs
	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$5,952.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	10' Carbide cutting edge	\$843.00
6.51	10' Rubber cutting edge	\$259.00
6.54	3/16" steel moldboard in lieu of standard	\$462.00
6.55	10 gauge 201 stainless steel in lieu of standard	\$2,021.00
6.56	Fixed angle in lieu of reversing	-\$319.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWR 30-48-11
	Nose Height	30"
	Discharge Height	48"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	Up to 35 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Seven (7) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway	5, 10, and 20 degrees off of 90
	State the Number of Hook-up Points from Moldboard to Frame	5
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber (optional)
	Type and Size of Push Frame	96" wide 4"x4"x.38 structural main push
	Carbide Cutting Edge (AASHTO Punched) Size	5/8" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,875 lbs
	Type and Number of re-settable HD Compression Spring Trip	Two full moldboard type compression
	Painting System with Type of Paint	Cleaned, degreased, phosphated and
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$6,107.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
	List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$924.00
6.51	11' Rubber cutting edge	\$284.00
6.54	3/16" steel moldboard in lieu of standard	\$462.00
6.55	10 gauge 201 stainless steel in lieu of standard	\$2,021.00
6.56	Fixed angle in lieu of reversing	-\$319.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWR 40-56-11
	Nose Height	30"
	Discharge Height	48"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	Up to 35 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Seven (7) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway	5, 10, and 20 degrees off of 90
	State the Number of Hook-up Points from Moldboard to Frame	5
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber (optional)
	Type and Size of Push Frame	96" wide 4"x4"x.38 structural main push tube.
	Carbide Cutting Edge (AASHTO Punched) Size	5/8" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	2,051 lbs
	Type and Number of re-settable HD Compression Spring Trip	Two full moldboard type compression springs
	Painting System with Type of Paint	Cleaned, degreased, phosphated and
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$6,288.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
	List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$924.00
6.51	11' Rubber cutting edge	\$284.00
6.54	3/16" steel moldboard in lieu of standard	\$462.00
6.55	10 gauge 201 stainless steel in lieu of standard	\$2,021.00
6.56	Fixed angle in lieu of reversing	-\$319.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	R.H. Snowplow, Make & Model	Henderson OWR 40-56-12
	Nose Height	30"
	Discharge Height	48"
	Plow Throat Depth from Vertical to the Deepest Point	17.5"
	Plowing Angle	Up to 35 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Seven (7) flame cut 1/2" variable pitch
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway	5, 10, and 20 degrees off of 90
	State the Number of Hook-up Points from Moldboard to Frame	5
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle with gussets
	Type of Left Side Nose	1/4" landslide plate
	Size and Type of Reinforced Snow Flap	1/2" reinforced rubber (optional)
	Type and Size of Push Frame	96" wide 4"x4"x.38 structural main push
	Carbide Cutting Edge (AASHTO Punched) Size	5/8" x 8" AASTHO punched
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with	21"
	Distance beyond Vertical that Discharge Snow Deflectors Integral with	18"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	2,111 lbs
	Type and Number of re-settable HD Compression Spring Trip	Two full moldboard type compression
	Painting System with Type of Paint	Cleaned, degreased, phosphated and
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$6,435.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
	List options for such as:R.H. & L.H. Snow Plows, different push bars, shoes, curb	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	12' Carbide cutting edge	\$1,010.00
6.51	12' Rubber cutting edge	\$311.00
6.54	3/16" steel moldboard in lieu of standard	\$462.00
6.55	10 gauge 201 stainless steel in lieu of standard	\$2,021.00
6.56	Fixed angle in lieu of reversing	-\$319.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-10
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	5 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Semi circle, 3.5" x 3.5" x .5" angle welded to 4" x 4" structural tubing
	Size and Type of Reinforced Snow Flap	3" x 10" nitride coated, double acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,750 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	.719 rod x 5.312 OD x 23.25" OAL

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$5,679.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	10' Carbide cutting edge	\$876.00
6.51	10' Rubber cutting edge	\$270.00
6.52	Extended drive frame with HD 3/4" circle ILO std	\$574.00
6.53	Tubular drive frame ILO std	\$1,154.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00

6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00
6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00
6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-11
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	4 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Semi circle, 3.5" x 3.5" x .5" angle welded to 4" x 4" structural tubing
	Size and Type of Reinforced Snow Flap	3" x 10" nitride coated, double acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,815 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	.719 rod x 5.312 OD x 23.25" OAL

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$5,756.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$963.00
6.51	11' Rubber cutting edge	\$297.00
6.52	Extended drive frame with HD 3/4" circle ILO std	\$574.00
6.53	Tubular drive frame ILO std	\$1,154.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00

6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00
6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-12
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	5 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Semi circle, 3.5" x 3.5" x .5" angle welded to 4" x 4" structural tubing
	Size and Type of Reinforced Snow Flap	3" x 10" nitride coated, double acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,875 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	.719 rod x 5.312 OD x 23.25" OAL

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$5,804.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	12' Carbide cutting edge	\$1,114.00
6.51	12' Rubber cutting edge	\$324.00
6.52	Extended drive frame with HD 3/4" circle ILO std	\$574.00
6.53	Tubular drive frame ILO std	\$1,154.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00

6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00
6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson SLT-RSP-10
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	5 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Semi circle, 3.5" x 3.5" x .5" angle welded to 4" x 4" structural tubing
	Size and Type of Reinforced Snow Flap	3" x 10" nitride coated, double acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list (Mushroom shoes)
	Weight of Plow (less Hitch and Hydraulics)	1,750 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	Slotted Trip .719 rod x 5.312 OD x 23.25"

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$8,502.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	10' Carbide cutting edge	\$597.00
6.51	10' Rubber cutting edge	\$270.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00
6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00

6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson SLT-RSP-11
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	4 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Semi circle, 3.5" x 3.5" x .5" angle welded to 4" x 4" structural tubing
	Size and Type of Reinforced Snow Flap	3" x 10" nitride coated, double acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list (Mushroom shoes)
	Weight of Plow (less Hitch and Hydraulics)	1,815 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	Slotted Trip .719 rod x 5.312 OD x 23.25"

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$8,580.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$963.00
6.51	11' Rubber cutting edge	\$297.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00
6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00
6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00

6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson SLT-RSP-12
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	5 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Semi circle, 3.5" x 3.5" x .5" angle welded to 4" x 4" structural tubing
	Size and Type of Reinforced Snow Flap	3" x 10" nitride coated, double acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list (Mushroom shoes)
	Weight of Plow (less Hitch and Hydraulics)	1,750 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	Slotted Trip .719 rod x 5.312 OD x 23.25"

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$8,628.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	12' Carbide cutting edge	\$1,050.00
6.51	12' Rubber cutting edge	\$324.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00
6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00
6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00

6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-OC-10
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	6 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Circle Frameless design.
	Size and Type of Reinforced Snow Flap	3" x 16" nitride coated, Single acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	119" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,750 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	1 pc adjustable cutting edge torsion trip

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$9,125.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	10' Carbide cutting edge	\$876.00
6.51	10' Rubber cutting edge	\$270.00
6.52	54" Flare to one side	\$1,068.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00
6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00

6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-OC-11
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	6 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Circle Frameless design.
	Size and Type of Reinforced Snow Flap	3" x 16" nitride coated, Single acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	119" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,750 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	1 pc adjustable cutting edge torsion trip

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$9,202.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Hustling Hitch, Plow portion	\$1,070.00
6.4	34" Hustling Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$963.00
6.51	11' Rubber cutting edge	\$297.00
6.52	54" Flare to one side	\$1,068.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00
6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00

6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-OC-12
	Nose Height	36"
	Discharge Height	18"
	Plow Throat Depth from Vertical to the Deepest Point	36"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	6 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Circle Frameless design.
	Size and Type of Reinforced Snow Flap	3" x 16" nitride coated, Single acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	119" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,750 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	1 pc adjustable cutting edge torsion trip

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$9,250.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	12' Carbide cutting edge	\$958.00
6.51	12' Rubber cutting edge	\$324.00
6.52	54" Flare to one side	\$1,068.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00
6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00

6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00
	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-FLEX-11
	Nose Height	adjustable
	Discharge Height	varies
	Plow Throat Depth from Vertical to the Deepest Point	adjustable
	Plowing Angle	N/A
	Moldboard Thickness & Type of Steel	3/8 Poly
	Type, Size, and Number of Vertical Reinforcement Ribs	None
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	6 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Outboard cylinder design
	Size and Type of Reinforced Snow Flap	3-16 SA
	Type and Size of Push Frame	N/A
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	N/A
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	N/A
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	1 pc adjustable cutting edge torsion trip

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$13,450.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$997.00
6.51	11' Rubber cutting edge	\$308.00
6.52	Three chain lift system	\$355.00
6.53	Lock Valves, Normally Open	\$381.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00

6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00
6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-FLEX-12
	Nose Height	adjustable
	Discharge Height	varies
	Plow Throat Depth from Vertical to the Deepest Point	adjustable
	Plowing Angle	N/A
	Moldboard Thickness & Type of Steel	3/8 Poly
	Type, Size, and Number of Vertical Reinforcement Ribs	None
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	6 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Outboard cylinder design
	Size and Type of Reinforced Snow Flap	3-16 SA
	Type and Size of Push Frame	N/A
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	N/A
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	N/A
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	1 pc adjustable cutting edge torsion trip

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$13,544.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	1/2" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	12' Carbide cutting edge	\$1,088.00
6.51	12' Rubber cutting edge	\$336.00
6.52	Three chain lift system	\$355.00
6.53	Lock Valves, Normally Open	\$381.00
6.54	42" height ILO 36"	\$77.00
6.55	48" height ILO 36" (Low profile truck hitch portions not compatible)	\$153.00
6.56	10 gauge 201 stainless steel in lieu of standard (RSP)	\$990.00
6.57	One (1) mouse ear on moldboard end	\$1,068.00
6.58	Adjustable trip cutting edge	\$1,538.00
6.59	3/8" poly ILO standard steel moldboard (not available on 48" tall)	\$915.00

6.60	1/4" Poly over 10 gauge steel moldboard	\$952.00
6.61	3/16" steel moldboard in lieu of standard (RSP)	\$358.00
6.62	Squeegee Application (All RSP Plows)(Except FLEX Plows)	\$5,406.00
6.63	Mailbox cut on moldboard end	\$390.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00

Price quote for:	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Aspen Equipment Co	
Contact Person:	Mark Lundeen	
Street Address:	9150 Pillsbury Ave. South	
P.O. Box:		
City, State, Zip:	Bloomington, MN 55420	
Phone #:	952-888-2525	
Toll Free #:	800-888-7671	
Fax #:	952-656-7159	
Email Address:	mlundeen@aspeneq.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.0	Two-Way Reversible Snow Plow - Make and Model	Henderson RSP-11 EXP
	Nose Height	40" to 54"
	Discharge Height	54"
	Plow Throat Depth from Vertical to the Deepest Point	18"
	Plowing Angle	6.5" at 20 degrees
	Moldboard Thickness & Type of Steel	10 gauge grade 50 steel
	Type, Size, and Number of Vertical Reinforcement Ribs	Eight (8) 1/2" x 3 1/2" flame cut
	Adjustable Cutting Edge Angles to Pavement Measured from Roadway Surface through Perpendicular Back Toward Truck	5, 10 , and 20 degrees
	State the Number of Hook-up Points from Moldboard to Frame	5 with weld in bushings
	Type and Size of Reinforcement of Frog at either end	4" x 4" x 3/4" angle iron
	Type of Left Side Nose	Semi circle, 3.5" x 3.5" x .5" angle welded to 4" x 4" structural tubing
	Size and Type of Reinforced Snow Flap	3" x 10" nitride coated, double acting
	Type and Size of Push Frame	3/8" x 12" reinforced
	Carbide Cutting Edge (AASHTO Punched) Size	96" long x 4" x 4" x 3/8" square tubing
	Distance Beyond Vertical that Nose Snow Deflectors Integrate with Moldboard Extends	Steel standard 5/8" x 8", (3/4" x 6" carbide optional)
	Distance beyond Vertical that Discharge Snow Deflectors Integral with Moldboard Extends	10.375"
	Size of Adjustable Snow Shoes	See options list
	Weight of Plow (less Hitch and Hydraulics)	1,875 lbs
	Type and Number of re-settable HD Compression Spring Trip Mechanisms	.719 rod x 5.312 OD x 23.25" OAL (Full Trip)

	Painting System with Type of Paint	Cleaned, degreased, phosphated and painted Highway Orange
	Warranty Information	1 year parts and labor, FOB Bloomington
	Volume Discounts for 10 or more units	4%
	TOTAL PRICE:	\$6,777.00

Spec #	Description	Answer
6.1	Installation of Front Plow	\$262.00
	Front Plow Options	
6.2	Quick Hitch, Plow portion	\$940.00
6.3	29" Husting Hitch, Plow portion	\$1,070.00
6.4	34" Husting Hitch, Plow portion	\$1,137.00
6.5	Pin Hitch, Plow portion	\$500.00
6.6	H-46 Falls style, Plow portion	\$580.00
6.7	Pin & loop, Plow portion (Oscillating)	\$581.00
6.10	Center lift ring (D-Ring style)	\$104.00
6.11	Integral shield (STD RSP plows only)	\$186.00
6.12	½" rubber deflector, installed	\$716.00
6.13	Sight markers	\$129.00
6.14	Moldboard punched to accept both carbide & mild edges	\$0.00
6.15	Wraparound curb guard, each	\$124.00
6.16	Full moldboard trip cannon (STD RSP Only)	\$418.00
6.17	Fixed angle in lieu of reversing (STD RSP Only)	-\$343.00
6.18	3" x 2" reversing cylinders in lieu of standard	\$81.00
6.19	4" x 2" reversing cylinders in lieu of standard	\$254.00
6.20	Adjustable trip springs for easy adjustment	\$329.00
6.21	Cast alloy skid shoes with screw adjustment, pair	\$1,112.00
6.22	1" x 6" Rectangular skid shoes with screw adj	\$966.00
6.23	1" x 6" carbide skid shoes with screw adjustment	\$1,182.00
6.24	8" Caster wheels with screw jack adjustment	\$1,221.00
6.25	10" caster wheels with screw jack adjustment	\$1,374.00
6.26	Mushroom shoes with screw adjustment	\$1,083.00
6.27	Parking Jack, screw adjustment NOTE: INBOARD OR OUTBOARD	\$134.00
6.28	Oscillating mushroom shoes with screw jack adj	\$1,714.00
6.29	Foam filled pneumatic tires with screw jack adj	\$1,735.00
6.30	Pneumatic tires with screw jack adjustment	\$1,473.00
6.31	Fabricated moldboard shoes – pair	\$280.00
6.32	Stainless steel front plow flap mounting bracket to follow radius of plow	\$612.00
6.33	Trucklite 80880 LED / turn signal headlights with mounting base	\$1,368.00
6.34	Greaseable pin points on front mount RSP Plow & swivel plate	\$578.00
6.35	Install customer supplied 3 pc. Cutting edge set (per set)	\$347.00
6.36	Adder for 2 ported 1/2" Stucchi Multi Coupler Plate (41Z02080801C)	\$646.00
6.37	Adder for 2 ported Parking Station (815606271)	\$173.00
6.38	Adder for 4 ported 1/2" Stucchi Multi Coupler Plate (42Z04080801C)	\$1,000.00
6.39	Adder for 4 ported Parking Station (815606283)	\$174.00
6.40	Adder for 6 ported 1/2" Stucchi Multi Coupler Plate (43Z06080801C)	\$1,669.00
6.41	Adder for 6 ported Parking Station (815606257)	\$148.00
6.50	11' Carbide cutting edge	\$963.00
6.51	11' Rubber cutting edge	\$297.00
6.52	Add for 12' moldboard	\$149.00
6.53	12' Carbide cutting edge	\$1,050.00
6.54	12' Rubber cutting edge	\$324.00
6.55	201 stainless steel moldboard in lieu of standard	\$990.00
6.56	1 pc adjustable cutting edge torsion trip	\$1,538.00

	Cost per Loaded Mile for Delivery	\$5.00
	Delivery Starting Point City, State, & Zip:	
	Body Shop Rate	\$116.00
	Mechanic Shop Rate	\$116.00