

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Henderson UB-7-17 (10' bodies)
	Class & Type	NTEA class 50, type V, single-cylinder twin push arm- underbody type
	Rated Capacity	14.3 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	7" diameter with 17" stroke
	Piston Rod Diameter & Description	2-1/2" chrome plated
	Sub-Frame Construction	4" structural channel subframe, 6"x4"x3/8" structural angle hinge with 1-1/2" pins connecting to 2-1/2" hinge blocks, with grease zerks, one safety body prop. All connecting pins and this hoist are greaseable trunnion pivot shaft on
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,472

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,477
2.2	8" hoist cylinder in lieu of 7" for Mark E-SA 10' dump body	\$45
2.3	One extra body prop- installed (one is standard)	\$66
2.4	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$161

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Henderson UB-8-21 (11'-12' bodies)
	Class & Type	NTEA class 60, type V, single-cylinder twin push arm- underbody type
	Rated Capacity	22.1 ton on 11' body and 19.9 ton-12' body
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	8" diameter with 21" stroke
	Piston Rod Diameter & Description	2-1/2" chrome plated
	Sub-Frame Construction	5" structural channel subframe, 6"x5"x3/8" structural angle hinge with 1-1/2" pins connecting to 2-1/2" hinge blocks, with grease zerks, one safety body prop. All connecting pins and trunnion pivot shaft on this hoist are greaseable (note: bodies need 10" I-beams for proper mounting height)
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,506

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,477
2.2	One extra body prop- installed (one is standard)	\$66
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$161

	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
	Delivery Starting Point City, State, & Zip:	54630
	Body Shop Rate	\$95
	Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Henderson UB-88-24 (13'-15' bodies)
	Class & Type	NTEA class 90, type V, dual-cylinder twin push arm- underbody type
	Rated Capacity	29.1 ton on 13' body and 26.7 ton-14' body 24.6 ton on 15' body
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	Dual Cylinders - 8" diameter with 24" stroke
	Piston Rod Diameter & Description	2-1/2" Nitrited Finish
	Sub-Frame Construction	6" structural channel subframe, 6"x2"x5/16" structural angle hinge with 1-1/2" pins connecting to 2-1/2" hinge blocks, with grease zerks, two safety body prop. All connecting pins and trunnion pivot shaft on this hoist are greaseable (note: bodies need 10" I-beams for proper mounting height)
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$6,222

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,420
2.2	One extra body prop- installed (one is standard)	\$66
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$161

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model M90-4.5-3, single
	Class & Type	NTEA class 50, type IV, trunnion mount, telescopic type
	Rated Capacity	18.6 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	4.5" Base Section with 90" stroke
	Piston Rod Diameter & Description	Three stage, Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	4" structural channel subframe, 6"x4"x3/8" structural angle hinge with 1-1/2" pins connecting to 2-1/2" hinge blocks, with grease zerks, one safety body prop.
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,527

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,222
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$833
2.3	One extra body prop- installed (one is standard)	\$66
2.4	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	

Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model M100-4.5-3, single acting. For 11' SA dump body application
	Class & Type	NTEA class 60, type IV, trunnion mount, telescopic type
	Rated Capacity	21.4 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	4.5" Base Section with 100" stroke
	Piston Rod Diameter & Description	Three stage, Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	4" structural channel subframe, 6"x4"x3/8" structural angle hinge with 1-1/2" pins connecting to 2-1/2" hinge blocks, with grease zerks, one safety body prop.
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,540

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,222
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$833
2.3	One extra body prop- installed (one is standard)	\$66
2.4	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
	Delivery Starting Point City, State, & Zip:	54630
	Body Shop Rate	\$95
	Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model M110-4.5-3, single acting. For 12' SA dump body application
	Class & Type	NTEA class 60, type IV, trunnion mount, telescopic type
	Rated Capacity	17.5 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	4.5" Base Section with 110" stroke
	Piston Rod Diameter & Description	Three stage, Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	4" structural channel subframe, 6"x4"x3/8" structural angle hinge with 1-1/2" pins connecting to 2-1/2" hinge blocks, with grease zerks, one safety body prop.
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,597

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,222
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$833
2.3	One extra body prop- installed (one is standard)	\$66
2.4	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
	Delivery Starting Point City, State, & Zip:	54630
	Body Shop Rate	\$95
	Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model G3 120-5-3, single acting. For 13' TA dump body application
	Class & Type	NTEA class 80, type IV, trunnion mount, telescopic type
	Rated Capacity	29.4 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	5" Base Section with 120" stroke
	Piston Rod Diameter & Description	Three stage, Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	incorporating body props, body guides, and two safety body props 6" x 8" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,227

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,250
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$1,253
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	

Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model G3 130-5-3, single acting. For 14' TA dump body application
	Class & Type	NTEA class 90, type IV, trunnion mount, telescopic type
	Rated Capacity	28.5 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	5" Base Section with 130" stroke
	Piston Rod Diameter & Description	Three stage, Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	incorporating body props, body guides, and two safety body props 6" x 8" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,233

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,250
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$1,253
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model G3 140-5-3, single acting. For 15' TA dump body application
	Class & Type	NTEA class 100, type IV, trunnion mount, telescopic type
	Rated Capacity	27.8 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	5" Base Section with 140" stroke
	Piston Rod Diameter & Description	Three stage, Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	incorporating body props, body guides, and two safety body props 6" x 8" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$3,278

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,261
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$1,265
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
	Delivery Starting Point City, State, & Zip:	54630
	Body Shop Rate	\$95
	Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model G3 150-5.7-4, single acting. For 16' TA dump body application
	Class & Type	NTEA class 110, type IV, trunnion mount, telescopic type
	Rated Capacity	31.4 ton
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	5.7" Base Section with 150" stroke
	Piston Rod Diameter & Description	Four stage, Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	incorporating body props, body guides, and two safety body props 6" x 8" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$4,091

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,261
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$1,588
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
	Delivery Starting Point City, State, & Zip:	54630
	Body Shop Rate	\$95
	Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model CS90-4-3, single acting. For MuniBody application (9/10, 10, 10/11, 11)
	Class & Type	NTEA class 40, type IV, trunnion mount, telescopic type
	Rated Capacity	27.0 ton at lift off / 15.0 ton at 39.0 deg.
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	4" Base Section with 90" stroke
	Piston Rod Diameter & Description	Three stage, Multiple Stage Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	Cylinder cradle is modular, one piece, includes body guides and two safety body props- 8" x 6" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$4,035

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,222
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$575
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model CS110-5-3, single acting. For MuniBody application (11/12, 12, 12/13, 13)
	Class & Type	NTEA class 70, type IV, trunnion mount, telescopic type
	Rated Capacity	40.6 ton at lift off / 30.2 ton at 41.8 deg.
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	5" Base Section with 110" stroke
	Piston Rod Diameter & Description	Three stage, Multiple Stage Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	Cylinder cradle is modular, one piece, includes body guides and two safety body props- 8" x 6" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$4,375

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,222
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$575
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model CS130-6-3, single acting. For MuniBody application (13/14, 14, 14/15, 15)
	Class & Type	NTEA class 100, type IV, trunnion mount, telescopic type
	Rated Capacity	57.5 ton at lift off / 38.0 ton at 32.9 deg.
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	6" Base Section with 130" stroke
	Piston Rod Diameter & Description	Three stage, Multiple Stage Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	Cylinder cradle is modular, one piece, includes body guides and two safety body props- 8" x 6" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$4,693

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,222
2.2	Double acting telescopic hoist cylinder in lieu of single acting telescopic hoist, full power down cylinder (Mailhot CS series)	\$1,292
2.4	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
Delivery Starting Point City, State, & Zip:	54630
Body Shop Rate	\$95
Mechanic Shop Rate	\$95

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	

Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Mailhot Hoist model CS150-6-4, single acting. For MuniBody application (15/16, 16, 16/17)
	Class & Type	NTEA class 80, type IV, trunnion mount, telescopic type
	Rated Capacity	56.5 ton at lift off / 21.5 ton at 36.6 deg.
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	6" Base Section with 150" stroke
	Piston Rod Diameter & Description	Four stage, Multiple Stage Nitrited finish inside & outside, bore seal design
	Sub-Frame Construction	Cylinder cradle is modular, one piece, includes body guides and two safety body props- 8" x 6" x 1/2" structural angle rear hinge with 2" pins connecting to 2-1/2" hinge blocks with grease zerks
	Is Installation included in Price?	Yes___ or No__X__ See Options for Installation
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$4,960

Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$1,250
2.2	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$240

Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$4.00
---	---------------

	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate	\$95
	Mechanic Shop Rate	\$95