


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0605
TRUNK HIGHWAY 28
COUNTY Big Stone
DISTRICT 48

LIMITS: Jct. I.H. 7 - Jct. I.H. 75 in Graceville



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICKNESS	
		Gravel	24'	2"	No Record of Constr.
1920	28-28-4	Grading	24'		Co. Job N ^o 2002.
1921	28-28-5	Grading	26'		Co. Job N ^o 2102.
1922	28-28-24	Gravel	24'	3 1/2"	Co. Job N ^o 2102. 1600 C.Y./Mile.
1922	28-28-26	Gravel	22'	4 1/2"	1900 C.Y./Mile.
1936	28-28-26-1	Grading Gravel	32' 24'	1 1/2" 1 1/2"	1100-1300 Ton/Mile.
1936	28-28-24	Grading Gravel	32' 24'	1" 1 1/4"	700-1100 Ton/Mile.
1936	28-28-24 Ext.	Grading Gravel	32' 24'	2"	1200 Ton/Mile.
1938	0605-01 0605-02	CaCl ₂ Stab. Grav. Mixed Bitum. Shoulder Lift.	32' 24'	5 1/2" 1 3/4"	
1936	28-28-26-3	Bit. Tr. Gravel (Plant Mix)	24'	2 1/2"	1" Binder Course. 1 1/2" Wearing Course.
M	1940 A.F.E. II	Bit. Seal Coat			Em. Asp. 3566 Gal./Mi. Grav. 78 C.Y./Mi. Maint. Dept.
C	1941 0605-03	Roadside Develop.			
C	1942 A.F.E. 7	Planting Trees			Maint. Dept.
C	1943 0605-04	Base Repair Stab. Grav.	29'	6"	



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1935	13.30	11.79	0.00	1.51	0.00	13.30	0.00	0.00	0.00
1936	1938	13.26	11.68	0.00	1.58	0.00	13.26	0.00	0.00	0.00
1939	1939	13.35	11.68	0.00	1.67	0.00	13.35	0.00	0.00	0.00
1940	1950	13.35	11.68	0.00	1.67	0.00	12.18	0.00	1.17	0.00
1951		13.35	11.68	0.00	1.67	0.00	13.35	0.00	0.00	0.00


REMARKS: Layout is to scale as of 1936

PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0605
TRUNK HIGHWAY 28
COUNTY Big Stone
DISTRICT 48

LIMITS: Jct.T.H.7 - Jct.T.H.75 in Graceville



YEAR BUILT	PROJECT N°	DESCRIPTION			REMARKS	CODE N°
		TYPE	WIDTH	THICKNESS		
C	1943 A.F.E.4	Mixed Bit		1"±		
M	1944 A.F.E.4	Spot Treat. Bit Surf. Repair	24'		Bit 2310 Gals./Mi. Grav. 58 C.Y./Mi. Maint. Div.	
M	1945 A.F.E.23	Subgr. Treat.			Bit 3798 Gal./Mi.	
M	1945 A.F.E.4	Bit Repair (Spots)	24'		Grav. 126 C.Y./Mi.	
M	1945 A.F.E.5	Seal Coat (Spots)	24'		Maint. Div.	
M	1946 A.F.E.4	Spot Treat. Bit Surf. Repair	24'		SG3 (SG3, 1523) Gal. Agg. 58 C.Y.	
M	1947 A.F.E.4	Spot Treat. Bit Surf. Repair	24'		MC-3, 2995 Gal. Agg. 2284 Tons	
C	1947 0606-02	P.C. Concrete Grav. Shoulders	22'	9'-9"	8' Rt. & Lt.	
M	1948 A.F.E.4	Spot Treat. Bit Surf. Repair	24'		SG3, 2398 Gal. Agg. 1522 Tons	
M	1950 A.F.E.4	Spot Treat. Bit Surf. Repair	24'		SG3, 15656 Gal. Agg. 952 C.Y.	
C	1951 0605-08	Grav. Base Repair	24'	4'-12"		
C	0605-07	Plant Mix Bit.	24'	1 1/2"		
M	1958 A.F.E.604	Spot Treat. Bit Surf. Repair	24'		MC28, RC2, 7582 Gal. Agg. 330 Tons & 834 C.Y.	
M	1958 A.F.E.605	Light Bit Seal	24'			
M	1959 A.F.E.604	Bit Surf. Repair	24'		MC-2, 21300 Gal. Agg. 1075 Tons	
C	1962 0605-10	Grading P.C. Concrete	24'	7"	Grading rt. & lt. of surf. in place on major portion of SP.	
M	1973 SF	Joint Seal			3250 lbs. Sea- lant Random Cracks only	
M	1974 SF	Replace Agg. Shldrs. with Bituminous Material	10'		Exc. 1000 C.Y. Bit Base - 630 Ton	



YEARS FROM	TOTAL TO	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.


REMARKS: See Sheet N°1
(1) Paved with C.S. 0606. Contract not final but work substantially complete in 1947.

PREPARED BY
BUREAU OF POLICY & PLANNING
IN COOPERATION WITH
U. S. DEPARTMENT OF TRANSPORTATION - FEDERAL HIGHWAY ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF TRANSPORTATION
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 0605
TRUNK HIGHWAY 28
COUNTY Big Stone
DISTRICT 4B

LIMITS: Jct. T.H. 28 - Jct. T.H. 75 in Graceville
Ref. Pt. 009+00.251 - 022+00.606



YEAR BUILT	PROJECT No	DESCRIPTION	WIDTH		THICKNESS	REMARKS
C	1990 0605-13	Bit. Overlay Edge Drains Combination Shdrs	24'	5 1/4'		Spec 2331, 2341
U	2002 0605-15	Grading Shoulders-Bit. Surf Subgrade correction	24'	10'	4.5"	Spec. 2350
M	2005 8824-49	Bituminous Seal Coat	24'			Spec 2356
S	2011 0604-22	Milling & Bit. Overlay Comb. Shdrs - Bit.	24'	2'	2"	Spec. 2360 Agg Cl. 1 var. width



YEARS FROM TO		TOTAL MILES	UNINCORPORATED RDWY. MI. BR. MI.		INCORPORATED RDWY. MI. BR. MI.		RURAL RDWY. MI. BR. MI.		URBAN RDWY. MI. BR. MI.	

REMARKS: S.P. 0605-15nd Agreement # 82889, Big Stone Cty.