


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 3206
TRUNK HIGHWAY 71
COUNTY Jackson
DISTRICT 7B

LIMITS: N.Jct.T.H.16 - N. Co. Line



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o	T.H. 16
		TYPE	WIDTH	THICKNESS		
1924	71-4-27A,B&C	Grading	30'			1
1926	71-4-27A&B	Gravel	24'	2'-3"	1000-1400 C.Y./Mile.	2
1931	(1) 71-4-27A&B	Oil Tr. Gravel	24'	1 1/2"	14211 Gal./Mile. Maint. Dept.	3
M 1940	A.F.E. 25	Bit. Seal Coat			RC3-2447 Gal./Mi. Grav. 66 C.Y./Mi. Maint. Dept.	4
M 1941	A.F.E. 13	Spot Treat. Bit. Surf. Repair			SC3-4-1613 Gal./Mi. Grav. 47 C.Y./Mi. Maint. Dept.	5
M 1942	A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		MC3-1002 Gal./Mi. Grav. 72 C.Y./Mi. Maint. Dept.	6
M 1943	A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		MC2&3-1549 Gal./Mi. Grav. 59 C.Y./Mi. Maint. Dept.	7
M 1944	A.F.E. 4	Bit. Surf. Repair	24'		Oil, 2486 Gal./Mi. Grav. 80 C.Y./Mi. Maint. Div.	8
M 1945	A.F.E. 4	Bit. Surf. Repair			MC3-2088 Gal./Mi. Grav. 60 C.Y./Mi. Maint. Div.	9
C 1946	A.F.E. 16	Bit. Resurfacing Mixed Bit	24'	1 1/2" Added	SC3B-187586 Gal. Agg. 10099 C.Y.	10
M 1947	A.F.E. 4	Spot Treat. Bit. Surf. Repair & Fog Seal	24'		SC-4&RC4-46714 Gal. Agg. 1440 C.Y.	11
M 1948	A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		SC-4-8874 Gal. Agg. 448 C.Y.	12
M 1949	A.F.E. 20	Spot Treat. Bit. Surf. Repair Spot Subgr. Corr.	24'		SC4-9340 Gal. Agg. 520 C.Y.	13
M 1950	A.F.E. 4	Bit. Fog Seal	24'		RC3-1-4727 Gal. Agg. 44 C.Y.	14

YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1924	1954	19.16	19.16	0.00	0.00	0.00	19.16	0.00	0.00	0.00
1955	1974	16.55	16.55	0.00	0.00	0.00	16.55	0.00	0.00	0.00
1975		16.72	16.72				16.72			

REMARKS: Layout is to scale as of 1924

(1) This work not done under these project numbers but lies within the limits of these projects

2-76

