


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 3612
TRUNK HIGHWAY 71
COUNTY Koochiching
DISTRICT 1B

LIMITS: Jct. T.H. 6 in Big Falls - Jct. T.H. 65 at Little Fork



YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICKNESS	
		Gravel	20'	2"	No Record of Constr.
1921	71-4-21	Br. No 3420	16'		18x122 H.T. 26x37' Rein. Conc.
1932	71-4-37-1	Grading Gravel Br. 5170A, 5176B & 5201	32' 24' 19x7'	2"	700-980 C.Y./Mi. 120 H.T., 35' B.S. & 30' B.S.
1934	71-4-37-1	Gravel	32'	5 1/2"	(1) 1248-1652 C.Y./Mi.
1939	3612-01A & B 3612-02A & B	Stabilized Agg. Bit. Surf. Treat.	28' 26'	3" 3/4"	
M	1940 A.F.E. 3	Fog Seal			MC3, 1415 Gal./Mi. Sand 11 C.Y./Mi. Maint. Dept.
M	1943 A.F.E. 4	Bit. Surf. Repair	24'		MC2, 1139 Gal./Mi. Agg. 16 C.Y./Mi. Maint. Dept.
M	1944 A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		MC2, 709 Gal./Mi. Agg. 17 C.Y./Mi. Maint. Div.
M	1945 A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		MC2, 588 Gal./Mi. Grav. 36 C.Y./Mi. Maint. Div.
C	1946 A.F.E. 16	Bit. Resurfacing Mixed Bit.	24'	1" Added	MC3, 56631 Gal. Agg. 3076 C.Y.
C	1947 A.F.E. 23	Bit. Resurfacing Mixed Bit.	24'	1" Added	MC3, 128555 Gal. Agg. 9481 tons
M	1948 A.F.E. 4	Spot Treat. Bit. Surf. Repair Fog Seal	24' 24'		MC2, 24475 Gal. Agg. 1235 C.Y.
M	1949 A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		MC3, 5422 Gal. Agg. 291 C.Y.
M	1950 A.F.E. 4	Spot Treat. Bit. Surface Repair	24'		MC-7, 10040 Gal. Agg. 1040 C.Y.



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1931	24.20	23.85	0.03	0.32	0.00	24.17	0.03	0.00	0.00
1932	1962	19.33	19.06	0.04	0.23	0.00	19.29	0.04	0.00	0.00
1963		19.13	18.86	0.04	0.23	0.00	19.09	0.04	0.00	0.00

REMARKS: Layout is to scale as of 1932

(1) Accumulated thickness

