


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U. S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4310
TRUNK HIGHWAY 212
COUNTY McLeod
DISTRICT 8A

LIMITS: S. Jct. T.H. 22 - E. Co. Line.

YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICK-NESS	
		Gravel Br. 2167	24' 16'	2'	No Record of Constr. 80' I.T.
1925	212-12-26-1 & 2A	Grading Br. 4345	32' 27'		80' I.T.
1925	212-12-26-2A	Gravel	24'	3'	1380 C.Y./Mile.
1926	212-12-26-1	Gravel	24'	2 1/2"-3 1/4"	1200-1530 C.Y./Mile.
1929	212-12-26-1A & B 212-12-26-2A	Concrete	20 1/2'	9'-9"	
1939	A.F.E. 40	Roadside Develop.			
1939	A.F.E. 40	Shoulder Gravel	12'	1"	6 RT & LT Maint Dept
1940	4310-03	Roadside Develop.			
1949	4310-12	Traffic Control Signals			
1955	A.F.E. 617	Reshaping & Gray. Resurf. Shoulders			Net 8.73 Mi.
1956	4310-13	Sand-Gr. Sub-base* Bit. Stab. Base* Hot Asphaltic Conc.	12" 5" 3" x 4"		*Placed 12'-15' RT & LT of 20' conc. Imp. for 1.69 Mi.
1957	A.F.E. 605	Bit. Seal Coat	4'-6"		RT-10, 10736 Gal. Aqg. 455 C.Y.
1964	4310-18 (1)	Grading, Sub-base Gravel & Bit Base Asphaltic Conc.	7 1/2" 4"		3.16 mi. Divided Highway
1966	4310-22 & 43005 4310-26 (2)	Grading & Br. 43005 Gravel Sub-base & Base P.C. Concrete	5" 8' x 8"		135' B.S. on W.B. rdwy. Divided Highway



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1924	10.75	8.55	0.02	2.20	0.00	3.78	0.02	1.35	0.00
1925	1963	10.71	8.46	0.02	2.25	0.00	3.71	0.02	1.38	0.00
1964	1965	10.85	8.56	0.02	2.27	0.00	3.81	0.02	2.02	0.00
1966	1973	10.86	8.64	0.02	2.20	0.00	3.89	0.02	1.95	0.00
1974		10.58	9.04	0.02	1.46	-	9.29	0.02	1.21	-

REMARKS: Layout is to scale as of 1925.
 (1) The 0.07 mi. of undivided rdwy. in Glencoe is a temp. connection S.P. 4310-43001 for Br. 43001 not on I.H. for township rd. over creek.
 (2) 1.36 mi. const. both rdwys. includes 0.07 temp. conn., 4.63 mi. const. of new westbound rdwy.


PREPARED BY
TRANSPORTATION & TRANSIT PLANNING & PROGRAMMING DIVISION
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION-BUREAU OF PUBLIC ROADS

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4310
TRUNK HIGHWAY 212
COUNTY Mcleod
DISTRICT 8A

LIMITS: S. Jct. T.H. 22 - E. Co. Line
Ref. Pt. 116+00.378 - 127+00.319

YEAR BUILT	PROJECT NO.	DESCRIPTION				REMARKS
		TYPE	WIDTH	THICKNESS		
C	1970 4310-30	Widening Concrete Base Pl. Mix. Bit. Bit. Shoulders	4'	9"	3"	E.B. Rdwy. Only Over P.C. Conc. E.B. Rdwy. 3' inside & 8' outside
C	1970 4310-30	Br. 43008				Br. 4345 Removed 135' B.S. on E.B. Rdwy.
M	1971 SF	Joint Seal				
C	1973 4310-34	Bit. Seal Coat	44'	5/8"		
C	1974 4310-29	Grade, Base, Surf. Br. 43004 Br. 43006	48'	9"		PPG 358' S.B.S. 326'
M	1977 4310-37	Conc. PLANING & TEXTURING				N.B. ROADWAY PORTION E.B. RDWAY
C	1981 4310	Renoir & Overley Br. 43004, 43005 WB 43008 EB				
C	1985 4310-38	Conc. Widening Planing Incl. Conc. Bit. Shoulders	2.5' 2.24' 3' 6"	8" 2"		Lt. B. RT. Non-Rain. Shldr.
C	1985 4310-39	Mill Incl. Bit. Bit. Surfacing Bit. Shoulders	2.24' 2.24' 8' 3"	5" 7 1/2"		Remove Incl. Bit. 5" Bit. Base
-C	1986 4310-40	Conc. Overlay (W.B.) Bit. Overlay (E.B.)	27' 24'	7" Var.		Spec. 2331 Spec. 2341
C	1987 4310-39	Bit. Overlay	24'	6 1/2" 1"		Spec. 2331
M	1989 4338	Joint Repair				
S	2000 4310-43	Grind Concrete	24'			
S	2004 4310-45	Grading Concrete Surfacing	38' 27'	16" 9.5"		



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet 1.

