


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 5811
TRUNK HIGHWAY 70
COUNTY Pine
DISTRICT 1A

LIMITS: Jct. T.H. 61 - W. End of Bridge (St. Croix River)

YEAR BUILT	PROJECT N°	DESCRIPTION			CODE N°
		TYPE	WIDTH	THICKNESS	
1928		Gravel	24'	2"	Co Job 2802
					Added in 1934
1933		Oil Tr. Gravel	21'	3/4"	9900 Gal./Mile. Maint. Dept.
M					SC3,643 Gal./Mi.
1940	A.F.E. 48	Bit. Retreat.			Grav. 109 C.Y./Mi. Maint. Dept.
M					SC3,2127 Gal./Mi.
1941	A.F.E. 16	Bit. Retreat.	21'		Maint. Dept.
M					SC3A, 1534 Gal./Mi.
1942	A.F.E. 4	Bit. Retreat.	21'		Grav. 10 C.Y./Mi. Maint. Dept.
C					Revert Bit. Surf.
1945	A.F.E. 8	Grav. Surfacing			454 C.Y./Mi. Maint. Div.
C	1949 A.F.E. 27	Gravel Base	24'	0:8"	SC3 1/2 MC-2, 98704 Gal.
1950	A.F.E. 27	Bit. Surfacing			Agg. 6483 Tons
		Mixed Bit.	24'	1"	
M					SC3, 18757 Gal.
1951	A.F.E. 4	Spot Treat. Bit. Surf. Repair	24'		Agg. 1260 C.Y.
M					SC3 & MC2, 30277 Gal.
1952	A.F.E. 4	Bit. Surf. Repair	24'		Agg. 1908 C.Y.
C					Regrade & Bit. Surf.
1952	A.F.E. 42	Bridge Approach			
M					MC-2 & SC3, 12517 Gal.
1953	A.F.E. 604	Spot Treat. Bit. Surf. Repair Spot Base Repair	24'		Agg. 917 C.Y.
M					MC-2, 22073 Gal.
1954	A.F.E. 604	Spot Treat Bit. Surf. Repair	24'		Agg. 1954 Tons
1925	61-44-1B	Grading Concrete	32' 18'	8-7-8"	Transferred from T.H. 61 (C.S. 5805) in 1954
M					MC-2, 14389 Gal.
1955	A.F.E. 604	Spot Treat Bit. Surf. Repair	24'		Agg. 1254 Tons



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1934	1953	9.20	9.20	0.00	0.00	0.00	0.00	9.20	0.00	0.00
1954		9.48	9.48	0.00	0.00	0.00	0.00	9.48	0.00	0.00

REMARKS: Layout is to scale as of 1934.


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 5811
TRUNK HIGHWAY 70
COUNTY Pine
DISTRICT 1A

LIMITS: Jct. TH-361 - W. End of Bridge (St. Croix River)
Ref. Pt. 019+00.842 - 029+00.339

YEAR BUILT	PROJECT N ^o	DESCRIPTION			CODE N ^o
		TYPE	WIDTH	THICKNESS	
M 1956	A.F.E. 604	Spot Treat Bit. Surf. Repair	24'		MC-2 & SC-3, 20342 Gal. Agg. 2010 Tons
M 1957	A.F.E. 604	Spot Treat Bit. Surf. Repair	24'		SC3 & MC2, 9500 Gal. Agg. 857 Tons
M 1958	A.F.E. 604	Spot Treat Bit. Surf. Repair	24'		SC-3, 9000 Gal. Agg. 728 Tons
M 1959	A.F.E. 604	Spot Treat Bit. Surf. Repair	24'		SC-3, 5657 Gal. Agg. 504 Tons
M 1960		Spot Treat Bit. Surf. Repair	24'		SC-3, MC-2, 10870 Gal. Agg. 941 Tons
M 1961		Spot Treat Bit. Surf. Repair	24'		SC-3, 8655 Gal. for Repair & 747 Gal. for tack
CRM 1963		Install Culvert Spot Treat Bit. Surf. Repair			108x32' Struc. Plate Bit. Mix 774 Tons MC-2, Tack, 775 Gal.
M 1965	SF	Spot Treat Bit. Surf. Repair	24'	1"	MC-250 Tack 1041 Gal. Bit. Mix 1495 Tons
M 1967	SF	Bit. Surface Repair	24'	1"	MC-250 Tack 391 Gal. Rd. Mix Bit. 592.2 Ton
C 1974	5811-05	Bit. REPAVING & SWAMP TREATMENTS & DRAINAGE WORK	24'	3"	Pi. Mix Bit. Spec. 2331 11 941 Ton Level. Course 2331 11 547 Ton
M 1984	5811 SF	Culvert Replacement			1 R.C.P. 88'x48' Long
C 1986	5811-07	Bit. Overlay	24'	1"	Spec. 2331
C 1999	5811-10	Bit. Overlay	24'	1 1/2"	Spec. 2350
2006	8821-113	Bit. Shldr. Const.	6'		Spec. 2360



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: See Sheet No. 1

